SHOUT
SHARE
IT

Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

http://www.archive.org/details/synonymiccatalog01brituoft

ta 147
British Museum (Nat. Hist.). Dept. of Entomology
456 ⑲

A SYNONYMIC CATALOGUE

OF

ORTHOPTERA.

BY

W. F. KIRBY.

VOL. I.

ORTHOPTERA EUPLEXOPTERA, CURSORIA, ET GRESSORIA.

(FORFICULIDÆ, HEMIMERIDÆ, BLATTIDÆ, MANTIDÆ, PHASMIDÆ.)

66604
29/9/05

LONDON:
PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.
SOLD BY
LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., 43 GERRARD STREET, W.;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.
1904.

All rights reserved.

LIBRARY
NOV 13 1969
UNIVERSITY OF TORONTO

ALERE FLAMMAM.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

QL
506
B85
V. 1

PREFACE.

DURING the last few years the Orthoptera of the British Museum have been rearranged throughout by Mr. W. F. Kirby, and now fill 38 cabinets, exclusive of the British collection. In order to carry out this work, Mr. Kirby found it necessary to prepare a complete Catalogue of the Order, which the Trustees have decided to publish in its entirety, believing that it will be found extremely useful to students of Entomology, especially as no recent or complete catalogues of most of the families exist.

In 1892 the number of described species of Orthoptera was estimated at 8000, but this number has since been largely increased; and Mr. Kirby has himself described numerous new species, chiefly in the 'Annals and Magazine of Natural History' and in the 'Transactions' of the Zoological and Entomological Societies, during the progress of his work. The types of these species are all in the British Museum, with the exception of a few (chiefly African) in the collection of Mr. W. L. Distant.

The most important special collections of Orthoptera in the British Museum are those formed for the preparation of the 'Biologia Centrali-Americana,' of which the families *Forficulidæ*, *Blattidæ*, *Mantidæ*, *Gryllidæ*, and *Phasgonuridæ* have already been received; the De Bormans collection of

Forficulidæ; and the collections formed by the collectors attached to scientific expeditions to Christmas Island, the Hawaiian Islands, Socotra, and the West Indies (especially St. Vincent and Grenada), and described in the Reports published relative to those expeditions.

The present volume includes five families of Orthoptera, and it is expected that the remaining three will be completed in one (or at most two) more volumes.

The pattern adopted for this Catalogue has been that of Mr. Kirby's unofficial 'Catalogue of Neuroptera Odonata,' published in 1890.

Special thanks are due to Prof. E. B. Poulton for allowing the types of *Blattidæ* described by Walker from the collection of the late W. W. Saunders, and now in the Hope Museum at Oxford, to be compared with the British Museum Collection, which has made it possible to determine at least the generic position of nearly the whole of Walker's Blattidæ.

Mr. Kirby also wishes to thank Messrs. Bolivar, Bruner, Burr, Caudell, and Rehn for early copies of their papers, some of which might otherwise not have reached him in time to be quoted in this volume.

E. RAY LANKESTER,
Director.

British Museum (Natural History),
London, S.W.
November 7th, 1904.

INTRODUCTION.

In submitting the first volume of a general Catalogue of Orthoptera to the Entomological public, it appears desirable to make some remarks on the most important recent works on the families included in it, and on the general arrangement of the Collection.

Eight principal families of Orthoptera are recognized in the present work, of which the first five—*Forficulidæ*, *Hemimeridæ*, *Blattidæ*, *Mantidæ*, and *Phasmidæ* (or Earwigs, Cockroaches, Praying Insects or Soothsayers, and Stick Insects or Spectre Insects, including the so-called Walking Leaves)—are catalogued in this volume. Of these the *Forficulidæ*, *Blattidæ*, and *Mantidæ* of Mexico and Central America have been monographed by De Bormans, De Saussure, and Zehntner in the 'Biologia Centrali-Americana.'

The whole of the Orthoptera in the British Museum were arranged, in the first instance, by Adam White.

The *Forficulidæ* were subsequently rearranged by J. O. Westwood, who, however, published little of importance on the family. They are frequently regarded as a distinct order, to which the names Dermaptera and Euplexoptera have been applied. The former name, however, has sometimes been used for the Orthoptera in general. Till recently the *Forficulidæ* have been somewhat neglected by Entomologists; but in 1900 a monograph on the *Forficulidæ* and *Hemimeridæ*, by H. de Bormans and H. Krauss, was published as a volume of the series of publications edited by F. E. Schulze, under the general title of 'Das Tierreich.' A revised system of classification, by K. W. Verhoeff, was partly sketched out in 1902, in papers in the 'Zoologische Anzeiger,' vol. xxv., and in the 'Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin'; but it has been too incompletely developed to be taken into consideration in the present work.

The Collembola and Thysanura have been included by some authors with the Orthoptera, but are now usually regarded either as small independent orders, or as aberrant families of Neuroptera. I have therefore excluded them from the present Catalogue, with the exception of the genus *Iapyx* (or *Japyx*), belonging to the Thysanura, the species of which are all so deceptively similar to *Forficulidæ* that I considered it almost necessary to add them as an Appendix to that family.

The small West-African genus *Hemimerus* was originally described by Walker as belonging to the *Gryllidæ* (*Achetidæ*), but is now considered to form a distinct family allied to the *Forficulidæ*.

The *Blattidæ* form a distinct section of the Orthoptera, sometimes called Cursoria; but are not usually regarded as entitled to the rank of a distinct order.

Previous to the publication of the 'Biologia Centrali-Americana,' De Saussure issued a series of important works on the Orthoptera of Central America, especially 'Orthoptères de l'Amérique Moyenne: Blattides' (1864); 'Synopsis des Mantides Américaines' (1871); and 'Recherches Zoologiques pour servir à l'histoire de la Faune de l'Amérique Centrale et du Mexique,' 6me partie (1870–1879). The latter work includes *Blattidæ*, *Mantidæ*, *Phasmidæ*, and *Gryllidæ*. He has also published a valuable series of synopses and descriptive papers on various families of Orthoptera, especially on the four families already mentioned, in various periodicals; but chiefly under the title of "Mélanges Orthoptérologiques," in the 'Mémoires de la Société de Physique et d'Histoire Naturelle de Genève,' vol. xviii. (1863–4), and in subsequent volumes.

In 1865 Brunner von Wattenwyl published his 'Nouveau Système des Blattaires,' and in 1868 F. Walker, having rearranged the British Museum Collection, published his 'Catalogue of the Specimens of Blattariæ in the British Museum' (1868), Supplements to which appeared at intervals from 1869 to 1871. Unfortunately, he was unable to consult Brunner's work while preparing his own.

The *Mantidæ* and *Phasmidæ* are sometimes treated as a separate section of Orthoptera, called Gressoria.

The *Mantidæ* were rearranged by H. W. Bates, and a series of plates were prepared to illustrate them; but these were not published till 1889, when they were issued accompanied by a complete Catalogue of the Family, and descriptions of new species, by J. O. Westwood, under the title of 'Revisio Insectorum Familiæ Mantidarum.'

Westwood had previously rearranged the *Phasmidæ* in the British Museum; and in 1859 the Trustees published a monograph on the family, by Westwood, under the title of 'Catalogue of Orthopterous Insects in the Collection of the British Museum: Part I. Phasmidæ.'

In 1893 Brunner von Wattenwyl published a "Révision des Système des Orthoptères" in the 'Annali del Museo Civico di Storia Naturale di Genova,' ser. 2, vol. xiii. The *Forficulidæ* and *Hemimeridæ* were omitted; but otherwise the work is the most comprehensive yet published on the Orthoptera as a whole, and includes synopses of the families and genera of the greater part of the order, with the exception of the *Gryllidæ* and some families of the *Phasgonuridæ*, which had already been monographed by Brunner, De Saussure, and others.

The remaining portion of the present Catalogue will be devoted to the Orthoptera Saltatoria, comprising the families *Achetidæ* (or *Gryllidæ*), *Phasgonuridæ*, and *Locustidæ*, or Crickets, Grasshoppers, and Locusts.

These have been previously catalogued by F. Walker in his

'Catalogue of the Specimens of Dermaptera Saltatoria [and Supplement to the Blattariae] in the Collection of the British Museum' (5 parts, 1869-1871).

At the conclusion of the work it is proposed to add a Supplement including new genera and species published too late for insertion in their proper places in the Catalogue.

W. F. KIRBY.

NATURAL HISTORY MUSEUM,
SOUTH KENSINGTON.
November, 1904.

N.B.—Species marked with an asterisk in the Catalogue are represented in the Natural History Museum by one or more specimens, and those of which the Museum possesses the types with a double asterisk; ||, as usual, denotes a preoccupied name.

CONTENTS.

Page

PREFACE . . . iii

INTRODUCTION . . . v

CONTENTS . . . ix

FORFICULIDÆ . . . 1

HEMIMERIDÆ . . . 59

BLATTIDÆ . . . 61
- Ectobiinæ . . . 61
- Chorisoneurinæ . . . 71
- Phyllodromiinæ . . . 74
- Nocticolinæ . . . 106
- Nyctiborinæ . . . 107
- Epilamprinæ . . . 109
- Blattinæ . . . 127
- Archiblattinæ . . . 148
- Panchlorinæ . . . 148
- Blaberinæ . . . 160
- Corydiinæ . . . 166
- Polyphaginæ . . . 171
- Oxyhaloinæ . . . 175
- Plectopterinæ . . . 177
- Perisphæriinæ . . . 179
- Panesthiinæ . . . 200

MANTIDÆ . . . 207
- Amorphoscelinæ . . . 207
- Eremiaphilinæ . . . 208
- Chœradodinæ . . . 219
- Mantinæ . . . 221
- Miopteryginæ . . . 274
- Creobotrinæ . . . 280
- Vatinæ . . . 297
- Empusinæ . . . 310

CONTENTS.

Page

PHASMIDÆ 317
  Lonchodinæ 317
  Bactricinæ 327
  Bacillinæ 327
  Diapheromerinæ 343
  Bacteriinæ 348
  Phryganistriinæ 358
  Palophinæ 360
  Necrosciinæ 368
  Acrophyllinæ 379
  Eurycanthinæ 395
  Heteropteryginæ 396
  Anisomorphinæ 401
  Prisopinæ 403
  Pseudophasminæ 408
  Aschipasminæ 418
  Phylliinæ 420

INDEX 425

CATALOGUE

OF

ORTHOPTERA.

FAM. I.

FORFICULIDÆ.

Genus 1. **Diplatys.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 33 (1831); Ins. Orth. p. 50 (1839); Borm. Biol. Centr.-Amer., Orth. i. p. 1 (1893); Tierreich, Forf. pp. 5, 8 (1900); Burr, J. Bombay Soc. xiv. p. 73 (1902).

Dyscritina, Westw. Trans. Ent. Soc. Lond. 1881, p. 601 (larva). (*Type* no. 8.)

Nannopygia, *Dohrn*, Stettin. Ent. Zeit. xxiv. p. 60 (1863); Borm. Tierreich, Forf. p. 10 (1900). (*Type* no. 9.).

*1. **D. Macrocephala, Beauv.** (*Forficula M.*) Ins. Afr. Amér. p. 36, Orth. pl. 1. f. 3 (1805); Serv. Ins. Orth. p. 51 (1839). *Diplatys M.*, *Serv.* Ann. Sci. Nat. xxii. p. 33 (1831); Borm. Tierreich, Forf. p. 9, f. 5 (1900), *nec text.* *D. Raffrayi*, *Dubr.* An. Soc. Españ. viii. p. 91 (1879); Borm. Tierreich, Forf. p. 9. n. 2 (1900).	E. & W. Africa.
2. **D. Coriacea, Kirb. (*Forficula C.*) J. Linn. Soc. xxiii. p. 525 (1891); Borm. l. c. p. 127 (1900).	S. Leone.
3. **D. Bormansi, Kirb.** (n. n.). ‖*D. Macrocephala*, *Borm.* Ann. Mus. Genov. xxvi. p. 433 (1888); Tierreich, Forf. p. 9. n. 1 (*text*) (1900).	Burma.

4. **D. Ridleyi, Kirb. Ann. Nat. Hist. (7) xi. p. 61 (1903).	Singapore.
5. **D. Rufescens, Kirb. (*Cylindrogaster R.*) J. Linn. Soc. xxv. p. 524, pl. 20. f. 2 (1895).	N. India.
6. **D. Nigriceps, Kirb. (*Cyl. N.*) l. c. xxiii. p. 507 (1891).	Hong Kong. India.
*7. **D. Greeni, Burr,** n. n. ‖*Diplatys Nigriceps, Burr.* Tr. Ent. Soc. London, 1898, p. 389, pl. 18. ff. 1–3, pl. 19. ff. 6 15, 18 ; J. Bombay Soc. xiv. p. 75, pl. A. ff. 1–3 (1902). *Dyscritina Longisetosa, Green.* Tr. Ent. Soc. London. 1896, p. 229, figs. *Dyscritina, sp. n., Green*, op. cit. 1898, p. 383.	Ceylon.
*8. **D. Longisetosa, Westw.** (*Dyscritina L.*) Tr. Ent. Soc. London. 1881, p. 601, pl. 22. ff. 1, 1 *a–i* ; Green, op. cit. 1898, pp. 383, 384. *Diplatys Longisetosa, Burr.* Trans. Ent. Soc. London. 1898, p. 388, pl. 18. ff. 4, 5, 16, pl. 19. ff. 9–14 ; Borm. Tierreich, Forf. p. 10, f. 6 (1900). *Diplatys Gerstaeckeri*, pt., *Burr*, J. Bombay Soc. xiv. p. 74, pl. A. ff. 4, 5 (1902).	id.
9. **D. Gerstaeckeri, Dohrn,** (*Nannopygia G.*) l. c. xxiv. p. 60 (1863) ; Borm. l. c. p. 11. n. 1, f. 7 (1900).	id.
10. **D. Jansoni, Kirb. (*Cylindrogaster J.*) l. c. xxiii. p. 507 (1891). *Diplatys J., Borm.* Biol. Centr.-Amer., Orth. p. 2, pl. 1. ff. 1, 2 (1893) ; Tierreich, Forf. p. 9. no. 3 (1900).	Chontales.
11. **D. Severa, Borm. ll. cc. p. 2, pl. 1. f. 3 (1893) ; p. 9. n. 4 (1900).	Chiriqui.

Genus 2. **Cylindrogaster.** (*Type* no. 1.)

Stål, Œfv. Vet.-Ak. Förh. xii. p. 350 (1855) ; Borm. Tierreich, Forf. p. 11 (1900).

*1. **C. Gracilis, Stål,** l. c. p. 350 (1855) ; Dohrn, Stettin. Ent. Zeit. xxiv. p. 58 (1863) ; Borm. l. c. p. 11. n. 1, f. 8 (1900). *Diplatys Gracilis, Stål*, Eugenie's Resa, Ins. p. 306 (1858).	Brazil.

*2. **C. Thoracica, Dohrn,** l. c. p. 59 (1863); Borm. l. c. p. 12. n. 2 (1900).	Brazil.
3. **C. Sahlbergi, Dohrn,** l. c. p. 59 (1863); Borm. l. c. p. 12. n. 3 (1900).	id.

Genus 3. **Apachyus.** (*Type* no. 6.)

Serv. Ann. Sci. Nat. xxii. p. 35 (1831); Borm. Tierreich, Forf. p. 12 (1900); Verh. Zool. Anz. xxv. p. 200 (1902).

Apachya, *Serv.* Ins. Orth. p. 54 (1839); Dohrn, Stettin. Ent. Zeit. xxiv. p. 42 (1863); Borm. Ann. Mus. Genova, xxxiv. p. 372 (1894).

Apachys, *Agass.* Nomencl. Zool., Ind. p. 27 (1846).

1. **A. Pascoei, Kirb. (*Apachys P.*) J. Linn. Soc. xxv. p. 521, pl. 20. f. 1 (1895).	Sylhet.
2. **A. Feæ, Borm. (*Apachya F.*) Ann. Mus. Genova, xxxiv. p. 373 (1894). *Apachyus F.*, *Borm.* Tierreich, p. 13. n. 1, f. 9 *a*, *b* (1900).	Burma.
*3. **A. Chartaceus, Haan,** (*Forficula* (*Apachya*) *Chartacea*) Temminck, Verhandel. Nat. Gesch., Orth. p. 239, pl. 23. f. 7 (1842). *Apachya Chartacea*, *Dohrn*, Stettin. Ent. Zeit. xxiv. p. 43 (1863). *Apachys Chartacea*, *Dubr.* Ann. Mus. Genova, xiv. p. 349, fig. (1879). *Apachyus Chartaceus*, *Borm.* Tierreich, p. 13. n. 3 (1900).	Malay Peninsula, Borneo, Sumatra.
4. **A. Javanus, Verh.** Zool. Anz. xxv. p. 200 (1902).	Java.
5. **A. Beccarii, Dubr.** (*Apachys B.*) l. c. p. 349, fig. (1879). *Apachyus B.*, *Borm.* Tierreich, p. 13. n. 2 (1900).	New Guinea.
*6. **A. Depressus, Beauv.** (*Forficula Depressa*) Ins. Afr. Amér. p. 36, Orth. pl. 1. ff. 5, 5 *a* (1805). *Apachya Depressa*, *Serv.* Ins. Orth. p. 55 (1839); Dohrn, l. c. p. 43. n. 1 (1863); Gerst. Mt. Ver. Vorpomm. xiv. p. 39 (1883). *Apachyus Depressus*, *Borm.* Tierreich. Forf. p. 1. n. 4 (1900).	W. Africa.

7. **A. Reichardi, Karsch,** (*Apachya R.*) Berlin. Ent. Zeitschr. xxx. p. 85. pl. 3. f. 3 (1886). *Apachyus Reichardi, Borm.* Tierreich, p. 13. n. 5 (1900).	E. Africa.
8. **A. Murrayi, Dohrn,** (*Apachya M.*) Stettin. Ent. Zeit. xxiv. p. 44 (1863). *Apachyus Murrayi, Borm.* l. c. p. 14. n. 6 (1900).	W. Africa.

Genus 4. **Tagalina.** (*Type* no. 1.)

Dohrn. Stettin. Ent. Zeit. xxiv. p. 44 (1863); Borm. Tierreich, Forf. p. 14 (1900).

1. **T. Semperi, Dohrn,** l. c. p. 45 (1863); Borm. l. c. p. 14. n. 1 (1900).	Luzon.
2. **T. Grandiventris, Blanch.** (*Forficula G.*) Voy. Pôle Sud. Zool. iv. p. 349, Orth. pl. 1. f. 1 (1853). *Tag. G., Dohrn.* l. c. p. 46 (1863); Borm. l. c. p. 14. n. 2 (1900); Burr, Termés. Füzetek, xxv. p. 477, pl. 20. f. 1 (1902).	Salomon Islands, N. Guinea.

Genus 5. **Pygidicrana.** (*Type* no. 30.)

Serv. Ann. Sci. Nat. xxii. p. 30 (1831); Dohrn, Stettin. Ent. Zeit. xxiv. p. 46 (1863); Borm. Tierreich, Forf. p. 15 (1900); Burr, J. Bombay Soc. xiv. p. 68 (1902).

Dicranopygia, Burm. Germ. Zeitschr. Ent. ii. p. 79 (1840). (*Type* no. 30.)

1. **P. Caffra, Dohrn,** Stettin. Ent. Zeit. xxviii. p. 343 (1867); (?) Karsch, Berlin. Ent. Zeitschr. xxx. p. 86, pl. 3. f. 5 (1886); Borm. l. c. p. 19. n. 10 (1900).	E. & W. Africa.
2. **P. Frontalis, Kirb. Ann. Nat. Hist. (7) xi. p. 61 (1903).	Cameroons.
3. **P. Bettoni, Kirb. l. c. p. 62 (1903).	B. E. Africa.
*4. **P. Liturata, Stål,** (*Forficesila L.*) Œfv. Vet.-Akad. Förh. xii. p. 347 (1855). *Pygidicrana Liturata, Dohrn,* l. c. xxiv. p. 57 (1863); Borm. l. c. p. 23. n. 24 (1900).	S. Africa.
*5. **P. Vitticollis, Stål,** (*Forficula V.*) l. c. xii. p. 350 (1855). *Pydicrana V., Stål,* Eugenie's Resa, Ins. p. 299 (1858).	China.

Pygidicrana V., Dohrn, l. c. p. 55 (1863); Borm. l. c. p. 22. n. 22 (1900).	
*6. **P. Siamensis, Dohrn,** l. c. p. 51 (1863); Borm. l. c. p. 19. n. 9 (1900).	Siam, &c., China.
7. **P. Modesta, Borm. Ann. Mus. Genov. xxxiv. p. 375 (1894); Tierreich, Forf. p. 21. n. 15 (1900).	Burma.
8. **P. Valida, Dohrn,** l. c. xxviii. p. 344 (1867); Borm. Tierreich, Forf. p. 22. n. 19 (1900).	id.
*9. **P. Callipyga, Dohrn,** (*P. Kallipygos*) l. c. xxiv. p. 53 (1863). *P. Callipyga, Borm.* l. c. p. 21. n. 16, f. 13 (1900).	India.
*10. **P. Picta, Guér.** Mag. Zool. viii. p. 70, pl. 236. f. 1 (1838); Dohrn, l. c. xxiv. p. 50 (1863); Borm. l. c. p. 18. n. 6 (1900); Burr, l. c. xiv. p. 69 (1902).	id., Ceylon.
*11. **P. Eximia, Dohrn,** l. c. xxiv. p. 49 (1863); Borm. l. c. p. 18. n. 5, f. 11 (1900).	N. India.
12. **P. Nietneri, Dohrn,** l. c. xxiv. p. 53 (1863); Borm. l. c. p. 21. n. 17 (1900); Burr, l. c. p. 70 (1902).	Ceylon.
*13. **P. Angustata, Dohrn,** l. c. xxiv. p. 56 (1863); Borm. l. c. p. 23. n. 23 (1900); Burr, l. c. p. 71 (1902).	id.
*14. **P. Cumingi, Dohrn,** l. c. xxiv. p. 54 (1863); Borm. l. c. p. 21. n. 18 (1900); Burr, l. c. p. 71, pl. B. f. 2 (1902).	id.
*15. **P. Pallidipennis, Haan,** (*Forficula (Pygid.) P.*) Temminck, Verhandel., Orth. p. 240, pl. 23. f. 8 (1842). *P. Pallidipennis, Dohrn*, l. c. xxiv. p. 50 (1863); Borm. l. c. p. 18. n. 7 (1900).	Borneo, Sumatra, Burma.
16. **P. Imperatrix, Burr,** Ann. Nat. Hist. (7) iii. p. 163 (1899).	Java.
*17. **P. Marmoricrura, Serv.** Ins. Orth. p. 20 (1839); Dohrn, l. c. xxiv. p. 51 (1863); Borm. l. c. p. 19. n. 8 (1900); Burr, l. c. p. 69 (1902). *Forficula (Pygid.) M., Haan*, l. c. p. 239 (1842).	id., Ceylon?
*18. **P. Hugeli, Sharp,** Cambridge Nat. Hist., Ins. i. p. 202, f. 102; p. 215 (1895).	Java.
19. **P. Abnormis, Borm.** (*Cylindrogaster A.*) Ann. Soc. Ent. Belgique, xxvii. p. 59, pl. 2. f. 1 (1883).	id.

Pygid. A., Borm. Tierreich. Forf. p. 23. n. 25 (1900).	
20. **P. Horsfieldii, Kirb. J. Linn. Soc. xxiii. p. 506. pl. 12. figs. 11, 11 *a* (1891); Borm. l. c. p. 20. n. 12 (1900).	Java.
21. **P. Guttata, Kirb. Ann. Nat. Hist. (7) xi. p. 62 (1903).	Celebes.
22. **P. Finschi, Karsch,** Ent. Nachr. xi. p. 322 (1885).	N. Australia, N. Guinea?
(?) *P. Marmoricrura, Dohr.* Ann. Mus. Genova. xiv. p. 351 (1871).	
*23. **P. Ophthalmica, Dohrn,** l. c. xxiv. p. 55 (1863); xxviii. p. 344 (1867); Borm. l. c. p. 22. n. 21 (1900).	Australia, Burma.
*24. **P. Daemeli, Dohrn,** l. c. xxx. p. 233 (1869); Borm. l. c. p. 20. n. 11, f. 12 (1900).	N. Australia.
*25. **P. Atriceps, Kirb.** l. c. p. 63 (1903).	Queensland.
*26. **P. Bivittata, Erichs.** Schomb. Reise Brit. Guiana, iii. p. 579 (1848); Borm. l. c. p. 18. n. 4 (1900).	Guiana.
27. **P. Staphylinoides, Walk. (*Olyntha S.*) List Neuropt. Ins. B. M. iii. p. 532. n. 3 (1853).	Santarem.
Pygid. S., Kirb. J. Linn. Soc. xxiii. p. 506 (1891); Borm. l. c. p. 24 (1900).	
*28. **P. Notigera, Stål,** (*Pydicrana N.*) Eugenie's Resa. Ins. p. 299 (1858).	Brazil.
Pygidicrana N., Dohrn. l. c. xxiv. p. 52 (1863); Borm. l. c. p. 20. n. 14 (1900).	
29. **P. Egregia, Kirb. l. c. xxv. p. 523. pl. 20. f. 3 (1895); Borm. l. c. p. 17. n. 3 (1900).	Santa Catharina.
*30. **P. V-nigrum, Serv.** Ann. Sci. Nat. xxii. p. 31 (1831); Ins. Orth. p. 19, pl. 1. ff. 1, 1 *a, b* (1839); Dohrn. l. c. xxiv. p. 47 (1863); Borm. l. c. p. 17. n. 2 (1900).	Brazil.
Forficula V-nigrum, Burm. Handb. Ent. ii. p. 751 (1838).	
31. **P. Forcipata, Kirb. l. c. xxv. p. 522 (1895): Borm. l. c. p. 16 (1900).	Para.
32. **P. (?) Dilaticauda, Motsch.** (*Forfiscelia D.*) Bull. Soc. Moscou, xxxvi. (3) p. 3 (1863).	Ceylon.
Platylabia Dilaticauda, Borm. l. c. p. 75 (1900).	
Pygidicrana (?) Dilaticauda, Burr. l. c. p. 72 (1902).	

Genus 6. **Anatælia.** (*Type* no. 1.)

Bol. Act. Soc. Españ. 1899, p. 97.

1. **A. Canariensis, Bol.** l. c. p. 99; p. 98, figs. (1899).	Teneriffe.

Genus 7. **Pyragra.** (*Type* no. 4.)

Serv. Ann. Sci. Nat. xxii. p. 34 (1831); Ins. Orth. p. 32 (1839); Borm. Tierreich, Forf. p. 24 (1900).

Thermastris, Dohrn, Stettin. Ent. Zeit. xxiv. p. 61 (1861); Scudd. Bull. U.S. Geol. Surv. ii. p. 249 (1876). (*Type* no. 3.)

*1. **P. Dohrni, Scudd.** (*Therm. D.*) P. Boston Soc. xvii. p. 280 (1875). *Pyragra D., Borm.* l. c. p. 25 (1900).	Peru.
*2. **P. Chontalia, Scudd.** (*Therm. C.*) l. c. xviii. p. 258 (1876); Bull. U.S. Geol. Surv. ii. p. 249 (1876). *Pyragra C., Borm.* l. c. p. 25 (1900).	Nicaragua, Peru.
*3. **P. Brasiliensis, Gray** (*Forficula B.*), Griffith, Animal Kingd. xv. p. 184, pl. 78. f. 2 (1832). *Pyragra B., Borm.* l. c. p. 24 (1900). *Thermastris B., Dohrn*, l. c. xxiv. p. 62 (1863). *Forf. Opaca, Burm.* Handb. Ent. ii. p. 751. n. 2 (1838). *Forf. Aspera, Stål*, Eugenie's Resa, Ins. p. 300 (1858).	Brazil.
*4. **P. Fuscata, Serv.** Ann. Sci. Nat. xxii. p. 34 (1831); Ins. Orth. p. 32, pl. 1. ff. 4, 4 *a–c* (1839). *Pygidicrana Saussurei, Dohrn*, l. c. xxiii. p. 225, pl. 1. f. 2 (1862). *Therm. S., Dohrn*, l. c. xxiv. p. 63 (1863); Scudd. Bull. U.S. Geol. Surv. ii. p. 249 (1876). *Pyragra S., Borm.* l. c. p. 24 (1900).	Mexico to Brazil.

Genus 8. **Echinopsalis.** (*Type* no. 1.)

Borm. Biol. Centr.-Amer., Orth. i. p. 2 (1893); Tierreich, Forf. p. 25 (1900).

1. **E. Guttata, Borm. ll. cc. p. 3, pl. 1. f. 4 (1893); p. 25 (1900).	Chontales.

Genus 9. **Echinosoma.** (*Type* no. 1.)

Serv. Ins. Orth. p. 34 (1839); Dohrn, Stettin. Ent. Zeit. xxiv. p. 63 (1863); Borm. Tierreich, Forf. p. 26 (1900); Burr, J. Bombay Soc. xiv. p. 77 (1902).

*1. **E. Afrum, Beauv.** (*Forficula Afra*) Ins. Afr. Amer. p. 35. Orth. pl. 1. f. 1 (1805). *Echin. A., Serv.* l. c. p. 34 (1839); Dohrn, l. c. p. 63 (1863); Borm. l. c. p. 26, f. 14 (1900).	W. Africa.
2. **E. Occidentale, Borm.** Ann. Soc. Ent. France, 1893, p. 170; Tierreich, Forf. p. 27 (1900).	id. (Assini).
*3. **E. Wahlbergi, Dohrn,** l. c. p. 64 (1863); Borm. Tierreich, Forf. p. 27 (1900).	S. Africa.
4. **E. (?) Obscurum, Kirb.** Distant, Ins. Transvaal. p. 12, pl. 1. f. 2 (1900).	Pretoria.
*5. **E. Insulanum, Karsch,** Ent. Nachr. xi. p. 323 (1885); Borm. l. c. p. 27 (1900).	Madagasc'r.
*6. **E. Bolivari, Rodz.** Wien. Ent. Zeit. xvi. p. 154 (1897); Borm. l. c. p. 27 (1900).	id.
*7. **E. Sekalavum, Borm.** Ann. Mus. Genov. xl. p. 441 (1900).	Nossi Bé.
*8. **E. Sumatranum, Haan,** (*Forficula (Echin.) Sumatrana*) Haan, Verhandel. Nat. Gesch., Orth. p. 241 (1842). *E. Sumatranum, Dohrn,* l. c. p. 65 (1863); Borm. l. c. p. 28 (1900).	Burma, Java, Sumatra, Papua, Australia, &c.
9. **E. Forbesi, Kirb. J. Linn. Soc. xxiii. p. 509, pl. 12. f. 9 (1891); Borm. l. c. p. 28 (1900).	Dinner I.
*10. **E. Westermanni, Dohrn,** l. c. p. 65 (1863); Borm. l. c. p. 28 (1900).	P'loPenang, Philippines.
*11. **E. Parvulum, Dohrn,** l. c. p. 66 (1863); Borm. l. c. p. 29 (1900); Burr, l. c. p. 77 (1902).	Ceylon.
*12. **E. Horridum, Dohrn,** l. c. p. 66 (1863); Borm. l. c. p. 29 (1900); Burr, Termés. Füzetek, xxv. p. 478 (1902).	Java.
13. **E. Yorkense, Dohrn,** l. c. xxx. p. 234 (1869); Borm. l. c. p. 28 (1900).	N. Australia.

Genus 10. **Forcipula.** (*Type* no. 8.)

Bol. Ann. Soc. Ent. France, 1897, p. 283; Borm. Tierreich, Forf. p. 29 (1900); Ann. Mus. Genova, xl. p. 442 (1900); Burr, J. Bombay Soc. xiv. p. 323 (1902).

1. **F. Congo, Burr,** Ann. Soc. Ent. Belgique, xliv. p. 49 (1900).	Congo.

2. **F. Gariazzi, Borelli,** Boll. Mus. Torino, xv. (381) p. 1, fig. (Dec. 1900).	Congo.
3. **F. Walkeri, Kirb. (*Labidura W.*) J. Linn. Soc. xxv. p. 524, pl. 20. f. 6 (1895). *Forcipula W., Borm.* Tierreich, Forf. p. 31 (1900).	Hong Kong.
4. **F. Trispinosa, Dohrn,** Stettin. Ent. Zeit. xxiv. p. 310 (1863). *Forcipula T., Borm.* l. c. p. 30, f. 15 (1900).	India, Abyssinia.
5. **F. Tarsata, Westw.** (*Forficula T.*) P. Zool. Soc. London, v. p. 139 (1837). *Labidura T., Dohrn,* l. c. p. 311 (1863). *Forcipula T., Borm.* l. c. p. 30 (1900).	Manila.
6. **F. Pugnax, Kirb. (*Labidura P.*) J. Linn. Soc. xxiii. p. 510, pl. 12. f. 1 (1891). *Forcipula P., Borm.* l. c. p. 30 (1900).	N. India, Rangoon.
7. **F. Morosa, Kirb. (*Labidura M.*) J. Linn. Soc. xxiii. p. 513 (1891).	Hab. —— ?
*8. **F. Quadrispinosa, Dohrn,** l. c. p. 311 (1863). *Forcipula Q., Borm.* l. c. p. 30 (1900); Burr, J. Bombay Soc. xiv. p. 323 (1902).	India, Burma, Ceylon.
9. **F. Lurida, Bol.** (*Forcipula Quadrispinosa,* var. *Lurida*) Ann. Soc. Ent. France, 1897, p. 283. *F. Quadrispinosa Lurida, Borm.* l. c. p. 31 (1900).	Trichinopoly.
10. **F. Decolyi, Borm.** Ann. Mus. Genova, xl. p. 444 (1900).	India, N. Guinea (eadem ?).
11. **F. Americana, Borm.** l. c. p. 443 (1900).	Bolivia.

Genus 11. **Labidura.** (*Type* no. 2.)

Leach, Edinb. Encycl. ix. p. 118 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 8 (1835); Dohrn, Stettin. Ent. Zeit. xxiv. p. 309 (1863); Scudd. Bull. U.S. Geol. Surv. ii. p. 250 (1876); Bol. Sin. Ort. Esp. p. 21 (1876); Brunn. Prodr. Eur. Orth. p. 4 (1882); Fin. Faune France, Orth. p. 62 (1890); Tümp. Geradflügler Mitteleuropas, pp. 209, 230 (1900); Borm. Tierreich, Forf. p. 31 (1900); Burr, J. Bombay Soc. xiv. p. 316 (1902); Kirb. Ann. Nat. Hist. (7) xi. p. 63 (1903).

Forficesila, Serv. Ann. Sci. Nat. xxii. p. 32 (1831); Ins. Orth. p. 21 (1839). (*Type* no. 2.)

*1. **L. Bengalensis, Dohrn,** l. c. p. 312 (1863); Borm. l. c. p. 33, f. 16, *a*, *b* (1900); Burr, l. c. p. 317 (1902).	India, Ceylon.

*2. **L. Riparia, Pall.** (*Forficula R.*) Reise Russ. Reichs. ii. Anh. p. 727. n. 75 (1773). *Labidura Riparia, Dohrn*, l. c. p. 313. n. 5 (1863); Bol. Sin. Ort. Esp. p. 21, pl. 1. f. 8 *a–d* (1876); Scudd. l. c. p. 250 (1876); (?) Dubr. Ann. Mus. Genova. xiv. p. 353 (1879); Brunn. l. c. p. 5. pl. 1. f. 1 (1882); Fin. l. c. p. 62, pl. 2. ff. 28. 29 (1890); Sharp, Cambr. Nat. Hist., Ins. i. p. 210, f. 110 (1895); Burr, Brit. Orth. p. 12, pl. 1. f. 1 (1897); J. Bombay Soc. xiv. p. 316, pl. B. f. 4 (1902); Borm. l. c. p. 33. n. 5 (1900); Tümp. l. c. p. 230, pl. 15 (1900). *Forficesila Riparia, Fisch. Waldh.* Orth. Ross. p. 46 (1846). *Forficula Gigantea, Fabr.* Mant. Ins. ii. p. 224. n. 2 (1787); Dufour, Ann. Sci. Nat. xiii. p. 345, pl. 19. ff. 1–3 (1828). *Forficula (Labidura) Gigantea, Fisch.* Orth. Eur. p. 65, pl. 6. ff. 1. 1 *a–f* (1853). *Forficesila Gigantea, Serv.* Ins. Orth. p. 23, pl. 1. f. 2 (1839); Fisch. Waldh. l. c. p. 44, ff. 1*, 1** (1846). *Forficula Bilineata, Herbst*, Fuessly, Arch. Ins. p. 183, pl. 49. f. 1 (1786). *Forficula Maxima, Vill.* Linn. Ent. i. p. 427, pl. 2. f. 53 (1789). *Psalis Morbida, Serv.* Ann. Sci. Nat. xxii. p. 35 (1831).	W. Asia. S. Europe, Africa.
*Var. *a*. *Labidura Riparia*, var. *Mixta, Bol.* Ann. Sci. Nat. Porto, iv. p. 117 (1898).	Cadiz.
2 *a*. **L. Marginella, Costa,** (*Forficula M.*) Atti Accad. Borb. iv. Zool. p. 50, pl. 1. ff. 1, 2 (1839); Krauss, Verh. Ges. Wien, xxxvi. p. 137, pl. 8. f. 1 (1886). *Forficula (Labidura) Marginella, Fisch.* l. c. p. 66, pl. 6. ff. 2, 2 *a* (1853). *Labidura Riparia*, var. *Inermis, Brunn.* l. c. p. 5 (1882).	S. Europe.
2 *b*. **L. Bicolor, Fisch. Waldh.** (*Forficula B.*) Orth. Imp. Ross. p. 42 (1846).	S. Russia (Taurida).
2 *c*. **L. Distincta, Rodz.** Wien. Ent. Zeit. xvi. p. 153 (1897).	Transcaucasia.
2 *d*. **L. Pallipes, Fabr.** (*Forficula P.*) Syst. Ent. p. 270. n. 7 (1775).	Cape Verde Isl.

2 *e*. **L. Herculeana, Fabr.** (*Forficula H.*) Ent. Syst., Suppl. p. 185 (1798).	St. Helena.
*3. **L. Terminalis, Serv.** (*Forficesila T.*) Ins. Orth. p. 25 (1839).	Mauritius.
4. **L. Auditor, Scudd.** P. Boston Soc. xviii. p. 252 (1876).	Natal.
*5. **L. Crenata, Oliv.** (*Forficula C.*) Enc. Méth., Ins. vi. p. 467. n. 4 (1791).	S. Africa.
*5 *a*. **L. Icterica, Serv.** (*Forficesila I.*) Ins. Orth. p. 25 (1839).	India, Ceylon, China.
*Var. *a*. *L. Servillei*, *Dohrn*, l. c. p. 316 (1863): Borm. Tierreich, Forf. p. 35 (1900).	India, Ceylon.
*Var. *b*. *Forficula* (*Forficesila*) *Gigantea*, var. *b*. *Japonica*, *Haan*, Temminck. Verhandel. Nat. Gesch., Orth. p. 240 (1842).	China, Japan.
6. **L. Granulosa, Kirb. J. Linn. Soc. xxiii. p. 511 (1891).	Philippines.
7. **L. Pluvialis, Kirb. l. c. p. 512 (1891).	Raine I.
8. **L. Truncata, Kirb. Ann. Nat. Hist. (7) xi. p. 67 (1903).	Australia.
9. **L. Bidens, Oliv.** (*Forficula B.*) l. c. p. 466. n. 3 (1791).	Jamaica.
*9 *a*. **L. Erythrocephala, Fabr.** (*Forficula E.*) Ent. Syst. ii. p. 4. n. 12 (1793). *Forficula Bivittata*, *Burm.* Handb. Ent. ii. p. 751. n. 5 (1838). *Forficula* (*Forficesila*) *Affinis*, *Guér.* Sagra. Hist. Cuba, Ins. p. 330, pl. 12. f. 2 (1857).	W. Indies, S. America.
9 *b*. **L. Suturalis, Burm.** (*Forficula S.*) l. c. p. 752. n. 6 (1838).	Colombia.
*10. **L. Lividipes, Duf.** (*Forficula L.*) Ann. Sci. Nat. xiii. p. 340 (1828). *Labidura Lividipes*, *Borm.* l. c. p. 36. n. 7 (1900); Burr, J. Bombay Soc. xiv. p. 318, pl. B. f. 5 (1902). *Forficesila Meridionalis*, *Serv.* l. c. p. 26 (1839). *Forficula* (*Labidura*) *Meridionalis*, *Fisch.* l. c. p. 67, pl. 6. ff. 3, 3 *a–e* (1853). ‖ *Forficula Pallipes*, *Duf.* Ann. Gén. Sc. Phys. vi. p. 116, pl. 96. f. 7 *a, b* (1820). *Forficule de Dufour*, *Desm.* Faune Franç., Orth. pl. 1. f. 7 (1820). *Labidura Pallipes*, *Dohrn*, l. c. p. 317 (1863); Bol. Sin. Ort. Esp. p. 22, pl. 1. f. 9 *a, b* (1876).	S. Europe, Africa, Asia.

Labidura Dufourii, Scudd. P. Boston Soc. xviii. p. 322 (1877); Brunn. l. c. p. 7 (1882); Fin. l. c. p. 63 (1899).	
10 *a*. **L. Inconspicua, Kirb.** Distant, Ins. Transvaal. p. 13. pl. 1. f. 1 (1900).	Pretoria.
11. **L. Castanea, Serv.** (*Forficesila C.*) Ins. Orth. p. 26 (1839).	Hab. —— ?
*11 *a*. **L. Vicina, Luc.** (*Forficesila V.*) Expl. de l'Algerie, iii. p. 5, iv. pl. 1. ff. 2, 2 *a–e* (1846).	Algeria, S. Europe.
Labidura Vicina, Dohrn, l. c. p. 318 (1863).	
12. **L. Tenuicornis, Borm. Ann. Mus. Genova, xl. p. 446 (1900).	Sumatra, Brit. N. Guinea.
13. **L.** (?) **Fischeri, Fisch. Waldh.** (*Forficesila F.*) l. c. p. 354, pl. 33. f. 1 (1846).	S. Russia (Taurida).
14. **L. (?) **Clarki, Kirb.** J. Linn. Soc. xxiii. p. 512 (1891).	Rio de Janeiro.
15. **L.** (?) **Huseinæ, Rehn,** (*Apterygida H.*) P. Acad. Philadelphia, liii. p. 273 (1901).	Galla Land.

Genus 12. **Demogorgon.** (*Type* no. 2.)

Kirb. J. Linn. Soc. xxiii. p. 513 (1891); Ann. Nat. Hist. (7) xi. p. 68 (1903).

*1. **D. Lividus, Dubr.** (*Labidura Livida*) An. Soc. Esp. viii. p. 93 (1879); Bol. Viaje al Pacifico, Ins. p. 9, pl. 1. f. 1 (1884).	Santa Catarina, Ceara.
2. **D. Batesii, Kirb. J. Linn. Soc. xxiii. p. 514, pl. 12. ff. 3, 3 *a* (1891).	Santarem.
Labidura Batesi, Borm. Tierreich, Forf. p. 32 (1900).	
3. **D. Bicolor, Kirb. l. c. p. 514 (1890).	S. America.
Labidura Bicolor, Borm. l. c. p. 32 (1900).	
*4. **D. Xanthopus, Stål** (*Forficesila X.*) Œfv. Vet.-Ak. Förh. xii. p. 348 (1855).	Brazil, B. Aires.
Forficula Xanthopus, Stål, Eugenie's Resa, Ins. p. 300 (1860).	
Demogorgon Adelphus, Kirb. l. c. p. 515 (1891).	
Labidura Adelpha, Borm. l. c. p. 33 (1900).	
5. **D. Patagonicus, Kirb. l. c. *p.* 515 (1891).	Patagonia.

Genus 13. **Karschiella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 183 (1902).

1. **K. Buettneri, Karsch,** (*Pygidicrana B.*) Berlin. Ent. Zeitschr. xxx. p. 86, pl. 3. f. 4 (1886) : Borm. Tierreich, Forf. p. 22. n. 20 (1900). *Karschiella B.*, *Verh.* l. c. p. 184 (1902).	W. Africa.
2. **K. Camerunensis, Verh.** l. c. (1902).	Cameroons.

Genus 14. **Bormansia.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 184 (1902).

1. **B. Africana, Verh.** l. c. (1902).	E. Africa.
2. **B. Impressicollis, Verh.** l. c. (1902).	id.

Genus 15. **Psalis.** (*Type* no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 34 (1831) ; Burm. Handb. Ent. ii. p. 753 (1838) ; Scudd. P. Boston Soc. xviii. p. 297 (1876) ; Bull. U.S. Geol. Surv. ii. p. 250 (1876) ; Borm. Tierreich, Forf. p. 36 (1900) ; Burr, J. Bombay Soc. xiv. p. 77 (1902).

*1. **P. Indica, Burm.** (*Forficula I.*) l. c. p. 751. n. 3 (1838). *Labidura Indica*, *Dohrn*, Stettin. Ent. Zeit. xxiv. p. 320. n. 11 (1863). *Psalis Indica*, *Borm.* l. c. p. 38. n. 3, f. 17 (1900) ; Ann. Mus. Genova, xl. p. 447 (1900). *Forficula Geniculata*, *Stål*, Œfv. Vet.-Ak. Förh. xii. p. 349 (1855). *Forficula Indica*, *Stål*, Eugenie's Resa, Ins. p. 300 (1858).	Java, Borneo, Penang.
2. **P. Borneensis, Kirb. J. Linn. Soc. xxv. p. 525 (1896).	N.W. Borneo.
*3. **P. Femoralis, Dohrn,** (*Labidura F.*) l. c. p. 321 (1863) ; Dubr. Ann. Mus. Genova, xiv. p. 353, figs. (1879). *Psalis Femoralis*, *Borm.* Tierreich, Forf. p. 38 (1900) ; Burr, l. c. p. 78, pl. B. f. 3 (1902).	Ceylon, Burma (eadem ?).
4. **P. Guttata, Borm. Ann. Mus. Genova, xl. p. 448 (1900). *Psalis Indica, var. Minor*, *Borm.* l. c. (1900).	Mentavei I.

*5. **P. Plebeja, Dohrn,** (*Labidura P.*) l. c. p. 322 (1863) *Psalis Plebeja, Borm*, Tierreich, Forf. p. 38 (1900).	Java, Borneo, Sumatra.
6. **P. Rufescens, Beauv.** (*Forficula R.*) Ins. Afr. Amer. p. 35, Orth. pl. 1. f. 2 (1805).	W. Africa (Oware).
7. **P. Picina, Kirb. l. c. xxiii. p. 516 (1891).	Gambia, Congo.
*8. **P. Americana, Beauv.** (*Forficula A.*) l. c. p. 165, Orth. pl. 14. f. 1 (1817). *Psalis Americana, Serr.* Ann. Sci. Nat. xxii. p. 34 (1831); Scudd. Bull. U.S. Geol. Surv. ii. p. 251 (1876): Borm. Tierreich, Forf. p. 37. n. 1 (1900). *Forficesila Americana, Serr.* Ins. Orth. p. 22 (1839); Wood. Ins. Abroad. p. 280, f. 140 (1874). *Labidura Americana, Dohrn*, l. c. p. 319 (1863). *Forficula Procera, Burm.* l. c. p. 753 (1838). *Psalis Procera, Scudd.* l. c. p. 251 (1876). *Forficesila Elegans, Stål*, Œfv. Vet.-Akad. Förh. xii. p. 348 (1855). *Forficula (Forficesila) Distincta, Guér.* Sagra, Hist. Cuba, Ins. p. 329, pl. 12. ff. 1, 1 *a*, *b* (1857).	W. Indies, S. & Central America.
*9. **P. Gagathina, Burm.** (*Forficula G.*) l. c. p. 753. n. 13 (1838). *Labidura Gagatina, Dohrn*, l. c. p. 320 (1863). *Psalis Gagatina, Scudd.* l. c. p. 250 (1876); Borm. Biol. Centr.-Amer., Orth. i. p. 4, pl. 1. ff. 5, 6 (1893); Tierreich, Forf. p. 37. n. 2 (1900).	Portorico.
*10. **P. Rosenbergi, Burr,** Ann. Nat. Hist. (7) iv. p. 253 (1899).	Ecuador.
*11. **P. Thoracica, Serv.** (*Forficesila T.*) Ins. Orth. p. 22 (1839). *Psalis Thoracica, Borm.* Biol. Centr.-Amer., Orth. i. p. 4. n. 3, pl. 1. f. 7 (1893); Tierreich, Forf. p. 39. n. 7 (1900).	Cayenne, Panama.
*12. **P. Scudderi, Borm.** Ann. Mus. Genova, xl. p. 449 (1900).	Amazons, Paraguay.

Genus 16. **Carcinophora.** (*Type* no. 1.)

Scudd. P. Boston Soc. xviii. p. 291 (1876); Borm. Tierreich, Forf. p. 40 (1900); Burr, J. Bombay Soc. xiv. p. 328 (1902).

*1. **C. Robusta, Scudd.** (*Chelidura R.*) l. c. xii. p. 344 (1869). *Carcinophora Robusta, Borm.* l. c. p. 40. n. 1 (1900). *Psalis Colombiana, Borm.* Ann. Soc. Ent. Belgique. xxvii. p. 61, pl. 2. f. 2 (1882).	Ecuador, Colombia, Costa Rica.
2. **C. Dohrni, Kirb. (*Nannopygia D.*) J. Linn. Soc. xxiii. p. 508 (1891); Borm. Tierreich, Forf. p. 11. n. 2 (1900). *Carcinophora Dohrni, Burr,* l. c. p. 328, pl. B. f. 8 (1902). ‖*Labidura Femoralis, Dubr.* Ann. Mus. Genova, xiv. p. 353 (1879). *Carcinophora Cæruleipennis, Borm.* l. c. p. 40. n. 2 (1900).	Ceylon.
3. **C. Castetsi, Bol.** Ann. Soc. Ent. France, 1897, p. 284; Borm. l. c. p. 41. n. 3 (1900).	S. India.

Genus 17. **Strongylopsalis.** (*Type* no. 1.)

Burr, Ann. Nat. Hist. (7) vi. p. 80 (1900).

1. **S. Inca, Burr,** l. c. p. 81 (1900).	Peru.

Genus 18. **Labidurodes.** (*Type* no. 1.)

Dubr. Ann. Mus. Genova, xiv. p. 355 (1879); Borm. Tierreich, Forf. p. 39 (1900).

1. **L. Robustus, Dubr.** l. c. p. 356, fig. (1879); Borm. l. c. p. 39 (1900).	N. Guinea (Fly R.).
2. **L. Decipiens, Kirb. (*Labidura* (?) *D.*) J. Linn. Soc. xxiii. p. 51 (1891); Borm. l. c. p. 39. n. 2 (1900).	Assam.

Genus 19. **Gonolabis.** (*Type* no. 4.)

Burr, Ann. Soc. Ent. Belgique, xliv. pp. 48, 53 (1900); Borm. Ann. Mus. Genova, xl. p. 451 (1900).

1. **G. Lativentris, Phil.** (*Forficula L.*) Zeitschr. ges. Naturw. xxi. p. 217 (1863).	Chile, Peru,

Anisolabis Lativentris, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 62, pl. 2. f. 3 (1883); Tierreich, Forf. p. 51. n. 26 (1900). *Gonolabis Lativentris, Bor.* Boll. Mus. Torino, xiv. (418) p. 1 (1902).	Magellan, Argentina.
2. **G. Sylvestrii, Bor.** l. c. p. 4, fig. (1902).	Patagonia.
3. **G. Peringueyi, Borm. Ann. Mus. Genov. xl. p. 451 (1900).	Cape Town.
4. **G. Javana, Borm. (*Anisolabis J.*) Ann. Soc. Ent. Belgique, xxvii. p. 63, pl. 2. f. 4 (1883); Tierreich, Forf. p. 51. n. 27 (1900). *Gonolabis Javana, Burr,* Termés. Füzetek, xxv. p. 479 (1902).	Java, Papua (eadem ?).
5. **G. Kirbyi, Burr,** (*Anisolabis* (?) *K.*) Ann. Nat. Hist. xx. p. 311 (1897); Borm. Tierreich, Forf. p. 52. n. 28 (1900).	Java.
6. **G. Sumatrana, Borm. Ann. Mus. Genov. xl. p. 452 (1900); Burr, Termés. Füzetek, xxv. p. 480, pl. 20. f. 2 (1902).	Sumatra.

Genus 20. **Gonolabina.**

Verh. SB. Ges. naturf. Berlin, 1902, p. 8.

1. **G. Kuhlgatzi, Verh.** l. c. (1902).	Chile.

Genus 21. **Brachylabis.** (*Type* no. 5.)

Dohrn, Stettin. Ent. Zeit. xxv. p. 292 (1864); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 64 (1883); Tierreich, Forf. p. 52 (1900).

*1. **B. Bifoveolata, Bol.** Ann. Soc. Ent. France, 1897, p. 285, pl. 10. f. 1; Borm. Tierreich, Forf. p. 53. n. 2 (1900).	India.
2. **B. Philetas, Burr,** J. Bombay Soc. xiv. p. 322, pl. B. f. 7 (1902).	Ceylon.
*3. **B. Punctata, Dubr.** (*Brachylabis P.*) Ann. Mus. Genova, xiv. p. 357, fig. (1879); Borm. l. c. p. 53. n. 3 (1900).	Java.
4. **B. Geniculata, Montr.** (*Chelidura G.*) Ann. Soc. L. Lyon, (2) xi. p. 222 (1864). *Brachylabis Geniculata,* Borm. l. c. p. 54. n. 6 (1900).	New Caledonia.

5. **B. Chilensis, Blanch.** (*Forficula C.*) Gay, Hist. Chile, Zool. vi. p. 10; Orth. pl. 1. f. 1 (1852). *Brachylabis Chilensis*, *Dohrn*, Stettin. Ent. Zeit. xxv. p. 295 (1864); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 65, pl. 2. f. 5 (1883); Tierreich, Forf. p. 53. n. 1 (1900). *Anisolabis Chilensis*, *Bol.* Viaje al Pacifico, Ins. p. 10 (1884). *Forficula Testaceicornis*, *Blanch.* l. c. p. 11 (1852).	Chile, Brazil.
6. **B. Nigra, Scudd.** (*Cylindrogaster N.*) P. Boston Soc. xviii. p. 251 (1876). *Brachylabis Nigra*, *Borm.* Tierreich, Forf. p. 54. n. 5 (1900).	Brazil.

Genus 22. **Anisolabis.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 257 (1853); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Brunn. Prodr. Eur. Orth. p. 7 (1882); Fin. Faune France, Orth. p. 63 (1890); Burr, Brit. Orth. p. 13 (1897); J. Bombay Soc. xiv. p. 319 (1902); Borm. Tierreich, Forf. p. 41 (1900); Tümp. Geradfl. Mitteleuropas, p. 230 (1900).

Forcinella, Dohrn, Stettin. Ent. Zeit. xxiii. p. 226 (1862), xxv. p. 285 (1864), *Type* no. 1; Bol. Ortópt. Españ. p. 23 (1876), *Type* no. 2, *haud recte*.

Brachylabis, pt., *Dohrn*, l. c. xxv. p. 292 (1864); Bol. l. c. p. 25 (1876).

*1. **A. Maritima, Géné,** (*Forficula M.*) Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 224 (1832). *Forficula (Labidura) Maritima*, *Fisch.* Orth. Eur. p. 68, pl. 6. ff. 4, 4 *a–d* (1853). *Forficesila Maritima*, *Serv.* Ins. Orth. p. 27 (1853). *Anisolabis Maritima*, *Fieb.* l. c. p. 257 (1853); Scudd. l. c. p. 251 (1876); P. Boston Soc. xviii. p. 304 (1877); Brunn. l. c. p. 9, pl. 1. f. 2 (1882); Fin. l. c. p. 64 (1890); Burr, Brit. Orth. p. 13, pl. 1. ff. 2, 2 *a* (1897); Borm. l. c. p. 45. n. 7 (1900); Tümp. l. c. p. 230 (1900). *Brachylabis Maritima*, *Dohrn*, l. c. xxv. p. 293 (1864).	Europe, &c. (Cosmopolitan.)

*2. **A. Annulipes, Luc.** (*Forficula A.*) Bull. Soc. Ent. France, (2) v. p. lxxxiv (1847). *Forficula* (*Labidura*) *Annulipes*, Fisch. l. c. p. 69, pl. 6. f. 6 *a–e* (1853). *Forcinella Annulipes*, *Dohrn*, l. c. xxv. p. 290 (1864); Bol. l. c. p. 24, pl. 6. f. 10 *a*, *b* (1876). *Anisolabis Annulipes*, *Brunn.* l. c. p. 8 (1882); Fin. l. c. p. 64 (1890); Borm. l. c. p. 48. n. 18 (1900); Burr, l. c. p. 14 (1897); J. Bombay Soc. xiv. p. 321 (1902).	Europe, &c. (Cosmopolitan.)
*2 *a*. **A. Hottentotta, Dohrn,** (*Forcinella H.*) l. c. xxviii. p. 344 (1867).	S. Africa.
*3. **A. Mœsta, Serv.** (*Forficesila M.*) l. c. p. 28 (1839). *Forficula* (*Labidura*) *Mœsta*, *Fisch.* l. c. p. 68, pl. 6. ff. 5, 5 *a–d* (1853). *Brachylabis Mœsta*, *Dohrn*, l. c. xxv. p. 296. n. 5 (1864); Bol. l. c. p. 25, pl 6. f. 11 *a*, *b* (1876). *Anisolabis Mœsta*, *Fieb.* Lotos, iii. p. 257 (1853); Brunn. l. c. p. 9 (1882); Fin. l. c. p. 63, pl. 2. f. 30 (1890); Borm. l. c. p. 44. n. 5 (1900). *Forficula Hispanica*, *Herr.-Schäff.* Nomencl. Ent. Orth. p. 29 (1840). *Forficula Maritima*, *Ramb.* Faune de l'Andalusie, Orth. p. 6 (1839).	S. Europe, N. & E. Africa.
3 *a*. **A. Taurica, Fisch. Waldh.** (*Forficesila T.*) Orth. Ross. p. 47 (1846); Fisch. Orth. Eur. p. 70 (1853).	S. Russia (Taurida).
*4. **A. Mauritanica, Luc.** (*Forficesila M.*) Expl. Alg. iii. p. 4, iv. pl. 1. ff. 1, 1 *a–d* (1846). *Brachylabis Mauritanica*, *Dohrn*, l. c. xxv. p. 292 (1864). *Anisolabis Mauritanica*, *Borm.* l. c. p. 45. n. 8 (1900).	Algeria, Tunis.
*5. **A.** (?) **Maxima, Brullé,** (*Forficula* (*Forficesila*) *M.*) Webb & Berthelot, Hist. Nat. Canaries, Ins. p. 74 (1838). *Forcinella Maxima*, *Dohrn*, l. c. xxv. p. 288. n. 5 (1864). *Anisolabis Maxima*, *Bol.* An. Soc. Españ. xxii. p. 46 (1893); Borm. l. c. p. 46. n. 9 (1900).	Canaries.
5 *a*. **A. Major, Brullé,** (*Forficula* (*Forficesila*) *M.*) l. c. p. 74 (1838).	id.

Anisolabis Major, Borm. l. c. p. 46. n. 10 (1900).	
*6. **A. Angulifera, Dohrn,** (*Brachylabis A.*) l. c. xxv. p. 294 (1864). *Anisolabis Angulifera, Borm.* l. c. p. 51. n. 25, f. 21 (1900).	W. Africa.
7. **A. Cincticollis, Gerst.** (*Brachylabis C.*) Mitth. Ver. Vorpomm. xiv. p. 44 (1883). *Anisolabis Cincticollis, Borm.* l. c. p. 43. n. 1 (1900).	Cameroons.
8. **A. Rufescens, Kirb. J. Linn. Soc. xxiii. p. 517, pl. 12. f. 10 (1891); Borm. l. c. p. 46. n. 12 (1900).	id.
9. **A. Læta, Gerst.** (*Brachylabis L.*) Arch. Naturg. xxxv. (1) p. 221 (1869); Von der Decken, Reisen, iii. (2) p. 49, pl. 3. f. 8 (1873).	Kilimanjaro.
10. **A. Varicornis, Smith, Ann. Nat. Hist. (4) xvii. p. 450 (1876).	Rodriguez.
11. **A. Pectoralis, Esch.** (*Forficula P.*) Entomograph. p. 82 (1822). *Anisolabis P., Borm.* l. c. p. 50. n. 24 (1900).	Kamtchatka.
*12. **A. Marginalis, Dohrn,** (*Forcinella M.*) l. c. xxv. p. 288 (1864). (?) *Anisolabis Marginalis, Borm.* l. c. p. 50. n. 23, f. 20 (1900).	Japan; Java (eadem ?)
*13. **A. Greeni, Burr,** Ann. Nat. Hist. (7) iv. p. 257 (1899); J. Bombay Soc. xiv. p. 319 (1902).	Ceylon.
14. **A. Kudagæ, Burr,** J. Bombay Soc. xiv. p. 320, pl. B. f. 6 (1902).	id.
15. **A. Dubronii, Kirb. Ann. Nat. Hist. (7) xi. p. 68 (1903). ‖ *Anisolabis Læta, Borm.* l. c. p. 46. n. 11 (1900).	Tenasserim.
*16. **A. Stæli, Dohrn,** (*Forcinella Ståli*) l. c. xxv. p. 286 (1864). *Anisolabis Ståli, Borm.* l. c. p. 55. n. 6 (1900).	Java, Christmas I.
17. **A. Piligera, Borm. Ann. Mus. Genova, xl. p. 453 (1900).	Sumatra.
18. **A. Subarmata, Kirb. (*Labia (?) S.*) Mon. Christmas I. p. 144, pl. 12. f. 7 (1900).	Christmas I.
19. **A. (?) Blanchardi, Le Guill.** (*Forficula B.*) Rev. Zool. 1841, p. 292. n. 3.	Oceania (?).
*20. **A. Colossea, Dohrn,** (*Forcinella C.*) l. c. xxv. p. 286 (1864); Dubr. Ann. Mus. Genov. xiv. p. 357 (1879).	Australia, New Caledonia.

Anisolabis Colossea, *Borm.* Tierreich, Forf. p. 47. n. 15, f. 19 (1900).	
Var. *a.* *Anisolabis Colossea*, var. *Minor*, *Burr*, Termes. Füzetek, xxv. p. 479 (1902).	N. S. Wales.
21. **A. Occidentalis, Kirb. J. Linn. Soc. xxv. p. 525, pl. 20. f. 5 (1896).	W. Australia.
*22. **A. Brunneri, Dohrn,** (*Forcinella B.*) l. c. xxv. p. 291 (1864). *Anisolabis Brunneri*, *Borm.* l. c. p. 48. n. 17 (1900); (?) Burr, J. Bombay Soc. xiv. p. 322 (1902).	Australia; Ceylon (eadem?)
23. **A. (?) Pacifica, Erichs.** (*Forficula P.*) Arch. Naturg. viii. p. 247 (1802).	Tasmania.
24. **A. Tasmanica, Borm. C. R. Soc. Ent. Belgique, xxiii. pp. lxviii–lxx, fig. (1880); Tierreich, Forf. p. 43. n. 2, p. 44. f. 18 (1900); Sharp, Cambridge Nat. Hist., Ins. i. pp. 215, 216, f. 113 (1895).	id.
25. **A. Littorea, White, (*Forficula L.*) Zool. 'Erebus' & 'Terror,' Ins. p. 24, pl. 6. ff. 4, 5 (1846). *Forcinella Littorea*, *Dohrn*, l. c. xxv. p. 287 (1864). *Anisolabis Littorea*, *Borm.* Tierreich, Forf. p. 47. n. 13 (1900).	New Zealand.
26. **A. Xenia, Kirb. l. c. xxiii. p. 517 (1891); Borm. l. c. p. 47. n. 14 (1900).	Norfolk I.
*27. **A. Azteca, Dohrn,** (*Forcinella A.*) l. c. xxv. p. 291 (1864). *Anisolabis Azteca*, *Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Borm. l. c. p. 49. n. 19 (1900).	Mexico.
28. **A. Antennata, Kirb. l. c. xxiii. p. 517 (1891).	Bermuda.
*29. **A. Advena, Mein.** (*Labidura A.*) Nat. Tidskr. (3) v. p. 279, pl. 12. ff. 5–8 (1863).	Jamaica.
*30. **A. Antoni, Dohrn,** (*Forcinella A.*) l. c. xxv. p. 289 (1864). *Anisolabis Antoni*, *Borm.* Biol. Centr.-Amer., Orth. i. p. 5, pl. 1. f. 10 (1893); Tierreich, Forf. p. 49. n. 21 (1900).	Venezuela, Cent. Amer., Mexico.
*31. **A. Janeirensis, Dohrn,** (*Forcinella J.*) l. c. xxv. p. 285 (1864). *Anisolabis Janeirensis*, *Borm.* ll. cc. p. 5, pl. 1. ff. 8, 9 (1893); p. 44. n. 4 (1900); Borelli, Boll. Mus. Torino, xvii. (418) p. 2 (1902).	Brazil, Nicaragua.

32. **A. Bormansi, Scudd.** Bull. Mus. Harvard. xxv. p. 5. pl. 1. f. 1 (1897); Borm. Tierreich, Forf. p. 49. n. 20 (1900).	Galapagos.
33. **A. Peruviana, Borm.** An. Soc. Españ. ix. p. 505 (1880); Tierreich, Forf. p. 44. n. 3 (1900).	Peru.
34. **A. Annulicornis, Blanch.** Gay, Hist. Chile, Zool. vi. p. 10 (1852); Phil. Zeitschr. Naturw. xxi. p. 217 (1863). *Forcinella Annulicornis, Dohrn,* Stett. Ent. Zeit. xxv. p. 290 (1864). *Anisolabis Annulicornis, Borm.* Tierreich, Forf. p. 50. n. 22 (1900).	Chile, Brazil.
35. **A. Spectabilis, Phil.** (*Forficula S.*) l. c. p. 218 (1863). *Anisolabis Spectabilis, Dohrn,* l. c. p. 47. n. 16 (1900).	Chile.
36. **A. Cæca, Borelli,** l. c. pp. 2, 3, fig. (1902).	Argentina.

Genus 23. **Isolabis.** (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 11.

1. **I. Braueri, Verh.** l. c. p. 14 (1902).	Guinea (?).

Genus 24. **Ctenisolabis.** (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 11.

1. **C. Togoensis, Verh.** l. c. p. 14 (1902).	Togo.

Genus 25. **Leptisolabis.** (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 12.

1. **L. Usambarana, Verh.** l. c. p. 12 (1902).	Usambara.
2. **L. Theoriæ, Verh.** l. c. p. 13 (1902).	E. Africa.

Genus 26. **Platylabia.** (*Type* no. 8.)

Dohrn. Stettin. Ent. Zeit. xxviii. p. 347 (1867); Borm. Tierreich. Forf. p. 73 (1900); Burr. J. Bombay Soc. xiv. p. 75 (1902).

Labidophora, Scudd. P. Boston Soc. xviii. p. 297 (1876).

1. **P. Pygmæa, Fabr.** (*Forficula P.*) Ent. Syst. ii. p. 3. n. 8 (1793).	Guinea.

2. **P. Guineensis, Dohrn,** l. c. xxviii. p. 348 (1867); Borm. l. c. p. 75. n. 7 (1900).	Guinea.
3. **P. Fallax, Borm. Ann. Mus. Genova, xxxiv. p. 380 (1894).	Tenasserim.
*4. **P. Thoracica, Dohrn,** l. c. xxviii. p. 348 (1867); Borm. Tierreich, Forf. p. 73. n. 1, fig. 30 (1900); Burr, l. c. p. 76 (1902).	Penang, Ceylon, Burma, Aru, Java, &c.
5. **P. Javana, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 65, pl. 2. f. 6 (1883); Tierreich, Forf. p. 74. n. 5 (1900).	Java.
6. **P. Sparattoides, Borm. Ann. Mus. Genov. xl. p. 459 (1900).	Penang, Sumatra.
*7. **P. Dimidiata, Dohrn,** l. c. xxviii. p. 348 (1867); Borm. Tierreich, Forf. p. 74. n. 5 (1900).	Luzon, Salwatty.
*8. **P. Major, Dohrn,** l. c. xxviii. p. 347 (1867); Dubr. Ann. Mus. Genov. xiv. p. 371 (1879); Borm. l. c. p. 74. n. 4 (1900).	Celebes, Java, Burma.
9. **P. Nigriceps, Kirb. J. Linn. Soc. xxiii. p. 518 (1891); Borm. l. c. p. 74. n. 2 (1900).	N. Guinea (Dorey).
10. **P. Gestroi, Dubr. l. c. p. 372, figs. (1879); Borm. l. c. p. 74. n. 3 (1900).	N. Guinea (Fly River).
11. **P. Quadrata, Burr,** Termés. Füzetek, xxv. p. 482, pl. 20. f. 5 (1901).	N. Guinea (Deslacs I.).

Genus 27. **Chætospania.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxx. p. 87 (1886);
Borm. Tierreich, Forf. p. 75 (1900).

*1. **C. Inornata, Karsch,** l. c. p. 88, pl. 3. f. 6 (1886); Borm. l. c. p. 76. n. 3 (1900).	Madagasc'r.
2. **C. Feæ, Borm. Ann. Mus. Genov. xxxiv. p. 390 (1894); Tierreich, Forf. p. 76. n. 2 (1900).	Tenasserim.
3. **C. Stella, Burr,** Termés. Füzetek, xxv. p. 483, pl. 20. f. 6 (1902).	Malacca, Papua.
4. **C. Semifulva, Borm. (*Sparatta S.*) Notes Leyden Mus. vi. p. 183 (1884). *Chætospania Semifulva, Borm.* Tierreich, Forf. p. 75. n. 1 (1900).	Sumatra.
5. **C. Parvula, Burr,** Ann. Nat. Hist. (7) vi. p. 93 (1900).	Sarawak.
6. **C. Jupiter, Burr,** l. c. p. 94 (1900).	id.

Genus 28. **Mecomera.** (*Type* no. 1.)

Serv. Ins. Orth. p. 53 (1839); Borm. Tierreich, Forf. p. 81 (1900).

1. **M. Brunnea, Serv.** l. c. p. 54 (1839); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 71, pl. 2. f. 10 (1883); Tierreich, Forf. p. 81. n. 1 (1900).	Cayenne, Colombia, Montevideo (eadem ?).
2. **M. Modigliani, Borm. Ann. Mus. Genova, xl. p. 460 (1900).	Mentavei I., Sumatra, &c.

Genus 29. **Sparatta.** (*Type* no. 12.)

Serv. Ins. Orth. p. 51 (1839); Dohrn, Stettin. Ent. Zeit. xxvi. p. 68 (1868); Borm. Tierreich, Forf. p. 76 (1900).

1. **S. Horsfieldii, Kirb. J. Linn. Soc. xxiii. p. 519 (1891); Borm. l. c. p. 80. n. 12 (1900).	Java.
2. **S. Angusticollis, Dubr.** (*Psalidophora* A.) Ann. Mus. Genova, xiv. p. 359, figs. (1879). *Sparatta Angusticollis, Borm.* l. c. p. 80. n. 10 (1900).	Sarawak.
3. **S. Brunneri, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 69, pl. 2. f. 9 (1883); Tierreich, Forf. p. 78. n. 5 (1900).	Queensland.
4. **S. Australica, Borm.** ll. cc. p. 68, pl. 2. f. 8 (1883); p. 78. n. 3 (1900).	id.
5. **S. Dentifera, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 218 (1901).	Orizaba.
*6. **S. Nigrina, Stål,** Œfv. Vet.-Akad. Förh. xii. p. 350 (1855); Eugenie's Resa, Ins. p. 307 (1858); Dohrn, l. c. xxvi. p. 70 (1865); Borm. C. R. Soc. Ent. Belg. xxxiii. p. lxxii (1880); Biol. Centr.-Amer., Orth. i. p. 5, pl. 1. ff. 11, 12 (1893); Tierreich, Forf. p. 78. n. 2 (1900).	Rio Janeiro, Guatemala, Nicaragua.
7. **S. Plana, Burm.** (*Forficula (Apachys) P.*) Handb. Ent. ii. p. 752. n. 7 (1838). *Sparatta Plana, Burm.* Germ. Zeitschr. Ent. ii. p 81 (1840).	Para.
7 *a*. **S. Apicalis, Kirb. l. c. xxv. p. 526, pl. 20. ff. 7, 7 *a* (1896).	Rio Janeiro, Theres'p'lis.
8. **S. Colombiana, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 66, pl. 2. f. 7 (1883); Tierreich, Forf. p. 79. n. 6 (1900).	Colombia.

9. **S. Bormansi, Kirb. l. c. xxv. p. 528 (1896); Borm. Tierreich. Forf. p. 81 (1900). *Sparatta Schotti, Borm.* Biol. Centr.-Amer., Orth. i. p. 6. pl. 1. f. 14 (1893); Tierreich. Forf. p. 80. n. 11 (1900).	Mexico.
10. **S. Pygidiata, Kirb. l. c. xxv. p. 527, pl. 20. ff. 10, 10 *a* (1896); Borm. Tierreich, Forf. p. 80. n. 9 (1900).	Rio Janeiro.
11. **S. Bolivari, Borm. An. Soc. Españ. ix. p. 510 (1880); Tierreich, Forf. p. 77. n. 1 (1900).	Peru.
*12. **S. Pelvimetra, Serv.** l. c. p. 52 (1839); Dohrn. l. c. xxvi. p. 68 (1865); Borm. Tierreich, Forf. p. 79. n. 8 (1900).	Brazil.
*13. **S. Rufina, Stål,** Œfv. Vet.-Akad. Förh. xii. p. 350 (1855); Eugenie's Resa. Ins. p. 307 (1858); Dohrn. l. c. xxvi. p. 69 (1865); Bol. Viaje al Pacifico. Orth. p. 11 (1884). *Sparatta Pelvimetra,* var. *Rufina, Borm.* Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. f. 13 (1893).	Brazil, Guatemala.
*14. **S. Schotti, Dohrn,** l. c. xxvi. p. 69 (1865).	Brazil.
15. **S. Clarkii, Kirb. l. c. p. 526, pl. 20. ff. 8, 8 *a* (1896).	id.
*16. **S. Dohrni, Kirb.** Ann. Nat. Hist. (7) xi. p. 68 (1903). *Sparatta Plana, Dohrn,* l. c. xxvi. p. 69 (1865); Borm. Tierreich, Forf. p. 79. n. 7 (1900).	S. & Central America.
*17. **S. Gracilis, Blanch.** (*Forficula G.*) D'Orbigny, Voy. Amér. mér. vi. (2) p. 214, pl. 26. f. 2 (1842).	Bolivia.
18. **S. Semirufa, Kirb. J. Linn. Soc. xxv. p. 528, pl. 20. ff. 4, 4 *a* (1896); Borm. l. c. p. 78. n. 4 (1900).	Igaurassu.

Genus 30. **Sparattina.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 198 (1902).

1. **S. Flavicollis, Verh.** l. c. (1902).	E. Java.
*2. **S. (?) Armata, Burr,** (*Sparatta A.*) Ann. Nat. Hist. (7) iv. p. 252 (1899).	Ecuador.
3. **S. (?) Setulosa, Burr,** l. c. (7) vi. p. 92 (1900).	Sarawak.

Genus 31. **Labia.** (*Type* no. 1.)

Leach, Edinb. Encycl. ix. p. 118 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 7 (1835); Dohrn, Stettin. Ent. Zeit. xxv. p. 423 (1864); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876); Brunner, Prodr. Eur. Orth. p. 10 (1882); Borm. Ann. Mus. Genova, xxxiv. p. 382 (1894); Tierreich, Forf. p. 62 (1900); Burr, Brit. Orth. p. 14 (1897); J. Bombay Soc. xiv. p. 324 (1902); Tümpel, Geradflügler Mitteleuropas, p. 231 (1900).

Copiscelis, *Fieb.* Lotos, iii. p. 257 (1853).

*1. **L. Minor, Linn.** (*Forficula M.*) Syst. Nat. (ed. x.) i. p. 423. n. 2 (1758); De Geer, Mém. Ins. iii. p. 553, pl. 25. ff. 26, 27 (1773); Fisch. Orth. Eur. p. 70, pl. 6. f. 7 *a–d* (1853). *Labia Minor*, *Steph.* l. c. vi. p. 8 (1835); Dohrn, l. c. xxv. p. 426. n. 4 (1864); Scudd. l. c. ii. p. 258 (1876); Brunn. l. c. p. 10, pl. 1. f. 3 (1882); Burr, Brit. Orth. p. 15, pl. 1. f. 4 (1897); Fin. Faune France, Orth. p. 65 (1900); Borm. Tierreich, Forf. p. 66. n. 9 (1900); Tümp. l. c. p. 231, pl. 15 (1900). *Forficula Livida*, *Gmel.* Syst. Nat. i. (4) p. 2040 (1788). *Labia Minuta*, *Scudd.* Boston Journ. Nat. Hist. vii. p. 415 (1862). ♂. *Forficula Media*, *Marsh.* Col. Brit. p. 530. n. 3 (1802).	Europe, &c.
2. **L. Bicolor, Dubr. An. Soc. Españ. viii. p. 95 (1879); Borm. Tierreich, Forf. p. 72. n. 34 (1900).	Abyssinia.
3. **L. Quadrilobata, Dohrn,** l. c. xxviii. p. 346 (1867); Borm. Tierreich, Forf. p. 66. n. 7 (1900).	Guinea.
*4. **L. Marginalis, Thunb.** (*Forficula M.*) Act. Soc. Upsal. ix. p. 52 (1827). *Forficula Ochropus*, *Stål*, Œfv. Vet.-Akad. Förh. xii. p. 348 (1855). *Labia Ochropus*, *Dohrn*, l. c. xxviii. p. 345 (1867); Borm. l. c. p. 70. n. 21 (1900).	S. Africa.
5. **L. Fasciata, Borm. Ann. Mus. Genova, xxxiv. p. 387 (1894); Tierreich, Forf. p. 71. n. 27 (1900).	Tenasserim.

6. **L. Ridens, Borm. ll. cc. xxxiv. p. 388 (1894); p. 66. n. 8 (1900). Var. *a. L. Ridens*, var. *Cyclolabia, Borm.* ll. cc. p. 389 (1894); p. 66 (1900).	Tenasserim.
*7. **L. Amœna, Stal,** (*Forficula A.*) l. c. xii. p. 350 (1855). *Labia Amœna, Dohrn,* l. c. xxv. p. 425 (1864); Borm. Tierreich, Forf. p. 67. n. 11, f. 29 *a*, *b* (1900).	Java, &c., Singapore, Celebes, Philippines, Papua, &c.
*8. **L. Mucronata, Stål,** Eugenie's Resa, Ins. p. 303 (1858). *Labia Mucronata, Dohrn,* l. c. xxv. p. 423 (1864); Borm. l. c. p. 68. n. 13 (1900); Burr, J. Bombay Soc. xiv. p. 324 (1902).	Java, Burma, Ceylon, Philippines, N. Guinea.
*9. **L. Luzonica, Dohrn,** l. c. p. 427 (1864); Dubr. Ann. Mus. Genov. xiv. p. 363 (1879); Borm. l. c. p. 70. n. 24 (1900).	Luzon, Aru, Papua, N. Australia.
*10. **L. Pilicornis, Motsch.** (*Forficula P.*) Bull. Mosc. xxxvi. (3) p. 2 (1863). *Labia Pilicornis, Dohrn,* l. c. xxv. p. 427 (1864); Borm. l. c. p. 72. n. 32 (1900); Burr, l. c. xiv. p. 326 (1902).	Ceylon, Borneo.
*11. **L. Curvicauda, Motsch.** (*Forfiscelia C.*) l. c. xxxvi. (3) p. 2, pl. 2. f. 1 (1863). *Labia Curvicauda, Dohrn,* l. c. xxv. p. 428 (1864); Borm. l. c. p. 70. n. 22 (1900); Burr. l. c. xiv. p. 325 (1902).	Ceylon, Penang, Burma, Seychelles.
12. **L. Pygidiata, Dubr. Ann. Mus. Genova, xiv. p. 364, figs. (1879); Borm. l. c. p. 65. n. 9 (1900).	Java, Burma, Hawaii.
13. **L. Nigrella, Dubr. l. c. xiv. p. 370 (1879); Borm. Tierreich, Forf. p. 68. n. 16 (1900).	Java.
14. **L. Murrayi, Kirb. Monogr. Christmas I. p. 143, pl. 12. f. 6 (♀ nec ♂), pl. 13. f. 5. ☿ (1900).	Christmas I.
15. **L. Incerta, Kirb. l. c. p. 144, pl. 12. f. 5 (1900).	id.
16. **L. Indistincta, Kirb. l. c. p. 144, pl. 12. f. 4 (1900).	id.
17. **L. Subserrata, Kirb. l. c. p. 144, pl. 12. f. 7 (1900).	id.
*18. **L. Dolicha, Burr,** Ann. Nat. Hist. (6) xx. p. 311 (1897); Borm. l. c. p. 71. n. 29 (1900).	Celebes.
*19. **L. Fruhstorferi, Burr,** l. c. (6) xx. p. 312 (1897); Borm. l. c. p. 69. n. 18 (1900).	Lombok.

*20. **L. Wallacei, Dohrn,** l. c. xxv. p. 427 (1864); Dubr. l. c. xiv. p. 364 (1879); Borm. l. c. p. 72. n. 33 (1900).	N. Guinea.
21. **L. Feæ, Dubr.** l. c. xiv. p. 368, figs. (1879): Borm. l. c. p. 69. n. 20 (1900).	N. Guinea, Kei I.
22. **L. Aculeata, Borm. Ann. Mus. Genova, xl. p. 456 (1900).	N. Guinea.
23. **L. Hilaris, Borm.** l. c. p. 457 (1900).	id.
23 *bis*. **L. Papua, Borm.** l. c. p. 458 (1900).	Brit. N. Guinea.
24. **L. Sicaria, Burr,** Termés. Füzetek, xxv. p. 482, pl. 20. f. 4 (1902).	N. Guinea.
25. **L. Grandis, Dubr. l. c. xiv. p. 366, figs. (1879); Borm. l. c. p. 65. n. 5 (1900).	Australia, N. Guinea, Aru.
*26. **L. Pulchella, Serv.** (*Forficula P.*) Ins. Orth. p. 42 (1839).	Niagara.
*27. **L. Guttata, Scudd.** P. Boston Soc. xviii. p. 265 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 258 (1876).	Texas.
‖ *Labia Pulchella, Borm.* l. c. p. 65. n. 3 (1900).	
28. **L. Burgessi, Scudd. ll. cc. xviii. p. 266 (1876); ii. p. 258 (1876); Borm. l. c. p. 64. n. 2 (1900).	Florida.
29. **L. Melancholica, Scudd.** ll. cc. xviii. p. 267 (1876); ii. p. 258 (1876); Borm. l. c. p. 65. n. 4 (1900).	Texas.
30. **L. Mexicana, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 73, pl. 2. f. 11 (1883); Tierreich, Forf. p. 67. n. 12 (1900).	Mexico.
*31. **L. Rotundata, Scudd.** ll. cc. xviii. p. 263 (1876); ii. p. 259 (1876); Borm. Ann. Mus. Genova, xiv. p. 75, pl. 3. f. 13 (1883); Tierreich, Forf. p. 71. n. 28 (1900).	id.
32. **L. Cheliduroides, Borm. An. Soc. Españ. ix. p. 509 (1880); Ann. Soc. Ent. Belgique, xxvii. p. 74, pl. 2. f. 12 (1883); Tierreich, Forf. p. 72. n. 30 (1900).	Peru, Mexico.
33. **L. Championi, Borm. Biol. Centr.-Amer., Orth. i. p. 7, pl. 1. f. 21 (1893); Tierreich, Forf. p. 67. n. 10 (1900).	Panama.
*34. **L. Annulata, Fabr.** (*Forficula A.*) Ent. Syst. ii. p. 4. n. 11 (1793).	W. Indies.
Labia Annulata, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 259 (1876).	

*35. **L. Brunnea, Scudd.** l. c. p. 258 (1876); P. Boston Soc. xviii. p. 264 (1876); Borm. l. c. p. 70. n. 23 (1900).	Cuba, St. Vincent, Grenada.
*36. **L. Unidentata, Beauv.** (*Forficula U.*) Ins. Afr. Amér. p. 165, Orth. pl. 14. f. 3 (1817). *Labia Unidentata, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 259 (1876); Borm. Tierreich. Forf. p. 72. n. 31 (1900).	Haiti.
*37. **L. Ghilianii, Dohrn,** l. c. xxv. p. 424 (1864); Borm. l. c. p. 68. n. 15 (1900).	Para, Cayenne, Venezuela.
*38. **L. Chalybea, Dohrn,** l. c. p. 429 (1864); Borm. Biol. Centr.-Amer., Orth. i. p. 6. pl. 1. f. 17 (1893); Tierreich, Forf. p. 70. n. 25 (1900).	Venezuela.
39. **L. Buprestoides, Kirb. J. Linn. Soc. xxiii. p. 520. pl. 12. f. 8 (1891); Borm. Tierreich. Forf. p. 64. n. 1 (1900).	Ega.
*40. **L. Dorsalis, Burm.** (*Forficula D.*) Handb. Ent. ii. p. 754. n. 18 (1838).	Colombia.
41. **L. Severini, Burr,** Ann. Soc. Ent. Belg. xliv. p. 50 (1900).	id.
42. **L. Equatoria, Burr,** Ann. Nat. Hist. (7) ix. p. 254 (1899).	Ecuador.
*43. **L. Bilineata, Scudd.** P. Boston Soc. xii. p. 345 (1869); Borm. Biol. Centr.-Amer., Orth. i. p. 6. pl. 1. ff. 15, 16 (1893); Tierreich. Forf. p. 68. n. 14 (1900).	Ecuador, Brazil, Panama.
*44. **L. Maeklini, Dohrn,** l. c. xxv. p. 428 (1864); Borm. Tierreich, Forf. p. 71. n. 26 (1900).	Brazil.
*45. **L. Arcuata, Scudd.** P. Boston Soc. xviii. p. 257 (1876); Borm. An. Soc. Españ. ix. p. 509 (1880); Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. ff. 18–20 (1893); Tierreich. Forf. p. 69. n. 19 (1900).	Brazil, S. & Central America, W. Indies.
46. **L. Glabricula, Kirb. l. c. xxiii. p. 520 (1891).	Santarem.
47. **L. Tricolor, Kirb. l. c. xxiii. p. 520 (1891); Borm. Tierreich, Forf. p. 69. n. 17 (1900).	id.

Genus 32. **Auchenomus.** (*Type* no. 1.)

Karsch, Berl. Ent. Zeitschr. xxx. p. 89 (1886); Borm. Tierreich, Forf. p. 82 (1900).

*1. **A. Longiforceps, Karsch,** l. c. pl. 3. f. 7 (1886); Borm. Tierreich, Forf. p. 82. n. 1 (1900).	Madagasc'r.

Genus 33. **Neolobophora.** (*Type* no. 5.)

Scudd. P. Boston Soc. xvii. p. 781 (1875); Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876); Borm. Tierreich, Forf. p. 99 (1900); Burr, J. Bombay Soc. xiv. p. 67 (1902).

1. **N. Asiatica, Bol.** Ann. Soc. Ent. France, 1897, p. 285, pl. 10. f. 2; Borm. Tierreich. Forf. p. 100. n. 3.	S. India.
2. **N. Tamul, Burr,** l. c. p. 67, pl. B. f. 1 (1902).	Ceylon.
*3. **N. Ruficeps, Burm.** (*Forficula R.*) Handb. Ent. ii. p. 755. n. 19 (1838); Dohrn, Stettin. Ent. Zeit. xxvi. p. 88 (1865); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876). *Apterygida Ruficeps, Dohrn,* l. c. xxiii. p. 231 (1862). *Neolobophora Ruficeps, Borm.* Biol. Centr.-Amer., Orth i. p. 8, pl. 2. ff. 7, 8 (1893); Tierreich. Forf. p. 99. n. 1 (1900).	Mexico.
*4. **N. Volsella, Scudd.** l. c. ii. p. 253 (1876); P. Boston Soc. xviii. p. 237 (1876).	id.
*5. **N. Bogotensis, Scudd.** P. Boston Soc. xvii. p. 282 (1875); Borm. ll. cc. p. 8. pl. 2. f. 9 (1893); p. 100. n. 2 (1900).	Bogota.

Genus 34. **Spongiphora.** (*Type* no. 23.)

Spongiphora, Serv. Ann. Sci. Nat. xxii. p. 31 (1831); Borm. Tierreich, Forf. p. 54 (1900).

Spongophora, Agass. Nomencl. Zool. p. 349 (1846); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Borm. Ann. Mus. Genova, xxxiv. p. 381 (1896).

Psalidophora, Serv. Ins. Orth. p. 29 (1839). (*Type* no. 23.)

1. **S. Assiniensis, Borm.** Ann. Soc. Ent. France, 1893, p. 170; Tierreich, Forf. p. 61 (1900).	W. Africa.
*2. **S. Quadrimaculata, Stål,** (*Forficula Q.*) Œfv. Vet.-Akad. Förh. xii. p. 348 (1855). *Psalidophora Quadrimaculata, Dohrn,* l. c. xxv. p. 420 (1864). *Spongiphora Quadrimaculata, Borm.* Tierreich, Forf. p. 58. n. 8 (1900).	S. Africa.
3. **S. Nitidipennis, Borm. Ann. Mus. Genova, xxxiv. p. 382 (1894), xl. p. 455 (1900); Tierreich, Forf. p. 58. n. 7 (1900).	Tenasserim.
4. **S. Lutea, Borm. ll. cc. xxxiv. p. 383 (1894); p. 60. n. 13 (1900).	id.
5. **S. Semiflava, Borm. ll. cc. xxxiv. p. 385 (1894); p. 59. n. 9 (1900).	id.
6. **S. Rubriceps, Burr,** Ann. Nat. Hist. (7) vi. p. 89 (1900).	Borneo.
7. **S. Sphinx, Burr,** l. c. p. 91 (1900).	id.
8. **S. Stella, Borm. Ann. Mus. Genova, xl. p. 454 (1900).	Mentavei I.
9. **S. Guttulata, Burr, l. c. (6) xx. p. 314 (1897); Borm. Tierreich, Forf. p. 60. n. 14 (1900).	Lombok.
10. **S. Nigrorufa, Burr,** Termés. Füzetek, xxv. p. 480, pl. 20. f. 3 (1902).	Papua.
11. **S. Australica, Dubr.** Ann. Mus. Genova, xiv. p. 361, fig. (1879).	Australia.
12. **S. Brunneipennis, Serv.** (*Psalidophora B.*) Ins. Orth. p. 30 (1839); Dohrn, l. c. xxv. p. 418 (1864). *Spongophora Brunneipennis, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876); Canad. Ent. xix. p. 67 (1887); Borm. Biol. Centr.-Amer., Orth. i. p. 7, pl. 2. ff. 1–3 (1893); Tierreich, Forf. p. 57. n. 4, f. 25 (1900).	N. & Central America.
*13. **S. Prolixa, Scudd.** P. Boston Soc. xviii. p. 331 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876); Borm. Tierreich, Forf. p. 56. n. 2 (1900). | *Psalidophora Parallela, Dohrn,* l. c. xxiii. p. 227, pl. 1. ff. 3, 3 *b* (1862); xxv. p. 418 (1864).	Mexico.
*14. **S. Parallela, Westw.** (*Forficula P.*) Guér. Mag. Zool. 1838, pl. 178.	

Spongophora Parallela, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876). *Forficesila Longissima, Wood,* Insects Abroad, p. 280, fig. 139 (1874). *Forficula Longiforcipata, Blanch.* D'Orbigny, Voy. Amér. mér. vi. (2) p. 214, pl. 26. f. 1 (1846).	S. & Central America.
*15. **S. Lherminieri, Serv.** (*Psalidophora L.*) Ins. Orth. p. 29 (1839). *Spongiphora Croceipennis Lherminieri, Borm.* Tierreich, Forf. p. 56. n. 1 *c*, f. 23 (1900).	S. & Central America, Guadal'upe.
16. **S. Forfex, Scudd.** P. Boston Soc. xviii. p. 259 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876).	Central America (?).
17. **S. Dysoni, Kirb. J. Linn. Soc. xxiii. p. 531, pl. 12. f. 3 (1891).	Venezuela.
18. **S. Insignis, Stål,** (*Psalidophora I.*) Œfv. Vet.-Akad. Förh. xii. p. 349 (1855). *Spongiphora Insignis, Borm.* l. c. p. 59. n. 10 (1900).	N. Granada.
19. **S. Stigma, Dohrn,** (*Psalidophora S.*) l. c. xxviii. p. 345 (1867); Borm. l. c. p. 60. n. 12 (1900).	Venezuela.
20. **S. Frontalis, Dohrn,** (*Psalidophora F.*) l. c. xxv. p. 422 (1864). *Spongiphora Frontalis, Borm.* l. c. p. 60. n. 15 (1900).	id.
21. **S. Similis, Borm. Ann. Soc. Ent. Belg. xxvii. p. 76, pl. 2. f. 14 (1883); Tierreich, Forf. p. 61. n. 17 (1900).	Colombia.
*22. **S. Punctipennis, Stål,** Eugenie's Resa, Ins. p. 304 (1858). *Psalidophora Punctipennis, Dohrn,* l. c. xxv. p. 421 (1864).	Brazil.
*23. **S. Croceipennis, Serv.** Ann. Sci. Nat. xxii. p. 31 (1831); Borm. Tierreich, Forf. p. 55 (1900). *Forficula Croceipennis, Wils.* Treat. Ins. pl. 228. f. 6 (1835); Burm. Handb. Ent. ii. p. 752. n. 8 (1838); Pack. Standard Nat. Hist. ii. p. 139, f. 203 (1884). *Forficula (Spongiphora) Croceipennis, Guér.* Icon. R. Anim., Ins. pl. 52. f. 1 (1829), p. 326 (1844); Gray, Griffith, Anim. Kingd. xv. p. 787, pl. 104. ff. 1, 1 *b* (1832).	id.

	Psalidophora Crocipennis, Serv. Ins. Orth. p. 30. pl. 1. ff. 3. 3*a*, *b* (1839); Dohrn, l. c. xxv. p. 418 (1864). *Forficula Flavipennis, Burm.* l. c. ii. p. 752. n. 9 (1838).	
*24.	**S. Bormansi, Burr,** Ann. Nat. Hist. (6) xx. p. 313 (1897); Borm. l. c. p. 57. n. 3 (1900).	Bahia.
*25.	**S. Pygmæa, Dohrn,** (*Psalidophora P.*) l. c. xxv. p. 421 (1864). *Spongiphora Pygmæa, Borm.* Biol. Centr.-Amer., Orth. i. p. 7. pl. 2. ff. 4, 5 (1893); Tierreich. Forf. p. 59. n. 11 (1900).	Brazil.
26.	**S. (?) Remota, Burr,** (*Forficula* (?) *R.*) l. c. (7) iii. p. 165 (1899).	Ecuador.
*27.	**S. (?) Divergens, Burr,** (*Forficula D.*) l. c. p. 166 (1899).	id.
*28.	**S. Nigripennis, Scudd.** (*Psalidophora N.*) P. Boston Soc. xii. p. 344 (1869). *Spongiphora Nigripennis, Borm.* l. c. p. 58. n. 6 (1900).	id.
**29.	**S. Rogersi, Borm.** Biol. Centr.-Amer., Orth. i. p. 8, pl. 2. f. 6 (1893); Tierreich, Forf. p. 57. n. 5 (1900).	Costa Rica.
30.	**S. (?) Elongata, Fabr.** (*Forficula E.*) Ent. Syst. ii. p. 4. n. 13 (1793); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876).	W. Indies.

Genus 35. **Chelisoches.** (*Type* no. 12.)

Scudd. P. Boston Soc. xviii. p. 292 (1876); Borm. Tierreich, Forf. p. 82 (1900); Burr, J. Bombay Soc. xiv. p. 326 (1902).

‖ *Lobophora*, Serv. Ins. Orth. p. 32 (1839); Dohrn, Stettin. Ent. Zeit. xxvi. p. 70 (1865).

1.	**C. Comprimens, Scudd.** l. c. xviii. p. 252 (1876).	Africa.
2.	**C. Pulchellus, Gerst.** (*C. Pulchella*) Mt. Ver. Vorpomm. xiv. p. 42 (1883). *Chelisoches Pulchellus, Borm.* Tierreich, Forf. p. 88. n. 17 (1900); ? Burr, l. c. xiv. p. 327 (1902).	Cameroons, Ogowé; Ceylon (eadem ?).
*3.	**C. Plagiatus, Fairm.** (*Forficula Plagiata*) Thoms. Arch. Ent. ii. p. 257, pl. 9. f. 3 (1858).	Gaboon, Guinea.

Chelisoches Plagiatus, Borm. l. c. p. 88. n. 15 (1900).	
Chelisoches Plagiata, Gerst. l. c. xiv. p. 40 (1883).	
4. **C. Modestus, Stâl,** (*Forficula Modesta*) Eugenie's Resa, Ins. p. 302 (1858).	China.
Lobophora Modesta, Dohrn, l. c. xxvi. p. 74 (1865).	
*5. **C. Melanocephalus, Dohrn,** (*Lobophora Melanocephala*) l. c. xxvi. p. 75 (1865).	India, Burma, Macassar.
Chelisoches Melanocephalus, Borm. l. c. p. 89. n. 18 (1900).	
6. **C. Tenebrator, Kirb. J. Linn. Soc. xxiii. p. 521, pl. 12. f. 5 (1890); Borm. l. c. p. 85. n. 6 (1900).	India.
7. **C. Beelzebub, Burr,** Ann. Soc. Ent. Belgique, xliv. p. 51 (1900).	N. India.
8. **C. Pulchripennis, Borm. Ann. Soc. Ent. Belgique, xxvii. p. 78, pl. 3. f. 15 (1883); Tierreich, Forf. p. 84. n. 2 (1900).	Tenasserim.
9. **C. Glaucopterus, Burm.** Ann. Mus. Genova, xxvi. p. 441 (1888); xxxiv. p. 392 (1894); Tierreich, Forf. p. 84. n. 3 (1900).	id.
10. **C. Birmanus, Borm.** (*Auchenomus B.*) Ann. Mus. Genova, xxvi. p. 466 (1888).	Bhamo.
Chelisoches Birmanus, Burm. Tierreich, Forf. p. 85. n. 7 (1900).	
11. **C. Feæ, Borm. ll. cc. xxxiv. p. 393 (1894); p. 86. n. 10 (1900).	Tenasserim.
12. **C. Morio, Fabr. (*Forficula M.*) Syst. Ent. p. 270. n. 6 (1775).	Otaheite; India to Papua.
Lobophora Morio, Dohrn, l. c. xxvi. p. 71 (1865); Dubr. Ann. Mus. Genov. xiv. p. 374 (1879).	
Chelisoches Morio, Borm. Tierreich, Forf. p. 85. n. 4 (1900); Burr, J. Bombay Soc. xiv. p. 327 (1902).	
Forficesila Oceanica, Le Guill. Rev. Zool. 1841, p. 292.	
Lobophora Tartarea, Stâl, Eugenie's Resa, Ins. p. 305 (1858).	
12 *a*. **C. Cincticornis, Stâl,** (*Lobophora C.*) l. c. p. 305 (1858).	Mauritius.
*13. **C. Rufitarsis, Serv.** (*Lobophora R.*) Ins. Orth. p. 33 (1839).	Java, Singapore, Waigiou.
Forficula (Psalidophora) Rufitarsis, Haan,	

Temminck, Verhandel. Nat. Gesch., Orth. p. 241 (1842).	
Lobophora Nigronitens, *Stål*, l. c. p. 305 (1858).	
*14. **C. Simulans, Stål,** (*Forficula S.*) l. c. p. 302 (1858).	Java, Tenasserim, Penang, Sumatra, Borneo.
Lobophora Simulans, *Dohrn*, l. c. xxvi. p. 74 (1865).	
Chelisoches Simulans, *Borm.* Tierreich, Forf. p. 87. n. 14. f. 34 *a*, *b* (1900).	
15. **C. Semiluteus, Borm. & Burr,** Ann. Nat. Hist. (7) iv. pp. 259, 260 (1899).	Java.
Chelisoches Melanocephalus, var., *Burr*, l. c. (6) xx. p. 315 (1897).	
16. **C. Nigricornis, Kirb. (*Labidura N.*) P. Zool. Soc. London, 1888, p. 546 ; Mon. Christmas I. p. 142, pl. 12. ff. 2, 3 (1900).	Christmas I.
*17. **C. Fuscipennis, Haan,** (*Forficula* (*Psalidophora F.*) Temminck, Verhandel. Nat. Gesch., Orth. p. 241 (1842).	Sumatra, Java, Moluccas, Papua.
Lobophora Fuscipennis, *Dohrn*, l. c. xxvi. p. 75 (1875).	
Chelisoches Fuscipennis, *Borm.* l. c. p. 86. n. 9 (1900).	
18. **C. Ludekingi, Dohrn,** (*Lobophora L.*) l. c. xxvi. p. 73 (1863).	Sumatra.
Chelisoches Ludekingi, *Borm.* l. c. p. 88. n. 16 (1900).	
*19. **C. Elegans, Borm.** Ann. Mus. Genova, xl. p. 464 (1900).	id.
20. **C. Albomarginatus, Haan,** (*Forficula A.*) l. c. p. 241 (1842).	
Lobophora Albomarginata, *Dohrn*, l. c. xxvi. p. 75 (1865).	
21. **C. Ritsemæ, Borm.** Notes Leyden Mus. vi. p. 185 (1884) ; Tierreich, Forf. p. 86. n. 11 (1900) ; Burr, Termés. Füzetek, xxv. p. 484 (1902).	id.
22. **C. (?) Sobrius, Borm.** Notes Leyden Mus. vi. p. 188 (1884).	id.
23. **C. Variopictus, Borm. Ann. Mus. Genov. xl. p. 462 (1900).	Mentavei I.
24. **C. Punctulatus, Burr,** Ann. Nat. Hist. (6) xx. p. 315 (1897) ; Borm. Tierreich, Forf. p. 86. n. 8 (1900).	Celebes.

25. **C. Dohertyi, Burr,** l. c. (7) iv. p. 258 (1899).	Macassar.
26. **C. Lætior, Dohrn,** (*Lobophora L.*) l. c. xxvi. p. 73 (1865); Dubr. Ann. Mus. Genova, xiv. p. 374, figs. (1879). *Chelisoches Lætior, Borm.* l. c. p. 87. n. 13 (1900).	Batchian, Ternate.
*27. **C. Australica, Le Guill.** (*Forficesila A.*) Rev. Zool. 1841, p. 292. *Forficula Australica, Blanch.* Voy. Pôle Sud, Zool. iv. p. 351, Orth. pl. 1, f. 3 (1853). *Lobophora Australica, Dohrn,* l. c. xxvi. p. 72 (1865). *Chelisoches Australicus, Borm.* Tierreich, Forf. p. 87. n. 12 (1900).	Australia.
*28. **C. Ater, Borm.** l. c. p. 85. n. 5 (1900). ‖ *Lobophora Australica, Dubr.* l. c. xiv. p. 574 (1879).	N. Australia.
29. **C. Tasmanica, Blanch.** (*Forficula T.*) l. c. p. 350, Orth. pl. 1. f. 2 (1853).	Tasmania.

Genus 36. **Chelisochella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 196 (1902).

*1. **C. Superba, Dohrn,** (*Lobophora S.*) Stettin. Ent. Zeit. xxvi. p. 71 (1865). *Chelisoches Superbus, Borm.* Tierreich, Forf. p. 83. n. 1, f. 32 (1900).	Malacca, Penang, Borneo, Sumatra.
2. **C. Doriæ, Borm. Ann. Mus. Genova, xl. p. 463 (1900).	Sarawak, Mentavei I.
*3. **C. Shelfordi, Burr,** Ann. Nat. Hist. (7) vi. p. 96, pl. 4. f. 4 (1900). ♀. *C. Hercules, Burr,* l. c. p. 97, pl. 4. f. 2 (1900).	Sarawak.

Genus 37. **Nesogaster.**

Verh. Zool. Anz. xxv. p. 191 (1902).

1. **N. Fruhstorferi, Verh.** l. c. (1902).	S. Celebes.

Genus 38. **Nesogastrella.**

Verh. Zool. Anz. xxv. p. 192 (1902).

1. **N. Ruficeps, Verh.** l. c. (1902).	Borneo.

Genus 39. **Ancistrogaster.** (*Type* no. 2.)

Stål, Œfv. Vet.-Akad. Förh. xii. p. 349 (1855); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876); P. Boston Soc. xviii. p. 288 (1876); Borm. Tierreich, Forf. p. 89 (1900).

1. **A. Arthritica, Scudd.** P. Boston Soc. xviii. p. 253 (1876); Borm. An. Soc. Españ. ix. p. 508 (1880); Tierreich, Forf. p. 91. n. 4, f. 35 *a*, *b* (1900).	Brazil.
2. **A. Luctuosus, Stål,** l. c. xii. p. 349 (1855); Eugenie's Resa, Ins. p. 306, pl. 5. f. 1 (1858). *Opisthocosmia Luctuosa, Dohrn,* Stettin. Ent. Zeit. xxvi. p. 78 (1865).	Brazil; Ecuador (?).
2 *a*. **A. Petropolis, Wood, (*Forficula P.*) Ins. Abroad, p. 279, f. 138 (1874).	Brazil.
3. **A. Burri, Kirb. Ann. Nat. Hist. (7) xi. p. 68 (1903). ‖ *Ancistrogaster Luctuosus, Borm.* Ann. Soc. Ent. Belgique, xxvii. p. 83 (1883). *A. Luctuosa, Borm.* Tierreich, Forf. p. 90. n. 3 (1800).	Mexico to Panama.
*4. **A. Maculifera, Dohrn,** (*Opisthocosmia M.*) l. c. xxvi. p. 77 (1865). *Ancistrogaster Maculifera, Borm.* Tierreich, Forf. p. 90. n. 1 (1900).	Venezuela.
*5. **A. Gulosa, Scudd.** l. c. xviii. p. 259 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876); Borm. l. c. p. 91. n. 7 (1900).	Mexico.
*6. **A. Spinax, Dohrn,** l. c. xxiii. p. 229, pl. 1. ff. 1, 1 *b* (1862); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 254 (1876); Borm. l. c. p. 90. n. 2 (1900).	Mexico, Guatemala.
*7. **A. Variegata, Dohrn,** (*Opisthocosmia V.*) l. c. xxvi. p. 78 (1865). *Ancistrogaster Variegatus, Borm.* Biol. Centr.-Amer., Orth. p. 9, pl. 1. f. 10 (1893); Tierreich, Forf. p. 91. n. 5 (1900).	Venezuela, Nicaragua, Panama.

8. **A. Aterrimus, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 83, pl. 3. f. 18 (1883); Tierreich, Forf. p. 92. n. 9 (1900).	Ecuador.
9. **A. Inopinata, Burr,** Ann. Nat. Hist. (7) vi. p. 85 (1900).	Costa Rica.
10. **A. Championi, Borm. Biol. Centr.-Amer., Orth. p. 10, pl. 2. f. 13 (1893); Tierreich, Forf. p. 92. n. 10 (1900).	Chiriqui.
11. **A. Intermedia, Burr,** l. c. (7) vi. p. 87 (1900).	Peru.
*12. **A. Devians, Dohrn,** (*Opisthocosmia D.*) l. c. xxvi. p. 79 (1865). *Ancistrogaster Devians, Borm.* Tierreich, Forf. p. 93. n. 11 (1900).	Brazil.
*13. **A. Parvicollis, Stål,** (*Forficula P.*) Eugenie's Resa, Ins. p. 304 (1858). *Psalidophora Parvicollis, Dohrn,* l. c. xxviii. p. 345 (1867). *Spongiphora Parvicollis, Borm.* Tierreich, Forf. p. 61. n. 16 (1900). *Forficula Variicornis, Scudd.* P. Boston Soc. xviii. p. 255 (1876). *Sphingolabis Meridionalis,* ♂, *Kirb.* J. Linn. Soc. xxiii. p. 529 (1891). *Apterygida Meridionalis,* ♂, *Borm.* l. c. p. 116 (1900).	id.
14. **A. Perplexa, Kirb. (*Sphingolabis* (?) *P.*) l. c. xxiii. p. 529 (1891). *Ancistrogaster Perplexa, Borm.* l. c. p. 93. n. 12 (1900).	Rio de Janeiro.
15. **A. Hirsuta, Scudd.** (*Forficula H.*) l. c. xviii. p. 256 (1876). *Ancistrogaster Hirsuta, Borm.* l. c. p. 93 (1900).	Brazil.
*16. **A. Tolteca, Scudd.** (*Forficula T.*) l. c. xviii. p. 261 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876). *Ancistrogaster Toltecus, Borm.* Biol. Centr.-Amer., Orth. p. 10, pl. 2. ff. 11, 12 (1893). *Ancistrogaster Tolteca, Borm.* Tierreich, Forf. p. 91. n. 6 (1900).	Mexico.
17. **A. Panamensis, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 81, pl. 3. f. 17 (1883); Tierreich, Forf. p. 93 (1900).	Panama.
18. **A. Impennis, Borm. Biol. Centr.-Amer., Orth. i. p. 10, pl. 2. ff. 14, 15 (1893); Tierreich, Forf. p. 92. n. 8 (1900).	Mexico.

Genus 40. **Cosmiella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 195 (1902).

1. **C. Rebus, Burr,** (*Opisthocosmia R.*) Ann. Soc. Ent. Belgique, xliv. p. 53. n. 3 (1900).	E. Java.
2. **C. Neolobophoroides, Burr,** (*Opisthocosmia N.*) J. Bombay Soc. xiv. p. 335 (1902).	Ceylon.
3. **C. Dubia, Borm.** (*Opisthocosmia* (?) *D.*) Ann. Mus. Genova, xxxiv. p. 399 (1894); Tierreich, Forf. p. 98. n. 15 (1900).	Tenasserim.
4. **C. Aptera, Verh.** l. c. xxv. p. 195 (1902).	E. Java.

Genus 41. **Opisthocosmia.** (*Type* no. 12.)

Dohrn. Stett. Ent. Zeit. xxvi. p. 76 (1865); Borm. Tierreich, Forf. p. 93 (1900); Burr, J. Bombay Soc. xiv. p. 333 (1902).

1. **O. Hova, Borm. (*Neolobophora Ova*) Ann. Soc. Ent. Belgique, xxvii. p. 80, pl. 3. f. 16 (1883). *Opisthocosmia Hova, Borm.* Tierreich, Forf. p. 95. n. 4 (1900).	Madagasc'r.
2. **O. Komarowi, Sem.** Rev. Russe d'Entom. i. pp. 98, 99 fig., 259 (1901).	Corea.
3. **O. Oannes, Burr,** Ann. Nat. Hist. (7) vi. p. 85 (1900).	Assam.
4. **O. Humeralis, Kirb. J. Linn. Soc. xxiii. p. 523 (1891); Borm. Ann. Mus. Genova, xxxiv. p. 400 (1894); Tierreich, Forf. p. 95. n. 3 (1900); Burr, J. Bombay Soc. xiv. p. 333, pl. B. f. 9 (1902).	Ceylon.
*5. **O. Ceylonica, Motsch.** (*Labia C.*) Bull. Mosc. xxxvi. (3) p. 4 (1863). *Opisthocosmia Ceylonica, Dohrn,* Stettin. Ent. Zeit. xxvi. p. 83 (1865); Borm. Tierreich, Forf. p. 96. n. 7 (1900); Burr, l. c. xiv. p. 335 (1902).	id.
6. **O. Lugens, Borm. Ann. Mus. Genova, xxxiv. p. 398 (1894): Tierreich, Forf. p. 98. n. 12 (1900).	Tenasserim.

7. **O. Dux, Borm. ll. cc. xxxiv. p. 395 (1894); p. 98. n. 13 (1900).	Tenasserim.
8. **O. Simplex, Borm. ll. cc. xxxiv. p. 396 (1894); p. 98. n. 14 (1900); Burr, l. c. xiv. p. 334 (1902).	id.
*9. **O. Insignis, Haan,** (*Forficula I.*) Temminck, Verhandel. Nat. Gesch., Orth. p. 243, pl. 23. f. 14 (1842). *Opisthocosmia Insignis, Dohrn,* Stett. Ent. Zeit. xxvi. p. 81 (1865); Borm. Tierreich, Forf. p. 96. n. 6 (1900).	Java.
10. **O. Vigilans, Stål,** (*Forficula V.*) Œfv. Vet.-Akad. Förh. xii. p. 350 (1855); Eugenie's Resa, Ins. p. 302 (1858). *Opisthocosmia Vigilans, Dohrn,* l. c. xxvi. p. 82 (1865).	id.
*11. **O. Tenella, Haan,** (*Forficula T.*) l. c. p. 243 (1842). *Opisthocosmia Tenella, Dohrn,* l. c. p. 82 (1865); Borm. l. c. p. 97. n. 11 (1900).	id.
*12. **O. Centurio, Dohrn,** l. c. xxvi. p. 79 (1865); Borm. l. c. p. 95. n. 1, f. 36 (1900).	Sumatra, Sarawak, Luzon.
*13. **O. Armata, Haan,** (*Forficula A.*) l. c. p. 243, pl. 23. f. 12 (1842). *Opisthocosmia Armata, Dohrn,* l. c. xxvi. p. 80 (1865); Borm. l. c. p. 96. n. 5 (1900).	Sumatra.
14. **O. Beccarii, Borm.** Ann. Mus. Genova, xl. p. 465 (1900).	id.
*15. **O. Forcipata, Haan,** (*Forficula F.*) l. c. p. 242, pl. 23. f. 11 (1842). *Opisthocosmia Forcipata, Dohrn,* l. c. xxvi. p. 81 (1865); Burr, Ann. Nat. Hist. (6) xx. p. 316 (1897); Borm. Tierreich, Forf. p. 95. n. 2 (1900).	id.
16. **O. Minuscula, Borm.** Notes Leyden Mus. vi. p. 190 (1884); Tierreich, Forf. p. 99. n. 16 (1900).	id.
17. **O. Longipes, Haan,** (*Forficula L.*) l. c. p. 242, pl. 23. f. 13 (1842). *Opisthocosmia Longipes, Dohrn,* l. c. xxvi. p. 81 (1865); Borm. Tierreich, Forf. p. 97. n. 9 (1900).	Sumatra, Papua.
18. **O. Cervipyga, Kirb.** J. Linn. Soc. xxiii. p. 523. pl. 12. ff. 12, 12 *a* (1891); Borm. l. c. p. 96. n. 8 (1900).	Sarawak.

19. **O. Biroi, Burr,** Termés. Füzetek, xxv. p. 485, pl. 20. f. 7 (1902).	Papua.
20. **O. Americana, Borm. Biol. Centr.-Amer., Orth. i. p. 8, pl. 1. ff. 22, 23 (1893); Tierreich. Forf. p. 97. n. 10 (1900).	Mexico.
21. **O. Amazonensis, Borm. & Burr,** Ann. Nat. Hist. (7) iii. p. 164 (1899).	U. Amazons, Ecuador.

Genus 42. **Anechura.**

Scudd. P. Boston Soc. xviii. p. 289 (1876); Brunn. Prodr. Eur. Orth. p. 18 (1882); Borm. Tierreich, Forf. p. 100 (1900); Tümp. Geradfl. Mitteleuropas, p. 230 (1900).

*1. **A. Bipunctata, Fabr.** (*Forficula B.*) Spec. Ins. i. p. 340. n. 2 (1781); Petagna, Inst. Ent. i. p. 304. n. 3 (1792), *nec fig.*; Panz. Deutschl. Ins. lxxxvii. pl. 10 (1802?); Kitt. Bull. Soc. Moscou, 1849, (4) p. 441, pl. 7. ff. 5, 6. *Anechura Bipunctata, Brunn.* l. c. p. 19, pl. 1. f. 5 (1882); Fin. Faune France, Orth. p. 69, pl. 2. f. 36 (1890); Borm. l. c. p. 101. n. 1 (1900); Tümp. l. c. p. 232, pl. 15 (1900). *Forficula Biguttata, Fabr.* Ent. Syst. ii. p. 2. n. 4 (1793); Serv. Ins. Orth. p. 43 (1839); Fisch. Waldh. Orth. Russ. p. 40 (♂ only) (1846); Fisch. Orth. Eur. p. 72, pl. 6. ff. 9, 9 *a. b* (1853). *Chelidura Anthracina, Kol.* Mel. Ent. v. p. 73, pl. 17. f. 5 (1846). *Forficula Fabricii, Fieb.* Lotos, iii. p. 253 (1853).	Central Europe, W. and Central Asia.
*2. **A. Orientalis, Krauss,** (*A. Bipunctata O.*) Tierreich. Forf. p. 102. n. 1, *b* (1900). *A. Orientalis, Sem.* Hor. Soc. Ent. Ross. xxxv. p. 187 (1902). *Forficula Biguttata,* var., *Serv.* l. c. p. 43 note (1839). ‖*Forficula Biguttata, Kitt.* l. c. 1848, (4) p. 439, pl. 7. ff. 3, 4.	S. Russia, W. Asia, Thibet.
*3. **A. Zubovskii, Sem.** l. c. p. 188, note (1902).	Ladak, Cashmir.
4. **A. Eoa, Sem.** Rev. Russe d'Ent. ii. pp. 100, 101. f. 2 (1902).	Askold, Corea.

5. **A. Fedtschenkoi, Sauss.,** Fedchenko, Reise in Turkestan, Orth. p. 6, pl. 1. f. 2 (1874). *Anechura F., Borm.* l. c. p. 103. n. 5 (1900); Sem. Hor. Soc. Ent. Ross. xxxv. p. 191 (1902).	Turkestan.
*6. **A. Metallica, Dohrn,** (*Forficula M.*) Stettin. Ent. Zeit. xxvi. p. 90 (1865); Borm. l. c. p. 104. n. 8, f. 39 (1900).	Assam, Burma.
*7. **A. Ancylura, Dohrn,** (*Forficula A.*) l. c. xxvi. p. 91 (1865). *Anechura Ancylura, Borm.* Ann. Soc. Ent. Belgique, xxvii. p. 88, pl. 3. f. 22 (1883); Ann. Mus. Genov. xxvi. p. 445 (1888); Tierreich, Forf. p. 102. n. 2 (1900).	
*8. **A. Macropyga, Westw.** (*Forficula M.*) Royle, Ill. Bot. Himal. Mountains, Intr. p. 53 (1839); Dohrn, l. c. p. 93 (1865). *Forficula Micropyga, Westw.* l. c. pl. 9. f. 12 (1839). *Anechura Macropyga, Borm.* Tierreich, Forf. p. 103. n. 6 (1900).	Himalaya.
8 *a*. **A. Huegeli, Dohrn,** (*Forficula H.*) l. c. xxvi. p. 92 (1865).	N. India (?).
8 *b*. **A. Coriacea, Borm.** Ann. Mus. Genova, xxxiv. p. 403 (1894); Tierreich, Forf. p. 102. n. 3, f. 37 (1900).	Burma, Borneo.
9. **A. Feæ, Borm.** Ann. Mus. Genova, xxvi. p. 445 (1888); Tierreich, Forf. p. 104. n. 9 (1900).	Burma.
10. **A. Ahrimanes, Burr,** Ann. Nat. Hist. (7) vi. p. 79, pl. 4. f. 5 (1900).	Sikkim.
11. **A. Hermes, Burr,** l. c. p. 99, pl. 4. ff. 1, 1 *a* (1900).	Sarawak.
12. **A. Elongata, Borm.** Mém. Soc. Zool. France, i. p. 120 (1888); Tierreich, Forf. p. 103. n. 7, f. 38 (1900).	Cuba.

Genus 43. **Allodahlia.**

Verh. Zool. Anz. xxv. p. 194 (1902).

*1. **A. Scabriuscula, Serv.** (*Forficula S.*) Ins. Orth. p. 38 (1839). *Anechura Scabriuscula, Borm.* Ann. Mus. Genova, xxvi. p. 444 (1888); Tierreich,	"S. Amer." (*err.* Serv.). India, Burma,

Forf. p. 103. n. 4 (1900); Sharp, Cambridge Nat. Hist., Ins. i. pp. 207, 208. f. 108 (1895). *Forficula Brachynota, Haan*, Temminck, Verhandel. Nat. Gesch., Orth. p. 243, pl. 23. f. 10 (1842); Dohrn, Stettin. Ent. Zeit. xxvi. p. 94. n. 15 (1865).	Java, Sumatra, Borneo.

Genus 44. **Chelidura.** (*Type* no. 1.)

Chelidoura, Serv. Ann. Sci. Nat. xxii. p. 36 (1831); Ins. Orth. p. 47 (1839).

Chelidura, Burm. Handb. Ent. ii. p. 755 (1838); Dohrn, Stettin. Ent. Zeit. xxviii. p. 341 (1867); Bol. Sin. Ort. Esp. p. 31 (1876); Dubr. Ann. Mus. Genov. xii. p. 434 (1878); Brunn. Prodr. Eur. Orth. p. 20 (1882); Fin. Faune France, Orth. p. 70 (1890); Borm. Tierreich, Forf. p. 105 (1900); Tümp. Geradfl. Mitteleurop. p. 231 (1900); Verh. Zool. Anz. xxv. p. 187 (1902).

*1. **C. Aptera, Charp.** (*Forficula A.*) Hor. Ent. p. 69 (1825); Serv. Ins. Orth. p. 47 (1839). *Chelidura Aptera, Dohrn*, l. c. xxviii. p. 342 (1867); Bol. l. c. p. 31, pl. 1. f. 17 *a, b* (1876); Dubr. l. c. p. 446 (1878); Brunn. l. c. p. 25, pl. 1. f. 6 *b* (1882); Fin. l. c. p. 72, pl. 2. f. 40 (1890); Borm. l. c. p. 108. n. 8 (1900); Tümp. l. c. p. 231 (1900). Var. *a. Forficula Alpina, Géné*, Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 230 (1832); Fisch. Orth. Eur. p. 81, pl. 6. f. 16 *c, e* (1853). *Chelidura Aptera*, var. *Alpina, Dubr.* l. c. p. 447, *fig. med.* (1878). Var. *b. Forficula* (*Chelidura*) *Simplex, Germ.* Fauna Ins. Europ. xi. pl. 17. ff. *a–c* (1828?). *Forficula Simplex, Burm.* l. c. ii. p. 755. n. 23 (1838); Serv. Ins. Orth. p. 48 (1839); Fisch. l. c. p. 82, pl. 6. ff. 19, 19 *a, b* (1853). *Chelidura Aptera*, var. *Simplex, Dubr.* l. c. p. 447, *figg. rect.* (1878). *Forficula Montana, Géné*, l. c. p. 229 (1832).	Southern Alps (Valais, Piedmont).
*2. **C. Pyrenaica, Géné,** (*Forficula P.*) l. c. p. 230 (1832). *Chelidura Pyrenaica, Borm.* l. c. p. 108. n. 9 (1900).	Pyrenees.

‖ *Forficula Aptera, Brullé,* Hist. Ins. ix. p. 29, pl. 1. f. 2 (1835).	
Forficula Dilatata, Burm. l. c. ii. p. 755. n. 22 (1839); Fisch. l. c. p. 80, pl. 6. ff. 16, 16 *a, b* (1853).	
Chelidura Dilatata, Brunn. l. c. p. 25 (1882); Fin. l. c. p. 73, pl. 2. f. 41 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 205, f. 105 (1895).	
‖ *Chelidura Aptera, Dubr.* l. c. p. 447, *figg. sinistr.* (1878).	
3. **C. Thoracica, Fisch. Waldh.** Orth. Russ. p. 50 (1846); Borm. l. c. p. 109 (1900).	Finland.

Genus 45. **Mesochelidura.**

Verh. Zool. Anz. xxv. p. 187 (1902).

1. **M. Bolivari, Dubr. (*Chelidura B.*) Ann. Mus. Genova, xii. p. 44, figg. (1878); Brunn. Prodr. Eur. Orth. p. 26 (1882); Borm. Tierreich, Forf. p. 108. n. 10 (1900).	Spain.

Genus 46. **Chelidurella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 187 (1902).

*1. **C. Acanthopygia, Géné,** (*Forficula A.*) Ann. Sci. Nat. Lomb. Venet. ii. p. 228 (1832); Fisch. Orth. Eur. p. 83. n. 24, pl. 6. ff. 20, 20 *a–d* (1853).	Europe.
Chelidura Acanthopygia, Dubr. Ann. Mus. Genova, xii. p. 441 (1878); Fin. Faune France, Orth. p. 72, pl. 2. f. 39 (1890); Borm. Tierreich, Forf. p. 107. n. 6 (1900); Burr, Entom. xxxi. p. 125, pl. 2. ff. 1, 2 (1898); Tümp. Geradfl. Mitteleur. p. 232 (1900).	
*2. **C. Mutica, Krauss,** (*Chelidura M.*) Verh. Ges. Wien, xxxvi. p. 140, pl. 5. f. 2 (1886); Borm. l. c. p. 107. n. 7 (1900).	Tyrol.

Genus 47. **Isolabella.**

Verh. SB. Ges. naturf. Berlin, 1902, p. 15.

1. **I. Græca, Verh.** l. c. p. 16 (1902).	Greece.

Genus 48. **Pterygida.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 197 (1902).

1. **P. Jagori, Dohrn,** (*Forficula J.*) Stettin. Ent. Zeit. xxvi. p. 94 (1865). *Apterygida Jagori, Borm.* Tierreich, Forf. p. 116. n. 19 (1900).	Luzon.
*2. **P. Circulata, Dohrn,** (*Forficula C.*) l. c. p. 95 (1865). *Apterygida Circulata, Borm.* l. c. p. 116. n. 20, f. 42 (1900).	India.

Genus 49. **Apterygida.** (*Type* no. 1.)

Westw. Mod. Classif. Ins. ii. (Gen. Synopsis, p. 44 (1840); Burr, Brit. Orth. p. 17 (1897); J. Bombay Soc. xiv. p. 329 (1902); Borm. Tierreich, Forf. p. 109 (1900).

‖ *Chelidura, Steph.* Ill. Brit. Ent., Mand. vi. p. 6 (1835).

*1. **A. Albipennis, Charp.** (*Forficula A.*) Hor. Ent. p. 68 (1825); Fisch. Orth. Eur. p. 77. n. 15, pl. 6. f. 15 *a–f* (1853); Dohrn, Stettin. Ent. Zeit. xxvi. p. 99 (1865). *Forficula (Apterygida) Albipennis, Fisch.* Orth. Eur. p. 77, pl. 6. ff. 14, 14 *a*, *b* (1853). *Chelidura Albipennis, Steph.* l. c. p. 7, pl. 28. fig. 5 (1835); Brunn. Prodr. Eur. Orth. p. 21 (1882); Fin. Faune France, Orth. p. 70, pl. 2. f. 37 (1890); Tümp. Geradfl. Mitteleurop. p. 231, pl. 15 (1900). *Apterygida Albipennis, Burr,* Brit. Orth. p. 17, pl. 1. f. 7 (1897). ‖ *Forficula Media, Hagenb.* Symb. Faun. Ins. Helv. p. 16, ff. 6, 7 (1822). *Apterygida Media, Borm.* l. c. p. 117. n. 21 (1900). *Forficula Pedestris, Géné,* Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 228 (1832). *Chelidura Curta, Fisch. Waldh.* Orth. Ross. p. 49 (1846). *Forficula Freyi, Dohrn,* l.c. xx. n. 106 (1859).	Europe.
*2. **A. Arachidis, Yers.** (*Forficula A.*) Ann. Soc. Ent. France, (3) viii. p. 509, pl. x. ff. 33–35 (1860). *Chelidura Arachidis, Brunn.* Prodr. Eur. Orth. p. 21 (1882).	S. Europe, S. Asia, Australia, Africa, America, &c.

Apterygida Arachidis, Burr. l. c. p. 17, pl. 1. f. 8 (1897); J. Bombay Soc. xiv. p. 330 (1902); Borm. l. c. p. 117. n. 22 (1900). *Forfiscelia Nigripennis, Motsch.* Bull. Soc. Moscou. xxxvi. (3) p. 1 (1863); Dohrn, l. c. xxvi. p. 89 (1865). *Forficula Wallacei, Dohrn,* l. c. xxvi. p. 88 (1865); Dubr. Ann. Mus. Genova, xiv. p. 377, figg. (1879).	
*2 *a*. **A. Gravidula, Gerst.** (*Forficula* (*Apt.*) *G.*) Arch. f. Nat. xxxv. (1) p. 221 (1869); Decken, Reisen, iii. (2) p. 50, pl. 3. f. 9 (1873). *Labia Gravidula, Borm.* Notes Leyden Mus. vi. p. 197 (1884). *Apterygida Gravidula, Borm.* l. c. p. 117. n. 23 (1900).	Africa, Asia.
2 *b*. **A. Minuscula, Latr.** (*Forficula M.*) Humb. & Bonpl. Obs. Zool. ii. p. 119, pl. 40. ff. 8, 9 (1832?).	S. America.

Genus 50. **Sphingolabis.** (*Type* no. 7.)

Borm. Ann. Soc. Ent. Belgique, xxvii. p. 59 (tab.) (1883); Biol. Centr.-Amer., Orth. p. 11 (1893); Ann. Mus. Genov. xxxiv. p. 405 (1896).

§ 1.

1. **S. Lingua, Burr,** (*Apterygida L.*) Termés. Füzetek, xxv. p. 486, pl. 20. f. 8 (1902).	Java.
*2. **S. Erichsoni, Dohrn,** (*Apterygida E.*) Stettin. Ent. Zeit. xxiii. p. 231 (1862). *Sphingolabis Erichsoni, Kirb.* J. Linn. Soc. xxv. p. 529, pl. 20. ff. 11, 11 *a* (1896). ‖ *Forficula Oceanica, Blanch.* Voy. Pôle Sud, Zool. iv. p. 352, Orth. pl. 1. f. 4 (1853). ‖ *Forficula Ruficeps, Erichs.* Arch. f. Nat. viii. (1) p. 246 (1842). *Apterygida Ruficeps, Borm.* Tierreich, Forf. p. 118. n. 25 (1900).	Tasmania, Australia, Vavau.
3. **S. Subaptera, Kirb. l. c. xxiii. p. 527 (1891); xxv. p. 529, pl. 20. ff. 12, 12 *a* (1894). *Apterygida Subaptera, Borm.* l. c. p. 118. n. 24 (1900).	Queensland.

§ 2.

4. **S. Hawaiensis, Borm. (*Forficula H.*) Ann. Mus. Genov. xviii. p. 311, figg. (1883). *Apterygida Hawaiensis, Borm.* Tierreich, Forf. p. 114. n. 15 (1900).	Hawaiian Islands.

§ 3.

*5. **S. Flavipennis, Fabr.** (*Forficula F.*) Ent. Syst. ii. p. 5. n. 17 (1793). *Sphingolabis Variegata, Kirb.* l. c. xxiii. p. 326 (1891); xxv. p. 529, pl. 20. f. 9 (1896). *Forficula Variegata, Borm.* l. c. p. 127 (1900).	Sierra Leone.
6. **S. Japonica, Borm. (*Forficula J.*) An. Soc. Españ. ix. p. 512 (1880); Tierreich, Forf. p. 114. n. 13 (1900).	Japan.

§ 4.

7. **S. Furcifera, Borm.** Notes Leyden Mus. vi. p. 194 (1884). *Apterygida Furcifera, Borm.* Tierreich, Forf. p. 115. n. 16, f. 41 (1900).	Sumatra.
8. **S. Borneensis, Dubr. (*Forficula B.*) Ann. Mus. Genov. xiv. p. 381, figg. (1879). *Apterygida Borneensis, Borm.* l. c. p. 113. n. 11 (1900).	Sarawak.
*9. **S. Bicuspis, Stål,** (*Forficula B.*) Eugenie's Resa, Ins. p. 301 (1858); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 85, pl. 3. f. 19 (1883). *Apterygida Bicuspis, Borm.* Tierreich, Forf. p. 114. n. 12 (1900).	Java.
10. **S. Doriæ, Dubr.** (*Forficula D.*) l. c. xiv. p. 379, figg. (1879). *Apterygida Doriæ, Borm.* l. c. p. 115. n. 17 (1900).	
11. **S. Bipartita, Kirb. l. c. xxiii. p. 526 (1891). *Apterygida Bipartita, Borm.* l. c. p. 112. n. 5 (1900); Burr, J. Bombay Soc. xiv. p. 331 (1902).	India, Ceylon.
*12. **S. Cingalensis, Dohrn,** (*Forficula C.*) l. c. xxvi. p. 89 (1865); Borm. l. c. p. 128 (1900).	Ceylon.

Apterygida Cingalensis, *Burr*, l. c. xiv. p. 332 (1902).

§ 5.

13. **S. Albertisii, Dubr. (*Forficula A.*) l. c. xiv. p. 378. figg. (1879); Borm. l. c. p. 128 (1900). — Papua.

14. **S. Spiculifera, Kirb. l. c. xxiii. p. 528 (1891). — N. S. Wales.
Apterygida Spiculifera, *Borm.* l. c. p. 119. n. 27 (1900).

15. **S. Exilis, Scudd.** (*Forficula E.*) P. Boston Soc. xviii. p. 262 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876). — Texas.
Apterygida Exilis, *Borm.* l. c. p. 111. n. 4 (1900).

*16. **S. Aculeata, Scudd.** (*Forficula A.*) ll. cc. xviii. p. 262 (1876); ii. p. 256 (1876). — Eastern States.

17. **S. Vellicans, Scudd.** (*Forficula V.*) P. Boston Soc. xviii. p. 254 (1876). — Brazil.

*18. **S. Gracilis, Burm.** (*Forficula G.*) Handb. Ent. ii. p. 755. n. 20 (1838). — America.
Forficula Luteipennis, *Serv.* Ins. Orth. p. 46 (1839); Dohrn, l. c. xxvi. p. 87 (1865).
Apterygida Luteipennis, *Borm.* l. c. p. 118. n. 26 (1900).
Forficula Dichroa, *Stål*, Eugenie's Resa, Ins. p. 301 (1858).

*19. **S. Luteipes, Scudd.** (*Forficula L.*) P. Boston Soc. xviii. p. 255 (1876). — Brazil.
Sphingolabis Meridionalis, ♀, *Kirb.* l. c. xxiii. p. 529 (1891).
Apterygida Meridionalis, ♀, *Borm.* l. c. p. 116 (1900).

§ 6.

*20. **S. Californica, Dohrn,** (*Forficula C.*) l. c. xxvi. p. 85 (1865); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876). — California.
Sphingolabis Californica, *Borm.* Biol. Centr.-Amer., Orth. i. p. 12, pl. 2. f. 20 (1893).
Apterygida Californica, *Borm.* Tierreich, Forf. p. 111. n. 2 (1900).

*21. **S. Tæniata, Dohrn,** (*Forficula T.*) l. c. xxiii. p. 230 (1862); xxvi. p. 85 (1865); Scudd. l. c. ii. p. 255 (1876); P. Boston Soc. xviii. p. 318 (1876). — America.

Sphingolabis Tæniata, Borm. Biol. Centr.-Amer., Orth. i. p. 12, pl. 2. ff. 17–19 (1893). *Apterygida Tæniata, Borm.* Tierreich, Forf. p. 110. n. 1 (1900).	
22. **S. Linearis, Esch.** (*Forficula L.*) Entomographien, p. 81 (1822).	Brazil.
*23. **S. Suturalis, Serv.** (*Forficula S.*) Ins. Orth. p. 40 (1839). *Apterygida Suturalis, Borm.* l. c. p. 116 (1900).	id.
24. **S. Flexuosa, Fabr.** (*Forficula F.*) Syst. Ent. p. 269. n. 3 (1775).	Cayenne.
*25. **S. Percheroni, Guér. & Perch.** (*Forficula Percheron*) Gen. Ins., Orth. pl. 7 (1835). *Forficula Percheroni, Dohrn,* l. c. xxvi. p. 85 (1865); Scudd. ll. cc. ii. p. 255 (1876); xviii. p. 316 (1876). *Apterygida Percheron, Borm.* l. c. p. 112. n. 8 (1900). *Spongophora Bipunctata, Scudd.* Bost. Journ. Nat. Hist. vii. p. 415 (1862). *Psalidophora Bipunctata, Dohrn,* l. c. xxv. p. 419 (1864).	Brazil.
*26. **S. Bimaculata, Beauv.** (*Forficula B.*) Ins. Afr. Amér. p. 165, Orth. pl. 14. f. 1 (1817); Serv. l. c. p. 39 (1839); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 255 (1876). *Apterygida Bimaculata, Borm.* l. c. p. 111. n. 3 (1900). *Forficula Elegans, Burm.* l. c. p. 753. n. 11 (1838).	W. Indies.
*27. **S. Speculigera, Stål,** (*Forficula S.*) Œfv. Vet.-Akad. Förh. xii. p. 349 (1855).	New Granada.
27 *a.* **S. Versicolor, Borm.** (*Forficula V.*) Ann. Soc. Ent. Belgique, xxvii. p. 86, pl. 3. f. 20 (1883). *Apterygida Versicolor, Borm.* Tierreich, Forf. p. 115. n. 18 (1900).	id.
*28. **S. Albipes, Fabr.** (*Forficula A.*) Mant. Ins. i. p. 224. n. 4 (1787); Scudd. l. c. ii. p. 255 (1876). *Apterygida Albipes, Borm.* l. c. p. 114. n. 14 (1900).	W. Indies.
29. **S. Binotata, Kirb. l. c. xxiii. p. 529 (1891). *Apterygida Binotata, Borm.* l. c. p. 113. n. 10 (1900).	Colombia.

§ 7.

30. **S. Protensa, Gerst.** (*Forficula P.*) Mt. Ver. Vorpomm. xiv. p. 45 (1883). *Apterygida Protensa, Borm.* l. c. p. 113. n. 9 (1900).	Gold Coast.
*31. **S. Serrata, Serv.** (*Forficula S.*) l. c. p. 40 (1839). *Forficula Variana, Scudd.* P. Boston Soc. xviii. p. 253 (1876).	W. Africa.
*32. **S. Africana, Dohrn,** (*Forficula A.*) l. c. xxvi. p. 86 (1865). *Forficula Natalensis, Stål,* Œfv. Vet.-Akad. Förh. xii. p. 348 (1855). ‖*Apterygida Erythrocephala, Borm.* l. c. p. 112. n. 6 (1900).	Africa.
33. **S. Insularis, Kirb.** Dist. Ins. Transvaal. p. 13, pl. 1. f. 3 (1900).	Pemba I.
*34. **S. Mackinderi, Burr,** (*Apterygida M.*) Ann. Nat. Hist. (7) vi. p. 83, pl. 4. f. 3 (1900).	E. Africa, Uganda.

§ 8.

*35. **S. Sansibarica, Karsch,** Berl. Ent. Zeitschr. xxx. p. 90 (1886). *Apterygida Sansibarica, Borm.* l. c. p. 112. n. 7 (1900).	E. Africa.

Genus 51. **Forficula.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 423 (1758); Latr. Hist. Nat. Crust. Ins. iii. p. 268 (1802); Steph. Ill. Brit. Ent., Mand. vi. p. 4 (1835); Serv. Ins. Orth. p. 35 (1839); Dohrn, Stett. Ent. Zeit. xxvi. p. 84 (1865); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 254 (1876); Brunn. Prodr. Eur. Orth. p. 11 (1882); Borm. Ann. Mus. Genova, xxxiv. p. 407 (1894); Tierreich, Forf. p. 119 (1900); Burr, Brit. Orth. p. 15 (1897); Tümp. Geradfl. Mitteleurop. p. 231 (1900).

*1. **F. Auricularia, Linn.** l. c. p. 423. n. 1 (1758); Steph. l. c. p. 4, pl. 28. f. 1 (1835); Serv. l. c. p. 36 (1839); Fisch. Orth. Eur. p. 74, pl. 6. ff. 11, 11 *a*, *b* (1853); Dohrn, l. c. xxvi. p. 98. n. 24	Europe, Asia, Africa, America.

(1865); Scudd. l. c. ii. p. 255 (1876): Brunn. l. c. p. 12 (1882); Burr, l. c. p. 15, pl. 1. f. 5 (1897); Borm. l. c. p. 122. n. 6 (1900); Tümp. l. c. p. 231, pl. 15 (1900).	
Forficula Major, De Geer, Mém. Ins. iii. p. 545, pl. 25. ff. 16–25 (1773).	
? *Forficula Bipunctata, Petagna*, Inst. Ent. ii. pl. 3. f. 11 (1798), *non descr.*	
Forficula Infumata, Charp. Hor. Ent. p. 70 (1825).	
Forficula Neglecta, Marsh. Col. Brit. p. 529. n. 2 (1802).	
Forficula Auricularia, var. *Cyclolabia, Fieb.* Lotos, iii. p. 254 (1853).	
Var. *a.* ‖ *Forficula Media, Steph.* l. c. vi. p. 5, pl. 28. f. 2 (1835).	
Var. *b. Forficula Borealis, Steph.* l. c. vi. p. 5, pl. 28. f. 3 (1835).	
Var. *c. Forficula Forcipata, Steph.* l. c. p. 6. n. 4, pl. 28. f. 4 (1835).	
Forficula Auricularia, Sulz. Gesch. Ins. p. 70, pl. 7. f. 17 (1776).	
‖ *Forficula Borealis, Curt.* Brit. Ent. xii. pl. 560 (1835).	
Forficula Auricularia, var. *Macrolabia, Fieb.* l. c. iii. p. 254 (1853).	
2. **F. Vicaria, Sem.** Rev. Russ. d'Ent. ii. pp. 99, 100, f. 1 (1902).	Corea.
3. **F. Silana, Costa,** (*Forficula (Apterygida) S.*) Atti Acc. Napoli, ix. (6) p. 37, ff. 8, 8 *a* (1881).	Calabria.
Forficula Silana, Borm. Tierreich, Forf. p. 126. n. 18 (1900).	
Forficula Targionii, Brunn. l. c. p. 14. n. 2 (1882).	
4. **F. Apennina, Costa,** (*Forficula (Apterygia) A.*) l. c. p. 36, ff. 7, 7 *a* (1881).	id.
Forficula Apennina, Borm. l. c. p. 126. n. 19, f. 45 (1900).	
5. **F. Circinata, Fin.** Bull. Soc. Ent. France, 1893, p. xxviii; Ann. Soc. Ent. France, lxiv. p. 71, pl. 10. ff. 1, 2 (1895); Borm. l. c. p. 126. n. 20 (1900).	Algeria.
*6. **F. Lesnei, Fin.** Bull. Soc. Ent. France, (6) vii. p. clxxxix (1887); Faune France, Orth. p. 68, f. 2 (1900): Lucas, Entom.	England, France, Spain.

xxxi. pp. 49, 273, pl. 1 (1898); Borm. l. c. p. 125. n. 16 (1900).	
‖*Forficula Pubescens, Borm.* Ann Soc. Ent. Belgique, xxv. p. 27, fig. (1881); Burr, Brit. Orth. p. 16, pl. 1. f. 6 (1897).	
*7. **F. Pubescens, Serv.** l. c. p. 46 (1839); Fisch. l. c. p. 77, pl. 6. f. 15 *a–f* (1853); Bol. Sin. Ortópt. Esp. p. 30, pl. 1. f. 16 *a, b* (1876); Brunn. l. c. p. 14 (1882); Fin. Faune France, Orth. p. 67, f. 1 (1890).	S. Europe.
Forficula Setulosa, Fieb. l. c. p. 256 (1853); Bol. l. c. p. 33 (1876).	
Forficula Yersini, Yers. Ann. Soc. Ent. France, (3) iv. p. 741 (1856).	
Forficula Pubescens et var. *Yersini, Borm.* Ann. Soc. Ent. Belgique, xxv. p. 27, fig. (1881).	
*8. **F. Smyrnensis, Serv.** l. c. p. 38 (1839); Fisch. l. c. p. 71, pl. 6. ff. 8, 8 *a* (1853); Brunn. l. c. p. 15. n. 4 (1882); Borm. l. c. p. 123. n. 10 (1900).	Corsica, Greece, Turkey, Asia Minor.
Forficula Biguttata, ♀, *Fisch. Waldh.* Orth. Ross. p. 40, pl. 1. f. 1 (1846).	
*9. **F. Lucasi, Dohrn,** l. c. xxvi. p. 98 (1865); Krauss, Ent. Nachr. xxi. p. 99, p. 97, f. 2 (1895); Borm. l. c. p. 121. n. 3 (1900).	W.&S.Asia; N. Africa.
*10. **F. Ruficollis, Fabr.** Ent. Syst., Suppl. p. 185 (1798); Fisch. l. c. p. 73, pl. 6. ff. 10, 10 *a*, *a**, *b* (1853); Bol. Sin. Ortópt. Españ. p. 28, pl. 6. f. 13 *a–c* (1876); Brunn. l. c. p. 16. n. 5 (1882); Borm. l. c. p. 124. n. 11 (1900).	Spain, Portugal.
Forficula Bætica, Ramb. Faun. Andal. ii. p. 6, pl. 1. ff. 6–8 (1838).	
*11. **F. Lurida, Fisch.** l. c. p. 75, pl. 6. f. 12 *a, b* (1835); Brunn. l. c. p. 16. n. 6, pl. 1. f. 4, A, B, C (1882); Borm. l. c. p. 123. n. 7 (1900).	Turkey, Greece, W. Asia.
*12. **F. Decipiens, Géné,** Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 228 (1832); Serv. l. c. p. 46 (1839); Fisch. l. c. p. 76, pl. 6. f. 13 *a, b* (1853); Bol. l. c. p. 29, pl. 6. f. 15 *a, b* (1876); Brunn. l. c. p. 17. n. 7 (1882); Fin. l. c. pp. 68, 69 fig. (1890); Borm. l. c. p. 125. n. 15 (1900).	S. Europe.

Forficula Decipiens et varr. *Cyclolabia* et *Macrolabia*. *Fieb.* l. c. iii. p. 255 (1853).	
Forficula Pallidicornis, *Brullé*, Expl. Morée, iii. (2) p. 81, pl. 29. f. 2 (1832).	
Forficula Brevis, *Ramb.* l. c. p. 9 (1838).	
13. **F. Laminigera, Costa,** (*Forficula* (*Apterygida*) *L.*) Atti Acc. Napoli, ix. (6) p. 38, f. 9 (1881).	Calabria.
14. **F. Dentata, Fabr. Syst. Ent. p. 270. n. 4 (1775).	Madeira.
15. **F. Orientalis, Burr,** Ann. Nat. Hist. (7) vi. p. 82, pl. 4. f. 7 (1900).	Constantinople.
16. **F. Ætolica, Brunn.** l. c. p. 18. n. 9 (1882); Borm. l. c. p. 125. n. 14 (1900).	Asia Minor.
*17. **F. Tomis, Kol.** (*Chelidura T.*) Melet. Ent. v. p. 74, pl. 17. f. 6 *a* (1846).	S. Russia, W. & Centr. Asia, Japan.
Chelidura Tomis, v. *Scindus*, *Kol.* l. c. f. 6 *b* (1846).	
Forficula Tomis, *Krauss.* Verh. zool.-bot. Ges. Wien, xxix. p. 59 (1880); Brunn. l. c. p. 17. n. 8 (1882); Borm. l. c. p. 124. n. 13 (1900); Jacobson & Bianchi, Prem. Lozhn. Ross. Imp. p. 27, pl. 2 (1902).	
Forficula Hellmanni, *Kitt.* Bull. Soc. Moscou, xxii. (4) p. 438, pl. 7. ff. 1, 2 (1849).	
‖ *Forficula Elongata*, *Eversm.* Bull. Soc. Moscou, xxxii. p. 123 (1859).	
Forficula Scudderi, *Borm.* An. Soc. Españ. ix. p. 514 (1880).	
18. **F. Barroisi, Bol. Rev. biol. Nord France, v. p. 477 (1893); Sem. Hor. Soc. Ent. Ross. xxxvi. (1) p. 196 (1903).	Dead Sea.
19. **F. Escherichi, Krauss,** Ent. Nachr. xxi. p. 97, f. 1 (1895).	Tunis.
‖ *Forficula Barroisi*, *Borm.* l. c. p. 121. n. 2 (1900).	
*20. **F. Rodziankoi, Sem.** Rev. Russe d'Ent. i. p. 48 (1901).	Abyssinia.
*21. **F. Erythrocephala, Oliv.** Enc. Méth. ix. p. 468. n. 10 (1792).	Africa, S., E., & W.
Forficula Senegalensis, *Serv.* l. c. p. 39 (1839); Borm. l. c. p. 121. n. 1, f. 43 (1900).	

‖ *Forficula Serrata, Dohrn.* l. c. xxvi. p. 97. n. 22 (1865).	
21 *a*. **F. Jackeryensis, Beauv.** Ins. Afr. Amér. p. 36, Orth. pl. 1. f. 4 (1805); Borm. l. c. p. 127 (1900).	W. Africa (Oware).
22. **F. Mabillei, Rochebr.** Bull. Soc. Philom. (7) vii. p. 175 (1883).	Senegambia.
23. **F. Pæderina, Gerst.** Mt. Ver. Vorpomm. xiv. p. 46 (1883); Borm. l. c. p. 127 (1900).	Cameroons.
24. **F. Picta, Kirb.** J. Linn. Soc. xxiii. p. 525 (1891); Borm. l. c. p. 123. n. 9 (1900).	Zululand.
25. **F. (?) Fasciata, Thunb.** Nova Acta Soc. Reg. Upsal. ix. p. 52 (1827).	Cape.
26. **F. (?) Capensis, Thunb.** l. c. (1827).	id.
27. **F. (?) Cabreræ, Bol.** An. Soc. Españ. xxii. p. 47 (1893); Borm. l. c. p. 127. n. 21, f. 46 (1900).	Canaries.
28. **F. Planicollis, Kirb.** l. c. xxiii. p. 526 (1891); Borm. l. c. p. 128 (1900).	N. India.
29. **F. (?) Pulchripes, Borm.** Ann. Mus. Genov. xxxiv. p. 408 (1894); Tierreich, Forf. p. 128 (1900).	Tenasserim.
30. **F. Ornata, Borm.** Notes Leyden Mus. vi. p. 192 (1884); Tierreich, Forf. p. 124. n. 12, f. 44 (1900).	Sumatra.
31. **F. (?) Lobophoroides, Dohrn,** l. c. xxvi. p. 96 (1865); Borm. Tierreich, Forf. p. 122. n. 4 (1900).	Philippines.
Chelisoches (?) *Picticornis, Kirb.* J. Linn. Soc. xxiii. p. 522, pl. 12. f. 4 (1891).	
32. **F. (?) Ares, Burr,** Ann. Nat. Hist. (7) vi. p. 100, pl. 4. f. 6 (1900).	Sarawak.
33. **F. Lugubris, Dohrn,** l. c. xxiv. p. 230 (1862); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 255 (1876); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 87, pl. 3. f. 21 (1883); Tierreich, Forf. p. 122. n. 5 (1900).	Mexico, Guatemala.
34. **F. (?) Smithi, Borm.** Biol. Centr.-Amer., Orth. i. p. 11. n. 2, pl. 2. f. 16 (1893); Tierreich, Forf. p. 123. n. 8 (1900).	Mexico.
35. **F. (?) Doumerci, Serv.** l. c. p. 41 (1839).	Cayenne.

Genus 52. **Pseudochelidura.** (*Type* no. 2.)

Verh. Zool. Anz. xxv. p. 187 (1902).

1. **P. (?) **Parallela, Fabr.** (*Forficula P.*) Syst. Ent. p. 270. n. 5 (1775). *Forficula Edentula, Woll.* Ann. Nat. Hist. (3) i. p. 20 (1858). *Chelidura Edentula, Dubr.* Ann. Mus. Genov. xii. p. 443 (1878); Borm. Tierreich, Forf. p. 107. n. 5 (1900).	Madeira.
*2. **P. Analis, Ramb.** (*Forficula A.*) Faune Andal. ii. p. 10 (1838); Fisch. Orth. Eur. p. 79 (1853); Bol. Sin. Ortópt. Españ. p. 30 (1876). *Chelidura Analis, Dubr.* l. c. xii. pp. 434, 435 figg. (1878); Borm. l. c. p. 106. n. 1 (1900); Brunn. Prodr. Eur. Orth. p. 22 (1882).	Spain (Sierra Nevada).
*3. **P. Sinuata, Germ.** (*Forficula S.*) Faun. Ins. Eur. xi. pl. 16. ff. *a*, *b* (1824); Serv. Ins. Orth. p. 49 (1839); Fisch. l. c. p. 82, pl. 6. ff. 18, 18 *a* (1853). *Forficula Sinuata*, a. *Macrolabia*, b. *Cyclolabia*, *Fieb.* Lotos, iii. p. 256 (1853). *Chelidura Sinuata, Fisch. Waldh.* Orth. Ross. p. 48 (1846); Bol. l. c. p. 33 (1876); Dubr. l. c. xii. pp. 437, 438 figg. (1878); Fin. Faune France, Orth. p. 71 (1890); Borm. Tierreich, Forf. p. 106. n. 4 (1900); Brunn. l. c. p. 22 (1882). *Forficula Dufourii, Serv.* l. c. p. 49, pl. 1. ff. 5, 5 *a* (1839); Fisch. l. c. p. 81, pl. 1. ff. 17, 17 *a–c* (1853). *Chelidura Sinuata*, var. *Dufourii, Dubr.* l. c. p. 439, figg. (1878). *Chelidura Vittigera, Fisch. Waldh.* l. c. iv. p. 48 (1846).	Pyrenees, Crimea.
3 *a*. **P. Paupercula, Géné,** (*Forficula P.*) Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 229 (1832).	Savoy.
*4. **P. Orsinii, Géné,** (*Forficula O.*) l. c. iii. p. 188 (1833); Fisch. l. c. p. 79 (1853); Dohrn, Stettin. Ent. Zeit. xx. p. 107 (1859); Costa, Atti Acc. Napoli, ix. (6) p. 36, f. 10 (1881).	Italy.

Chelidura Orsinii, Brunn. l. c. p. 23, pl. 1. f. 6 A (1882) ; Borm. l. c. p. 106. n. 2 (1900).	
*5. **P. Vara, Scudd.** (*Forficula V.*) P. Boston Soc. xviii. p. 260 (1876) ; Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876). *Chelidura Vara, Borm.* l. c. p. 106. n. 3 (1900).	Mexico.

(As some species of the two following genera have been mistaken for *Forficulidæ*, they are included in the present Catalogue, though they do not belong to the Orthoptera.)

Genus **Iapyx.** (*Thysanura.* *Type* no. 1.)

Iapyx, Hal. Trans. Linn. Soc. xxiv. p. 442 (1864); Lubb. Mon. Collemb. Thys. p. 215 (1873).

Japyx, Mein. Nat. Tidskr. (3) iii. p. 413 (1865); Ann. Nat. Hist. (3) xx. p. 367 (1866); Fin. Faune France, Orth. p. 50 (1890) ; Silv. Bull. Soc. Ent. Ital. xxxiii. p. 212 (1902) ; Humb. Rev. Zool. (2) xx. p. 348 (1868).

Dicellura, Hal. J. Linn. Soc. viii. p. 162 (1865). (*Type* no. 1.)

Typhlolabia, Scudd. P. Boston Soc. xviii. p. 300 (1876) ; Borm. & Marq. Bull. Soc. Toulouse, xvii. p. 33 (1883). (*Type* no. 2.)

1. **I. Solifugus, Hal. Trans. Linn. Soc. xxiv. p. 442, pl. 44. ff. 1–15 (1864) ; Lubb. l. c. p. 215, pl. 51, pl. 65. ff. 12, 13 (1873); Luc. Bull. Soc. Ent. France, (5) ii. p. lxxi (1872). *Japyx Solifugus, Mein.* ll. cc. p. 420, pl. 14. ff. 1–11 (1865) ; p. 372 (1866) ; Humb. l. c. p. 348, pl. 22. ff. 6, 7 (1868) ; Pack. Amer. Nat. viii. p. 501, f. 91 (1874) ; Standard Nat. Hist. ii. p. 158, f. 202 (1884); Grassi, Atti Ital. Gioenia, (3) xix. p. 1, pls. 1–3 (1886) ; Parona, Ann. Mus. Genov. xxvi. p. 148 (1888) ; Fin. l. c. p. 50, pl. 1. f. 27 (1890); Oudem. Tijdschr. Ent. xxxviii. p. 178, f. 6 (1895) ; Sharp, Cambridge Nat. Hist., Ins. i. p. 181	Europe, N. Africa.

(1895); Calandr. Bull. Soc. Ent. Ital. xxx. p. 62 (1898); Silv. l. c. p. 213. n. 2. f. 17 (1902).	
Diellura Solifuga, *Hal.* J. Linn. Soc. viii. p. 162 (1865).	
I. Solifugus, var. *Magna*, *Grassi*, l. c. pp. 6, 12 (1886).	
Typhlolabia Subterranea, *Borm. & Marq.* l. c. p. 36 (1883).	
2. **I. Major, Grassi,** (*Japyx Solifugus*, var. *Major*) l. c. p. 11 (1886).	Italy, Spain, Algeria.
Japyx Major, *Silv.* l. c. p. 220. n. 11, ff. 22, 23 (1902).	
3. **J. Isabellæ, Grassi,** l. c. p. 11, pl. 2. ff. 18, 19 (1886); Silv. l. c. p. 212. n. 1, f. 16 (1902).	Messina.
4. **I. Humbertii, Grassi,** (*J. Solifugus*, var. *Humbertii*) l. c. p. 11 (1886).	Switzerland, Savoy.
‖*J. Solifugus*, *Humb.* Rev. Zool. (2) xx. p. 350 (1868).	
5. **J. Forficularius, Jos.** Jahresb. Schles. Ges. lix. p. 254 (1882); Berlin. Ent. Zeitschr. xxvi. p. 26 (1882).	Carniola.
6. **J. Cavicola, Jos.** Berl. Ent. Zeitschr. xxvi. p. 26 (1882).	id.
7. **J. Athenarum, Cook,** P. Ent. Soc. Washington, iv. p. 225, pl. 1. f. 1 *a*, *b* (1899).	Athens.
8. **J. Creticus, Cook,** l. c. p. 226, pl. 2. f. 1 *a*, *b* (1899).	Crete.
9. **J. Gigas, Brauer,** Verh. zool.-bot. Ges. Wien, xix. p. 557 (1869).	Cyprus.
10. **I. Wollastoni, Westw.** Thes. Ent. Oxon. p. 196, pl. 37. f. 3 (1874).	Madeira.
11. **J. Tunisinus, Silv.** l. c. p. 216. n. 6 (1902).	Tunis.
12. **I. Africanus, Karsch,** Berl. Ent. Zeitschr. xxxviii. p. 16 (1893); *J. Africanus*, Cook, l. c. p. 226, pl. 2. f. 4 *a*, *b* (1899).	W. Africa (Adeli).
13. **J. Liberiensis, Cook,** l. c. p. 226, pl. 1. ff. 5 *a*, *b*, 6 *a*, *b* (1899).	W. Liberia.
14. **J. Obliquus, Cook,** l. c. p. 226, pl. 2. f. 2 *a*, *b* (1899).	Liberia.
*15. **J. Purcelli, Pér.** Ann. S. African Mus. ii. p. 133 (1901).	Cape Colony.
16. **J. Dux, Skor.** Ann. Mus. Zool. St. Petersb. v. p. 320. pl. 7 (1900).	Bokhara.

17. **J. Oudemansi, Par.** Atti Soc. Ital. xxxiv. p. 128, pl. 1. ff. 5, 6 (1892).	Burma.
18. **I. Indicus, Oudem.** Weber, Zool. Ergebn. Reise Niederl. Ost-Indien, i. p. 77, pl. 6. ff. 3–5 (1890); Par. l. c. p. 127, pl. 1. f. 4 (1892).	Java, Saleyer, Flores, Burma.
J. Indicus, Schött, Termés. Füzetek. xxiv. p. 328 (1901); Silv. l. c. p. 217, ff. 24–26 (1902).	
J. Javanicus, Cook, l. c. p. 226, pl. 3. f. 3 *a*, *b* (1899).	
19. **J. Papuasicus, Silv.** l. c. p. 221, ff. 34, 35 (1902).	
20. **J. Subterraneus, Pack.** Amer. Nat. viii. p. 501 (1874), xx. p. 282 (1886); Macgill. Canad. Ent. xxv. p. 173 (1893).	Kentucky (Mammoth Cave).
21. **J. Americanus, Macgill.** l. c. p. 174 (1893).	Washington State.
22. **J. Hubbardi, Cook,** l. c. p. 225, pl. 1. f. 2 *a*, *b* (1899).	Arizona.
23. **J. Bidens, Cook,** l. c. pl. 1. f. 3 *a*, *b* (1899).	Alabama.
24. **J. Multidens, Cook,** l. c. pl. 1. f. 4 *a*, *b* (1899).	id.
25. **J. Saussurii, Humb.** l. c. p. 351, pl. 22. ff. 1–5 (1868); Pack. l. c. xx. p. 382 (1886).	Mexico, Fernando Noronha
I. Saussurii, Ridl. J. Linn. Soc. xx. p. 556 (1894).	(eadem ?).
26. **J. Goliath, Par.** Ann. Mus. Genova, xxvi. p. 80, ff. *a*, *b* (1888).	Guatemala.
27. **J. Centralis, Silv.** l. c. p. 222, f. 3 *b* (1902).	Venezuela.
28. **J. Neotropicalis, Silv.** l. c. p. 219, ff. 28–31 (1902).	Brazil to Argentina.
29. **J. Platensis, Silv.** l. c. p. 218, f. 27 (1902).	Argentina.
30. **J. Patagonicus, Silv.** l. c. p. 215, ff. 19, 20 (1902).	id.
31. **J. Bidentatus, Schäff.** Hamburger Magalhaenischen Sammelreise, Apterygoten, p. 30, pl. 3. ff. 89–105 (1897); Silv. l. c. p. 214, f. 18 (1902).	Chile.
32. **J. Anodus, Silv.** l. c. p. 218 (1902).	id.
33. **J. Megaloceros, Silv.** l. c. p. 215, ff. 21–23 (1902).	id.

34. **I. Larva, Phil.** (*Forficula* (?) *Larva*) Zeitschr. ges. Naturw. xxi. p. 219 (1863). | Chile.
Typhlolabia Larva, Scudd. l. c. pp. 300, 332 (1876); Borm. & Marq. l. c. p. 33 (1883).
Typhlolabia Larvis, Kirb. J. Linn. Soc. xxiii. p. 531 (1896).

Genus **Condylopalama.** (*Neuroptera: Embiida.*)

Sund. Forh. Skand. Naturf. iv. p. 255 (1847); Scudd. P. Boston Soc. xviii. p. 292 (1876).

1. **C. Agilis, Sund.** l. c. (1847); Krauss, Zool. Anz. xxii. p. 147 (1899). | Bahia.

FAM. II.

HEMIMERIDÆ.

Genus 1. **Hemimerus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 2 (1871); Sauss. Mém. Soc. Genève, xxvi. p. 413 (1879); Spic. Ent. i. p. 19 (1879); Rev. Suisse Zool. iv. p. 277 (1896); Sharp, Cambridge Nat. Hist., Ins. i. p. 217 (1895); Krauss, Tierreich, Forf. & Hem. p. 132 (1900); Verh. SB. nat. Freunde Berl. 1892, p. 87.

1. **H. Talpoides, Walk. l. c. n. 1 (1871); Sauss. ll. cc. p. 414, pl. 1 (1879); p. 20, pl. 1 (1879); pl. 10. ff. 1–6 (1896); Hans. (*pt.*) Ent. Tidskr. xv. p. 65 (1894); Sharp, l. c. p. 218, f. 117 (1895); Krauss, l. c. p. 132 (1900).	S. Leone.
2. **H. Hanseni, Sharp,** l. c. pp. 217, 218, ff. 114–116 (1895). ‖ *Hemimerus Talpoides* (*pt.*), *Hans.* l. c. p. 65, pl. 2 (1895).	Cameroons.

FAM. III.

BLATTIDÆ.

SUBFAM. I.

ECTOBIINÆ.

Genus 1. **Ectobia.** (*Type* no. 1.)

Westw. Mod. Classif. Ins., Syn. Gen. p. 44 (1839); Sauss. Miss. Mex., Orth. p. 12 (1870); Bol. An. Soc. Españ. v. p. 116 (1876); Sin. Ort. Esp. p. 38 (1876); Brunn. Syst. Blatt. p. 52 (1865); Prodr. Eur. Orth. p. 30 (1882); Fin. Faun. France, Orth. p. 75 (1890); Burr, Brit. Orth. p. 21 (1897); Tümpel, Geradfl. Mitteleuropas, p. 233 (1900).

Ectobius, *Steph.* Ill. Brit. Ent., Mand. vi. p. 45 (1835).

†*Blatta*, *Linn.* Syst. Nat. (ed. x.) i. p. 424 (1758); Serv. Ann. Sci. Nat. xxii. p. 40 (1831); Fisch. Orth. Eur. p. 99 (1853).

*1. **E. Lapponica, Linn.** (*Blatta L.*) Syst. Nat. (ed. x.) p. 425. n. 8 (1758); Faun. Suec. (ed. ii.) p. 235. n. 863 (1761); Sulz. Gesch. Ins. p. 77, pl. 8. f. 3 (1776); Curt. Brit. Ent. xii. pl. 556 (1835); Burm. Handb. Ent. ii. p. 496. n. 5 (1838); Serv. Ins. Orth. p. 110 (1839); Fisch. Orth. Eur. p. 105 (1853). *Ectobius Lapponicus*, *Steph.* l. c. p. 46. n. 3, pl. 28. f. 7 (1835). *Phyllodromia Laponica*, *Fisch. Waldh.* Orth. Ross. p. 83, pl. 1. ff. 4*, 4** (1846). *Ectobia Lapponica*, *Brunn.* ll. cc. p. 53, pl. 1. f. 1 A–E (1865); p. 31, pl. 1. f. 7 A–G (1882); Sauss. l. c. p. 12, pl. 1. ff. 8, 8 *a–d* (1870); Bol. ll. cc. p. 117 (1876); p. 39 (1876); Fin. l. c. p. 76 (1890); Burr, Brit. Orth. p. 21, pl. 2. f. 1 (1897); Tümp. l. c. p. 233, pl. 15 (1900). *Blatta Sylvestris*, *Scop.* Ent. Carn. p. 104. n. 314 (1763).	Europe.

Blatta Nigrofusca, De Geer, Mém. Ins. iii. p. 533. pl. 25. ff. 8–15 (1773).	
Blatta Hemiptera, Fabr. Ent. Syst. ii. p. 12. n. 30 (1793); Panz. Faun. Germ. fasc. xcvi. f. 15 (1805); Burm. l. c. p. 496. n. 4 (1838); Serv. l. c. p. 111 (1839).	
Blatta Lucida, Hagenb. Faun. Ins. Helv. p. 18, f. 9 (1822).	
Blatta Helvetica, Hagenb. l. c. p. 20, f. 10 (1822).	
‖ *Ectobius Perspicillaris, Steph.* l. c. p. 47. n. 4 (1835).	
*2. **E. Albicincta, Brunn.** (*Blatta A.*) Verh. zool.-bot. Ges. Wien. xi. pp. 98, 286 (1861).	Dalmatia, Tuscany.
Ectobia Albicincta, Brunn. Syst. Blatt. p. 56. n. 2 (1865); Prodr. Eur. Orth. p. 33. n. 2 (1882); Tümp. l. c. p. 234 (1900).	
3. **E. Nicæensis, Bris.** (*Blatta N.*) Bull. Soc. Ent. France, (2) x. p. lxviii (1852).	S. France, Spain.
Ectobia Nicæensis, Brunn. ll. cc. p. 56 (1865); p. 34. n. 3 (1882); Borm. Ann. Soc. Ent. Belgique, xxv. p. 28 (1881); Fin. l. c. p. 77 (1890).	
Ectobia Hæckelii, Bol. ll. cc. p. 118. n. 2 (1876); p. 40. n. 2 (1876).	
4. **E. Tridentina, Targ.-Tozz.** Bull. Soc. Ent. Ital. xiii. p. 180 (1881).	Tyrol.
*5. **E. Panzeri, Steph.** (*Ectobius P.*) l. c. p. 47. n. 5 (1835).	Europe.
Ectobia Panzeri, Burr, l. c. p. 22, pl. 2. f. 2 (1897).	
‖ *Blatta Germanica, Panz.* l. c. fasc. ii. f. 17 (1793).	
Blatta Ericetorum, Wesm. Bull. Acad. Brux. v. p. 587, pl. 1. f. 2 (1838); Fisch. l. c. p. 110. n. 8 (1853).	
Ectobia Ericetorum, Brunn. ll. cc. p. 58 (1865); p. 34. n. 4 (1882); Fin. l. c. p. 77, pl. 2. f. 45 (1890); Tümp. l. c. p. 234 (1890).	
Blatta Concolor, Serv. l. c. p. 113. n. 43 (1839).	
Blatta Arenicola, Fisch. l. c. p. 111, pl. 7. f. 20 (1853).	
Var. *a. Ectobius Nigripes, Steph.* l. c. p. 48. n. 6 (1835).	England.

Ectobia Panzeri, var. *Nigripes*, *Burr*, l. c. p. 22 (1897).	
*6. **E. Perspicillaris, Herbst,** Fuessly, Archiv, p. 186, pl. 49. f. 11 (1786). *Blatta Pallida*, *Oliv.* Enc. Méth., Ins. iv. p. 319. n. 29 (1789). *Ectobius Pallidus*, *Steph.* l. c. p. 48. n. 8 (1835). *Blatta Livida*, *Fabr.* Ent. Syst. ii. p. 10. n. 23 (1793); Serv. l. c. p. 109. n. 38 (1839); Fisch. l. c. p. 107. n. 6, pl. 7. ff. 16–18 (1853). *Ectobius Lividus*, *Steph.* l. c. p. 48. n. 7 (1835). *Ectobia Livida*, *Bol.* ll. cc. p. 120. n. 4 (1876); p. 42. n. 4 (1876); Brunn. ll. cc. p. 59. n. 6 (1865); p. 35. n. 5 (1882); Fin. l. c. p. 78 (1890); Burr, l. c. p. 23, pl. 2. f. 3 (1897); Tümp. l. c. p. 233, pl. 15 (1900). *Blatta Concolor*, *Hagenb.* l. c. p. 22, f. 11 (1822).	Europe, Algeria.
7. **E. Brunneri, Seoane,** Mt. Schweiz. Ent. Ges. v. p. 485 (1879). *Ectobia Livida*, var. *Brevipennis*, *Brunn.* ll. cc. p. 61 (1865); p. 36 (1882); Bol. ll. cc. p. 120 (1876); p. 42 (1876).	Spain, Port., Minorca. Spalato.
8. **E. Vittiventris, Costa,** (*Blatta V.*) Ann. Accad. Asp. Natur. i. p. 111 (1847); Fisch. l. c. p. 109. n. 7 (1853). *Ectobia Vittiventris*, *Brunn.* ll. cc. p. 57. n. 4 (1865); p. 37. n. 6 (1882); Tümp. l. c. p. 234 (1900). *Blatta Punctulata*, *Fieb.* Lotos, iii. p. 94. n. 4 (1853).	Italy, Spain, Algeria, Cape.
9. **E. Africana, Sauss.** Abh. Senckenb. Ges. xxi. p. 569 (1899).	E. Africa.
10. **E. Platysoma, Walk. (*Blatta P.*) Cat. Blatt. B. M. p. 111. n. 95 (1868).	Swan River.
11. **E. Tepperi, Kirb.,** n. n. ‖ *Ectobia Apicifera*, *Tepp.* Tr. R. Soc. S. Austral. xvii. p. 35 (1893).	S. Australia.
12. **E. Minima, Tepp.** l. c. xix. p. 147 (1895).	Victoria.
13. **E. Sublucida, Tepp.** l. c. p. 147 (1895).	id.
14. **E. (?) Margarita, Tepp.** l. c. p. 148 (1895).	id.

15. **E. (?) Marcida, Erichs.** (*Blatta M.*) Arch. Naturg. viii. p. 248 (1842). *Ectobia Marcida, Brunn.* l. c. p. 61. n. 7 (1865).	Tasmania.
16. **E. Tasmanica, Brancs.** Jahresh. Ver. Trencsin. Com. xix. p. 244, pl. 7. f. 1 (1897).	id.
17. **E. Flavocincta, Scudd.** J. Boston Soc. Nat. Hist. vii. p. 419. n. 3 (1862); Brunn. l. c. p. 57. n. 3 (1865).	N. America (W. States).

Genus 2. **Theganopteryx.** (*Type* no. 12.)

Brunn. Syst. Blatt. p. 53 (1865); Sauss. Mém. Soc. Genève, xx. p. 229 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 16 (1893); Grandidier, Hist. Madagascar, Orth. i. p. 5 (1895).

1. **T. Senegalensis, Sauss.** (*Blatta S.*) Rev. Zool. (2) xx. p. 354 (1868). *Ectobia (Theganopteryx) Senegalensis, Sauss.* Mém. Soc. Genève, xx. p. 231 (1869). *T. Senegalensis*, var., *Sauss.* Mém. Soc. Genève, xxxv. p. 71 (1895).	Senegal, Somaliland (eadem ?).
2. **T. Æthiopica, Sauss.** l. c. p. 72 (1895).	Gold Coast.
3. **T. Hova, Sauss. & Zehntn.** Grandidier, Hist. Madagascar, Orth. i. p. 7. n. 1 (1895).	Madagascar (Antananarivo).
4. **T. Malagassa, Sauss. & Zehntn.** l. c. p. 8. n. 2 (1895).	id.
5. **T. Tricolor, Sauss. & Zehntn.** l. c. p. 9. n. 3, pl. 1. f. 2 (1895).	Madagascar
6. **T. Conspersa, Sauss.** Soc. Ent. vi. p. 26 (1891); Sauss. & Zehntn. l. c. p. 10. n. 4, pl. 1. f. 3 (1895).	id.
7. **T. Bidentata, Sauss. & Zehntn.** l. c. p. 11, pl. 1. ff. 1, 1 *a*, *d* (1895); Sauss. Abh. Senckenb. Ges. xxi. p. 570 (1899).	id. (Antananarivo).
8. **T. Molesta, Sauss. & Zehntn.** l. c. p. 12. n. 6 (1895).	Madagascar
9. **T. Punctata, Sauss.** Soc. Ent. vi. p. 26 (1891); Sauss. & Zehntn. l. c. p. 13. n. 7 (1895).	id.
10. **T. Indica, Sauss.** (*Ectobia (Theganopteryx) I.*) Mém. Soc. Genève, xx. p. 230, pl. 3. f. 16 (1869).	Bombay.

11. **T. Jucunda, Sauss.** (*Ectobia* (*Theganopteryx*) *J.*) l. c. p. 232 (1869).	India (?).
12. **T. Lucida, Brunn.** (*Ectobia L.*) l. c. p. 62 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 34 (1893).	Australia(?)
13. **T. Fallax, Sauss.** (*Ectobia* (*Theganopteryx*) *F.*) l. c. p. 233 (1869). *T. Fallax, Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 16. n. 1 (1893).	Mexico.
14. **T. Pilosella, Sauss. & Zehntn.** l. c. p. 17. n. 2 (1893).	Peru.

Genus 3. **Lupparia.**

Walk. Cat. Blatt. B. M. p. 65 (1868).

1. **L. Adimonialis, Walk. l. c. p. 66. n. 1 (1868).	Philippines.

Genus 4. **Pseudectobia.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 234 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 16 (1893); Grandidier, Hist. Madagascar, Orth. i. p. 6 (1895).

1. **P. Luneli, Sauss.** (*Blatta L.*) Rev. Zool. (2) xx. p. 355 (1868). *Ectobia* (*Pseudectobia*) *Luneli, Sauss.* Mém. Soc. Genève, xx. p. 235 (1869).	Nilgiris.
2. **P. Pallidula, Bol.** (*Theganopteryx* (*Pseudectobia*) *P.*) Ann. Soc. Ent. France, 1897, p. 287, pl. 10. ff. 3, 3 *a*, *b*.	S. India (Kodai Canal).
3. **P. Liturifera, Stål,** (*Blatta L.*) Eugenie's Resa, Ins. p. 308 (1858). *Phyllodromia Liturifera, Brunn.* Syst. Blatt. p. 106 (1865). *Ectobia* (*Pseudectobia*) *Liturifera, Sauss.* l. c. xx. p. 236, pl. 3. f. 17 (1869). *Theganopteryx Liturifera, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 14. n. 8 (1895).	Mauritius.
4. **P. Insularis, Sauss.** (*Ectobia* (*Pseudectobia*) *I.*) l. c. p. 237 (1869). *Theganopteryx Insularis, Sauss. & Zehntn.* l. c. p. 14. n. 9 (1895).	id.

5. **P. Punctulata, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *P.*) l. c. p. 15. n. 10 (1895).	Madagascar
6. **P. Vœltzkowiana, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *V.*) l. c. p. 15. n. 11, pl. 4. f. 42 (1895); Sauss. Abh. Senckenb. Ges. xxi. p. 570 (1899).	N.W. Madagascar (Mojanga).
7. **P. Subpectinata, Sauss. & Zehntn. (*Theganopteryx* (*Pseudectobia*) *S.*) Biol. Centr.-Amer., Orth. i. p. 17. n. 3, pl. 1. f. 18 (1893).	Guatemala.
8. **P. Antiguensis, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *A.*) l. c. p. 17. n. 4 (1893).	Antigua, Cuba.
9. **P. Intermedia, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *I.*) l. c. p. 18. n. 5 (1893).	Peru.

Genus 5. **Anaplecta.** (*Type* no. 17.)

Burm. Handb. Ent. ii. p. 494 (1838); Brunn. Syst. Blatt. p. 63 (1865); Sauss. Mém. Mex., Blatt. p. 49 (1864); Miss. Mex., Orth. p. 12 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 18 (1893).

*1. **A. Cincta, Gerst.** Mt. Ver. Vorpomm. xiv. p. 56 (1883).	W. Africa (Ogowe).
2. **A. Africana, Sauss.** Ann. Mus. Genova, xxxv. p. 70 (1895).	E. Soudan (Lado).
3. **A. Fulva, Brunn.** Ann. Mus. Genova, xxxiii. p. 12 (1893).	Burma.
4. **A. Javanica, Sauss.** l. c. p. 71 (1895).	Batavia.
5. **A. Dorsalis, Burm.** l. c. p. 494. n. 3 (1838); Brunn. Syst. Blatt. p. 63. n. 1 (1865).	Porto Rico.
6. **A. Bivittata, Brunn.** l. c. n. 2 (1865).	Brazil.
7. **A. Unicolor, Burm.** l. c. p. 494. n. 4 (1838); Brunn. l. c. p. 63. n. 3 (1865).	Colombia.
*8. **A. Mexicana, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 15 pl. 1. ff. 9, 9 *a–e* (1870); Sauss. & Zehntn. l. c. p. 22. n. 1, pl. 4. ff. 1, 2 (1893).	Mexico.
9. **A. Peruviana, Sauss. & Zehntn.** l. c. p. 23. n. 2 (1893).	Peru.
10. **A. Nahua, Sauss.** ll. cc. (2) xx. p. 354 (1868); p. 14, pl. 1. f. 11 *a* (1870); Sauss. & Zehntn. l. c. p. 23. n. 3 (1893).	Mexico.

11. **A. Tolteca, Sauss.** ll. cc. (2) xx. p. 354 (1868); p. 16 (1870); Sauss. & Zehntn. l. c. p. 23. n. 4 (1893).	Mexico.
12. **A. Pallida, Bol.** An. Soc. Españ. x. p. 463 (1881).	Ecuador.
13. **A. Moxa, Sauss. & Zehntn.** l. c. p. 23. n. 5, pl. 4. ff. 3, 4 (1893).	Peru.
14. **A. Major, Sauss. & Zehntn.** l. c. p. 24. n. 6, pl. 4. f. 6 (1893).	id.
15. **A. Otomia, Sauss.** Mém. Soc. Genève, xx. p. 238, pl. 3. f. 18 (1869); Miss. Mex., Orth. p. 18 (1870); Sauss. & Zehntn. l. c. p. 24. n. 7 (1893).	Mexico.
16. **A. Azteca, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 17, pl. 1. ff. 10, 10 *a* (1870); Sauss. & Zehntn. l. c. p. 24. n. 8 (1893).	id.
*17. **A. Lateralis, Burm.** l. c. p. 494. n. 2 (1838); Brunn. l. c. p. 65, pl. 1. f. 2 A–C (1865); Sauss. & Zehntn. l. c. p. 30 (1893).	Colombia, Brazil.
Blatta Parviceps, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 97. n. 63 (1868).	
18. **A. Fallax, Sauss.** Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 51 (1864); Sauss. & Zehntn. l. c. p. 25. n. 9, pl. 4. f. 7 (1893); Brunn. l. c. p. 66 (1865).	Guatemala, Mexico, Colombia.
‖ *A. Lateralis, Sauss.* Miss. Mex., Orth. p. 19, pl. 1. f. 13 (1870).	
19. **A. Minutissima, De Geer,** (*Blatta M.*) Mém. Ins. iii. p. 542. n. 10, pl. 44. ff. 13, 14 (1773); Oliv. Enc. Méth., Ins. iv. p. 321. n. 37 (1789).	Surinam.
A. Minutissima, Burm. l. c. p. 494. n. 1 (1838); Brunn. l. c. p. 64. n. 4 (1865).	
20. **A. Replicata, Sauss. & Zehntn.** l. c. p. 25. n. 10, pl. 4. f. 12 (1893).	Brazil (Pernambuco).
21. **A. Grandipennis, Sauss. & Zehntn.** l. c. p. 25. n. 11, pl. 4. f. 5 (1893).	id.
22. **A. Albomarginata, Sauss. & Zehntn. l. c. p. 26. n. 12 (1893).	Mexico.
23. **A. Parvipennis, Sauss. & Zehntn. l. c. n. 13 (1893).	id.
24. **A. Domestica, Sauss. & Zehntn. l. c. n. 14 (1893).	Guatemala.
25. **A. Alaris, Sauss. & Zehntn.** l. c. p. 27. n. 15 (1893).	Peru.

26. **A. Decipiens, Sauss. & Zehntn. l. c. p. 27. n. 16, pl. 3. f. 5, pl. 6. ff. 10, 11 (1893).	Mexico.
27. **A. Elliptica, Sauss. & Zehntn.** l. c. p. 27. n. 17, pl. 3. f. 2, pl. 4. f. 8 (1893).	Guatemala.
28. **A. Dohrniana, Sauss. & Zenntn.** l. c. p. 28. n. 18, pl. 3. f. 3, pl. 4. f. 15 (1893).	id.
*29. **A. Fulgida, Sauss.** Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 50 (1864); Miss. Mex., Orth. p. 19. pl. 1. f. 12 (1870); Sauss. & Zehntn. l. c. p. 28. n. 19, pl. 4. f. 16 (1893); Brunn. l. c. p. 66 (1865).	id., Mexico.
30. **A. Jansoni, Sauss. & Zehntn. l. c. p. 29. n. 20, pl. 3. f. 4, pl. 4. f. 9 (1893).	Nicaragua (Chontales).
31. **A. Flabellata, Sauss. & Zehntn. l. c. p. 29. pl. 3. f. 1, pl. 4. ff. 13, 14 (1893).	Mexico to Panama.

Genus 6. **Riatia.**

Walk. Cat. Blatt. B. M. p. 66 (1868).

1. **R. Pallicornis, Walk. l. c. (1868).	Ega.

Genus 7. **Hololampra.** (*Type* no. 1.)

Sauss. Mém. Mex., Blatt. p. 94 (1864).

Aphlebia, Brunn. Syst. Blatt. p. 66 (1865); Prodr. Eur. Orth. p. 37 (1882); Bol. Sin. Ortópt. Españ. p. 42 (1876); Fin. Faune France, Orth. p. 79 (1890); Tümp. Geradfl. Mitteleurop. p. 232 (1900). (*Type* no. 7.)

*1. **H. Marginata, Schreb.** (*Blatta M.*) Naturf. xv. p. 88, pl. 3. f. 16 (1781); Cyr. Ent. Neap. p. 2, pl. 1. f. 11 (1787); Fisch. Orth. Eur. p. 100, pl. 7. ff. 8, 8*a* (1853).	S. Europe.
Phyllodromia Marginata, Fisch. Waldh. Orth. Ross. p. 84, pl. 1. f. 5 (1846).	
Aphlebia Marginata, Brunn. ll. cc. p. 67 (1865); p. 39 (1882); Fin. l. c. p. 79, pl. 2 f. 46 (1890).	
Kakerlac Plicipennis, Brullé. Expéd. Morée. Zool. ii. p. 82, pl. 29. f. 3 (1832).	
Blatta Plicipennis, Serv. Ins. Orth. p. 105 (1839).	
Aphlebia Marginata, var. Erythronota, Brunn. Prodr. Eur. Orth. p. 39 (1882).	

*2. **H. Infumata, Brunn.** (*Aphlebia I.*) Syst. Blatt. p. 68 (1865). "*Blatta Ericetorum, Woll.* Ann. Nat. Hist. (3) i. p. 21 (1858).	Madeira.
3 **H. Polita, Krauss,** (*Aphlebia P.*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 569, pl. 15. ff. 2, 2 A (1888).	W. Caucasus (Novorossisk).
4. **H. Maculata, Schreb.** (*Blatta M.*) l. c. p. 89, pl. 3. ff. 17, 18 (1781); Panz. Faun. Germ. xcvi. pl. 14 (1805); Charp. Hor. Ent. p. 76 (1825); Hahn, Icon. Orth. pl. *a*. f. 6 *a*, *b* (1836); Fisch. l. c. p. 101, pl. 7. ff. 9, 9 *a*, 10 (1853). *Aphlebia Maculata, Brunn.* Syst. Blatt. p. 69 (1865); Prodr. Eur. Orth. p. 39 (1882); Tümp. l. c. p. 233, pl. 15 (1900). *Blatta Schæfferi, Gmel.* Syst. Nat. i. (4) p. 2046 (1788).	Germany, Austria.
5. **H. Adusta, Fisch. Waldh.** (*Phyllodromia A.*) l. c. p. 355 (1846). *Aphlebia Adusta, Krauss,* l. c. p. 568, pl. 15. f. 1 A, B (1888).	Crimea.
6. **H. Algerica, Bol.** (*Aphlebia A.*) An. Soc. Españ. x. p. 499 (1881), xvi. p. 91, pl. 15. f. 5 (1887); Act. Soc. Españ. 1894, p. 84.	Oran, Tangiers.
*7. **H. Punctata, Charp.** (*Blatta P.*) Hor. Ent. p. 77 (1825); Fisch. l. c. p. 103, pl. 7. ff. 11, 11 *a* (1853). *Aphlebia Punctata, Brunn.* ll. cc. p. 71, pl. i. f. 3 A–D (1865); p. 41 (1882); Tümp. l. c. p. 233 (1900). *Blatta Megerlei, Fieb.* Lotos, iii. p. 94. n. 7 (1853).	Germany, Austria.
8. **H. Sardea, Serv.** (*Blatta S.*) Ins. Orth. p. 112 (1839). *Aphlebia Sardea, Brunn.* Prodr. Eur. Orth. p. 41 (1882). *Blatta Cincticollis, Luc.* Expl. Alg., Zool. iii. p. 8, iv. pl. 1. f. 3 (1849). *Aphlebia Cincticollis, Brunn.* Syst. Blatt. p. 69. n. 3 (1865). *Aphlebia Sardea*, var. *Adspersa, Bol.* Ann. Sci. Nat. Porto, iv. p. 128 (1898).	Sardinia, Algeria.
9. **H. Bivittata, Brullé,** (*Blatta B.*) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 75, pl. 5. f. 1 (1844).	Canaries.

10. **H. Moghrebica, Bol.** (*Aphlebia M.*) An. Soc. Españ. xvi. p. 89, pl. 4. f. 1 (1887).	Morocco (Riff).
11. **H. Pallida, Brunn.** (*Aphlebia P.*) Prodr. Eur. Orth. p. 42. n. 5 (1882).	Greece, Asia Minor.
12. **H. Cecconii, Griff.** (*Aphlebia Pallida*, subsp. *Cecconii*) Boll. Mus. Torino, x. (193) p. 1 (1895).	Candia.
13. **H. Trivittata, Serv.** (*Blatta T.*) Ins. Orth. p. 106 (1839); Fisch. l. c. p. 103 (1853). *Aphlebia Trivittata, Brunn.* Syst. Blatt. p. 73. n. 7 (1865); Prodr. Eur. Orth. p. 42. n. 6 (1882); Bol. l. c. p. 43 (1876); Costa, Atti Accad. Napoli, (2) i. (9) p. 50 (1888).	Sardinia, Algeria, Spain.
*14. **H. Brevipennis, Fisch.** (*Blatta B.*) l. c. p. 102, pl. 7. f. 12 (1853). *Aphlebia Brevipennis, Brunn.* ll. cc. p. 72. n. 6 (1865); p. 43. n. 7 (1882); Krauss, SB. Akad. Wien, lxxviii. (1) p. 466, pl. 1. ff. 1, 1 A–E (1879); Tümp. l. c. p. 232 (1900).	Istria, Servia, Styria, Carniola, Tyrol.
15. **H. Bætica, Bol.** (*Aphlebia B.*) C. R. Soc. Ent. Belg. xxviii. p. cv (1884); An. Soc. Españ. xvi. p. 90, pl. 4. f. 2 (1887).	Spain (Sierra Nevada).
16. **H. Græca, Brunn.** (*Aphlebia G.*) Prodr. Eur. Orth. p. 43. n. 8 (1882).	Greece, Asia Minor.
17. **H. Virgulata, Bol.** (*Aphlebia V.*) Ann. Soc. Ent. Belg. xxi. p. 67 (1878); An. Soc. Españ. vi. p. 423, pl. 4. ff. 2, 2 *a* (1878), xvi. p. 92, pl. 15. f. 6 (1887).	Portugal.
18. **H. Carpetana, Bol.** (*Aphlebia C.*) An. Soc. Españ. ii. p. 214, pl. 9. f. 1 (1873), xvi. p. 91, pl. 15. f. 3 (1887); Sin. Ortópt. Españ. p. 44 (1876).	Spain.
19. **H. Retowskii, Krauss,** (*Aphlebia R.*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 570, pl. 15. ff. 3, 3 A (1888).	Crimea.
*20. **H. Subaptera, Ramb.** (*Blatta S.*) Faune de l'Andalusie, ii. p. 14 (1838). *Polyzosteria Subaptera, Fisch.* l. c. p. 94. n. 3, pl. 7. f. 3 (1853). *Aphlebia Subaptera, Brunn.* Syst. Blatt. p. 73. n. 8 (1865); Prodr. Eur. Orth. p. 44. n. 11, pl. 1. f. 8 A, B (1882); Bol. Sin. Ortópt. Españ. p. 45. n. 3 (1876); An. Soc. Españ. xvi. p. 91, pl. 15. f. 4	Spain, Corsica, Dalmatia, Sicily.

(1887); Pant. An. Soc. Españ. xv. p. 258 (1886); Fin. l. c. p. 80 (1890).	
21. **H. Tartara, Sauss.** (*Aphlebia T.*) Fedchenko, Reise in Turkestan, Orth. p. 7, pl. 1. f. 4 (1874).	Sarafshan, Ferghana.
22. **H. Larrinuæ, Bol.** (*Aphlebia L.*) An. Soc. Españ. x. p. 500 (1881), xvi. p. 92, pl. 15. f. 7 (1887); Krauss, l. c. xxxviii. p. 570 (1888).	Algeria, Tunis, Crimea.
23. **H. Chavesi, Bol.** (*Aphlebia C.*) Actas Soc. Españ. 1898, p. 72.	Azores (San Miguel).
24. **H. Janeri, Bol.** (*Aphlebia J.*) op. cit. 1894, p. 83, fig.	Tangiers.
25. **H. Cazurroi, Bol.** (*Aphlebia C.*) Le Naturaliste, iii. p. 116 (1885); An. Soc. Españ. xvi. p. 92, pl. 15. f. 8 (1887).	Morocco (Melilla).
26. **H. Madecassa, Sauss.** (*Aphlebia M.*) Mém. Mus. Genève, xx. p. 238, pl. 3. ff. 19, 19*a* (1869); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 16 (1895).	Madagascar

Genus 8. **Aphlebidea.**

Brancs. Jahresh. Ver. Trencsin. Com. xix. & xx. p. 56 (1897).

1. **A. Brunneri, Brancs.** l. c. p. 56, pl. 1. f. 1 (1897).	Australia.

SUBFAM. II.

CHORISONEURINÆ.

Genus 9. **Chorisoneura.** (*Type* no. 14.)

Brunn. Syst. Blatt. p. 255 (1865); Sauss. Miss. Mex., Orth. p. 90 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 78 (1893).

1. **C. Anomala, Sauss. & Zehntn.** l. c. p. 80. n. 1, pl. 2. ff. 23, 24 (1893).	Peru.
2. **C. Texensis, Sauss. & Zehntn.** l. c. n. 2 (1893).	Texas, New Mexico.

3. **C. Surinama, Sauss.** Rev. Zool. (2) xx. p. 100. n. 13 (1868); Miss. Mex., Orth. p. 93 (1870).	Surinam.
4. **C. Dimidiaticornis, Sauss. & Zehntn.** l. c. p. 80. n. 4 (1893).	Peru.
*5. **C. Mysteca, Sauss.** (*Blatta M.*) Rev. Zool. (2) xiv. p. 167 (1862); Mém. Mex., Blatt. p. 140 (1864). *C. Mysteca, Brunn.* l. c. p. 258. n. 4 (1865); Sauss. & Zehntn. l. c. p. 81. n. 5 (1893).	Mexico, Guatemala.
6. **C. Flavipennis, Sauss. & Zehntn. l. c. p. 81. n. 6, pl. 2. f. 21 (1893).	Mexico.
*7. **C. Pellucida, Sauss.** (*Blatta P.*) Rev. Zool. (2) xvi. p. 311. n. 15 (1864); Mém. Mex., Blatt. p. 112 (1864). *C. Pellucida, Sauss.* Miss. Mex., Orth. p. 92, pl. 2. ff. 49, 49*a* (1870); Sauss. & Zehntn. l. c. p. 81. n. 7 (1893).	id.
8. **C. Minuta, Sauss.** Rev. Zool. (2) xxi. p. 113. n. 17 (1869); Miss. Mex., Orth. p. 95 (1870).	Argent. Rep. (Corrientes)
8 *a*. **C. Argentina, Brancs.** Jahresh. Ver. Trenesin. Com. xix. & xx. p. 57 (1898).	La Plata.
9. **C. Inquinata, Sauss.** ll. cc. p. 112. n. 16 (1869); p. 94 (1870).	Brazil.
10. **C. Tæniata, Sauss. & Zehntn. l. c. p. 82. n. 10, pl. 2. f. 22 (1893).	Mexico.
11. **C. Translucida, Sauss.** (*Blatta T.*) Rev. Zool. (2) xvi. p. 311 (1864); Mém. Mex., Blatt. p. 113 (1864). *C. Translucida, Sauss.* Miss. Mex., Orth. p. 91 (1870); Sauss. & Zehntn. l. c. p. 82. n. 11 (1893).	id.
*12. **C. Gracilis, Sauss.** (*Blatta G.*) Rev. Zool. (2) xiv. p. 167 (1862); Mém. Mex., Blatt. p. 111. n. 48 (1864). *C. Gracilis, Sauss.* Miss. Mex., Orth. p. 93 (1870); Sauss. & Zehntn. l. c. p. 82. n. 12 (1893). *C. Flavoantennata, Brunn.* l. c. p. 257. n. 2 (1865).	Brazil (Rio Grande do Sul).
13. **C. Nigrifrons, Serv.** (*Blatta N.*) Ins. Orth. p. 109 (1839). *C. Nigrifrons, Brunn.* l. c. p. 256. n. 1, pl. 6. f. 26 A–E (1865).	Brazil.
14. **C. Multivenosa, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 94 (1870).	Cayenne (?), Brazil (?).

15. **C. Discoidalis, Burm.** (*Blatta D.*) l. c. p. 497. n. 9 (1838). *C. Discoidalis, Brunn.* l. c. p. 257. n. 3 (1865).	Bahia.
16. **C. Sordida, Brunn.** l. c. p. 258. n. 5 (1865).	Brazil.
17. **C. Poststriga, Walk. (*Blatta P.*) Cat. Blatt. B. M. p. 99. n. 69 (1868).	id.(?); Fern. Noronha.
18. **C. Vitrocincta, Walk. (*Blatta V.*) l. c. p. 98. n. 67 (1868).	Santarem.
18 *a*. **C. Vitrifera, Walk. (*Blatta V.*) l. c. p. 108. n. 89 (1868).	id.
19. **C. Perlucida, Walk. (*Blatta P.*) l. c. p. 99. n. 68 (1868).	Brazil (Tejuca).
20. **C. Lepidella, Walk. (*Blatta L.*) l. c. p. 102. n. 76 (1868).	Brazil (Constancia).
21. **C. Cistelina, Walk. (*Blatta C.*) l. c. p. 104. n. 79 (1868).	Brazil (Bahia).
22. **C. Calogramma, Walk.** (*Blatta C.*) l. c. p. 217 (1868).	Brazil.
23. **C. Fragilis, Walk.** (*Blatta F.*) l. c. p. 218 (1868).	id.
24. **C. Glabricula, Walk.** (*Blatta G.*) l. c. (1868).	id.
25. **C.** (?) **Nigrolineata, Stål,** (Efv. Vet.-Akad. Förh. xxxiv. p. 34 (1877).	Philippines.
26. **C. (?) Virescens, Walk.** (*Blatta V.*) l. c. p. 231 (1868).	Sarawak.

Genus 10. **Choristima.** (*Type* no. 2.)

Tepp. Tr. R. Soc. S. Australia, xix. p. 165 (1895).

1. **C. Pectinata, Sauss.** (*Chorisoneura P.*) Mém. Soc. Genève, xxiii. p. 131 (1873); Tepp. l. c. xviii. p. 186 (1894).	Australia.
2. **C. Hydrophoroides, Walk. (*Blatta H.*) Cat. Blatt. B. M. p. 96. n. 62 (1868). *Chorisoneura Hygrophoroides, Tepp.* l. c. xvii. p. 114 (1893).	id.
3. **C. Galerucoides, Walk. (*Diploptera G.*) l. c. p. 57. n. 3 (1868). *Eleutheroda Galerucoides, Tepp.* l. c. xvii. p. 116 (1893).	Tasmania.
3 *a*. **C. Loftyensis, Tepp.** (*Chorisoneura L.*) l. c. p. 115 (1893).	S. Australia.
*4. **C. Kershawi, Tepp.** l. c. xix. p. 165 (1895).	Australia.

Genus 11. **Anaptycha.**

Brunn. Proc. Zool. Soc. Lond. 1892, p. 202 ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 83 (1893).

* *1. **A. Bipunctulata, Brunn.** l. c. pl. 15. f. 1 (1892).	St. Vincent, W. Indies.

Genus 12. **Hemipterota.**

Sauss. Soc. Ent. viii. p. 67 (1893) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 83 (1893).

1. **H. Punctipes, Sauss.** l. c. p. 67 (1893) ; Sauss. & Zehntn. l. c. p. 83. n. 1, pl. 2. f. 25 (1893).	Peru.

SUBFAM. III.

PHYLLODROMIINÆ.

Genus 13. **Pseudomops.** (*Type* no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 41 (1831) ; Ins. Orth. p. 115 (1839).

† *Thyrsocera, Burm.* Handb. Ent. ii. p. 498 (1838) ; Brunn. Syst. Blatt. p. 115 (1865); Sauss. Mém. Mex., Blatt. p. 119 (1864) : Miss. Mex., Orth. p. 47 (1870) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 31 (1893).

* *1. **P. Angusta, Walk.** Cat. Blatt. B. M. p. 81. n. 19 (1868).	Santarem.
*2. **P. Cincta, Burm.** (*Thyrsocera C.*) l. c. p. 499. n. 3 (1838) ; Brunn. l. c. p. 122. n. 9 (1865) ; Sauss. ll. cc. p. 125 (1864) ; p. 50, pl. 1. f. 28 (1870). *Thyrsocera Mexicana, Sauss.* Rev. Zool. (2) xiv. p. 168 (1862) ; Mém. Mex., Blatt. p. 122 (1864).	Mexico, Guatemala, Nicaragua.
*3. **P. Sallei, Sauss.** (*Thyrsocera S.*) ll. cc. p. 168 (1862) ; p. 123 (1864). *P. Sallei*, var., *Walk.* l. c. p. 77. n. 4 (1868). *Thyrsocera Cincta*, var., *Sauss.* Miss. Mex., Orth. p. 51 (1870).	Mexico.

*4. **P. Laticornis, Perty,** Del. Anim. Art. p. 117, pl. 23. f. 4 (1834); Serv. Ins. Orth. p. 116 (1839). *Thyrsocera Laticornis, Burm.* l. c. p. 499. n. 6 (1838); Brunn. l. c. p. 123. n. 11 (1865); Sauss. Miss. Mex., Orth. p. 51 (1870).	Brazil.
*5. **P. Dubia, Sauss.** (*Thyrsocera D.*) Rev. Zool. (2) xiv. p. 168 (1862); Mém. Mex., Blatt. p. 123 (1864); Brunn. l. c. p. 124. n. 12 (1865). *Thyrsocera Laticornis*, var., *Sauss. & Zehntn.* l. c. p. 32. n. 2 (1893).	Rio Janeiro.
6. **P. Femoralis, Walk. l. c. p. 81. n. 18 (1868). ‖ *Thyrsocera Crinicornis* et var. *Fulva, Brunn.* l. c. pp. 126, 127. n. 21 (1865). *Thyrsocera Brunneri, Sauss.* Rev. Zool. (2) xxi. p. 111 (1869).	Brazil.
7. **P. Oblongata, Linn.** (*Blatta O.*) Syst. Nat. (ed. x.) i. p. 425. n. 9 (1758); De Geer, Mém. Ins. iii. p. 541, pl. 41. ff. 11, 12 (1773).	Surinam.
*8. **P. Intercepta, Burm.** (*Blatta I.*) l. c. p. 499. n. 8 (1838); Sauss. Mém. Mex., Blatt. p. 113 (1864). ‖ *P. Oblongata, Serv.* l. c. p. 115 (1839). ‖ *Thyrsocera Oblongata, Brunn.* l. c. p. 121. n. 8 (1865); Sauss. Miss. Mex., Orth. p. 50, pl. 1. f. 29 (1870); Sauss. & Zehntn. l. c. p. 32. n. 3 (1893). *Thyrsocera Tolteca, Sauss.* Rev. Zool. (2) xiv. p. 168 (1862); Mém. Mex., Blatt. p. 124, pl. 1. f. 21 (1864); Brunn. l. c. p. 125. n. 18 (1865).	Mexico, Guatemala, Honduras.
9. **P. Inclusa, Walk.** l. c. p. 212 (1868).	Brazil.
10. **P. Walkeri, Kirb. Ann. Nat. Hist. (7) xii. p. 273 (1903). *P. Flavipes*, var., *Walk.* l. c. p. 79. n. 10 (1868).	id.
*11. **P. Flavipes, Burm.** (*Thyrsocera F.*) l. c. p. 499. n. 5 (1838). *Thyrsocera Flavipes, Brunn.* l. c. p. 125. n. 16 (1865). *P. Concinna, Walk.* l. c. p. 82. n. 20 (1868).	id.
*12. **P. Discicollis, Burm.** (*Blatta D.*) l. c. p. 1012 (1838); Sauss. Mém. Mex., Blatt. p. 114 (1864).	Mexico.

Blatta Discoidalis, Burm. l. c. p. 498. n. 11 (1838).	
Thyrsocera Discicollis, Brunn. l. c. p. 123. n. 10 (1865); (?) Sauss. Miss. Mex., Orth. p. 51 (1870).	
13. **P. Gueriniana, Sauss.** (*Thyrsocera G.*) Rev. Zool. (2) xiv. p. 168 (1862); Mém. Mex., Blatt. p. 124 (1864); Miss. Mex., Orth. p. 50 (1870); Brunn. l. c. p. 126. n. 19 (1865).	Mexico.
14. **P. Mimica, Walk. l. c. p. 80. n. 17 (1868).	Para.
15. **P. Deceptura, Walk. l. c. p. 82. n. 21 (1868).	id., Panama.
Thyrsocera Aurantiaca, Sauss. & Zehntn. l. c. p. 32. n. 6, pl. 3. ff. 6, 7 (1893).	
16. **P. Americana, Sauss.** (*Thyrsocera A.*) Rev. Zool. (2) xxi. p. 111 (1869); Miss. Mex., Orth. p. 51 (1870).	Argentine Republic.
17. **P. Annulicornis, Burm.** (*Thyrsocera A.*) l. c. p. 500. n. 9 (1838); Brunn. l. c. p. 125. n. 16 (1865).	Bahia, Para (eadem ?).
? *Blatta Annulicornis, Walk.* l. c. p. 219 (1868).	
18. **P. Melana, Walk. l. c. p. 80. n. 16 (1868).	Brazil.
*19. **P. Crinicornis, Burm.** (*Thyrsocera C.*) l. c. p. 499. n. 2 (1838); Sauss. Rev. Zool. (2) xxi. p. 111 (1869); Miss. Mex., Orth. p. 48 (1870); (?) Sauss. & Zehntn. l. c. p. 33. n. 7 (1893).	Para, Surinam.
P. Crinicornis, var., *Walk.* l. c. p. 78. n. 8 (1868).	
Thyrsocera Luctuosa, Sauss. Rev. Zool. (2) xx. p. 99 (1868); Miss. Mex., Orth. p. 48, pl. 1. ff. 27. 27 *a* (1870).	
*20. **P. Affinis, Burm.** (*Thyrsocera A.*) l. c. p. 499. n. 4 (1838); (?) Brunn. l. c. p. 124. n. 14 (1865).	Surinam.
P. Affinis, Walk. l. c. p. 79. n. 9 (1868).	
21. **P. Hirticornis, Burm.** (*Thyrsocera H.*) l. c. p. 500. n. 10 (1868).	Para.
22. **P. Simulans, Stål,** Eugenie's Resa, Ins. p. 310. n. 31 (1858).	Brazil.
Thyrsocera Simulans, Brunn. l. c. p. 124. n. 13 (1865).	
23. **P. Melandryoides, Walk. l. c. p. 84. n. 25 (1868).	Amazons (St. Paolo).
24. **P. Tristicula, Stål,** l. c. p. 310. n. 32 (1858).	Rio Janeiro.

Thyrsocera Tristicula, Brunn. l. c. p. 125. n. 17 (1865).	
25. **P. Nigrita, Sauss.** (*Thyrsocera N.*) Rev. Zool. (2) xxi. p. 111 (1869); Miss. Mex., Orth. p. 52 (1870).	Brazil.
26. **P. Obscura, Sauss.** (*Thyrsocera O.*) Miss. Mex., Orth. p. 52 (1870).	Bolivia (Sta. Cruz).
*27. **P. Puiggarii, Bol.** (*Thyrsocera P.*) An. Soc. Españ. x. p. 354 (1881).	Brazil.

Genus 14. **Hemithyrsocera.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 31 (1893).

*1. **H. Nigra, Brunn.** (*Thyrsocera N.*) Syst. Blatt. p. 120. n. 5 (1865); Ann. Mus. Genova, xxxiii. p. 21 (1893).	China, Cambodia, Burma.
Ellipsidium Subcinctum, Walk. Cat. Blatt. B. M. p. 85. n. 5 (1868).	
*2. **H. Soror, Brunn.** (*Thyrsocera S.*) Syst. Blatt. p. 120. n. 6 (1865).	Celebes, Java.
3. **H. Ferruginea, Brunn.** (*Thyrsocera F.*) Ann. Mus. Genova, xxxiii. p. 22, pl. 1. f. 6 (1893).	Burma.
*4. **H. Scutigera, Walk.** (*Pseudomops S.*) l. c. p. 212 (1868).	Sarawak.
5. **H. Communis, Brunn.** l. c. p. 23 (1893).	Burma.
*6. **H. Lateralis, Walk.** (*Ellipsidium Laterale*) l. c. p. 213 (1868).	id., Siam, India.
Thyrsocera Major, Brunn. l. c. p. 22, pl. 1. f. 7 (1893).	
7. **H. Vittata, Brunn.** (*Thyrsocera V.*) Syst. Blatt. p. 119. n. 4 (1865).	Cambodia.
8. **H. Lugubris, Stål,** (*Thyrsocera L.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 33 (1877).	Philippines.
9. **H. Signata, Brunn.** (*Thyrsocera S.*) l. c. p. 119. n. 3 (1865).	id.
Thyrsocera Circumcincta, Stål, l. c. p. 33 (1877).	
10. **H. Rufiventris, Stål,** (*Thyrsocera R.*) l. c. (1877).	id.
11. **H. Semicincta, Stål,** (*Thyrsocera S.*) l. c. (1877).	id.
12. **H. Circumclusa, Stål,** (*Thyrsocera C.*) l. c. p. 34 (1877).	id.

13. **H. Suspecta, Bol.** Ann. Soc. Ent. France. 1897, p. 288.	India.
14. **H. (?) Australis, Tepp.** (*Thyrsocera* (?) *A.*) Tr. R. Soc. S. Australia. xix. p. 153 (1895).	N. Queensland.

Genus 15. **Nisibis.**

Stal, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 31 (1877).

1. **N. Amœna, Stal,** (*Thyrsocera* (*Nisibis*) *A.*) l. c. (1877).	Philippines.

Genus 16. **Thyrsocera.** (*Type* no. 5.)

Burm. Handb. Ent. ii. p. 498 (1838); Brunn. Syst. Blatt. p. 115 (1865), *nec Sauss.*

1. **T. Xanthophila, Walk.** (*Blatta X.*) Cat. Blatt. B. M. p. 230 (1868).	Celebes.
*2. **T. Histrio, Burm.** l. c. p. 499. n. 7 (1838); Brunn. l. c. p. 118. n. 2 (1865). *Blatta Lateralis, Serv.* Ins. Orth. p. 107 (1839). *Thyrsocera Lineaticollis, Bol.* An. Soc. Españ. xix. p. 302 (1890).	Java, Penang, Sumatra.
3. **T. Fissa, Walk.** (*Pseudomops F.*) Cat. Blatt. B. M. p. 213 (1868).	Sumatra.
*4. **T. Pica, Walk.** (*Pseudomops P.*) l. c. (1868).	id., Singapore.
*5. **T. Spectabilis, Burm.** l. c. p. 498. n. 1 (1838); Brunn. l. c. p. 121. n. 7 (1865). *Ellipsidium Speciosum, Walk.* l. c. p. 214 (1868).	Nepal, Ceylon, "E. Archipelago."
6. **T. Jucunda, Sauss.** (*Hemithyrsocera J.*) Soc. Ent. viii. p. 57 (1893).	India.

Genus 17. **Pachnepteryx.** (*Type* no.1.)

Pachnepterix, Brunn. Syst. Blatt. p. 116 (1865).

1. **P. Pruinosa, Brunn.** (*Thyrsocera P.*) l. c. p. 117. n. 1 (1865).	Philippines.
2. **P. Ventralis, Walk. (*Ellipsidium Ventrale*) Cat. Blatt. B. M. p. 85. n. 7 (1868).	id.

3. **P. Pallidicollis, Stål,** (*Thyrsocera* (*Pachnepteryx*) *P.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 33 (1877).	Philippines.
4. **P. Signaticollis, Stål,** (*Thyrsocera* (*Pachnepteryx*) *S.*) l. c. (1877).	id.

Genus 18. **Ellipsidion.** (*Type* no. 14.)

Sauss. Mém. Soc. Genève, xvii. p. 146 (1863).
Ellipsidium, *Sauss.* Mém. Mex., Blatt. p. 118 (1864).
Apolyta, *Brunn.* Syst. Blatt. p. 112 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 44 (1893). (*Type* no. 15.)

1. **E. Mundicola, Walk. (*Blatta M.*) Cat. Blatt. B. M. p. 101. n. 74 (1868).	Australia.
1 *a*. **E. Marginatum, Tepp.** (*Apolyta Marginata*) l. c. xix. p. 152 (1895).	Victoria.
1 *b*. **E. Latirupta, Walk.** (*Blatta L.*) Cat. Blatt. B. M. Suppl. p. 143 (1869).	N. S. Wales.
1 *c*. **E. Inquinata, Walk. (*Blatta I.*) Cat. Blatt. B. M. p. 103. n. 78 (1868).	Australia.
1 *d*. **E. Bitæniata, Sauss.** (*Blatta B.*) Mém. Soc. Genève, xx. p. 243 (1869).	id.
*2. **E. Femoratum, Brunn.** (*Phyllodromia Femorata*) l. c. p. 101. n. 18 (1865).	Sydney.
3. **E. Quadripunctatum, Tepp.** (*Apolyta Quadripunctata*) l. c. xvii. p. 45 (1893).	Adelaide.
*4. **E. Albovittatum, Sauss.** (*Blatta* (*Phyllodromia*) *Albovittata*) l. c. xxiii. p. 95 (1873).	Australia.
5. **E. (?) Marginiferum, Walk.** (*Blatta Marginifera*) l. c. p. 107. n. 87 (1868).	id.
6. **E. Depressum, Walk. (*Blatta Depressa*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 28 (1871).	id.
*7. **E. Humerale, Tepp.** (*Apolyta Humeralis*) l. c. xvii. p. 46 (1893).	Australia.
8. **E. Pallidum, Tepp.** (*Apolyta Pallida*) l. c. p. 46 (1893).	S. Australia.
9. **E. Decoratum, Tepp.** (*Apolyta Decorata*) l. c. (1893).	S. & W. Australia.
10. **E. Testaceum, Tepp.** (*Apolyta Testacea*) Horn Exped. Centr. Australia, ii. p. 358 (1896).	Centr. Australia.
11. **E. Litura, Tepp.** (*Apolyta L.*) l. c. p. 359 (1896).	id.
12. **E. Variegatum, Fabr. (*Blatta Variegata*) Syst. Ent. p. 273. n. 13 (1775).	Australia.

Apolyta Vestita, Brunn. l. c. p. 113. n. 1 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 45 (1893).	
12 *a.* **E.(?) Vestitum, Burm.** (*Blatta Vestita*) Handb. Ent. ii. p. 498. n. 11 (1838).	Java.
13. **E. Bicolor, Tepp.** (*Apolyta B.*) l. c. xix. p. 152 (1895).	Cape York.
*14. **E. Australe, Sauss.** (*Thyrsocera Australis*) Mém. Soc. Genève, xvii. p. 146, pl. 1. f. 11 (1863). *E. Australe, Sauss.* Rev. Zool. (2) xvi. p. 312 (1864), *pupa.*	Australia.
14 *a.* **E. Placens, Walk. (*Blatta P.*) l. c. p. 29 (1871), *larva.*	id.
15. **E. Pellucidum, Brunn.** (*Apolyta Pellucida*) l. c. p. 114. n. 2, pl. 3. f. 10 A–E (1865); Tepp. l. c. xvii. p. 47 (1893), xix. p. 151 (1895).	N. S. Wales.
*16. **E. Aurantium, Sauss.** Rev. Zool. (2) xvi. p. 312 (1864). *Apolyta Aurantia, Sauss.* Mém. Soc. Genève, xx. p. 250 (1869).	Australia.
*17. **E. Reticulatum, Sauss.** Rev. Zool. (2) xvi. p. 312 (1864). *Apolyta Reticulata, Sauss.* Mém. Soc. Genève, xx. p. 250 (1869).	id.
18. **E. Pallescens, Tepp.** (*Apolyta P.*) l. c. xix. p. 152 (1895).	Victoria.
19. **E. Gracile, Butl. Cist. Ent. i. p. 294 (1874).	Rockhampton.
20. **E. Apicifera, Walk. (*Blatta A.*) Cat. Blatt. B. M. p. 110. n. 94 (1868).	Australia.
21. **E.(?) Ramosum, Walk.** (*Blatta Ramosa*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 29 (1871).	id.

Genus 19. **Ischnoptera.** (*Type* no. 73.)

Burm. Handb. Ent. ii. p. 500 (1838); Sauss. Mém. Mex., Blatt. p. 78 (1864); Miss. Mex., Orth. p. 53 (1870); Brunn. Syst. Blatt. p. 128 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 34 (1893); Tepp. Tr. R. Soc. S. Australia, xvii. p. 50 (1893).

‖ *Platamodes, Scudd.* Bost. Journ. Nat. Hist. vii. p. 417 (1862).

*1. **I. Strigosa, Schaum,** (*Blatta S.*) Peters' Reise Mossamb., Zool. v. p. 108 (1862). *I. Strigosa, Brunn.* l. c. p. 138. n. 13 (1865).	Mozambique, Natal, &c.

I. Natalensis, Walk. Cat. Blatt. B. M. p. 117. n. 30 (1868).	
2. **I. Bocagii, Bol.** J. Sci. Lisboa, xxx. p. 107 (1882).	Angola.
3. **I. Picea, Schulth.** Ann. Mus. Genova, xxxix. p. 166 (1898).	Somali Land.
4. **I. Neutra, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 571 (1899).	S. Africa.
5. **I. Incuriosa, Sauss.** l. c. (1899).	id.
6. **I. Malagassa, Sauss. & Zehntn.** Grandidier, Hist. Madagascar, Orth. i. p. 18, pl. 6. f. 66 (1895); Sauss. l. c. p. 570 (1899).	Madagascar
7. **I. Ectobioides, Sauss.** Mém. Soc. Genève, xxiii. p. 104 (1873).	S. China.
8. **I. Sinensis, Walk. l. c. Suppl. p. 148 (1869).	Hong Kong.
9. **I. Ramosa, Sauss.** l. c. xx. p. 254 (1869).	"E. Indies."
10. **I. Himalayica, Brunn.** l. c. p. 129. n. 1 (1865).	Himalayas.
11. **I. Continua, Walk. (*Blatta C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 22 (1871).	Bombay.
12. **I. Arcta, Brunn.** l. c. p. 132. n. 7 (1865).	Ceylon.
13. **I. Procera, Brunn.** l. c. p. 137. n. 12 (1865).	id.
14. **I. Multiramosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 23, pl. 1. f. 8 (1893).	Burma (Rangoon).
15. **I. Fusca, Brunn.** l. c. p. 24 (1893).	id. (Palon).
16. **I. Modesta, Brunn.** l. c. (1893).	id. (Bhamo).
17. **I. Indica, Brunn.** Syst. Blatt. p. 130. n. 2 (1865).	Malacca.
18. **I. Majuscula, Walk.** (*Blatta M.*) Cat. Blatt. B. M. Suppl. p. 139 (1869).	Siam.
*19. **I. Reversa, Walk.** l. c. p. 147 (1869).	Singapore.
20. **I. Flavicollis, Serv.** (*Kakerlac F.*) Ins. Orth. p. 69 (1839). *I. Flavicollis, Brunn.* l. c. p. 138. n. 14 (1865); (?) Sauss. l. c. xx. p. 251 (1869).	Java.
21. **I. Obtusifrons, Walk.** (*Blatta O.*) Cat. Blatt. B. M. p. 226 (1868).	Sarawak.
*22. **I. Australis, Sauss.** Mém. Soc. Genève, xvii. p. 155, pl. 1. f. 17 (1863). *I. Australica, Brunn.* l. c. p. 131. n. 4 (1865); Tepp. l. c. p. 50 (1893). *Periplaneta Apicalis, Walk.* l. c. p. 129. n. 17 (1868).	Australia.
*23. **I. Fulva, Sauss.** l. c. xvii. p. 156, pl. 1. f. 18 (1863), xx. p. 251 (1869).	id.

24. **I. Longiuscula, Walk.** (*Blatta L.*) l. c. Suppl. p. 143 (1869). *I. Longiuscula, Tepp.* l. c. xvii. p. 51 (1893), xix. p. 151 (1895).	Melbourne, S. Australia.
25. **I. Termitina, Sauss.** l. c. xvii. p. 157, pl. 1. f. 19 (1863), xx. p. 251 (1869).	Australia.
26. **I. Triramosa, Sauss.** l. c. xx. p. 252 (1869).	id.
27. **I. Anastomosa, Tepp.** l. c. xvii. p. 53 (1893).	S. Australia.
*28. **I. Brunneonigra, Tepp.** l. c. xix. p. 155 (1895).	Victoria.
29. **I. Centralis, Walk. Cat. Blatt. B. M. p. 120. n. 38 (1868).	S. Australia.
30. **I. Manicata, Tepp.** l. c. xvii. p. 53 (1893).	id.
31. **I. Paral[1]ella, Tepp.** l. c. (1893).	Australia.
32. **I. Contraria, Tepp.** l. c. p. 54 (1893).	S. Australia.
33. **I. Obscura, Tepp.** l. c. (1893).	Australia.
34. **I. Annulata, Tepp.** l. c. p. 51 (1893).	S. Australia.
35. **I. Excisa, Bol.** Mém. Soc. Zool. France, i. p. 124 (1888).	Cuba.
*36. **I. Rufescens, Beauv.** (*Blatta R.*) Ins. Afr. Amér. p. 183, Orth. pl. 1 *b*. f. 7 (1805). *I. Rufescens, Sauss.* Mém. Mex., Blatt. p. 91 (1864); Brunn. Syst. Blatt. p. 139. n. 18 (1865). *I. Terminalis, Walk.* Cat. Blatt. B. M. p. 122. n. 43 (1868). *Blatta Capitata, Sauss.* Rev. Zool. (2) xiv. p. 167 (1862); Mém. Mex., Blatt. p. 114, pl. 1. f. 19 (1864). *I. Capitata, Brunn.* l. c. p. 140. n. 21 (1865). *Epilampra Blattoides, Sauss.* Mém. Soc. Genève, xvii. p. 145 (1863). *I. Blattoides, Sauss.* Miss. Mex., Orth. p. 54, pl. 1. f. 31 (1870).	Haiti, Jamaica, Cuba, India, Africa, Mexico to Brazil.
37. **I. Inæqualis, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 36. n. 1, pl. 6. ff. 14–17 (1893).	Texas, Mexico.
*38. **I. Uhleriana, Sauss.** Rev. Zool. (2) xiv. p. 169 (1862); Mém. Mex., Blatt. p. 82 (1864); Miss. Mex., Orth. p. 55 (1870); Sauss. & Zehntn. l. c. p. 36. n. 2, pl. 3. ff. 21–23 (1893).	Pennsylvania, Southern States.
39. **I. Hamata, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 4 (1898).	Ecuador.

40. **I. Sancta, Giglio-Tos,** l. c. p. 5 (1898).	Ecuador.
41. **I. Festæ, Griff.** (*Epilampra F.*) Boll. Mus. Torino. xi. (236) p. 2 (1896). *I. Festæ, Giglio-Tos,* l. c. xiii. (311) p. 3 (1898).	Panama.
42. **I. Brasiliensis, Brunn.** l. c. p. 130. n. 3 (1865); Sauss. Miss. Mex., Orth. p. 55, pl. 2. f. 32 (1870).	Brazil.
43. **I. Peruana, Sauss.** Rev. Zool. (2) xiv. p. 169 (1862); Mém. Mex., Blatt. p. 90 (1864); Brunn. l. c. p. 141. n. 22 (1865).	Peru.
44. **I. Mexicana, Sauss.** ll. cc. (2) xiv. p. 170 (1862); p. 86 (1864); Miss. Mex., Orth. p. 64, pl. 2. f. 36 (1870); Brunn. l. c. p. 141. n. 22 (1865).	Mexico.
45. **I. Nigricollis, Walk. Cat. Blatt. B. M. p. 118. n. 32 (1868).	Georgia.
*46. **I. Occidentalis, Sauss.** Rev. Zool. (2) xiv. p. 170 (1862); Mém. Mex., Blatt. p. 87 (1864); Brunn. l. c. p. 141. n. 23 (1865).	New Orleans, Mexico.
*47. **I. Consobrina, Sauss.** ll. cc. (2) xiv. p. 170 (1862); p. 88 (1864); Miss. Mex., Orth. p. 59, pl. 2. f. 34 (1870); Sauss. & Zehntn. l. c. p. 37. n. 4, pl. 3. f. 24 (1893); Brunn. l. c. p. 141. n. 24 (1865).	Mexico.
48. **I. Melasa, Walk. l. c. p. 118. n. 31 (1868).	Santarem.
49. **I. Lucida, Walk. l. c. p. 120. n. 39 (1868).	Pernambuco.
50. **I. Elongata, Beauv.** (*Blatta E.*) l. c. p. 183, Orth. pl. 1 *b*. f. 5 (1805). *I. Elongata, Sauss.* Mém. Mex., Blatt. p. 89 (1864).	Haiti.
51. **I. Clara, Walk. l. c. p. 114. n. 14 (1868).	Brazil.
52. **I. Rufa, Brunn.** l. c. p. 131. n. 5, pl. 3. f. 13 A–C (1865).	id.
53. **I. Bergrothi, Griff.** (*Epilampra B.*) l. c. xi. (236) p. 3 (1896). *I. Bergrothi, Giglio-Tos,* l. c. xiii. (311) p. 4 (1898).	Panama.
54. **I. Josephina, Giglio-Tos,** l. c. p. 6 (1898).	Ecuador.
55. **I. Conformis, Sauss. & Zehntn. l. c. p. 37. n. 5, pl. 3. f. 25 (1893).	Nicaragua.
*56. **I. Ignobilis, Sauss.** Rev. Zool. (2) xvi. p. 313 (1864); Miss. Mex., Orth. p. 60 (1870); Sauss. & Zehntn. l. c. p. 37. n. 6 (1893).	Buenos Aires, Guatemala.

57. **I. Ocularis, Sauss.** Mém. Soc. Genève. xxiii. p. 103 (1873).	Cayenne.
58. **I. Bivittata, Thom.** Proc. Davenport Acad. i. p. 250. pl. 36. ff. 1. 2 (1876).	San Francisco.
59. **I. Bicolor, Beauv.** (*Blatta B.*) l. c. p. 183. pl. 1 *b*. f. 6 (1805). *I. Bicolor, Sauss.* Mém. Mex., Blatt. p. 90 (1864); Brunn. l. c. p. 139. n. 17 (1865).	Haiti.
*60. **I. Borealis, Brunn.** l. c. p. 133. n. 8 (1865). *I. Hyalina, Scudd.* Trans. Amer. Ent. Soc. ii. p. 307 (1869).	Delaware, Texas.
61. **I. Unicolor, Scudd.** (*Platamodes U.*) Boston Journ. Nat. Hist. vii. p. 417 (1862). *I. Unicolor, Brunn.* l. c. p. 134. n. 9 (1865); Sauss. Miss. Mex., Orth. p. 56 (1870). *Ectobia Lithophila, Scudd.* l. c. p. 418 (1862), *larva*.	Massachusetts.
*62. **I. Nahua, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 56, pl. 2. f. 33 (1870).	Mexico.
63. **I. Inca, Sauss. & Zehntn. l. c. p. 38, pl. 4. f. 23 (1893).	Guatemala.
*64. **I. Castanea, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 61 (1870); Sauss. & Zehntn. l. c. p. 38. n. 9 (1893).	Brazil, Mexico.
65. **I. Bilunata, Sauss.** ll. cc. p. 111 (1869); p. 58 (1870).	Bolivia (Chiquitos).
66. **I. Taczanowskii, Bol.** An. Soc. Españ. x. p. 467 (1881).	Peru.
*67. **I. Azteca, Sauss.** Rev. Zool. (2) xiv. p. 170 (1862); Mém. Mex., Blatt. p. 88 (1864); Miss. Mex., Orth. p. 65 (1870); Brunn. l. c. p. 141. n. 26 (1865). *Blatta Otomia, Sauss.* Mém. Mex., Blatt. p. 104 (1864).	Mexico.
*68. **I. Tolteca, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 64, pl. 2. f. 37 (1870).	id.
69. **I. Nana, Sauss. & Zehntn. l. c. p. 39. n. 12 (1893).	Nicaragua.
*70. **I. Parvula, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 62 (1870); Sauss. & Zehntn. l. c. p. 39. n. 13 (1893).	Brazil, Cuba, Nicaragua.

71. **I. Annulicornis, Sauss. & Zehntn.** l. c. p. 40. n. 14 (1893).	Guatemala.
*72. **I. Vilis, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 60 (1870).	S. America (Corrientes)
*73. **I. Morio, Burm.** l. c. p. 500. n. 3 (1838).	Colombia.
*74. **I. Pen[n]sylvanica, De Geer,** (*Blatta P.*) Mém. Ins. iii. p. 537, pl. 44. f. 4 (1773).	United States.
I. Pennsylvanica, Sauss. Mém. Mex., Blatt. p. 84 (1864); Miss. Mex., Orth. p. 63, pl. 2. f. 35 (1870).	
I. Pensylvanica, Brunn. l. c. p. 135. n. 11 (1865).	
I. Nortoniana, Sauss. Rev. Zool. (2) xiv. p. 169 (1862).	
75. **I. Couloniana, Sauss.** l. c. (1862); Mém. Mex., Blatt. p. 83 (1864); Miss. Mex., Orth. p. 63 (1870); Sauss. & Zehntn. l. c. p. 40. n. 15 (1893).	Texas, Mexico.
I. Lata, Brunn. l. c. p. 135. n. 10 (1865).	
76. **I. Rubiginosa, Walk. l. c. p. 121. n. 41 (1868).	Santarem.
77. **I. (?) Cincta, Fabr.** (*Blatta C.*) Mant. Ins. i. p. 226. n. 17 (1787).	North (?) America.
78. **I. Marginata, Brunn.** l. c. p. 132. n. 6 (1865).	Brazil.
79. **I. Translucida, Sauss.** Mém. Mex., Blatt. p. 85 (1864).	N. America.
80. **I. Undulifera, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 31 (1871).	Nicaragua (Chontales)
81. **I. Divisa, Sauss. & Zehntn.** l. c. p. 40. n. 16 (1893).	Georgia, North Mex.
82. **I. Bolliana, Sauss. & Zehntn.** l. c. n. 17 (1893).	Texas, New Mex.
83. **I. Hebes, Walk.** Cat. Blatt. B. M. p. 122. n. 42 (1868).	Santarem.
84. **I. Fumata, Burm.** l. c. p. 500. n. 2 (1838); Brunn. l. c. p. 139. n. 16 (1865).	Brazil.
85. **I. Deprivata, Walk. (*Blatta D.*) l. c. p. 215 (1868).	Hab. —— ?

Genus 20. **Pseudischnoptera.**

Sauss. Rev. Zool. (2) xxi. p. 112 (1869); Miss. Mex., Orth. p. 66 (1870).

1. **P. Lineata, Oliv.** (*Blatta L.*) Enc. Méth., Ins. iv. p. 317. n. 17 (1789); Beauv. Ins. Afr. Amér. p. 218, Orth. pl. 2 *c.* f. 5 (1805); Serv. Ins. Orth. p. 98 (1839). *Thyrsocera Lineata, Brunn.* Syst. Blatt. p. 126. n. 20 (1865). *P. Lineata, Sauss.* Miss. Mex., Orth. p. 67 (1870).	Cayenne, Antilles.

Genus 21. **Chrastoblatta.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. pp. 17, 20 (1895).

1. **C. Tricolor, Sauss. & Zehntn.** l. c. p. 21, pl. 2. f. 17 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 572 (1899).	Madagascar (Antananarivo).
2. **C. Dimidiata, Sauss.** (*Proscratea D.*) Mém. Soc. Genève, xvii. p. 160 (1863). *C. Dimidiata, Sauss. & Zehntn.* l. c. p. 23, pl. 2. f. 18 (1895). *Proscratea Marginata, Brunn.* Syst. Blatt. p. 326. n. 3 (1868).	

Genus 22. **Caloblatta.**

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 33 (1893).

1. **C. Bicolor, Sauss. l. c. p. 57 (1893); Sauss. & Zehntn. l. c. p. 33. n. 1 (1893).	Costa Rica.
2. **C. Tricolor, Sauss. l. c. p. 57 (1893); Sauss. & Zehntn. l. c. p. 34. n. 2, pl. 3. ff. 11–13 (1893).	Guatemala, Nicaragua.

Genus 23. **Phyllodromia.** (*Type* no. 1.)

Serv. Ins. Orth. p. 105 (1839); Fisch. Waldh. Orth. Ross. p. 75 (1846); Brunn. Syst. Blatt. p. 88 (1865); Prodr. Eur. Orth. p. 45 (1882); Bol. Sin. Ortópt. Españ. p. 47 (1876); Fin. Faune France, Orth. p. 80 (1889); Burr, Brit. Orth. p. 23 (1897); Tümp. Geradfl. Mitteleuropas, p. 234 (1900).

‖*Blatta, pt., Linn.* Syst. Nat. (ed. xii.) i. (2) p. 667 (1767); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 41 (1893); Grandidier, Hist. Madagascar, Orth. i. p. 24 (1895).

Liosilpha, Stål, Bihang Svensk. Akad. ii. (13) p. 10 (1874). (*Type* no. 154.)

Blattella, Caud. Proc. Ent. Soc. Washington, v. p. 234 (1903). (*Type* no. 1.)

*1. **P. Germanica, Linn.** (*Blatta G.*) Syst. Nat. (ed. xii.) i. (2) p. 668. n. 7 (1767); Herbst, Fuessly, Arch. Ins. p. 186, pl. 49. f. 10 (1786); Don. Brit. Ins. x. pl. 341 (1800); Stoll, Spectres, Blatt. p. 7, pl. 4 *d*. f. 18 (1813); Serv. Ins. Orth. p. 107 (1839); Fisch. Orth. Eur. p. 112, pl. 7. ff. 21, 21 *a* (1853); Sauss. & Zehntn. ll. cc. p. 42, n. 1 (1893); p. 27 (1895). *Ectobius Germanicus, Steph.* Ill. Brit. Ent., Mand. vi. p. 46 (1835). *Phyllodromia Germanica, Fisch. Waldh.* l. c. p. 76, pl. 1. f. 4 (1842); Brunn. ll. cc. p. 90. n. 1, pl. 2. f. 7 A–E (1865); p. 46, pl. 1. f. 9 A–E (1882); Bol. l. c. p. 48 (1876); Fin. l. c. p. 81, pl. 2. f. 47 (1889); Burr, l. c. p. 23, pl. 2. f. 4 (1897); Tümp. l. c. p. 234, pl. 15 (1900). ‖*Phyllodromia Bivittata, Sauss.* Mém. Mex., Blatt. p. 102 (1864).	Denmark, Europe, &c. (*Cosmopolitan.*)
*2. **P. Bivittata, Serv.** (*Blatta B.*) Ins. Orth. p. 108 (1839); Sauss. Miss. Mex., Orth. p. 28 (1870). *P. Bivittata, Brunn.* l. c. p. 92. n. 3 (1865).	Africa, &c. (*Cosmopolitan.*)
3. **P. Parenthesis, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 57 (1883).	W. Africa (Ogowe).
4. **P. Madecassa, Sauss.** (*Blatta M.*) Ann. Mus. Genova, xxxv. p. 72 (1895); Abhandl. Senckenb. Ges. xxi. p. 572 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 29 (1895).	Madagascar Somali Land.
5. **P. Bimaculata, Gerst.** Arch. Naturg. xxxv. p. 206 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 4 (1873).	E. Africa (Lake Jipe).
*6. **P. Bitæniata, Stål,** (*Blatta B.*) Œfv. Vet.-Akad. Förh. xv. p. 308 (1858); Brunn. l. c. p. 93 (1865). *Ischnoptera Hastifera, Walk.* Cat. Blatt. B. M. Suppl. p. 117 (1869).	S. Africa (R. Swakop)

6 *a*. **P. Macilenta, Sauss. & Zehntn.** (*Blatta M.*) l. c. p. 33, pl. 1. f. 12 (1895).	S. Africa (Orange R.).
7. **P. Difficilis, Sauss.** (*Blatta D.*) Abhandl. Senckenb. Ges. xxi. p. 572 (1899).	Madagascar (Nossi Bé).
8. **P. Extenuata, Walk.** (*Blatta E.*) Cat. Blatt. B. M. p. 221 (1869).	Egypt.
*9. **P. Lobiventris, Sauss.** (*Blatta L.*) Ann. Mus. Genova, xxxv. p. 73 (1895).	E. Africa (Shoa).
10. **P. Incisa, Sauss. & Zehntn.** (*Blatta I.*) l. c. p. 37, pl. 1. f. 8 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 573 (1899).	Madagascar (Antananarivo).
11. **P. Fissa, Sauss. & Zehntn.** (*Blatta F.*) l. c. p. 39, pl. 1. f. 11 (1895).	id.
12. **P. Constricta, Sauss.** (*Blatta* (*Phyllodromia*) *C.*) Ann. Mus. Genova, xxxv. p. 74 (1895).	E. Africa (Erythræa).
13. **P. Hemerobina, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 57 (1883).	W. Africa (Ogowe).
14. **P. Centralis, Gerst.** l. c. p. 58 (1883).	Cameroons.
15. **P. Pustulosa, Gerst.** l. c. p. 59 (1883).	id.
16. **P. Ferrea, Sauss. & Zehntn.** (*Blatta F.*) l. c. p. 36, pl. 1. f. 7 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 573 (1899).	Madagascar
17. **P. Lacrymula, Sauss. & Zehntn.** (*Blatta L.*) l. c. p. 31, pl. 1. f. 10 (1895).	id.
*18. **P. Supellectilium, Serv.** (*Blatta S.*) Ins. Orth. p. 114 (1839); Sauss. & Zehntn. l. c. p. 34 (1895). *P. Supellectilium, Brunn.* l. c. p. 98. n. 11 (1865). *Blatta Cubensis, Sauss.* Rev. Zool. (2) xiv. p. 165 (1862); Mém. Mex., Blatt. p. 108, pl. 1. ff. 14, 15 (1864). *P. Cubensis, Brunn.* l. c. p. 109. n. 29 (1865). *Blatta Capensis, Sauss.* Rev. Zool. (2) xvi. p. 210 (1864); Mém. Soc. Genève, xx. p. 243, pl. 3. ff. 21, 21 *a* (1869). *Blatta Incisa, Walk.* l. c. p. 109. n. 92 (1868). *Ischnoptera Quadriplaga, Walk.* l. c. p. 121. n. 40 (1868). *Blatta Phalerata, Sauss.* Mém. Soc. Genève, xvii. p. 151, pl. 1. f. 16 (1864). *Blatta Subfasciata, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 26 (1871).	Mauritius, Africa, &c. (*Cosmopolitan.*)

19. **P. Tenella, Stål,** (*Blatta T.*) l. c. xiii. p. 166 (1856). *P. Tenella, Brunn.* l. c. p. 99. n. 13 (1865).	Natal.
20. **P. Cordofana, Brunn.** l. c. p. 97. n. 10 (1865).	Khartoum.
21. **P. Massauæ, Sauss. & Zehntn.** (*Blatta M.*) l. c. p. 28 (1895).	Massowa.
22. **P. Corommensis, Schulth.** Ann. Mus. Genova, xxxix. p. 165 (1898).	Somali Land.
23. **P. Delta, Kirb.** Ann. Nat. Hist. (7) v. p. 280 (1900); Distant, Ins. Transvaal. p. 19, pl. 1. f. 4 (1900).	Transvaal (Barberton).
*24. **P. Ruficeps, Kirb.** ll. cc. p. 280 (1900); p. 20, pl. 1. f. 7 (1900).	Nyasa Land.
25. **P. Circumcincta, Reiche & Fairm.** (*Blatta C.*) Ferret & Galinier, Voy. Abyss. iii. p. 421, pl. 27. f. 3 (1847). *P. Circumcincta, Brunn.* l. c. p. 100. n. 15 (1865).	Abyssinia.
26. **P. Patricia, Gerst.** l. c. p. 60 (1883).	Cameroons.
27. **P. Cinnamomea, Gerst.** l. c. p. 62 (1883).	id.
28. **P. Pulchella, Gerst.** l. c. p. 61 (1883).	id.
*29. **P. Vinula, Stål,** (*Blatta V.*) l. c. xiii. p. 166 (1856). *P. Vinula, Brunn.* l. c. p. 100. n. 14 (1865).	Natal.
30. **P. Fulvipes, Walk. (*Blatta F.*) Cat. Blatt. B. M. p. 105. n. 82 (1868).	Sierra Leone.
31. **P. Amœna, Walk. (*Blatta Amœna*) l. c. p. 220 (1868).	W. Africa, Natal.
32. **P. Alluaudi, Bol.** (*Blatta A.*) Ann. Soc. Ent. France, 1893, p. 171.	W. Africa (Assinie).
33. **P. Macroptera, Walk. (*Blatta M.*) l. c. p. 104. n. 80 (1868).	Natal.
34. **P. Reducta, Walk. (*Blatta R.*) l. c. p. 220 (1868).	W. Africa.
35. **P. Trigonalis, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 574 (1899).	S. Africa.
36. **P. Carsiphila, Rochebr.** Bull. Soc. Philom. (7) vii. p. 175 (1883).	Senegambia
37. **P. Beauvoisii, Walk. (*Blatta B.*) l. c. p. 101. n. 72 (1868).	Sierra Leone.
38. **P. Curta, Walk. (*Blatta C.*) l. c. p. 220 (1868).	Congo.
39. **P. Basalis, Gerst.** l. c. p. 63 (1883).	Cameroons.
40. **P. Punctifrons, Gerst.** l. c. (1883).	id., Gaboon.

41. **P. Ægrota, Gerst.** l. c. p. 64 (1883).	Ogowe.
42. **P. Relucens, Gerst.** l. c. p. 65 (1883).	id.
43. **P. Amplicollis, Gerst.** l. c. p. 66 (1883).	Gaboon.
44. **P. Obsoleta, Gerst.** l. c. (1883).	Gold Coast.
45. **P. Munzigeri, Sauss.** (*Blatta* (*Phyllodromia*) *M.*) Mém. Soc. Genève, xxiii. p. 94 (1873).	W. Africa (Bogos).
46. **P. Opima, Sauss. & Zehntn.** l. c. p. 40, pl. 1. f. 13 (1895).	Madagascar
‖ *Blatta* (*Phyllodromia*) *Latipennis*, *Sauss.* Soc. Ent. vi. p. 26 (1891).	
47. **P. Anomala, Sauss.** (*Blatta A.*) Mém. Soc. Genève, xx. p. 248 (1869).	Gaboon.
48. **P. Sikoræ, Sauss.** (*Blatta* (*Phyllodromia*) *S.*) Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. l. c. p. 34, pl. 6. f. 67 (1895).	Madagascar (Antananarivo).
49. **P.** (**?**) **Bicincta, Walk.** (*Blatta B.*) Melliss, St. Helena, p. 166 (1875).	St. Helena.
50. **P. Asiatica, Pall.** (*Blatta A.*) Reise, ii. p. 727. n. 76 (1773).	Siberia.
*†51. **P. Lituricollis, Walk.** (*Blatta L.*) l. c. p. 105. n. 83 (1868).	Amoy.
52. **P. Colligata, Walk.** (*Blatta C.*) l. c. p. 221 (1868).	id.
53. **P. Bisignata, Brunn.** Ann. Mus. Genov. xxxiii. p. 15, pl. 1. f. 1 (1893).	Bhamo.
Blatta Bisignata, *Sauss. & Zehntn.* l. c. p. 28 (1896).	
54. **P. Picteti, Fritze,** Rev. Suisse Zool. vii. p. 337 (1900).	Java.
*55. **P. Humbertiana, Sauss.** (*Polyzosteria H.*) Mém. Soc. Genève, xvii. p. 130 (1863), *larva.*	China, India.
P. Cognata, *Brunn.* Syst. Blatt. p. 92. n. 2 (1865); Ann. Mus. Genova, xxxiii. p. 17 (1893).	
Blatta Cognata, *Sauss. & Zehntn.* l. c. p. 30 (1895).	
Blatta Latistriga, *Walk.* l. c. p. 106. n. 84 (1868).	
Blatta Subreticulata, *Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871).	
56. **P. Irregulariter-vittata, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 202, pl. 16. f. 1 (1898).	Java, Borneo.
57. **P. Latiusvittata, Brunn.** l. c. f. 2 (1898).	Java.

58. **P. Curvinervis, Sauss. & Zehntn.** (*Blatta C.*) l. c. p. 32 (1895).	Java, Borneo.
59. **P. Advena, Sauss. & Zehntn.** l. c. p. 33, pl. 1. f. 9 (1895).	Java.
60. **P. Variegata, Brunn.** l. c. p. 205, pl. 16. f. 10 (1898).	id.
61. **P. Sordida, Brunn.** Syst. Blatt. p. 104. n. 21 (1865).	Cambodia.
62. **P. Figurata, Walk. (*Blatta F.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 24 (1871).	Bombay.
63. **P. Rectangulariter-vittata, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 203, pl. 16. f. 3 (1898).	Borneo.
64. **P. Triangulariter-vittata, Brunn.** l. c. f. 4 (1898).	id. (Baram).
65. **P. (?) Subcolorata, Walk. (*Ischnoptera S.*) l. c. p. 32 (1871).	Bombay.
66. **P. Annulifera, Walk. (*Blatta A.*) l. c. p. 24 (1871).	id.
67. **P. Fasciceps, Walk. (*Blatta F.*) l. c. p. 25 (1871).	id.
68. **P. Diluta, Sauss.** (*Blatta D.*) Mém. Soc. Genève, xvii. p. 153 (1863); Sauss. & Zehntn. l. c. p. 31 (1895).	Ceylon.
69. **P. Inversa, Brunn.** l. c. p. 96 (1865).	Java.
70. **P. Humeralis, Walk.** (*Blatta H.*) Cat. Blatt. B. M. Suppl. p. 140 (1869).	Singapore.
71. **P. Laticeps, Walk.** (*Blatta L.*) l. c. p. 142 (1869).	id.
72. **P. Aliena, Brunn.** Ann. Mus. Genova, xxxiii. p. 15 (1893).	Upper Burma.
73. **P. Biligata, Walk. (*Ischnoptera B.*) Cat. Blatt. B. M. p. 123. n. 45 (1868). *Blatta Biligata, Wall.* l. c. p. 227 (1868).	Ceylon, Celebes.
74. **P. Brevipes, Walk. (*Blatta B.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 22 (1871).	Bombay.
75. **P. Picticollis, Walk.** (*Blatta P.*) Cat. Blatt. B. M. Suppl. p. 140 (1869).	Celebes.
76. **P. Nodosa, Fritze,** (*Blatta N.*) Rev. Suisse Zool. vii. p. 335 (1899).	Java.
77. **P. Ferruginea, Brunn.** Syst. Blatt. p. 102. n. 19 (1865).	"E. Indies."
78. **P. Apicigera, Walk.** (*Blatta A.*) Cat. Blatt. B. M. p. 227 (1868).	Java.
79. **P. Lativitrea, Walk. (*Blatta L.*) l. c. p. 223 (1868).	Cambodia.

80. **P. Birmanica, Brunn.** Ann. Mus. Genov. xxxiii. p. 17, pl. 1. f. 1 (1893).	Burma.
81. **P. Subtilis, Brunn.** l. c. p. 18 (1893).	Pegu.
*82. **P. Unicolor, Brunn.** l. c. (1893).	Mandalay.
83. **P. Punctulata, Brunn.** l. c. (1893).	Up. Burma.
84. **P. Marmorata, Brunn.** l. c. p. 19 (1893).	Burma.
85. **P. Vicina, Brunn.** l. c. (1893).	id.
86. **P. Immunda, Brunn.** l. c. p. 20 (1893).	id., Pegu.
87. **P. Subgenitalis, Fritze,** (*Blatta S.*) l. c. p. 336 (1899).	Java, Sumatra.
P. Subgenitalis, var. *Obscurior*, *Fritze*, l. c. (1899).	
88. **P. Isomorpha, Walk. (*Blatta I.*) Cat. Blatt. B. M. p. 108. n. 90 (1868).	Hong Kong.
89. **P. Vilis, Brunn.** Syst. Blatt. p. 103. n. 20 (1865).	Malacca.
? *Blatta Humbertiana*, *Sauss.* Mém. Soc. Genève, xvii. p. 155 (1863), xx. p. 246 (1869).	
P. Humbertiana, *Sauss.* Abhandl. Senckenb. Ges. xxi. p. 574 (1899).	
90. **P. Parilis, Walk. (*Blatta P.*) l. c. p. 110. n. 93 (1868).	Hong Kong, Amoy.
91. **P. Marginata, Bol.** (*Blatta M.*) Ann. Soc. Ent. France, 1897, p. 288.	India (Trichinopoly).
92. **P. Lycoides, Walk. (*Blatta L.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871).	Bombay.
93. **P. Inexacta, Walk. (*Blatta I.*) l. c. p. 26 (1871).	id.
94. **P. Molesta, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 203, pl. 16. f. 5 (1898).	Java.
95. **P. Fuliginosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 16, pl. 1. f. 2 (1893).	Burma.
96. **P. Lugubris, Brunn.** l. c. f. 3 (1893).	Rangoon.
97. **P. (?) Parvula, Walk. (*Blatta P.*) Cat. Blatt. B. M. p. 108. n. 80 (1868).	India.
*98. **P. Longealata, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 205, pl. 16. f. 9 (1898).	Sarawak.
*99. **P. (?) Gyrinoides, Walk.** (*Blatta G.*) l. c. p. 97. n. 64 (1868).	Ceylon.
100. **P. Elegans, Walk.** (*Blatta E.*) l. c. p. 226 (1868).	Sarawak.
101. **P. Contingens, Walk.** (*Blatta C.*) l. c. p. 229 (1868).	id.
102. **P. Laterifera, Walk.** (*Blatta L.*) l. c. p. 231 (1868).	id.

103. **P. Nitens, Brunn.** l. c. xxiv. p. 204. pl. 16. f. 6 (1898).	Borneo (Brunei).
104. **P. Castanea, Brunn.** l. c. f. 7 (1898).	id.
105. **P. Laticaput, Brunn.** l. c. p. 205, pl. 16. f. 8 (1898).	Borneo.
106. **P. Terminalis, Brunn.** l. c. p. 206, pl. 16. f. 11 (1898).	id.
107. **P. Puncticollis, Brunn.** l. c. f. 12 (1898).	id.
108. **P. Propinqua, Walk.** (*Blatta P.*) l. c. p. 228 (1868).	Celebes.
109. **P. Sequens, Walk.** (*Blatta S.*) l. c. p. 229 (1868).	id.
110. **P. Affinis, Sauss.** (*Blatta A.*) Mém. Soc. Genève, xx. p. 248 (1869).	Banda.
111. **P. Amplectens, Walk.** (*Blatta A.*) l. c. p. 223 (1868).	Morty.
112. **P. Suffusa, Walk.** (*Blatta S.*) l. c. (1868).	N. Guinea.
113. **P. Contigua, Walk.** (*Blatta C.*) l. c. p. 228 (1868).	id.
114. **P. Guttifera, Walk.** (*Blatta G.*) l. c. p. 230 (1868).	Aru.
115. **P. Spuria, Brunn.** Syst. Blatt. p. 96. n. 9 (1865).	Fiji.
116. **P. Australiæ, Brunn.** l. c. p. 95. n. 7 (1865) ; Tepp. Tr. R. Soc. S. Australia, xvii. p. 42 (1893).	Sydney.
117. **P. Femorata, Brunn.** l. c. p. 101. n. 18 (1865).	id.
118. **P. Similis, Sauss.** (*Blatta S.*) l. c. xx. p. 245 (1869).	Australia(?)
119. **P. Papua, Sauss. & Zehntn.** (*Blatta P.*) l. c. p. 25, note (1895).	Rockhampton.
120. **P. Circumducta, Walk.** (*Blatta C.*) l. c. Suppl. p. 142 (1869). *Ischnoptera Circumducta, Tepp.* l. c. xvii. p. 51 (1893).	Australia.
121. **P. Hospes, Perk. Fauna Hawaiiensis, Orth. p. 5 (1899).	Hawaiian Islands.
122. **P. Borealis, Sauss.** (*Blatta B.*) Rev. Zool. (2) xiv. p. 166 (April 1862) ; Mém. Mex., Blatt. p. 96, pl. 1. f. 13 (1864) ; Miss. Mex., Orth. p. 42 (1870). *Phyllodromia Borealis, Brunn.* l. c. p. 101. n. 17 (1865). *Ectobia Flavocincta, Scudd.* Boston Journ. Nat. Hist. vii. p. 419. n. 3 (Nov. 1862) ; Brunn. l. c. p. 57. n. 3 (1865).	N. America.

123. **P. Notata, Brunn. Proc. Zool. Soc. Lond. 1893. p. 602. pl. 52. f. 1 *a. b.*	Grenada.
124. **P. Punctulata, Beauv.** (*Blatta P.*) Ins. Afr. Amér. p. 184. Orth. pl. 1 *b.* f. 8 (1805). *Ischnoptera Punctulata, Sauss.* Mém. Mex., Blatt. p. 91 (1864).	Haiti.
*124 *a.* **P. Adspersicollis, Stål,** (*Blatta A.*) Eugenie's Resa, Ins. p. 308 (1858); Sauss. Miss. Mex., Orth. p. 35. pl. 1. f. 22 (1870). *Phyllodromia Adspersicollis, Brunn.* Syst. Blatt. p. 107. n. 26 (1865). *Blatta Nahua, Sauss.* Rev. Zool. (2) xx. p. 355 (1868); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 42, pl. 4. ff. 19–21 (1893). *Blatta Latimarco, Walk.* Cat. Blatt. B. M. p. 97. n. 65 (1868). *Blatta Latimargo, Walk.* l. c. p. 236 (*Index*) (1868). *Blatta Nahua*, var. *Minor, Sauss. & Zehntn.* l. c. p. 43 (1893).	Brazil (Rio Janeiro), Mexico, W. Indies, Honduras, Hong Kong.
125. **P. Vacillans, Walk. (*Ischnoptera V.*) l. c. p. 114. n. 15 (1868).	Haiti.
126. **P. Brunneriana, Sauss.** (*Blatta B.*) l. c. (2) xx. p. 98 (1868); Miss. Mex., Orth. p. 32, pl. 1. f. 20 (1870).	Mexico.
127. **P. Conspersa, Brunn.** l. c. p. 106. n. 24 (1865).	Brazil.
128. **P. Fasciata, Brunn.** l. c. p. 107. n. 25 (1865).	id.
129. **P. Festæ, Giglio-Tos,** (*Blatta F.*) Boll. Mus. Torino, xiii. (311) p. 2 (1898).	Ecuador.
*130. **P. Delicatula, Guér.** (*Blatta (Phyllodromia) D.*) Ramon de la Sagra, Hist. Cuba, Ins. p. 346 (1847). *Blatta Delicatula, Sauss.* Mém. Mex., Blatt. p. 104, pl. 1. f. 17 (1864); Miss. Mex., Orth. p. 33 (1870).	Cuba, Mexico.
131. **P. Azteca, Sauss. & Zehntn. l. c. p. 43. n. 5 (1893).	Mexico.
132. **P. Detersa, Walk. (*Blatta D.*) l. c. p. 215 (1868).	Jamaica.
133. **P. Alaris, Sauss. & Zehntn. (*Blatta A.*) l. c. p. 43. n. 6 (1893).	Mexico.
134. **P. Albida, Sauss.** (*Blatta A.*) Rev. Zool. (2) xxi. p. 110 (1869); Miss. Mex., Orth. p. 37 (1870).	New Granada.

135. **P. Pellucida, Burm.** (*Blatta P.*) Handb. Ent. ii. p. 498. n. 12 (1838). *Phyllodromia Pellucida, Brunn.* l. c. p. 109. n. 30 (1865).	Para.
136. **P. Totonaca, Sauss.** (*Blatta T.*) Rev. Zool. (2) xiv. p. 165 (1862): Mém. Mex., Blatt. p. 101 (1864): Miss. Mex., Orth. p. 37, pl. 1. f. 23 (1870). *P. Totonaca, Brunn.* l. c. p. 94. n. 5 (1865).	Mexico.
137. **P. Minor, Brunn.** l. c. n. 6 (1865).	Brazil.
138. **P. Fraterna, Sauss. & Zehntn. l. c. p. 44. n. 9 (1893).	Nicaragua (Chontales)
139. **P. Dilatata, Sauss.** (*Blatta D.*) Rev. Zool. (2) xx. p. 98 (*nec* ♂) (1868): Miss. Mex., Orth. p. 32, pl. 1. f. 19 (1870): Sauss. & Zehntn. l. c. p. 44. n. 10 (1893).	Mexico.
140. **P. Vitrea, Brunn.** l. c. p. 109. n. 28, pl. 2. f. 8 A–E (1865). *Blatta Vitrea, Sauss.* Miss. Mex., Orth. p. 30, pl. 1. f. 18 (1870). *Blatta Dilatata,* ♂, *Sauss.* Rev. Zool. (2) xx. p. 98 (1868).	id., Fiji.
141. **P. Orizabæ, Sauss.** (*Blatta O.*) Rev. Zool. (2) xx. p. 355 (1868); Miss. Mex., Orth. p. 39, pl. 1. ff. 24, 24 *b* (1870).	Mexico.
*142. **P. Acolhua, Sauss.** (*Blatta A.*) ll. cc. (2) xx. p. 99 (1868); p. 40, pl. 1. f. 25 *a* (1870).	id.
143. **P. Maya, Sauss. & Zehntn. (*Blatta M.*) l. c. p. 45. n. 14 (1893).	Yucatan.
*144. **P. Zapoteca, Sauss.** (*Blatta Z.*) Rev. Zool. (2) xiv. p. 166 (1862); Mém. Mex., Blatt. p. 105 (1864); Miss. Mex., Orth. p. 34 (1870); Sauss. & Zehntn. l. c. p. 45. n. 15 (1893).	Mexico, Guatemala.
145. **P. Chicnimeca, Sauss. & Zehntn. (*Blatta C.*) l. c. p. 46. n. 16, pl. 4. f. 22 (1893).	Mexico.
*146. **P. Mexicana, Sauss.** Rev. Zool. (2) xvi. p. 311 (1864); Miss. Mex., Orth. p. 28 (1870).	id.
147. **P. Insularis, Walk. (*Blatta I.*) l. c. p. 101. n. 73 (1868).	Jamaica.
148. **P. Parana, Walk. (*Blatta P.*) l. c. p. 100. n. 70 (1868).	Para.

149. **P. Santarema, Walk. (*Blatta S.*) l. c. p. 107. n. 86 (1868).	Santarem.
150. **P. Flexivitta, Walk. (*Blatta F.*) l. c. p. 216 (1868).	id.
151. **P. Varicornis, Walk. (*Blatta V.*) l. c. (1868).	id.
152. **P. Cercalis, Walk. (*Blatta C.*) l. c. p. 214 (1868).	Hab. —— ?
153. **P. Pallipes, Scudd.** P. Boston Soc. N. H. xii. p. 342 (1869).	Napo or Maranon.
154. **P. Pumicata, Stål,** (*Blatta P.*) Eugenie's Resa, Orth. p. 309 (1858).	Rio Janeiro.
155. **P. Fusca, Sauss.** (*Blatta F.*) Rev. Zool. (2) xxi. p. 110 (1869); Miss. Mex., Orth. p. 28 (1870).	Argentina (Corrientes).
156. **P. (?) Nigrita, Bol.** (*Blatta N.*) An. Soc. Españ. x. p. 477 (1881).	Ecuador.
157. **P. Partita, Walk. (*Blatta P.*) l. c. p. 104. n. 81 (1868).	Hab. —— ?
158. **P. Borellii, Giglio-Tos,** Boll. Mus. Torino, ix. (184) p. 2 (1894).	Paraguay.
159. **P. Reticularis, Blanch.** (*Blatta R.*) Gay, Hist. Chile, Zool. vi. p. 15 (1852); Sauss. Miss. Mex., Orth. p. 29 (1870).	Chile.
160. **P. Strigata, Blanch.** (*Blatta S.*) l. c. p. 17, pl. 1. f. 4 (1852); Sauss. l. c. p. 41 (1870). *Ischnoptera Strigata, Brunn.* l. c. p. 140. n. 19 (1865).	id.

Genus 24. **Mallatoblatta.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. pp. 17, 41 (1895).

1. **M. Pubescens, Sauss. & Zehntn.** l. c. p. 42, pl. 2. f. 19 (1895).	Madagascar (Antananarivo).
2. **M. Pilosella, Sauss. & Zehntn.** l. c. p. 44, pl. 2. ff. 20, 20 *a* (1895).	id.

Genus 25. **Onychostylus.**

Bol. Ann. Soc. Ent. France, 1897, p. 289.

1. **O. Unguiculatus, Bol.** l. c. p. 290, pl. 10. ff. 4, 4 *a*, *b* (1897).	India (Trichinopoly).

Genus 26. **Desmosia.**

Bol. Ann. Soc. Ent. France, 1895, p. 369.

1. **D. Alluaudi, Bol.** l. c. p. 371 (1895).	Seychelles.

Genus 27. **Mareta.**

Bol. Ann. Soc. Ent. France, 1895, p. 371.

1. **M. Innotabilis, Walk. (*Blatta I.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 21 (1871). *M. Conspicienda, Bol.* l. c. p. 371 (1895).	Seychelles.

Genus 28. **Pseudophyllodromia.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 111 (1865); (?) Sauss. Miss. Mex., Orth. p. 42 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 46 (1893).

1. **P. Ornata, Brunn.** l. c. p. 112, pl. 3. f. 9 (1865).	Philippines.
2. **P. Heydeniana, Sauss.** (*Ellipsidion Heydenianum*) Rev. Zool. (2) xvi. p. 313 (1864). *Ellipsidium Heydenianum, Sauss.* Mém. Mex., Blatt. p. 119 (1864).	Brazil.
3. **P. Peruana, Sauss.** (*Blatta P.*) ll. cc. (2) xvi. p. 311 (1864); p. 115 (1864).	Peru.
4. **P. Angustata, Latr.** (*Blatta A.*) Humb. & Bonpl. Obs. Zool. i. p. 146, pl. 15. f. 9 (1807). *P. Angustata, Sauss.* Miss. Mex., Orth. p. 44 (1870).	Vera Cruz.
*5. **P. Venosa, Sauss.** (*Blatta V.*) Rev. Zool. (2) xvi. p. 310 (1864); Mém. Mex., Blatt. p. 106 (1864). *P. Angustata*, var. *Venosa, Sauss.* Miss. Mex., Orth. p. 45 (1870). *P. Venosa, Sauss. & Zehntn.* l. c. p. 47 (1893).	Mexico.
6. **P. Literata, Burm.** (*Blatta L.*) Handb. Ent. ii. p. 497. n. 7 (1838).	Surinam.
7. **P. Alternans, Serv.** (*Blatta A.*) Ins. Orth. p. 114 (1839). *Phyllodromia Alternans, Brunn.* l. c. p. 99. n. 12 (1865).	Cayenne.

8. **P. Liturifera, Walk. (*Blatta* (?) *L.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 21 (1871).	"W Coast of N. Amer."
9. **P. Obscura, Sauss.** Mém. Soc. Genève, xxiii. p. 98 (1873).	Brazil.
10. **P. Lineolata, Sauss.** l. c. p. 99 (1873).	id.
11. **P. Fasciatella, Sauss.** Rev. Zool. (2) xx. p. 99 (1868); Miss. Mex., Orth. p. 45, pl. 1. ff. 26, 26 *a* (1870).	Surinam.
12. **P. Histrio, Sauss.** ll. cc. (2) xxi. p. 110 (1869); p. 46 (1870).	Colombia.
13. **P. Semivitrea, Brunn. Proc. Zool. Soc. Lond. 1892, p. 203, pl. 15. f. 2.	W. Indies (St. Vinc.).
14. **P. Maximiliani, Sauss.** Mém. Soc. Genève, xxiii. p. 100, pl. 10. f. 35 (1873).	Mexico.
15. **P. Albinervis, Brunn. Proc. Zool. Soc. Lond. 1893, p. 602.	W. Indies (Grenada).
16. **P. Reticulosa, Walk. (*Blatta R.*) Cat. Blatt. B. M. p. 103. n. 77 (1868).	Jamaica.
17. **P. Variegata, Walk. (*Blatta V.*) l. c. p. 112. n. 97 (1868).	Para.
18. **P. Perloides, Walk. (*Blatta P.*) l. c. p. 217 (1868).	Brazil.

Genus 29. **Ceratinoptera.** (*Type* no. 11.)

Brunn. Syst. Blatt. p. 75 (1865); Sauss. Miss. Mex., Orth. p. 20 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 47 (1893).

1. **C. Inscripta, Walk. (*Periplaneta I.*) Cat. Blatt. B. M. p. 145. n. 58 (1868).	Natal.
2. **C. Dimidiata, Gerst.** Arch. Naturg. xxxv. p. 205 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 3 (1873).	E. Africa (Endara).
3. **C. Hottentotta, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 575 (1899).	S. Africa.
4. **C. Sundaica, Fritze,** Rev. Suisse Zool. vii. p. 338 (1900).	Java.
5. **C. Diaphana, Fabr.** (*Blatta D.*) Ent. Syst. ii. p. 11. n. 25 (1792); Burm. Handb. Ent. ii. p. 496. n. 3 (1838); Sauss. Mém. Mex., Blatt. p. 95 (1864); Miss. Mex., Orth. p. 20 (1870). *C. Diaphana, Brunn.* l. c. p. 76. n. 1 (1865); Sauss. & Zehntn. l. c. p. 48, pl. 3. ff. 27–29 (1893).	W. Indies: St. Thomas, Cuba, Porto Rico.

6. **C. (?) Pygmæa, Beauv.** (*Blatta P.*) Ins. Afr. Amér. p. 184, Orth. pl. 1 *b*. f. 9 (1805); Sauss. Mém. Mex., Blatt. p. 118 (1864).	Haiti.
7. **C. Poeyi, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 164 (1862); Mém. Mex., Blatt. p. 94 (1864). *C. Poeyi, Brunn.* l. c. p. 79. n. 5 (1865).	Cuba.
8. **C. Porcellana, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 164 (1862). *C. Porcellana, Brunn.* l. c. p. 79. n. 6 (1865).	id.
9. **C. Lutea, Sauss. & Zehntn. l. c. p. 48 (1893).	Georgia, &c.
*10. **C. Olmeca, Sauss.** l. c. (2) xx. p. 354 (1868); Miss. Mex., Orth. p. 20, pl. 1. ff. 17, 17 *a*, *b* (1870).	Mexico (Orizaba).
11. **C. Picta, Brunn.** l. c. p. 76. n. 2, pl. 1. f. 4 A–E (1865).	Brazil.
12. **C. Castanea, Brunn.** l. c. p. 77. n. 3 (1865).	id.
13. **C. Peruviana, Brunn.** l. c. p. 78. n. 4 (1865).	Peru.
14. **C. Facies, Walk. (*Blatta F.*) Cat. Blatt. B. M. p. 102. n. 75 (1868).	Hab. ——?

Genus 30. **Allacta.** (*Type* no. 23.)

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 45 (1895).

‖ *Abrodiata, Brunn.* Ann. Mus. Genova, xxxiii. p. 20 (1893).

1. **A. Transversalis, Walk. (*Blatta T.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 25 (1871).	Bombay.
2. **A. Subrotundata, Walk. (*Blatta S.*) l. c. p. 26 (1871).	id.
3. **A. Funebris, Walk.** (*Blatta F.*) Cat. Blatt. B. M. p. 225 (1868).	Sarawak.
4. **A. Submarginata, Walk. (*Blatta S.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 27 (1871).	Cahar.
5. **A. Concisa, Walk. (*Blatta C.*) l. c. p. 29 (1871).	Australia.
6. **A. Ramifera, Walk. (*Blatta R.*) l. c. p. 27 (1871).	Nepal.
7. **A. Crassivenosa, Bol.** (*Ceratinoptera (Allacta) C.*) Ann. Soc. Ent. France, 1897, p. 290.	India.

8. **A. Telephoroides, Walk. (*Blatta T.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871).	Bombay.
9. **A. Ignobilis, Walk.** (*Blatta I.*) Cat. Blatt. B. M. p. 224 (1868).	Sula.
10. **A. (?) Induta, Bol.** (*Ceratinoptera I.*) l. c. p. 291 (1897).	India (Madura).
11. **A. Modesta, Brunn.** (*Abrodiata M.*) l. c. xxxiii. p. 21, pl. 1. f. 5 (1893).	Burma.
12. **A. Latipennis, Brunn.** (*Phyllodromia L.*) Syst. Blatt. p. 109. n. 31 (1865).	Ceylon, Sydney, N. Zeal.
13. **A. Conjuncta, Walk. (*Blatta C.*) l. c. p. 109. n. 91 (1868).	N. Zealand.
14. **A. Arborifera, Walk. (*Blatta A.*) l. c. p. 100. n. 71 (1868).	Pulo Penang.
15. **A. Marmorata, Walk.** (*Blatta M.*) l. c. Suppl. p. 140 (1869).	Mount Ophir.
16. **A. Hamifera, Walk.** (*Blatta H.*) Cat. Blatt. B. M. p. 224 (1868).	Sarawak.
17. **A. Megaspila, Walk. (*Blatta M.*) l. c. p. 98. n. 66 (1868).	Java.
18. **A. Polygrapha, Walk.** (*Blatta P.*) l. c. p. 222 (1868).	Siam.
*19. **A. Notulata, Ståll,** (*Blatta N.*) Eugenie's Resa, Orth. p. 308 (1858). *Phyllodromia Hieroglyphica, Brunn.* l. c. p. 105. n. 22 (1865).	Taiti, Borneo.
19 *a.* **A. Ceylanica, Sauss.** (*Blatta C.*) Rev. Zool. (2) xx. p. 355 (1868); Mém. Soc. Genève, xx. p. 247 (1869).	Ceylon.
20. **A. Patula, Walk.** (*Blatta P.*) l. c. Suppl. p. 143 (1869).	Sydney.
21. **A. Obtusata, Brunn. (*Phyllodromia O.*) Proc. Zool. Soc. Lond. 1895, p. 892.	Hawaiian Islands.
*22. **A. Liturata, Tepp.** (*Phyllodromia L.*) Tr. R. Soc. S. Australia, xix. p. 150 (1895).	Victoria.
*23. **A. Lobata, Sauss.** (*Blatta (Phyllodromia) L.*) Soc. Ent. vi. p. 25 (1891). *A. Lobata, Sauss. & Zehntn.* l. c. p. 46, pl. 1. f. 4 (1895).	Madagascar
*24. **A. Undata, Sauss. & Zehntn.** l. c. p. 47, pl. 1. f. 5 (1895).	id. (Antananarivo).
*25. **A. Brachyptera, Sauss. & Zehntn.** l. c. p. 49, pi. 1. f. 6 (1895).	id.
26. **A. Abbreviata, Sauss. & Zehntn.** l. c. p. 50 (1895).	Madagascar

Genus 31. **Duryodana.**

Kirb. Ann. Nat. Hist. (7) xii. p. 274 (1903).

*1. **D. Palpalis, Walk.** (*Blatta P.*) Cat. Blatt. B. M. p. 225 (1868). *Phyllodromia Palpata, Brunn.* Abhandl. Senckenb. Ges. xxiv. p. 207, pl. 16. f. 13 (1898).	Borneo (Sarawak, Baram).

Genus 32. **Paraceratinoptera.**

Sauss. Rev. Zool. (2) xx. p. 357 (1868); Miss. Mex., Orth. p. 87 (1870).

1. **P. Nahua, Sauss.** ll. cc. p. 357 (1868); p. 87, pl. 1. f. 30 *a*, pl. 2. ff. 47, 47 *a* (1870).	Mexico, Guatemala.
2. **P. Dohrniana, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 49. n. 2 (1893).	Guatemala.

Genus 33. **Anisopygia.**

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 49 (1893).

1. **A. Jocosicluna, Sauss. l. c. p. 57 (1893); Sauss. & Zehntn. l. c. p. 50 (1893).	Guatemala.

Genus 34. **Paraloboptera.**

Sauss. Miss. Mex., Orth. p. 86 (1870).
‖ *Hypocrita, Sauss.* Rev. Zool. (2) xx. p. 99 (1868).

1. **P. Unicolor, Sauss.** (*Hypocrita U.*) l. c. p. 100 (1868). *P. Unicolor, Sauss.* Miss. Mex., Orth. p. 86, pl. 2. ff. 46, 46 *a* (1870).	Buenos Aires.

Genus 35. **Loboptera.**

Brunn. Syst. Blatt. p. 79 (1865); Prodr. Eur. Orth. p. 17 (1882); Bol. Sin. Ortópt. Españ. p. 45 (1876); Fin. Faune France, Orth. p. 82 (1890); Tümp. Geradflügler Mitteleuropas, p. 235 (1901).

*1. **L. Decipiens, Germ.** (*Blatta D.*) Reise in Dalmatien, p. 249. n. 314 (1817);	Dalmatia; S. Europe,

Charp. Hor. Ent. p. 78 (1825); Serv. Ins. Orth. p. 164 (1839).	Madeira, Asia Minor.
Polyzosteria Decipiens, Burm. Handb. Ent. ii. p. 483. n. 4 (1838); Fisch. Orth. Eur. p. 92, pl. 7. ff. 1, 1 *a–f* (1853).	
Loboptera Decipiens, Brunn. ll. cc. p. 80. n. 1. pl. 2. f. 5 A–C (1865); p. 48. n. 1 (1882); Bol. l. c. p. 46, pl. 1. f. 18 (1876); Fin. l. c. p. 82, pl. 2. f. 48 (1900); Tümp. l. c. p. 235 (1901).	
Blatta Limbata, Charp. l. c. p. 77 (1825).	
Polyzosteria Limbata, Fisch. l. c. p. 93, pl. 7. f. 2 *a–c* (1853).	
Loboptera Limbata, Brunn. Syst. Blatt. p. 81. n. 2 (1865); Bol. l. c. p. 47 (1876).	
2. **L. Fortunata, Krauss,** Zool. Anz. xv. p. 165 (1892).	Canaries (Palma).
3. **L. Maroccana, Bol.** Actas Soc. Españ. xxiii. p. 84, figs. (1894).	Morocco.
4. **L. Minor, Bol.** l. c. p. 85 (1894).	id.
5. **L. Duplovittata, Sauss.** Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. Grandid. Hist. Madagascar, Orth. i. p. 54, pl. 1. f. 14 (1895).	Madagascar (Imerina).
6. **L. Peculiaris, Burr, Bull. Liverpool Mus. ii. p. 42 (1900); Nat. Hist. Sokotra, p. 415, pl. 25. f. 8 (1903).	Sokotra.
7. **L. Tartara, Sauss.** Fedchenko, Reise Turkestan, Orth. p. 8, pl. 1. f. 5 (1874).	Sarafshan.
*8. **L. Indica, Brunn.** l. c. p. 82. n. 4 (1865).	India.
9. **L. Lepida, Walk. (*Blatta L.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 28 (1871).	Australia.
10. **L. Halmaturina, Tepp.** Tr. R. Soc. S. Australia, xvii. p. 36 (1893).	Kangaroo I.
11. **L. Duodecimsignata, Tepp.** l. c. (1893).	Adelaide.
12. **L. Circumcincta, Tepp.** l. c. p. 37 (1893).	Kangaroo I., &c.
13. **L. Tricolor, Tepp.** Horn Exped. Centr. Australia, ii. p. 357 (1896).	Central Australia.
14. **L. Trivittata, Erichs.** (*Blatta T.*) Arch. Naturg. viii. (1) p. 248. n. 211 (1842).	Tasmania.
L. Trivittata, Brunn. l. c. p. 82. n. 3 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 36 (1893).	

15. **L. Extranea, Perk. Faun. Haw., Orth. p. 6 (1899).	Hawaiian Islands.
16. **L. Americana, Scudd.** Canad. Ent. xxxii. pp. 93, 329, pl. 2. f. 4 (1900).	Arizona.
17. **L. Annulicornis, Sauss. & Zehntn. Biol.-Centr. Amer., Orth. i. p. 54 (1893).	Mexico.
18. **L. Æqualis, Walk. (*Blatta Æ.*) Cat. Derm. Salt. v. Suppl. Blatt. p. 21 (1871).	Brazil (Tejuca).
19. **L. Laurenziana, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 2 (1897).	Argentina.
20. **L. Borellii, Giglio-Tos,** l. c. p. 3 (1897).	id., Bolivia.
21. **L. Araucana, Sauss.** Rev. Zool. (2) xxi. p. 109 (1869); Miss. Mex., Orth. p. 21 (1870).	Chili.

Genus 36. **Temnopteryx.** (*Type* no. 9.)

Brunn. Syst. Blatt. p. 83 (1865): Sauss. Miss. Mex., Orth. p. 22 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 50 (1893); Grandidier, Hist. Madagascar, Orth. i. pp. 18, 50 (1895).

1. **T. Brachyptera, Bol.** An. Soc. Españ. xix. p. 301, pl. 1. f. 2 (1890).	N. Africa.
*2. **T. Schulthessi, Kirb.** (n. n.). ‖ *T. Ferruginea, Schulth.* Ann. Mus. Genova, xxxix. p. 165 (1898).	S., W., & E. Africa; Ceylon.
3. **T. Abyssinica, Sauss.** Mém. Soc. Genève, xxiii. p. 93 (1873).	Abyssinia (Tigré).
4. **T. Saussurei, Bol.** Ann. Soc. Ent. France, lxvi. p. 292 note (1897). ‖ *T. Abyssinica, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 51 note (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 576 (1899).	id. (Massowa).
5. **T. Transvaaliensis, Kirb.** (*Aphlebia T.*) Ann. Nat. Hist. (7) v. p. 278 (1900); Distant, Ins. Transvaal. p. 29, pl. 1. f. 6 (1900).	Pretoria.
6. **T. Variegata, Schulth.** Bull. Soc. Vaudoise, xxxv. p. 191, pl. 8. f. 1 (1899).	Delagoa Bay.
7. **T. Elizabethæ, Kirb. (n. n.) ‖ *Aphlebia Bicolor, Kirb.* Ann. Nat. Hist. (7) v. p. 279 (1900).	Cape Col. (Port Eliz.).
8. **T. (?) Misella, Stål,** (*Blatta M.*) Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856).	Natal.

Phyllodromia Misella, Brunn. l. c. p. 101. n. 16 (1865).	Natal.
*9. **T. Phalerata, Sauss.** (*Blatta P.*) Rev. Zool. (2) xvi. p. 309 (1864).	Cape Town.
T. Capensis, Brunn. l. c. p. 84. n. 1, pl. 2. f. 6 A, B (1865).	
*10. **T. Inconspicua, Brunn.** l. c. p. 85. n. 2 (1865).	Cape.
11. **T. Caffra, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 577 (1899).	S. Africa.
12. **T. Nana, Sauss.** Mém. Soc. Genève, xx. p. 241 (1869).	Senegal.
13. **T. Sakalava, Sauss.** Soc. Ent. vi. p. 25 (1891); Abhandl. Senckenb. Ges. xxi. p. 576 (1899); Sauss. & Zehntn. l. c. p. 51, pl. 1. f. 16 (1895).	Madagascar (Imerina).
14. **T. Panteli, Sauss.** Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. l. c. p. 52, pl. 1. f. 15 (1895).	Madagascar
15. **T. Madecassa, Sauss. & Zehntn.** l. c. p. 53 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 575 (1877).	id.
16. **T. Abbreviata, Sauss.** (*Blatta A.*) Mém. Soc. Genève, xvii. p. 149, pl. 1. f. 13 (1864).	Réunion.
T. Abbreviata, Sauss. & Zehntn. l. c. p. 54 (1895).	
17. **T. Indica, Sauss.** (*Polyzosteria I.*) Mém. Soc. Genève, xvii. p. 130 (1864).	India (Pondicherry).
18. **T. Truncata, Sauss.** (*Blatta T.*) l. c. p. 148, pl. 1. f. 12 (1864).	id.
19. **T. Martini, Bol.** l. c. p. 292, pl. 10. f. 6 (1897).	India (Trichinopoly).
20. **T. Alca, Bol.** l. c. p. 293, pl. 10. f. 7 (1897).	id.
21. **T. Bicolor, Bol.** l. c. p. 293 (1897).	id.
22. **T. Dimidiatipes, Bol.** An. Soc. Españ. xix. p. 300, pl. 1. f. 1 (1890).	Philippines.
*23. **T. Fulva, Brunn.** l. c. p. 85. n. 3 (1865).	Java.
24. **T. Obscura, Sauss.** l. c. xx. p. 241 (1869).	Samoa.
25. **T. Couloniana, Sauss.** (*Blatta C.*) l. c. xvii. p. 150, pl. 1. f. 14 (1864).	Australia.
26. **T. Ferruginea, Tepp.** Tr. R. Soc. S. Australia, xix. p. 148 (1895).	Victoria.

27. **T. (?) Discalis, Walk. (*Blatta D.*) Cat. Blatt. B. M. p. 111. n. 96 (1868). *Balta Discalis, Tepp.* l. c. xvii. p. 40 (1893).	Swan River.
28. **T. Major, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 54. n. 10 (1893).	Tennessee.
29. **T. Virginica, Brunn.** l. c. p. 86. n. 4 (1865).	Virginia.
30. **T. Texensis, Sauss. & Zehntn.** l. c. p. 52. n. 1, pl. 3. f. 31 (1893).	Texas, New Mexico.
31. **T. Deropeltiformis, Brunn.** l. c. p. 87. n. 6 (1865).	N. America.
32. **T. Tarasca, Sauss.** (*Blatta T.*) Rev. Zool. (2) xiv. p. 164 (1862); Mém. Mex., Blatt. p. 95 (1864). *T. Tarasca, Brunn.* l. c. p. 86. n. 5 (1865).	Mexico.
33. **T. Kaupiana, Sauss.** Mém. Soc. Genève, xxiii. p. 92 (1873); Sauss. & Zehntn. l. c. p. 52, pl. 4. ff. 24–26 (1893).	id.
34. **T. Otomia, Sauss.** (*T. Otomius*) Rev. Zool. (2) xx. p. 98 (1868). *T. Otomia, Sauss.* Miss. Mex., Orth. p. 24, pl. 1. ff. 15, 15 *a* (1870); Sauss. & Zehntn. l. c. p. 52. n. 4 (1893).	id.
35. **T. Nitida, Sauss. & Zehntn. l. c. p. 53, pl. 4. ff. 51, 52 (1893).	id.
36. **T. Limbata, Sauss.** (*T. Limbatus*) Rev. Zool. (2) xx. p. 98 (1868). *T. Limbata, Sauss.* Miss. Mex., Orth. p. 25, pl. 1. ff. 16, 16 *a* (1870); Sauss. & Zehntn. l. c. p. 53. n. 6 (1893).	id.
37. **T. Sumichrasti, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 23, pl. 1. f. 14 (1870); Sauss. & Zehntn. l. c. p. 53. n. 7 (1893).	id.
38. **T. Guatemalæ, Sauss. & Zehntn. l. c. p. 53. n. 8, pl. 4. ff. 27, 28 (1893).	Guatemala.
39. **T. Fissa, Sauss. & Zehntn.** l. c. p. 54. n. 9, pl. 4. ff. 29, 30 (1893).	id.
40. **T. Incommoda, Kirb. (*Blatta I.*) J. Linn. Soc. Lond. xx. p. 533 (1894).	Fernando Noronha.
41. **T. Lobipennis, Sauss.** Miss. Mex., Orth. p. 26 (1870).	Brazil.
42. **T. Dimorpha, Bol.** An. Soc. Españ. x. p. 464, pl. 8. f. 4 (1881).	Peru.
*43. **T. Snodgrassi, McNeill,** Proc. Washington Acad. iii. p. 493 (1901).	Galapagos Isl.

44. **T. Ardua, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 3 (1897).	Argentina (Salta).
45. **T. Continua, Giglio-Tos,** l. c. p. 4 (1897).	id. (Jujuy).
46. **T. Brevipennis, Sauss.** (*Ischnoptera B.*) Rev. Zool. (2) xvi. p. 313 (1864) ; Mém. Mex., Blatt. p. 80, pl. 1. f. 11 (1864) ; Miss. Mex., Orth. p. 23 (1870).	Chile.
47. **T. Castanea, Blanch.** (*Kakerlac C.*) Hist. Chil., Zool. vi. p. 18, pl. 1. f. 2 (1851).	id.
48. **T. (?) Latipes, Walk.** (*Polyzosteria L.*) Cat. Blatt. B. M. p. 165. n. 43 (1868) ; Melliss, St. Helena, p. 167 (1875).	Sierra Leone, St. Helena.

Genus 37. **Balta.**

Tepp. Tr. R. Soc. S. Australia, xvii. p. 40 (1893).

1. **B. Epilamproides, Tepp.** l. c. (1893).	Kangaroo I.

Genus 38. **Paratemnopteryx.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 273 (1869).

1. **P. Australis, Sauss.** l. c. pl. 3. f. 22 (1869) ; Tepp. Tr. R. Soc. S. Australia, xix. p. 149 (1895).	Melbourne, Adelaide.
2. **P. Blattoides, Tepp.** l. c. p. 150 (1895).	Melbourne.

SUBFAM. IV.

NOCTICOLINÆ.

Genus 39. **Nocticola.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxi. p. 29 (1892).

1. **N. Simoni, Bol.** l. c. p. 32, pl. 1 (1892).	Philippines.
2. **N. Cæca, Bol.** l. c. p. 33 (1892).	id.

Genus 40. **Spelæoblatta.**

Bol. Ann. Mus. Genova, xxxviii. p. 32 (1897).

1. **S. Gestroi, Bol.** l. c. (1897).	Burma.

SUBFAM. V.

NYCTIBORINÆ.

Genus 41. **Nyctibora.** (*Type* no. 7.)

Burm. Handb. Ent. ii. p. 501 (1838); Brunn. Syst. Blatt. p. 142 (1865).

Nyctobora, Sauss. Mém. Mex., Blatt. p. 65 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 55 (1893).

1. **N. Azteca, Sauss. & Zehntn. l. c. p. 56. n. 2, pl. 4. f. 34 (1893).	Guatemala.
*2. **N. Mexicana, Sauss.** Rev. Zool. xiv. p. 227 (1862); Mém. Mex., Blatt. p. 66 (1864); Miss. Mex., Orth. p. 68, pl. 2. ff. 38, 38 *a*, *b* (1870); Sauss. & Zehntn. l. c. p. 55 (1893); Brunn. l. c. p. 147 (1865). *Nyctibora Stygia, Walk.* Cat. Blatt. B. M. p. 148. n. 9 (1868).	Mexico, Central America.
3. **N. Crassicornis, Burm.** l. c. p. 501. n. 1 (1838); Brunn. l. c. p. 144 (1865); Sauss. Miss. Mex., Orth. p. 69 (1870). *Blatta Servillei, Serv.* Ins. Orth. p. 91 (1839). *Paratropes Vestita, Sauss.* Rev. Zool. (2) xvi. p. 308 (1864). *Paratropes Vestitus, Sauss.* Mém. Mex., Blatt. p. 64. n. 11 (1864).	Brazil.
*4. **N. Holosericea, Burm.** l. c. p. 502. n. 3 (1838); Brunn. l. c. p. 145 (1865). *Nyctobora Obscura, Sauss.* Rev. Zool. (2) xvi. p. 316 (1864); Mém. Mex., Blatt. p. 67, pl. 1. f. 9 (1864); Miss. Mex., Orth. p. 68 (1870).	id.
5. **N. Intermedia, Sauss.** Mém. Soc. Genève, xxiii. p. 105 (1873).	id.
6. **N. Humeralis, Dohrn,** Stettin. Ent. Zeit. xlix. p. 129 (1888).	Upper Amazons.
*7. **N. Sericea, Burm.** l. c. p. 501. n. 2 (1838); Brunn. l. c. p. 145 (1865). ‖ *Blatta Ægyptiaca, Drury,* Ill. Exot. Ent. ii. pl. 36. f. 3 (1773).	Brazil.

Blatta Druryi, Serv. l. c. p. 86 (1839).	
Periplaneta Jucunda, Walk. Cat. Blatt. B. M. p. 128. n. 15 (1868).	
Nyctobora Terrestris, Sauss. Rev. Zool. (2) xvi. p. 315 (1864); Mém. Mex., Blatt. p. 68 (1864).	
*7 *a*. **N. Bohlsii, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 7 note (1897).	Paraguay, Brazil.
8. **N. Omissa, Brancs.** Jahresh. Ver. Trencsin. Com. xxiv. p. 186, pl. 3. f. 1 (1901).	Argentina.
*9. **N. Tomentosa, Serv.** (*Blatta T.*) l. c. p. 86 (1839).	Surinam, Brazil.
N. Tomentosa, Sauss. Miss. Mex., Orth. p. 69 (1870).	
‖ *N. Latipennis, Brunn.* l. c. p. 146. n. 4 (1865).	
10. **N. Tenebrosa, Walk. l. c. p. 147. n. 8 (1868).	Demerara.
Periplaneta Aterrima, Walk. l. c. Suppl. p. 151 (1869).	
11. **N. Confusa, Giglio-Tos,** l. c. p. 7 (1897).	Paraguay.
*12. **N. Borellii, Giglio-Tos,** l. c. p. 8 (1897).	Bolivia, Brazil.
13. **N. Glabra, Giglio-Tos,** l. c. p. 9 (1897).	Bolivia.
14. **N. (?) Lateralis, Esch.** (*Blatta L.*) Entomographien, p. 84 (1822).	Brazil (S. Catharina).

Genus 42. **Heminyctobora.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 55, 56 (1893).

1. **H. Truncata, Sauss. & Zehntn. (*Nyctobora (Heminyctobora) T.*) l. c. p. 56. n. 3, pl. 4. f. 33 (1893).	Mexico, Guatemala.

Genus 43. **Megaloblatta.** (*Type* no. 1.)

Dohrn, Stettin. Ent. Zeit. xlviii. p. 408 (1887);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 56 (1893).

1. **M. Blaberoides, Walk. (*Epilampra B.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 12 (1871).	Nicaragua, Peruvian Amazons.
Megaloblatta Peruviana, Dohrn, l. c. p. 409 (1887).	

‖*Megaloblatta Rufipes, Sauss.* l. c. p. 57, pl. 5. ff. 15–17 (1893).	
2. **M. Regina, Sauss.** (*Blabera R.*) Miss. Mex., Orth. p. 116 (1870).	Brazil.
3. **M. Longipennis, Walk. (*Blabera L.*) Cat. Blatt. B. M. p. 8. n. 18 (1868). *Megaloblatta Rufipes, Dohrn,* l. c. p. 409 (1887).	Guayaquil, Panama.

SUBFAM. VI.

EPILAMPRINÆ.

Genus 44. **Paratropes.** (*Type* no. 6.)

Serv. Ins. Orth. p. 117 (1839); Sauss. Mém. Mex., Blatt. p. 56 (1864).
Paratropa, Brunn. Syst. Blatt. p. 148 (1865).

*1. **P. Elegans, Burm.** (*Phoraspis E.*) Handb. Ent. ii. p. 493. n. 8 (1838). *Paratropa Elegans, Brunn.* l. c. p. 150. n. 1 (1865). *P. Bivitta, Walk.* Cat. Blatt. B. M. p. 150. n. 7 (1868). *P. Subsericeus, Sauss.* Rev. Zool. (2) xiv. p. 229 (1862); Mém. Mex., Blatt. p. 63, pl. 1. f. 8 (1864). *Paratropa Subsericea, Brunn.* l. c. p. 152. n. 3 (1865).	Surinam (?), Upper Amazons.
*2. **P. Mexicana, Brunn.** (*Paratropa M.*) l. c. p. 151. n. 2, pl. 4. f. 15 A–E (1865); Sauss. Miss. Mex., Orth. p. 73 (1870). *P. Lycus,* var., *Sauss.* Rev. Zool (2) xiv. p. 229 (1862); Mém. Mex., Blatt. p. 60 (1864).	Mexico.
3. **P. Bilunata, Sauss. & Zehntn. (*Paratropa B.*) Biol. Centr.-Amer., Orth. i. p. 60. n. 3 (1893).	Panama.
4. **P. Biolleyi, Sauss. & Zehntn. (*Paratropa B.*) l. c. n. 4 (1893).	Costa Rica.
*5. **P. Æquatorialis, Sauss.** ll. cc. (2) xvi. p. 309 (1864); p. 61 (1864).	Ecuador, Bolivia.

Paratropa Æquatorialis, Sauss. Miss. Mex., Orth. p. 74 (1870).	
P. Lanceolatus, Walk. l. c. p. 150. n. 6 (1868).	
‖ *Phoraspis Elegans, Blanch.* D'Orbigny, Voy. Amér. mér. vi. (2) p. 215, pl. 26. f. 4 (1846).	
6. **P. Lycoides, Serv.** l. c. p. 118 (1839).	Para.
Paratropa Licoides, Brunn. l. c. p. 153. n. 6 (1865).	
*7. **P. Phalerata, Erichs.** (*Blatta* (*Nyctibora*) *P.*) Schomb. Brit. Guiana, iii. p. 580 (1848).	Guiana, Brazil.
Paratropa Phalerata, Brunn. l. c. p. 152. n. 4 (1865).	
P. Lycus, Sauss. Rev. Zool. (2) xiv. p. 228 (1862); Mém. Mex., Blatt. p. 59, pl. 1. f. 6 (1864).	
8. **P. Histrio, Sauss.** ll. cc. (2) xiv. p. 229 (1862); p. 58, pl. 1. f. 5 (1864).	S. America.
Paratropa Histrio, Brunn. l. c. p. 152. n. 5 (1865).	
9. **P. Pica, Walk. l. c. p. 151. n. 11 (1868).	Ega.

Genus 45. **Phlebonotus.** (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xvii. p. 141 (1863).

1. **P. Pallens, Serv.** (*Phoraspis P.*) Ann. Sci. Nat. xxii. p. 43 (1831); Ins. Orth. p. 125, pl. 3. f. 4 (1839); Blanch. Ann. Soc. Ent. France, vi. p. 286, pl. 10. f. 1 (1837); Burm. Handb. Ent. ii. p. 492. n. 1 (1838).	Java, Ceylon.
Paraphoraspis Pallens, Sauss. Mém. Soc. Genève, xx. p. 263 (1869); (?) Brunn. Syst. Blatt. p. 165. n. 2 (1865).	
2. **P. Anomala, Sauss.** (*Phoraspis A.*) l. c. xvii. p. 141, pl. 1. f. 8 (1863).	Nilgiris, Pondicherry.
Paraphoraspis Anomala, Sauss. l. c. xx. p. 264 (1869).	

Genus 46. **Thorax.**

Sauss. Mém. Soc. Genève, xvii. p. 141 (1863); Mém. Mex., Blatt. p. 143 (1864); Miss. Mex., Orth. p. 77 (1870).
Paraphoraspis, Brunn. Syst. Blatt. p. 163 (1865).

*1. **T. Porcellana, Sauss.** (*Phoraspis P.*) Mém. Soc. Genève, xvii. p. 142, pl. 1. ff. 9, 9, 9 *a* (1863). *Thorax Porcellana, Sauss.* Miss. Mex., Orth. p. 79, pl. 2. f. 43 H, 43 A′ (1870). *Paraphoraspis Notata, Brunn.* l. c. p. 164, pl. 4. f. 18 A–E (1865).	Nilgiris, Ceylon, Victoria.

Genus 47. **Planes.**

Sauss. Mém. Mex., Blatt. p. 141 (1864).

*1. **P. Cribrata, Sauss.** (*Epilampra C.*) Mém. Soc. Genève, xvii. p. 144, pl. 1. ff. 10, 10 *a* (1863), xx. p. 264 (1869). *Epilampra Intacta, Walk.* Cat. Blatt. B. M. p. 205 (1868).	Assam, Bengal.

Genus 48. **Notolampra.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 227 (1862);
Mém. Mex., Blatt. p. 139 (1864).

1. **N. Cassidea, Burm.** (*Phoraspis C.*) Handb. Ent. ii. p. 493. n. 7 (1838); Brunn. Syst. Blatt. p. 161. n. 8, pl. 4. f. 17 (1865). *Epilampra Lucida, Sauss.* Rev. Zool. (2) xiv. p. 227 (1862); Mém. Mex., Blatt. p. 139, pl. 2. ff. 22, 23 (1864).	Bahia.
*2. **N. Punctata, Sauss.** (*Thorax P.*) Mém. Soc. Genève, xxiii. p. 125 (1873).	Brazil.

Genus 49. **Phoraspis.** (*Type* no. 14.)

Serv. Ann. Sci. Nat. xxii. p. 43 (1831); Ins. Orth. p. 124 (1839); Blanch. Ann. Soc. Ent. France, vi. p. 285 (1837); Burm. Handb. Ent. ii. p. 492 (1838); Sauss. Mém. Mex., Blatt. p. 141 (1864); Brunn. Syst. Blatt. p. 154 (1865).

1. **P. Heydeniana, Sauss.** (*Paratropes H.*) Rev. Zool. (2) xvi. p. 309 (1864). *Paratropes Heydeniana*, *Sauss.* Mém. Mex., Blatt. p. 62, pl. 1. f. 7 (1864). *Phoraspis Heydeniana*, *Sauss.* Miss. Mex., Blatt. p. 75. n. 1 (1870). ? ‖*Phoraspis Conspersa*, *Burm.* l. c. p. 493. n. 6 (1838).	Brazil.
*2. **P. Bicolor, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 61. n. 3 (1893).	C.Amer.(?), Brazil.
*3. **P. Flavipes, Blanch.** l. c. p. 291, pl. 11. f. 2 (1837); Serv. Ins. Orth. p. 127 (1839).	Brazil.
*4. **P. Atomaria, Blanch.** l. c. p. 287, pl. 10. f. 2 (1837); Serv. l. c. p. 126 (1839); Sauss. Mém. Mex., Blatt. p. 144 (1864); Brunn. l. c. p. 159. n. 5 (1865). *P. Unicolor*, *Burm.* l. c. p. 493. n. 5 (1838).	Guadeloupe Brazil.
*5. **P. Pellucens, Thunb.** (*Blatta P.*) Mém. Acad. Pétersb. x. p. 276, pl. 14 (1826).	Brazil.
6. **P. Luctuosa, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 76 (1870).	Surinam.
*7. **P. Luteola, Blanch.** l. c. p. 290, pl. 11. f. 1 (1837); Serv. l. c. p. 127 (1839). *P. Picta*, var. *Luteola*, *Brunn.* l. c. p. 157 (1865); Sauss. Miss. Mex., Orth. p. 76 (1870).	Brazil.
*8. **P. Conspersa, Brullé,** Hist. Ins. ix. p. 60, pl. 3. f. 4 (1835); Blanch. l. c. p. 288, pl. 10. f. 3 (1837); Serv. l. c. p. 127 (1839). *P. Leucogramma*, var. *Conspersa*, *Brunn.* l. c. p. 158 (1865); Sauss. l. c. p. 77 (1870).	id.
*9. **P. Pantherina, Blanch.** l. c. p. 292, pl. 11. f. 3 (1837); Serv. l. c. p. 127 (1839); Sauss. Mém. Mex., Blatt. p. 144 (1864); Brunn. l. c. p. 160. n. 6 (1865).	Haiti, Brazil.
*10. **P. Fastuosa, Blanch.** l. c. p. 293, pl. 11. f. 4 (1837); Serv. l. c. p. 128 (1839); Brunn. l. c. p. 158. n. 3 (1865).	Brazil.
10*a*. **P. Albicollis, Burm.** l. c. p. 493. n. 4 (1838). *P. Fastuosa*, *Burm.* l. c. p. 1012 (1839).	id.
11. **P. Cassidea, Dalm.** (*Blatta C.*) Anal. Ent. p. 87 (1823). *P. Cassidea*, *Serv.* l. c. p. 295 (1839).	id.

*12. **P. Leucogramma, Perty,** Del. Anim. Art. p. 116, pl. 30. f. 3 (1830); Blanch. l. c. p. 294, pl. 11. f. 5 (1837); Burm. l. c. p. 493. n. 3 (1838); Serv. l. c. p. 294, pl. 3. f. 3 (1839); Brunn. l. c. p. 157. n. 2 (1865).	Brazil.
13. **P. Mexicana, Sauss.** Rev. Zool. (2) xiv. p. 228 (1862); Mém. Mex., Blatt. p. 143 (1864); Miss. Mex., Orth. p. 75, pl. 2. ff. 41, 41 *a* (1870); Brunn. l. c. p. 159. n. 4 (1865).	Mexico.
*14. **P. Picta, Drury,** (*Blatta P.*) Ill. Exot. Ent. iii. pl. 50. f. 3 (1782); [? Guér. Icon. R. Anim. ii. pl. 52. f. 3, iii. p. 326 (1829–1844); Gray, Griffith, Anim. Kingd. xv. p. 783, pl. 104. f. 3 (1842) (*var. aut sp. n.?*)]. *Phoraspis Picta, Blanch.* l. c. p. 296, pl. 11. f. 6 (1837); Serv. Ins. Orth. p. 129 (1839); Brunn. l. c. p. 155. n. 1, pl. 4. f. 16 A–E (1865). *Lampyris Rufovittata, Schönh.* Syn. Ins. i. (3) p. 66. n. 47 (1817).	Brazil.
15. **P. Nigra, Blanch.** l. c. p. 297, pl. 11. f. 7 (1837); Serv. l. c. p. 130 (1839); Brunn. l. c. p. 162. n. 2 (1865).	id.
16. **P.** (?) **Modesta, Brunn.** l. c. p. 161. n. 7 (1865).	id.

Genus 50. **Cyrtilia.**

Stål, Bihang Svenska Akad. ii. (13) p. 11 (1875).

1. **C. Convexa, Thunb.** (*Blatta C.*) Mém. Acad. Pétersb. x. p. 279 (1826).	Hab. —— ?

Genus 51. **Pinaconota.**

Sauss. Rev. Suisse Zool. iii. p. 337 (1895).

*1. **P. Bifasciata, Sauss.** (*Blatta B.*) Rev. Zool. (2) xiv. p. 165 (1862); Mém. Mex., Blatt. p. 98 (1864). *Epilampra Bifasciata, Sauss.* Miss. Mex., Orth. p. 84, pl. 2. ff. 44, 44 A (1870). *Pinaconota Bifasciata, Sauss.* Rev. Suisse Zool. iii. p. 337 (1895). *Phyllodromia Bifasciata, Brunn.* Syst. Blatt. p. 94. n. 4 (1865). *Ischnoptera Sicca, Walk.* Cat. Blatt. B. M. Suppl. p. 149 (1869).	Brazil (Santarem).

Genus 52. **Opisthoplatia.**

Brunn. Syst. Blatt. p. 198 (1865).

*1. **O. Orientalis, Burm.** (*Polyzosteria O.*) Handb. Ent. ii. p. 482. n. 1 (1838); Sauss. Mém. Mex., Blatt. p. 54 (1864). *O. Orientalis, Brunn.* l. c. p. 199. n. 1, pl. 5. f. 22 A, B (1865). *Nympha Aptera, pt., Stoll*, Spectres, Blatt. p. 8, pl. 5 *d*. f. 25 (1813). *Polyzosteria Pictetiana, Sauss.* Mém. Soc. Genève, xvii. p. 131, pl. 1. f. 1 (1863). *Polyzosteria Ægyptiaca* (?), *Walk.* Cat. Blatt. B. M. p. 154. n. 22 (1868).	China, America.

Genus 53. **Molytria.** (*Type* no. 5.)

Stål, Bihang Svenska Akad. ii. (13) p. 12 (1875); Sauss. Rev. Suisse Zool. iii. pp. 333, 337 (1895).

1. **M. Decolyi, Bol.** Ann. Soc. Ent. France, 1897, p. 294.	S. India (Trichinopoly).
*2. **M. Maculata, Brunn.** (*Epilampra M.*) Syst. Blatt. p. 179. n. 12 (1865). *Epilampra Polyspila, Walk.* Cat. Blatt. B. M. p. 197 (1868).	Singapore.
*3. **M. Plana, Brunn.** (*Epilampra P.*) l. c. p. 183. n. 16 (1865). *Epilampra Punctifera, Walk.* l. c. p. 198 (1868).	Ceylon.
*4. **M. Badia, Brunn.** (*Epilampra B.*) l. c. p. 189. n. 25 (1865). *Epilampra Dotata, Walk.* l. c. Suppl. p. 130 (1869).	Java, Singapore, Sarawak.
*5. **M. Inquinata, Stål,** (*Epilampra I.*) Eugenie's Resa, Ins. p. 309 (1858); Brunn. l. c. p. 177. n. 10 (1865). *Epilampra Inquinita, Tepp.* Tr. R. Soc. S. Australia, xvii. p. 61 (1893). *Epilampra Nudiventris, Sauss.* Rev. Zool. (2) xvi. p. 321 (1864).	Sydney.
6. **M. Amplipennis, Walk. (*Epilampra A.*) Cat. Blatt. B. M. p. 196 (1868).	Silhet.
7. **M. Ramifera, Walk.** (*Epilampra R.*) l. c. Suppl. p. 132 (1869).	Sumatra.

8. **M. Auriculata, Brunn.** (*Epilampra A.*) l. c. p. 181. n. 13 (1865).	Bengal.
9. **M. Imperatrix, Kirb. Ann. Nat. Hist. (7) xii. p. 274 (1903).	Tonkin.
9 *a*. **M. Shelfordi, Kirb. l. c. p. 275 (1903).	Borneo.
‖ *Epilampra Polyspila, Walk.* l. c. Suppl. p. 133 (1869).	
10. **M. (?) Marmorata, Brunn.** (*Epilampra M.*) Ann. Mus. Genov. xxxiii. p. 29 (1893).	Burma.

Genus 54. **Homalopteryx.** (*Type* no. 13.)

Brunn. Syst. Blatt. p. 195 (1865); Sauss. Rev. Suisse Zool. iii. p. 340 (1895).

1. **H. Patinifera, Bol.** Ann. Soc. Ent. France, 1897, p. 295.	S. India (Trichinopoly).
2. **H. Cariniceps, Bol.** l. c. p. 296 (1897).	id.
3. **H. Biplagiata, Bol.** l. c. (1897).	id.
4. **H. Templetonii, Kirb. Ann. Nat. Hist. (7) xii. p. 275 (1903).	Ceylon.
‖ *Epilampra Cribricollis*, var. (?), *Walk.* Cat. Blatt. B. M. p. 195 (1868).	
5. **H. Regina, Sauss.** (*Epilampra* (*Homalopteryx*) *R.*) Mém. Soc. Genève, xx. p. 270 (1869).	Cochin China.
6. **H. Macassariensis, Haan,** (*Blatta* (*Epilampra*) *M.*) Temminck, Verhandel., Orth. p. 51, pl. 18. f. 7 (1842).	Macassar, Amboina, Philippines.
H. Macassariensis, Brunn. l. c. p. 197. n. 2 (1865).	
Epilampra Strigifrons, Walk. Cat. Blatt. B. M. Suppl. p. 132 (1869).	
7. **H. Adusta, Walk.** (*Epilampra A.*) l. c. p. 131 (1869).	Sarawak.
8. **H. Basifera, Walk.** (*Epilampra B.*) l. c. (1869).	Ceram.
9. **H. Pelewensis, Sauss.** Rev. Suisse Zool. iii. p. 342 (1895).	Pelew Islands.
10. **H. Intermedia, Bol.** Actas Soc. Españ. 1898, p. 137.	Papua.
11. **H. Pectinata, Sauss.** (*Epilampra* (*Homalopteryx* ?) *P.*) Mém. Soc. Genève, xx. p. 271 (1869).	Australia.
12. **H. Vasta, Walk. (*Epilampra V.*) Cat. Blatt. B. M. p. 195 (1868).	Philippines.

Epilampra Imperatoria, Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877).	
13. **H. Capucina, Brunn.** l. c. p. 196. n. 1, pl. 5. f. 21 A–E (1865); Ann. Soc. Ent. France, (6) x. p. 137 (1890).	Venezuela, Colombia.
14. **H. Geochroma, Walk. (*Polyzosteria G.*) Cat. Blatt. B. M. p. 158. n. 31 (1868).	Hab. —— ?

Genus 55. **Compsolampra.**

Comptolampra, Sauss. Soc. Ent. viii. p. 58 (1893).
Compsolampra, Sauss. Rev. Suisse Zool. iii. p. 343 (1895); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 59 (1893).

*1. **C. Liturata, Serv.** (*Blatta L.*) Ins. Orth. p. 103 (1839); Haan, Temminck, Verhandel., Orth. p. 58, pl. 18. f. 8 (♂) (1842). *Opisthoplatia Liturata, Brunn.* Syst. Blatt. p. 201 (1865). *Periplaneta Insolita, Walk.* Cat. Blatt. B. M. p. 146. n. 59 (1868). *Compsolampra Liturata, Sauss.* Rev. Suisse Zool. iii. p. 343 (1895).	Java.

Genus 56. **Phœtalia.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. ii. (13) p. 17 (1875); Sauss. Rev. Suisse Zool. iii. p. 343 (1895); Sauss. & Zehntn., Grandidier, Hist. Madagascar, Orth. i. pp. 56, 68 (1895).

1. **P.** (?) **Marginicollis, Stål,** (*Blatta M.*) Eugenie's Resa, Ins. p. 307 (1858).	Madeira.
*2. **P. Pallida, Brunn.** (*Nauphœta P.*) Syst. Blatt. p. 286. n. 3 (1865). ‖*Blatta Lævigata, Serv.* Ins. Orth. p. 98 (1839); Sauss. Mém. Mex., Blatt. p. 99, pl. 1. f. 16 (1864). *Blatta (Panchlora) Lævigata, Guér.* Ramon de la Sagra, Hist. Cuba, Ins. p. 344 (1857). *Nauphœta Lævigata, Sauss.* Miss. Mex., Orth. p. 104 (1870). *Nauphœta Marginalis, Walk.* Cat. Blatt. B. M. p. 41. n. 14 (1868).	W. Indies, Brazil. Teneriffe.
*3. **P. Circumvagans, Burm.** (*Nauphœta C.*) Handb. Ent. ii. p. 508. n. 1 (1838). ‖*Nauphœta Lævigata, Brunn.* l. c. p. 285. n. 2, pl. 7. f. 33 A–E (1865).	Brazil, Teneriffe, Mascarene Islands.

Genus 57. **Calolampra.** (*Type* no. 16.)

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Cent.-Amer., Orth. i. p. 67 (1893).

‖*Epilampra*, *Tepp.* Tr. R. Soc. S. Australia, xvii. p. 57 (1893).

*1.	**C. Aptera, Schulth.** Ann. Mus. Genova, xxxix. p. 169, pl. 2. f. 2 (1898).	Kilimanjaro.
2.	**C. Biolleyi, Sauss.** Rev. Suisse Zool. iii. p. 347, pl. 9. ff. 8, 8 *e* (1895).	Central America.
3.	**C. Brevitarsis, Sauss.** Soc. Ent. viii. p. 38 (1893); Sauss. & Zehntn. l. c. p. 67. n. 1, pl. 4. f. 39 (1893).	New Granada, Panama.
4.	**C. Bispinosa, Sauss.** l. c. p. 58 (1893); Sauss. & Zehntn. l. c. p. 67. n. 2, pl. 3. f. 26 (1893).	iid.
5.	**C. Carinulata, Sauss.** Rev. Suisse Zool. iii. p. 347, pl. 9. f. 9 (1895).	Central America.
6.	**C. Heusseriana, Sauss.** (*Epilampra H.*) Rev. Zool. (2) xvi. p. 321 (1864); Mém. Mex., Blatt. p. 134, pl. 2. f. 24 (1864).	Uruguay.
**7.	**C. Conferta, Walk.** (*Epilampra C.*) Cat. Blatt. B. M. p. 207 (1868).	Amazons.
**8.	**C. Basistriga, Walk.** (*Epilampra B.*) l. c. p. 211 (1868).	Hab. —— ?
**9.	**C. Pardalina, Walk.** (*Epilampra P.*) l. c. p. 68. n. 6 (1868); Kirb. Ann. Nat. Hist. (7) v. p. 281 (1900); Dist. Ins. Transvaal. p. 20, pl. 1. f. 5 (1900).	Lake N'gami; Transvaal.
**10.	**C. Characterosa, Walk.** (*Epilampra C.*) l. c. p. 209 (1868).	Bengal.
**11.	**C. Signatura, Walk.** (*Epilampra S.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 13 (1871); Melliss, St. Helena, p. 166 (1875).	St. Helena.
*12.	**C. Marginata, Brunn.** (*Epilampra M.*) Ann. Mus. Genov. xxxiii. p. 28, pl. 1. f. 9 (1893).	Pegu.
13.	**C. Lævis, Brunn.** (*Epilampra L.*) l. c. p. 28 (1893).	Tenasserim.
**14.	**C. Antica, Walk.** (*Polyzosteria A.*) l. c. p. 161. n. 37 (1868).	Hab. —— ?
15.	**C. Quadrata, Sauss.** (*Epilampra Q.*) Mém. Soc. Genève, xxiii. p. 129 (1873). ‖*Blatta Liturata*, ♀, *Haan*, Temminck, Verhandel., Orth. p. 48, pl. 1. f. 9 (1842).	China, Java.
**16.	**C. Irrorata, Fabr.** (*Blatta I.*) Syst. Ent. p. 272. n. 8 (1775).	Australia.

Epilampra Gracilis, Brunn. Syst. Blatt. p. 170, pl. 4. f. 20 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 57 (1893).	
Epilampra Atomifera, Walk. Cat. Blatt. B. M. p. 69. n. 11 (1868).	
Polyzosteria Propria, Walk. l. c. p. 161. n. 36 (1868).	
16 *a*. **C. Fornicata, Sauss.** (*Epilampra F.*) Rev. Zool. (2) xvi. p. 320 (1864).	Australia.
17. **C. Depolita, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 57 (1897).	id. (Yorktown)
18. **C. Notabilis, Walk. (*Epilampra N.*) l. c. p. 202 (1868); Tepp. l. c. xvii. p. 58 (1893).	Australia.
19. **C. Fraserensis, Tepp.** (*Epilampra F.*) l. c. p. 59 (1893); Horn Exped. Centr. Australia, ii. p. 360 (1896).	S.W. Australia.
20. **C. Paula, Tepp.** (*Epilampra P.*) Tr. R. Soc. S. Australia, xvii. p. 60 (1893).	S. Australia.
21. **C. Truncata, Brunn.** (*Epilampra T.*) l. c. p. 178. n. 11 (1865); Tepp. l. c. p. 61 (1893).	Sydney.
22. **C. Aspera, Tepp.** (*Epilampra A.*) l. c. p. 62 (1893).	S. & W. Australia.
C. Aspera, Sauss. Rev. Suisse Zool. iii. p. 348 (1895).	
23. **C. Tepperi, Kirb.** Ann. Nat. Hist. (7) xii. p. 275 (1903).	Australia.
‖ *Epilampra Propria,* Tepp. l. c. p. 64 (1893).	
24. **C. Obscura, Tepp.** (*Epilampra O.*) l. c. (1863).	id.
25. **C. Atra, Tepp.** (*Epilampra A.*) l. c. p. 65 (1893).	id.
26. **C. (?) Marginalis, Walk. (*Ischnoptera M.*) l. c. p. 119. n. 36 (1868).	id. (Swan River).
27. **C. (?) Tatei, Tepp.** (*Epilampra T.*) l. c. xviii. p. 174 (1894).	Australia.
28. **C. (?) Congrua, Walk. (*Polyzosteria C.*) Cat. Blatt. B. M. p. 165. n. 44 (1868).	Congo.

Genus 58. **Pœciloderrhis.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. ii. (13) p. 12 (1874).

*1. **P. Verticalis, Burm.** (*Epilampra V.*) Handb. Ent. ii. p. 505. n. 6 (1838);	Brazil.

Brunn. Syst. Blatt. p. 175. n. 8 (1865); Sauss. Miss. Mex., Orth. p. 85 (1870).	
Epilampra Socia, Stål, Eugenie's Resa, Ins. p. 309 (1858).	
Epilampra Bella, Sauss. Rev. Zool. (2) xvi. p. 322 (1864).	
2. **P. Bivittata, Sauss.** (*Epilampra B.*) l. c. p. 323 (1864); Mém. Mex., Blatt. p. 136 (1864).	Brazil.
3. **P. Maculifrons, Stål,** (*Epilampra M.*) l. c. p. 310 (1858).	Rio Janeiro.
4. **P. Proxima, Brunn.** (*Epilampra P.*) l. c. p. 176. n. 9 (1865).	Brazil.

Genus 59. **Wodongia.**

Tepp. Tr. R. Soc. S. Australia, xix. p. 155 (1895).

1. **W. Lunata, Tepp.** l. c. p. 156 (1895).	Victoria.

Genus 60. **Derocardia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 350 (1895).

1. **D. Acutipennis, Sauss.** (*Hedaia A.*) l. c. p. 353, pl. 9. f. 11 (1895).	Amboina.
2. **D. Oxyptera, Walk. (*Epilampra O.*) Cat. Blatt. B. M. p. 199 (1868).	Sarawak.

Genus 61. **Apsidopis.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 338 (1895).

1. **A. Cyclops, Sauss.** l. c. pl. 9. f. 7 (1895).	Borneo.
2. **A.** (?) **Oniscosoma, Sauss.** l. c. p. 339 (1895).	Peru.

Genus 62. **Pseudophoraspis.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xii. p. 275 (1903).

*1. **P. Nebulosa, Burm.** (*Epilampra N.*) Handb. Ent. ii. p. 505, n. 4 (1838); Brunn. Syst. Blatt. p. 193. n. 30, pl. 9. f. 19 A–E (1865); Walk. Cat. Blatt. B. M. p. 194 (1868).	Java, Malay Peninsula.
Blatta Jaspidea, Serv. Ins. Orth. p. 88 (1839).	

Epilampra Jaspidea, Brunn. l. c. p. 184. n. 17 (1865); Walk. l. c. p. 193 (1868); Sauss. Mém. Mex., Blatt. p. 138 (1864).	
2. **P. Scita, Walk.** (*Epilampra S.*) l. c. p. 200 (1868).	Sumatra.
3. **P. Congrua, Walk. (*Epilampra C.*) l. c. p. 199 (1868).	Sarawak; Tonkin.
4. **P. Deplanata, Walk. (*Epilampra D.*) l. c. p. 201 (1868).	Singapore.
5. **P.** (?) **Conformis, Walk.** (*Epilampra C.*) l. c. p. 200 (1868).	Sarawak.

Genus 63. **Rhabdoblatta.**

Kirb. Ann. Nat. Hist. (7) xii. p. 276 (1903).

1. **R. Præcipua, Walk. (*Epilampra P.*) Cat. Blatt. B. M. p. 196 (1868).	Ceylon.

Genus 64. **Heterolampra.** (*Type* no. 46.)

Kirb. Ann. Nat. Hist. (7) xii. p. 276 (1903).
‖*Epilampra, Sauss. & Zehntn.* Hist. Madagascar, Orth. i. p. 56 (1895).

1. **H. Alligata, Walk. (*Epilampra A.*) Cat. Blatt. B. M. p. 71. n. 22 (1868).	Hong Kong.
1 *a.* **H. Isochroma, Walk. (*Epilampra I.*) l. c. p. 204 (1868).	id.
2. **H. Munda, Walk. (*Epilampra M.*) l. c. p. 203 (1868).	id.
3. **H. Sinensis, Walk. (*Epilampra S.*) l. c. p. 197 (1868).	id.
4. **H. Saussurei, Kirb.** Ann. Nat. Hist. (7) xii. p. 277 (1903). ‖*Epilampra Puncticollis, Sauss.* Rev. Suisse Zool. iii. p. 359 (1895).	China.
5. **H. Sculpturata, Bol.** (*Epilampra S.*) Ann. Soc. Ent. France, 1897, p. 297, pl. 10. f. 8.	S. India (Trichinopoly).
6. **H. Lineaticollis, Bol.** (*Epilampra L.*) l. c. p. 298 (1897).	id.
*7. **H. Punctata, Brunn.** (*Epilampra P.*) Syst. Blatt. p. 173. n. 5 (1865).	Ceylon.
8. **H. Subsparsa, Walk. (*Epilampra S.*) l. c. p. 205 (1868).	id.

*9. **H. Inconspicua, Brunn.** (*Epilampra I.*) l. c. p. 186. n. 20 (1865).	Philippines.
10. **H. Curta, Walk. (*Epilampra C.*) l. c. p. 205 (1868).	id.
11. **H. Cyrtophthalma, Stål,** (*Epilampra C.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 35 (1877).	id.
12. **H. Pustulata, Walk. (*Epilampra P.*) l. c. p. 206 (1868).	id.
13. **H. Insueta, Walk. (*Epilampra I.*) l. c. p. 202 (1868).	id.
14. **H. Manillensis, Sauss.** (*Epilampra M.*) Mém. Soc. Genève, xx. p. 268 (1869).	id. (Manilla).
15. **H. Stæli, Kirb.** l. c. p. 277 (1903). ‖*Epilampra Puncticollis, Stål,* l. c. p. 34 (1877).	Philippines.
16. **H. Pandens, Walk. (*Epilampra P.*) l. c. p. 204 (1868).	id.
*17. **H. Cribellata, Stål,** (*Epilampra C.*) l. c. p. 34 (1877).	id.
18. **H. Mutica, Stål,** (*Epilampra M.*) l. c. (1877).	id.
19. **H. Plebeia, Stål,** (*Epilampra P.*) l. c. (1877).	id.
20. **H. Tagalica, Stål,** (*Epilampra T.*) l. c. p. 35 (1877).	id.
21. **H. Trivialis, Stål,** (*Epilampra T.*) l. c. (1877).	id.
22. **H. Caliginosa, Stål,** (*Epilampra C.*) l. c. p. 35 (1877).	id.
23. **H. Lugubrina, Stål,** (*Epilampra L.*) l. c. (1877).	id.
24. **H. Meticulosa, Stål,** (*Epilampra M.*) l. c. (1877).	id.
25. **H. Ferruginosa, Stål,** (*Epilampra F.*) l. c. (1877).	id.
26. **H. Pudica, Stål,** (*Epilampra P.*) l. c. (1877).	id.
27. **H. (?) Elegans, Esch.** (*Blatta E.*) Entographien, p. 84 (1822).	Luzon.
28. **H. Inclarata, Walk.** (*Epilampra I.*) l. c. p. 198 (1868).	Sarawak.
29. **H. Imitans, Brunn.** (*Epilampra I.*) Ann. Mus. Genov. xxxiii. p. 29, pl. 1. f. 10 (1893).	Tenasserim.
30. **H. Varia, Walk.** (*Epilampra V.*) Cat. Blatt. B. M. Suppl. p. 130 (1869).	Sarawak.

*31. **H. Lurida, Burm.** (*Epilampra L.*) Handb. Ent. ii. p. 505. n. 5 (1838); Brunn. Syst. Blatt. p. 185. n. 19 (1865). *Blatta Cribricollis, Serv.* Ins. Orth. p. 93 (1839).	Java, Borneo, India, Celebes.
32. **H. Monticola, Kirb. l. c. p. 277 (1903).	Tonkin.
33. **H. Pallida, Kirb. l. c. p. 278 (1903).	id.
34. **H. Ridleyi, Kirb. l. c. (1903).	Singapore.
35. **H. Puncticollis, Walk. (*Epilampra P.*) Cat. Blatt. B. M. p. 74. n. 28 (1868).	Sarawak.
36. **H. Fervida, Walk.** (*Epilampra F.*) l. c. p. 211 (1868).	id., Celebes, Papua.
37. **H. Plena, Walk.** (*Epilampra P.*) l. c. p. 210 (1868).	Celebes (Menado).
38. **H. Lævicollis, Sauss.** (*Epilampra L.*) Mém. Soc. Genève, xxiii. p. 129, pl. 10. f. 45 (1873).	Java.
39. **H. Quadrinotata, Walk. (*Epilampra Q.*) l. c. p. 209 (1868).	Sarawak.
39 *a*. **H. Geminata, Brunn.** (*Epilampra G.*) Abhandl. Senckenb. Ges. xxiv. p. 208 (1898).	Borneo.
40. **H. Deflexa, Sauss.** (*Epilampra D.*) l. c. p. 126, pl. 10. f. 43 (1873).	Java.
41. **H. Truncata, Brunn.** (*Epilampra T.*) l. c. p. 207 (1898).	Celebes.
42. **H. Doleschali, Brunn.** (*Epilampra D.*) Syst. Blatt. p. 194. n. 31 (1895).	Amboina.
*43. **H. Concinnula, Walk.** (*Epilampra C.*) l. c. Suppl. p. 134 (1869).	Timor.
44. **H. Keraudrenii, Le Guill.** (*Blatta K.*) Rev. Zool. 1841, p. 292. *Epilampra Keraudrenii, Brunn.* l. c. p. 182. n. 15 (1865).	N. Guinea (Triton Bay).
45. **H. Papua, Sauss.** (*Epilampra P.*) Rev. Suisse Zool. iii. p. 361, pl. 9. f. 14 (1895).	N. Guinea.
*46. **H. Dilatata, Brunn.** (*Epilampra D.*) l. c. p. 185. n. 18 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 62 (1893). *Epilampra Laticollis, Walk.* Cat. Blatt. B. M. p. 203 (1868).	Australia.
47. **H. Pectinata, Sauss.** (*Epilampra (Homalopteryx?) P.*) Mém. Soc. Genève, xx. p. 271 (1869).	id.
48. **H. Lyncea, Gerst.** (*Epilampra L.*) Mitth. Ver. Vorpomm. xiv. p. 53 (1883).	Cameroons.

49. **H. Erubescens, Gerst.** (*Epilampra E.*) l. c. p. 54 (1883).	Cameroons, Ogowe.
50. **H. Stipata, Walk. (*Epilampra S.*) l. c. p. 208 (1868).	Sierra Leone.
51. **H. Punctipennis, Sauss.** (*Epilampra P.*) Rev. Suisse Zool. iii. p. 356, pl. 9. f. 12 (1895).	Zanzibar.
52. **H. Hybrida, Sauss.** (*Epilampra H.*) l. c. p. 358 (1895).	Lake N'gami.
53. **H. Trilobata, Sauss.** (*Epilampra T.*) l. c. p. 25 (1891); Sauss. & Zehntn. l. c. p. 60, pl. 2. f. 24 (1895).	Madagascar
54. **H. Punctulata, Sauss.** (*Epilampra P.*) l. c. p. 25 (1891); Sauss. & Zehntn. l. c. p. 63, pl. 2. ff. 22, 23 (1895).	id.
55. **H. Malagassa, Sauss. & Zehntn.** (*Epilampra M.*) l. c. p. 65, pl. 2. f. 25 (1895).	id.
56. **H. Cincta, Brunn.** (*Epilampra C.*) Syst. Blatt. p. 172. n. 4 (1865).	Hab. —— ?

Genus 65. **Hedaia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 349 (1895); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 56, 66 (1895).

1. **H. Venusta, Sauss.** l. c. p. 351 (1895); Sauss. & Zehntn. l. c. p. 67, pl. 4. f. 43 (1895).	Madagascar
2. **H. Angulata, Sauss.** (*Epilampra A.*) Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 58, pl. 2. f. 21 (1895). *H. Angulata, Sauss.* l. c. p. 352 (1895).	id.
3. **H. Melanosoma, Sauss.** (*Epilampra M.*) Mém. Soc. Genève, xx. p. 266 (1869).	"East Indies."
4. **H. Olivacea, Sauss. (*Epilampra O.*) l. c. p. 267 (1869).	Cochin China.
5. **H. Abdominalis, Kirb. Ann. Nat. Hist. (7) xii. p. 279 (1903).	Tonkin.
6. **H. Immaculata, Kirb. l. c. (1903).	id.
7. **H. Albina, Sauss.** Rev. Suisse Zool. iii. p. 351 (1895).	Java.
*8. **H. Buqueti, Serv.** (*Blatta B.*) Ins. Orth. p. 93 (1839).	id.

8 *a*. **H. Pfeifferæ, Brunn.** (*Epilampra P.*) Syst. Blatt. p. 188. n. 24 (1865).	Borneo.
9. **H. Javanica, Sauss.** (*Epilampra J.*) Mém. Soc. Genève, xx. p. 269 (1869).	Java.
10. **H. Parvicollis, Walk.** (*Epilampra P.*) Cat. Blatt. B. M. Suppl. p. 133 (1869).	Sarawak.
*11. **H. Procera, Brunn.** (*Epilampra P.*) l. c. p. 192. n. 29 (1865).	Java.
Epilampra Borrei, Sauss. l. c. xxiii. p. 127, pl. 10. f. 44 (1873).	id.
12. **H. Horologica, Kirb. l. c. p. 280 (1903).	Khasia H.
13. **H. Yersiniana, Sauss.** (*Epilampra Y.*) Rev. Zool. (2) xvi. p. 323 (1864) ; Mém. Mex., Blatt. p. 128 (1864).	Brazil.
Epilampra Superba, Brunn. l. c. p. 191. n. 23 (1865).	

Genus 66. **Rhicnoda.** (*Type* no. 1.)

Brnnn. Ann. Mus. Genov. xxxiii. p. 30 (1893).

*1. **R. Rugosa, Brunn.** l. c. p. 31, pl. 1. f. 11 *a*, *b* (1893).	Borneo, Java.
2. **R. Terranea, Walk. (*Perisphæria T.*) Cat. Blatt. B. M. p. 163. n. 41 (1868).	Ceylon.
*3. **R. Spinulosa, Brunn.** l. c. p. 31 (1893).	Java.
*4. **R. Obscurifrons, Stål,** (*Homalopteryx O.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 34 (1877).	Philippines.
5. **R. Major, Sauss.** (*Homalopteryx M.*) Rev. Suisse Zool. iii. p. 342 (1895).	Java.
6. **R. Perplexa, Tepp.** (*Epilampra* (*Rhicnoda*) *P.*) Tr. R. Soc. S. Australia, xix. p. 156 (1895).	Victoria.
7. **R. Reflexa, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 68. n. 1, pl. 4. f. 25 (1893).	Nicaragua.
8. **R. Laminata, Brunn. (*Homalopteryx L.*) Proc. Zool. Soc. Lond. 1892, p. 294, pl. 15. f. 4.	St. Vincent, Grenada.

Genus 67. **Epilampra.** (*Type* no. 12.)

Burm. Handb. Ent. ii. p. 504 (1838); Sauss. Mém. Mex., Blatt. p. 126 (1864); Miss. Mex., Orth. p. 80 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 61 (1893); Brunn. Syst. Blatt. p. 166 (1865).

1. **E. Crassa, Sauss.** Rev. Zool. (2) xvi. p. 99 (1864); Miss. Mex., Orth. p. 80 (1870); Sauss. & Zehntn. l. c. p. 62. n. 1, pl. 4. f. 37 (1893).	Mexico.
*2. **E. Imitatrix, Sauss. & Zehntn.** l. c. p. 63. n. 2 (1893).	Brazil.
*3. **E. Mexicana, Sauss.** Rev. Zool. (2) xiv. p. 228 (1862); Mém. Mex., Blatt. p. 130, pl. 2. f. 26 (1864); Miss. Mex., Orth. p. 80 (1870); Sauss. & Zehntn. l. c. p. 63. n. 3 (1893); Brunn. l. c. p. 188. n. 23 (1865).	Mexico, Guatemala.
4. **E. Insularis, Bol.** (*E. Mexicana*, var. *I.*) Mém. Soc. Zool. France, i. p. 128 (1888).	Cuba.
5. **E. Columbiana, Sauss.** Rev. Suisse Zool. iii. p. 360, pl. 9. f. 13 (1895).	New Granada.
6. **E. Sabulosa, Walk. Cat. Blatt. B. M. p. 70. n. 20 (1868).	Haiti.
7. **E. Arctata, Walk. l. c. p. 74. n. 27 (1868).	British Guiana.
*8. **E. Azteca, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 82 (1870); Sauss. & Zehntn. l. c. p. 95. n. 6 (1893).	Mexico.
9. **E. Microspila, Walk. l. c. p. 208 (1868).	Haiti.
10. **E. Latifrons, Sauss. & Zehntn.** l. c. p. 66. n. 9 (1893).	S. America.
11. **E. Caraibea, Sauss. & Zehntn. l. c. p. 65. n. 7 (1893).	Cuba.
12. **E. Maculicollis, Serv.** (*Blatta M.*) Ins. Orth. p. 92 (1839).	Brazil.
‖*E. Brasiliensis, Brunn.* l. c. p. 169. n. 1 (1865); (?) Burm. l. c. ii. p. 505. n. 1 (1838).	
13. **E. Fusca, Brunn.** l. c. p. 170. n. 2 (1865).	Venezuela.
14. **E. Grisea, De Geer,** (*Blatta G.*) Mém. Ins. iii. p. 570. n. 7, pl. 44. f. 9 (1773).	Surinam.

15. **E. Brasiliensis, Fabr. (*Blatta B.*) Syst. Ent. p. 272. n. 10 (1775).	Brazil.
16. **E. Crossea, Sauss.** Rev. Zool. (2) xvi. p. 323 (1864).	id.
E. Crocea, Sauss. Mém. Mex., Blatt. p. 133 (1864).	
17. **E. Burmeisteri, Guér.** (*Blatta (Phyllodromia) B.*) Ramon de la Sagra, Hist. Cuba, Ins. p. 345 (1857).	Cuba.
E. Burmeisteri, Sauss. Mém. Mex., Blatt. p. 136, pl. 2. f. 25 (1864); Miss. Mex., Orth. p. 81 (1870); Sauss. & Zehntn. l. c. p. 66. n. 8 (1893).	
18. **E. Testacea, Brunn.** l. c. p. 187. n. 22 (1865).	Brazil.
19. **E. Cinerascens, Brunn.** l. c. p. 173. n. 6 (1865).	id.
20. **E. Subconspersa, Walk. l. c. p. 71. n. 21 (1868).	id.
21. **E. Adjuncta, Walk.** l. c. p. 72. n. 23 (1868).	id.
22. **E. Caliginosa, Walk. l. c. p. 207 (1868).	id.
23. **E. Castanea, Brunn.** l. c. p. 174. n. 7 (1865).	id.
24. **E. Sodalis, Walk. l. c. p. 72. n. 24 (1868).	Santarem, Guiana, Guatemala.
‖*E. Conspersa, Sauss. & Zehntn.* l. c. p. 64. n. 5, pl. 4. f. 38 (1893).	
*25. **E. Cribrosa, Burm.** l. c. p. 505. n. 2 (1838); Brunn. l. c. p. 190. n. 27 (1865).	Brazil.
E. Agathina, Sauss. Rev. Zool. (2) xvi. p. 322 (1864); Mém. Mex., Blatt. p. 135 (1864); Walk. l. c. p. 194 (1868).	
26. **E. Repanda, Walk. l. c. p. 73. n. 25 (1868).	id.
*27. **E. Fallax, Sauss. & Zehntn.** l. c. p. 64. n. 4, pl. 4. f. 36 (1893).	id.
*28. **E. Conspersa, Burm.** l. c. p. 505. n. 2 (1838); Brunn. l. c. p. 190. n. 26 (1865).	id.
29. **E. Ferruginea, Brunn.** l. c. p. 187. n. 21 (1865).	id.
30. **E. Heydeniana, Sauss.** Rev. Zool. (2) xvi. p. 323 (1864); Mém. Mex., Blatt. p. 133 (1864).	id.
31. **E. Cubensis, Bol.** l. c. i. p. 127 (1888).	Cuba.

*32. **E. Brevis, Brunn.** Proc. Zool. Soc. Lond. 1892, p. 203, pl. 15. f. 3.	W. Indies (St. Vinc.).
33. **E. Substrigata, Walk. l. c. p. 73. n. 26 (1868).	Demerara.
E. Opaca, Walk. l. c. p. 206 (1868).	
34. **E. (?) Obliqua, Walk.** (*Ischnoptera* (?) *O.*) l. c. Suppl. p. 148 (1869).	Brazil.
35. **E. Atriventris, Sauss.** Rev. Suisse Zool. iii. p. 357 (1895).	id.
36. **E. Stigmosa, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 8 (1898).	Ecuador.
37. **E. Josephi, Giglio-Tos,** l. c. p. 9 (1898).	id.
38. **E. Caizana, Giglio-Tos,** l. c. xii. (302) p. 10 (1897).	Bolivia.
*39. **E. Limbalis, Brancs.** Verh. Ver. Trencsin. Com. xxiii.–xxiv. p. 187 (1901).	Paraguay.
40. **E. Erythrina, Walk.** (*Blatta E.*) Cat. Blatt. B. M. p. 219 (1868).	Brazil.

SUBFAM. VII.

BLATTINÆ.

Genus 68. **Polyzosteria.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 482 (1838); Sauss. Mém. Mex., Blatt. p. 52 (1864); Miss. Mex., Orth. p. 70 (1870); Brunn. Syst. Blatt. p. 203 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 72 (1893).

‖ *Chalcolampra, Sauss.* Mém. Soc. Genève, xvii. p. 132 (1863).

*1. **P. Limbata, Burm.** l. c. p. 483. n. 5 (1838); Walk. Cat. Blatt. B. M. p. 167. n. 47 (1868); Sauss. Mém. Soc. Genève, xvii. p. 133, pl. 1. f. 3 (1864); Brunn. l. c. p. 205. n. 1, pl. 5. f. 23 A, B (1865); Tepp. l. c. xvii. p. 73 (1893).	Australia, Tasmania.
P. Purpurascens, Fisch. Orth. Eur. p. 93 note (1853).	
P. Pulchella, Sauss. Rev. Zool. (2) xvi. p. 308 (1864), *larva.*	
2. **P. Nitens, Walk. l. c. p. 155. n. 24 (1868).	Hab. —— ?

3. **P. Impressa, Tepp.** Horn Exped. Centr. Austr. ii. p. 361 (1896).	Central Australia.
*4. **P. Cuprea, Sauss.** l. c. xvii. p. 133, pl. 1. f. 2 (1864).	Swan River.
P. Maculata, Brunn. l. c. p. 206. n. 2 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 74 (1893).	
5. **P. Obscuroviridis, Tepp.** l. c. p. 73 (1893).	S. Australia.
6. **P. Ænea, Burm.** l. c. p. 483. n. 6 (1838); Brunn. l. c. p. 207. n. 3 (1865); Tepp. l. c. xvii. p. 74 (1893).	Australia (Sydney, &c.).
7. **P. Invisa, Walk. l. c. p. 162. n. 38 (1868); Tepp. l. c. xvii. p. 78 (1893).	Australia.
8. **P. Patula, Walk. l. c. p. 157. n. 28 (1868); Tepp. l. c. xvii. p. 76 (1893).	N. Australia.
9. **P. Frenchii, Tepp.** l. c. xviii. p. 178 (1894).	Victoria.
*10. **P. Mitchellii, Angas,** (*Blatta M.*) S. Australia Illustrated, pl. 48. f. 1 (1847).	Australia.
P. Mitchellii, Sauss. l. c. xxiii. p. 106 (1873); Tepp. l. c. xvii. p. 78 (1893).	
Polyzostria Mitchelli, Frogg. Agric. Gazette N. S. Wales, xii. p. 1210, plate, f. 4 (1901).	
11. **P. Subreflexa, Tepp.** l. c. xix. p. 158 (1895).	id. (Ooklea).
12. **P. Subverrucosa, White, (*Blatta S.*) Grey, Journ. Exped. Australia, ii. p. 467 (1841).	K. George's Sound, Swan River.
P. Reflexa, Brunn. l. c. p. 208. n. 4 (1865); Tepp. l. c. xvii. p. 80 (1893).	
*13. **P. Nobilis, Brunn.** l. c. p. 209. n. 5 (1865); Tepp. l. c. xvii. p. 81 (1893).	Swan River.
14. **P. Subnobilis, Tepp.** l. c. (1893).	Kangaroo I.
15. **P. Iridicolor, Tepp.** l. c. p. 73 (1893).	S. Australia.
16. **P. Femoralis, Walk. l. c. p. 156. n. 27 (1868); Tepp. l. c. xvii. p. 77 (1893).	Swan River.
17. **P. Figurata, Walk. l. c. p. 157. n. 29 (1868); Tepp. l. c. xvii. p. 77 (1893).	id.
18. **P. Bagoti, Tepp.** l. c. p. 79 (1893).	Pt. Augusta.
19. **P. Oculata, Tepp.** l. c. p. 75 (1893).	Kangaroo I.
20. **P. Pubescens, Tepp.** l. c. (1893); Frogg. l. c. p. 1210, pl. f. 6 (1901).	S.W. Australia.
21. **P. Australica, Brancs.** (*Pellita A.*) Jahresh. Ver. Trencsin. Com. xix.–xx. p. 245, pl. 7. f. 4 (1897).	York Town.

Genus 69. **Anamesia.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 69 (1893).

1. **A. Lambii, Tepp.** l. c. p. 70 (1893).	C. Australia.
2. **A. Eastii, Tepp.** l. c. (1893).	id.
3. **A. Lindsayi, Tepp.** l. c. p. 71 (1893).	S.W. Austr.
*4. **A. Frenchii, Tepp.** l. c. p. 72 (1893).	N. Queensl.
5. **A. (?) Fulvornata, Tepp.** l. c. xviii. p. 177 (1894).	Victoria.

Genus 70. **Melanozosteria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

*1. **M. Nitida, Brunn.** (*Platyzosteria N.*) Syst. Blatt. p. 214. n. 14 (1865).	Amboina, Ternate, Philippines.
2. **M. Polita, Walk. (*Periplaneta P.*) Cat. Blatt. B. M. p. 139. n. 44 (1868).	Formosa, Cornwallis I.
3. **M. Glabra, Walk. (*Periplaneta G.*) l. c. n. 45 (1868).	Australia.
4. **M. Aterrima, Esch.** (*Blatta A.*) Entomographien, p. 89 (1822).	I. Radak.
5. **M. Bicolor, Kirb. Ann. Nat. Hist. (7) xii. p. 373 (1903).	Torres Str., Cornwallis I.

Genus 71. **Syntomaptera.** (*Type* no. 6.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 106 (1893).

1. **S. Heydeniana, Sauss.** (*Periplaneta H.*) Rev. Zool. (2) xvi. p. 317 (1864). *Polyzosteria Heydeniana, Sauss.* Mém. Soc. Genève, xx. p. 256 (1869). *Platyzosteria Heydeniana*, Tepp. l. c. xviii. p. 180 (1894).	King George's Sound.
*2. **S. Novæ-Seelandiæ, Brunn.** (*Polyzosteria N.*) Syst. Blatt. p. 218. n. 19 (1865). *Periplaneta Fortipes, Walk.* Cat. Blatt. B. M. p. 137. n. 40 (1868); Huds. Manual N. Zealand Ent. p. 109, pl. 17. f. 5 (1892).	N. Zealand (Auckland); Australia, Tasmania.

3. **S. Tepperi, Kirb.** Ann. Nat. Hist. (7) xii. p. 374 (1903).	Australia.
‖ *Periplaneta Glabra, Tepp.* l. c. xvii. p. 107 (1893).	
4. **S. Obscura, Tepp.** (*Periplaneta O.*) l. c. (1893).	id.
5. **S. Provisionalis, Tepp.** (*Periplaneta P.*) l. c. xvii. p. 108 (1893), xix. p. 161 (1895).	id. (Mt. Bryan East).
6. **S. Scabriuscula, Tepp.** (*Periplaneta S.*) l. c. xvii. p. 108 (1893).	S. Australia.
7. **S. Rufoterminata, Brunn.** (*Polyzosteria R.*) l. c. p. 219. n. 20 (1865).	Australia.

Genus 72. **Platyzosteria.** (*Type* no. 3.)

Brunn. Syst. Blatt. p. 204 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 83 (1893).

1. **P. Consobrina, Sauss.** (*Polyzosteria C.*) Rev. Zool. (2) xvi. p. 306 (1864).	Australia.
2. **P. Melanaria, Erichs.** (*Periplaneta M.*) Arch. Naturg. viii. p. 247 (1862).	Tasmania.
*3. **P. Analis, Sauss.** (*Polyzosteria A.*) l. c. (2) xvi. p. 305 (1864).	Australia.
‖ *Polyzosteria Melanaria, Brunn.* l. c. p. 210. n. 6 (1865); (?) Sauss. Mém. Soc. Genève, xxiii. p. 109 (1873).	
(?) *Platyzosteria Melanaria, Tepp.* l. c. xvii. p. 83 (1893).	
4. **P. Grandis, Sauss.** (*Polyzosteria Melanaria*, var. *Grandis*) l. c. p. 110 (1873).	Melbourne.
5. **P. Bifida, Sauss.** (*Polyzosteria B.*) l. c. pl. 10. f. 37 (1873).	Queensland.
Platyzosteria Bifida, Tepp. l. c. xix. p. 159 (1895).	
6. **P. Armata, Tepp.** l. c. xvii. p. 84 (1893).	W. Australia.
7. **P. Rufofusca, Tepp.** l. c. (1893).	S. Australia.
8. **P. Invisa, Walk. (*Periplaneta I.*) Cat. Blatt. B. M. p. 137. n. 41 (1868).	Swan River.
9. **P. Tarsalis, Walk. (*Polyzosteria T.*) l. c. p. 162. n. 39 (1868).	Australia.
*10. **P. Atrata, Erichs.** (*Periplaneta A.*) l. c. p. 248 (1842).	Tasmania, Australia.

Polyzosteria Atrata, Brunn. l. c. p. 210. n. 7 (1865).	
Platyzosteria Atrata, Tepp. l. c. xix. p. 15 (1895).	
*11. **P. Aterrima, Erichs.** (*Periplaneta A.*) l. c. p. 248 (1842).	Tasmania.
Polyzosteria Aterrima, Brunn. l. c. p. 211. n. 8 (1865).	
Platyzosteria (Periplaneta) Aterrima, Tepp. l. c. xvii. p. 85 (1893).	
12. **P. Punctata, Brunn.** (*Polyzosteria P.*) l. c. p. 211. n. 9 (1865).	Australia.
Platyzosteria Punctata, Tepp. l. c. xvii. p. 85 (1893).	
13. **P. Pseudatrata, Tepp.** l. c. p. 86 (1893).	C. Australia.
14. **P. Avocaensis, Tepp.** l. c. p. 88 (1893).	N. S. Wales.
*15. **P. Scabra, Brunn.** (*Polyzosteria S.*) l. c. p. 213. n. 12 (1865).	Sydney.
16. **P. Scabrella, Tepp.** l. c. p. 88 (1893).	S. Australia.
17. **P. Variolosa, Bol.** (*Polyzosteria V.*) Ann. Soc. Ent. France, (6) ii. p. 460 (1882).	New Caledonia.
*18. **P. Castanea, Brunn.** (*Polyzosteria C.*) l. c. p. 214. n. 13 (1865).	Sydney.
Platyzosteria Castanea, Tepp. l. c. xvii. p. 89 (1893).	
*19. **P. Biglumis, Sauss.** (*Polyzosteria B.*) Rev. Zool. (2) xvi. p. 305 (1864); Mém. Soc. Genève, xx. p. 257 (1869).	Australia.
Polyzosteria Subaptera, Brunn. l. c. p. 212. n. 11 (1865).	
Platyzosteria Subaptera, Tepp. l. c. xvii. p. 87 (1893).	
20. **P. Pseudocastanea, Tepp.** l. c. p. 89 (1893).	S. Australia.
21. **P. Exaspera, Tepp.** l. c. xviii. p. 182 (1894).	Victoria.

Genus 73. **Leptozosteria.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 96 (1893).

1. **L. Prima, Tepp.** l. c. (1893).	Cent. Austr.
2. **L. Secunda, Tepp.** l. c. xviii. p. 183 (1894).	Queensland.

Genus 74. **Pseudolampra.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 96 (1893).

1. **P. Punctata, Tepp.** l. c. p. 97 (1893).	S.&W.Aust.
2. **P. Rothei, Tepp.** l. c. p. 98 (1893).	S.Australia.
3. **P. Ornata, Tepp.** l. c. (1893).	id.
4. **P. Circumcincta, Walk. (*Polyzosteria C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 36 (1871).	Australia.

Genus 75. **Knephasia.**

Tepp. Tr. R. Soc. S. Australia, xvii. p. 99 (1893).

1. **K. Medilinea, Tepp.** l. c. p. 100 (1893).	S.Australia.

Genus 76. **Cosmozosteria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

*1. **C. Bicolor, Sauss.** (*Polyzosteria B.*) Rev. Zool. (2) xvi. p. 307 (1864); Mém. Soc. Genève, xx. p. 259 (1869). *Polyzosteria Ligata, Brunn.* Syst. Blatt. p. 220. n. 22 (1865). *Platyzosteria Ligata, Tepp.* Tr. R. Soc. S. Austral. xvii. p. 93 (1893).	Australia.
2. **C. Lateralis, Walk. (*Polyzosteria L.*) Cat. Blatt. B. M. p. 154. n. 23 (1868). *Platyzosteria Lateralis, Tepp.* l. c. xvii. p. 93 (1893). *Platyzosteria* (?) *Picta, Tepp.* l. c. xviii. p. 182 (1894).	id.
3. **C. Ferruginea, Walk. (*Polyzosteria F.*) l. c. p. 158. n. 30 (1868). *Platyzosteria Ferruginea, Tepp.* l. c. xvii. p. 94 (1893).	id.
4. **C. Maculimarginata, Tepp.** (*Platyzosteria M.*) l. c. xix. p. 160 (1895).	N. Queensland.
5. **C. Albomarginata, Brunn.** (*Polyzosteria A.*) l. c. p. 312. n. 10 (1865).	Sydney.

Platyzosteria Albomarginata, *Tepp.* l. c. xvii. p. 86 (1893).	
6. **C. Brunnea, Tepp.** (*Platyzosteria Albomarginata*, var. *Brunnea*) l. c. (1893).	S. & Central Australia.
7. **C. Inclusa, Walk. (*Periplaneta I.*) l. c. p. 140. n. 48 (1868).	Hab. —— ?
8. **C. Trifasciata, Tepp.** (*Platyzosteria T.*) l. c. p. 91 (1893).	S. Australia.
9. **C. Polyzona, Walk. (*Polyzosteria P.*) l. c. p. 159. n. 33 (1868). *Platyzosteria Polyzona*, *Tepp.* l. c. xvii. p. 94 (1893).	Swan River.
10. **C. Zebra, Tepp.** (*Polyzosteria Z.*) Horn Exped. Centr. Australia, ii. p. 362 (1896).	Central Australia.
11. **C. Latizona, Tepp.** (*Platyzosteria L.*) Tr. R. Soc. S. Australia, xvii. p. 92 (1893).	S. Australia.
12. **C. Coolgardiensis, Tepp.** (*Platyzosteria C.*) l. c. xix. p. 159 (1895).	W. Australia.
13. **C. Ardrossanensis, Tepp.** (*Platyzosteria A.*) l. c. xvii. p. 92 (1893).	S. Australia.
14. **C. Zonata, Walk. (*Polyzosteria Z.*) l. c. p. 159. n. 32 (1868).	Port Essington.
15. **C. Subzonata, Tepp.** (*Platyzosteria S.*) l. c. xviii. p. 181 (1894).	Victoria.
16. **C. Pectoralis, Walk. (*Polyzosteria P.*) l. c. p. 160. n. 35 (1868). *Platyzosteria Pectoralis*, *Tepp.* l. c. xvii. p. 95 (1893).	N. Australia.
17. **C. Quadrifascia, Walk. (*Polyzosteria Q.*) l. c. p. 160. n. 34 (1868). *Platyzosteria Quadrifascia*, *Tepp.* l. c. xvii. p. 95 (1893).	Australia.
18. **C. Sexguttata, Walk. (*Periplaneta S.*) l. c. p. 141. n. 50 (1868). *Drymaplaneta Sexguttata*, *Tepp.* l. c. xvii. p. 113 (1893).	id.
19. **C. (?) Ruficornis, Walk. (*Periplaneta R.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 38 (1871).	Bombay.

Genus 77. **Cutilia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877).
Drymaplaneta, *Tepp.* Tr. R. Soc. S. Austral. xvii. p. 109 (1893). (*Type* no. 9 *a*.)

1. **C. Tartarea, Stål,** l. c. p. 36 (1877).	Philippines.
2. **C. Coxalis, Walk. (*Polyzosteria C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 35 (1871).	Bombay.
3. **C. Biloba, Sauss.** (*Polyzosteria B.*) Mém. Soc. Genève, xx. p. 258, pl. 2. f. 20 (1869).	Amboina.
4. **C. Liturata, Sauss.** (*Polyzosteria L.*) l. c. xxiii. p. 108, pl. 10. f. 36 (1873).	New Georgia.
*5. **C. Soror, Brunn.** (*Polyzosteria S.*) Syst. Blatt. p. 219. n. 21 (1865); Sauss. l. c. xx. p. 107. n. 2 (1869). *Periplaneta Semicincta, Walk.* Cat. Blatt. B. M. p. 140. n. 47 (1868).	Amboina, Ceram, Formosa, Navigators' Isl.
6. **C. Sedilloti, Bol.** (*Polyzosteria S.*) Ann. Soc. Ent. France, (6) ii. p. 459 (1882).	New Caledonia.
7. **C. Circumducta, Walk. (*Periplaneta C.*) l. c. p. 143. n. 53 (1868).	Hab. —— ?
8. **C. (?) Balteata, Tepp.** (*Platyzosteria B.*) l. c. xvii. p. 91 (1893).	S. Australia.
9. **C. Semivitta, Walk. (*Periplaneta S.*) l. c. p. 143. n. 54 (1868). *Drymaplaneta Semivitta, Tepp.* l. c. xvii. p. 113 (1893).	Swan River.
9 *a*. **C. Communis, Tepp.** (*Drymaplaneta C.*) l. c. p. 110 (1893).	S. Australia.
10. **C. Submarginata, Tepp.** (*Drymaplaneta S.*) l. c. p. 111 (1893).	id.
11. **C. Obscuripes, Tepp.** (*Drymaplaneta O.*) l. c. p. 112 (1893).	S. & W. Australia.
12. **C. Subbifasciata, Tepp.** (*Drymaplaneta S.*) l. c. p. 112 (1893).	S. Australia.
13. **C. Antipoda, Brancs.** (*Methana Antipodum*) Jahresh. Ver. Trencsin. Com. xix.–xx. p. 58, pl. 1. f. 4 (1897).	id. (Yorktown).
14. **C. (?) Anthracina, Brancs.** (*Stylopyga A.*) l. c. xvii.–xviii. p. 244, pl. vii. f. 2 (1897).	Zambesi.

Genus 78. **Dorylæa.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877).

*1. **D. Rhombifolia, Stoll,** (*Blatta R.*) Spectres, Blatt. p. 5, pl. 3 *d.* f. 13 (1813). *Periplaneta Rhombifolia, Sauss.* Mém. Soc. Genève, xx. p. 260. n. 2 (1869). *Dorylæa Rhombifolia, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. p. 73 (1895). *Periplaneta Histrio, Sauss.* Rev. Zool. (2) xvi. p. 318 (1864); Mém. Mex., Blatt. p. 73 (1864); Walk. Cat. Blatt. B. M. p. 130. n. 20 (1868). *Periplaneta Decorata, Brunn.* Syst. Blatt. p. 224. n. 2 (1865). *Stylopyga Decorata, Brunn.* Ann. Mus. Genova, xxxiii. p. 35 (1893). *Polyzosteria Heterospila, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 35 (1871),	Asia, Africa, America.
2. **D. Ornata, Brunn.** (*Periplaneta O.*) l. c. p. 225. n. 3 (1865).	India (?).
3. **D. Brunneri, Stål,** l. c. xxxiv. (10) p. 37 (1877).	Philippines.
4. **D. Configurata, Walk. (*Periplaneta C.*) l. c. p. 145. n. 57 (1868).	Java.
5. **D. Hottentota, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 578 (1899).	S. Africa.
*6. **D. Guttata, Sauss.** (*Stylopyga G.*) Ann. Mus. Genova, xxxv. p. 75 (1895).	Galla Land; Mashona L.
7. **D. Flavilatera, Sauss.** (*Stylopyga F.*) l. c. p. 76 (1895).	Galla Land.
8. **D.** (?) **Signata, Esch.** (*Blatta S.*) Entomographien, p. 88 (1822).	Luzon.

Genus 79. **Methana.** (*Type* no. 10.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 70 (1895).

*1. **M. Agaboides, Gerst.** (*Periplaneta A.*) Mitth. Ver. Vorpomm. xiv. p. 47 (1883).	Cameroons, Old Calabar.

*2. **M. Concinna, Haan,** (*Blatta* (*Periplaneta*) *C.*) Temminck, Verhandelingen, Orth. p. 50 (1842). *Periplaneta Pallipalpis*, var. (?), *Walk.* Cat. Blatt. B. M. p. 132. n. 26 (1868). *Periplaneta Borrei*, *Sauss.* Mém. Soc. Genève, xxiii. p. 113, pl. 10. f. 38 (1873).	Java ; Hong Kong.
*3. **M. Flavicincta, Haan,** (*Blatta* (*Periplaneta*) *F.*) l. c. p. 50 (1842). *Periplaneta Flavicincta*, *Brunn.* Syst. Blatt. p. 231. n. 9 (1865). *M. Flavicincta*, varr. *b*, *c*, *Sauss. & Zehntn.* l. c. p. 72 (1895).	Java.
4. **M. Zehntneri, Kirb.** Ann. Nat. Hist. (7) xii. p. 374 (1903). ‖*M. Flavicincta*, *Sauss. & Zehntn.* l. c. p. 71, pl. 2. f. 27 (1895).	Madagascar
*5. **M. Pallipalpis, Serv.** (*Kakerlac P.*) Ins. Orth. p. 71 (1839). (?) *Periplaneta Pallipalpis*, *Sauss.* l. c. xx. p. 262 (1869).	Java.
6. **M. Latipennis, Burm.** (*Nyctibora L.*) Handb. Ent. ii. p. 502. n. 4 (1838).	id.
7. **M. Convexa, Walk. (*Periplaneta C.*) l. c. Suppl. Blatt. p. 152 (1869) ; Tepp. Tr. R. Soc. S. Australia, xvii. p. 106 (1893).	Australia (Moreton Bay).
8. **M. Castanea, Tepp.** (*Paraphoraspis* (?) *C.*) l. c. xviii. p. 173 (1894).	Victoria.
9. **M. Rufescens, Kirb. l. c. p. 374 (1903). ‖*Periplaneta Pallipalpis*, *Brunn.* l. c. p. 238. n. 18 (1865).	N. S. Wales.
*10. **M. Marginalis, Sauss.** (*Periplaneta M.*) Rev. Zool. (2) xvi. p. 319 (1864). *Periplaneta Ligata*, *Brunn.* l. c. p. 234. n. 12 (1865) ; Tepp. l. c. xvii. p. 104 (1893).	Australia.
11. **M. (?) Regina, Sauss.** (*Periplaneta R.*) l. c. p. 320 (1864).	Malacca.
*12. **M. Soror, Sauss.** (*Periplaneta S.*) l. c. p. 319 (1864). *Periplaneta Biquadrata*, *Walk.* Cat. Blatt. B. M. p. 134. n. 32 (1868) ; Tepp. l. c. xvii. p. 105 (1893). *Periplaneta Oculata*, *Walk.* l. c. Suppl. p. 152 (1869).	Australia.
13. **M. (?) Affinis, Sauss.** (*Periplaneta A.*) Mém. Soc. Genève, xx. p. 261 (1869).	India (?).

Genus 80. **Zonioploca.** (*Type* no. 5.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1874).
Temnelytra, Tepp. Tr. R. Soc. S. Australia, xvii. p. 38 (1893). (*Type* no. 1.)

1. **Z. Harpuri, Tepp.** (*Temnelytra H.*) l. c. p. 39 (1893).	Kangaroo I.
*2. **Z. Truncata, Brunn.** (*Polyzosteria T.*) Syst. Blatt. p. 217. n. 18 (1865). *Platyzosteria Truncata, Tepp.* l. c. xvii. p. 90 (1893). *Periplaneta Undulivitta, Walk.* Cat. Blatt. B. M. p. 144. n. 56 (1868).	N. S. Wales, New Zealand.
3. **Z. Abbreviata, Tepp.** (*Temnelytra A.*) l. c. xix. p. 164 (1895).	Victoria.
4. **Z. Brunni, Alfk.** (*Platyzosteria B.*) Abhandl. Ver. Bremen, xvii. p. 142 (1901).	Chatham Islands.
5. **Z. Alutacea, Stål,** l. c. p. 13 (1874).	Australia.
6. **Z. Subtruncata, Tepp.** (*Temnelytra S.*) l. c. xix. p. 164 (1895).	Victoria.
7. **Z. Marginifera, Walk. (*Periplaneta M.*) l. c. p. 144. n. 55 (1868).	K. George's Sound.
8. **Z. Curvigera, Walk. (*Periplaneta C.*) l. c. p. 134. n. 31 (1868); Tepp. l. c. xvii. p. 104 (1893).	Moreton Bay.

Genus 81. **Blatta.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 424 (1758); Latr. Hist. Nat. Crust. Ins. iii. p. 269 (1802); Steph. Ill. Brit. Ent., Mand. vi. p. 43 note (1835); Fisch. Orth. Eur. p. 114 (1853); Burr, Brit. Orth. p. 24 (1897).
Kakerlac, Latr. Fam. Nat. Règne Anim. p. 411 (1825); Cuvier, Règne Anim. v. p. 175 note (1829); Serv. Ann. Sci. Nat. xxii. p. 39 (1831); Ins. Orth. p. 67 (1839).
Steleopyga, Fisch. Waldh. Bull. Mosc. vi. pp. 356, 366 (1833).
Stylopyga, Fisch. Waldh. Orth. Ross. p. 68 (1846); Brunn. Syst. Blatt. p. 222 (1865).

*1. **B. Orientalis, Linn.** l. c. p. 424. n. 7 (1758); Faun. Suec. (ed. ii.) p. 234. n. 862 (1761); Sulz. Kennzeich. Ins. pl. 7. f. 47 (1761); Beauv. Ins. Afr.	Asia, Europe, &c. (*Cosmopolitan.*)

Amér. p. 228, Orth. pl. 2 *c.* f. 3 (1805); Stoll, Spectres, Blatt. p. 6, pl. 4 *d.* ff. 15–17 (1813); Steph. l. c. p. 44 note (1835); Burr, l. c. p. 24, pl. 2. f. 5 (1897).	
Periplaneta Orientalis, Burm. Handb. Ent. ii. p. 504. n. 5 (1838); Fisch. l. c. p. 115, pl. 7. ff. 22–26 (1853); Sauss. Mém. Mex., Blatt. p. 73 (1864); Brunn. Syst. Blatt. p. 226. n. 4 (1865); Prodr. Eur. Orth. p. 49 (1882); Finot, Faune France, Orth. p. 83, pl. 2. f. 49 (1889); Tümp. Geradfl. Mitteleuropas, p. 235, pl. 15 (1901).	
Periplaneta (*Stylopyga*) *Orientalis, Bol.* Sin. Ortópt. Espan̄. p. 49 (1873).	
Kakerlac Orientalis, Serv. Ann. Sci. Nat. xxi. p. 29 (1831); Ins. Orth. p. 72 (1839).	
Stylopyga Orientalis, Fisch. Waldh. Orth. Ross. p. 70, pl. 24. ff. 1–3 (1842).	
Blatta Culinaris, De Geer, Mém. Ins. iii. p. 344, pl. 25. ff. 1–7 (1773).	
B. Ferrugineofusca, Gronov. Zoophylacium, ii. p. 174. n. 636 (1774).	
B. Badia, Sauss. Mém. Soc. Genève, xvii. p. 150, pl. 1. f. 15 (1863).	
1 *a.* **B. Castanea, Blanch.** (*Kakerlak C.*) Gay, Hist. Chile, Zool. vi. p. 18, Orth. pl. 1. f. 2 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 221 (1863).	Chile.
Kakerlak Platystetho, Phil. l. c. p. 222 (1863).	
1 *b.* **B. Lateralis, Walk. (*Periplaneta L.*) Cat. Blatt. B. M. p. 136. n. 39 (1868).	Egypt.
2. **B. Voeltzkowi, Sauss.** (*Stylopyga V.*) Abhandl. Senckenb. Ges. xxi. p. 579 (1899).	Madagascar (?).
3. **B. Nossibei, Sauss.** (*Stylopyga N.*) l. c. p. 580 (1899).	Nossi-Bé.
4. **B. Hova, Sauss.** (*Periplaneta H.*) Soc. Ent. vi. p. 17 (1891).	Madagascar
Stylopyga Hova, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 73, pl. 2. f. 26 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 579 (1899).	
*5. **B. Picea, Brunn.** (*Periplaneta P.*) Syst. Blatt. p. 223. n. 1 (1865).	Nicobar I.; Penang (eadem ?).

6. **B. Parallela, Bol.** (*Stylopyga P.*) Ann. Soc. Ent. France, 1897, p. 299.	S. India (Trichinopoly).
7. **B. Sinuata, Brunn.** (*Stylopyga S.*) Ann. Mus. Genova, xxxiii. p. 35, pl. 1. f. 12 (1893).	Burma.
8. **B. Quadrilobata, Brunn.** (*Stylopyga Q.*) Abhandl. Senckenb. Ges. xxiv. p. 209 (1898).	Celebes.
9. **B. Coxalis, Walk. (*Periplaneta C.*) l. c. p. 138. n. 43 (1868).	Ceram.
10. **B. Rotundata, Brunn.** (*Periplaneta R.*) Syst. Blatt. p. 230. n. 8 (1865).	Fiji.
11. **B. Rufa, Tepp.** (*Periplaneta R.*) Tr. R. Soc. S. Australia, xvii. p. 101 (1893).	Central Australia.
12. **B. Brunneri, Kirb.** Ann. Nat. Hist. (7) xii. p. 375 (1903).	Australia.
‖ *Periplaneta Concinna, Brunn.* l. c. p. 229. n. 7 (1865).	
13. **B. Zamorensis, Giglio-Tos,** (*Stylopyga Z.*) Boll. Mus. Torino, xiii. (311) p. 10 (1898).	Ecuador.
14. **B. Pallipes, Phil.** (*Kakerlak P.*) Zeitschr. Naturw. xxi. p. 222 (1863).	Chile.
Periplaneta Pallipes, Brunn. l. c. p. 228. n. 5 (1865).	
15. **B. Brevipes, Phil.** (*Kakerlak B.*) l. c. p. 223 (1863).	id.
Periplaneta Brevipes, Brunn. l. c. p. 229. n. 6 (1865).	
16. **B. (?) Nitida, Bol.** (*Stylopyga N.*) An. Soc. Españ. xix. p. 302 (1890).	Philippines.
17. **B. Assiniensis, Bol.** (*Periplaneta A.*) Ann. Soc. Ent. France, 1893, p. 172, pl. 1. f. 1.	W. Africa (Assinie).
18. **B. Manca, Gerst.** (*Periplaneta M.*) Mitth. Ver. Vorpomm. xiv. p. 48 (1883).	Cameroons.
19. **B. Anthracina, Gerst.** (*Periplaneta A.*) l. c. p. 49 (1883).	id.
20. **B. Spinulifera, Krauss,** Zool. Jahrb. v. Abth. Syst. p. 650, pl. 45. ff. 1, 1A–C (1891).	W. Africa (S. Thomé).
21. **B. Bimaculata, Walk. (*Periplaneta B.*) l. c. p. 139. n. 46 (1868).	Natal.
*22. **B. Æthiopica, Sauss.** (*Periplaneta Æ.*) Rev. Zool. (2) xvi. p. 317 (1864); Mém. Soc. Genève, xx. p. 260 (1869).	Gaboon, S. Africa.
Periplaneta Tetra, Walk. l. c. p. 138. n. 42 (1868).	

23. **B. Antillarum, Brunn. (*Stylopyga A.*) Proc. Zool. Soc. Lond. 1892, p. 204, pl. 15. f. 5.	W. Indies (St. Vinc.).
24. **B. (?) Curta, Walk. (*Periplaneta C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 38 (1871).	Bombay.
25. **B. (?) Sexpustulata, Walk. (*Polyzosteria S.*) l. c. p. 36 (1871), *larva* (?).	id.

Genus 82. **Periplaneta.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 502 (1838) ; Sauss. Mém. Mex., Blatt. p. 69 (1864) ; Brunn. Syst. Blatt. pp. 221, 223 (1865) ; Prodr. Eur. Orth. p. 48 (1882) ; Bol. Sin. Ortópt. Españ. p. 49 (1876) ; Fin. Faune France, Orth. p. 82 (1889) ; Tepp. Tr. R. Soc. S. Australia, xvii. p. 100 (1893) ; Burr, Brit. Orth. p. 25 (1897) ; Tümp. Geradfl. Mitteleuropas, p. 235 (1901).

Cacerlaca, Sauss. l. c. p. 71 (1864).

*1. **P. Americana, Linn.** (*Blatta A.*) Syst. Nat. (ed. x.) i. p. 424. n. 4 (1758) ; Herbst, Fuessly, Archiv, vii. & viii. p. 185, pl. 49. f. 6 (1786); Stoll, Spectres, Blatt. p. 3, pl. 1 *d.* f. 4 (1813) ; Steph. Ill. Brit. Ent., Mand. vi. p. 44 note (1835). *Kakerlac Americana, Serv.* Ann. Sci. Nat. xxii. p. 39 (1831) ; Ins. Orth. p. 68 (1839) ; Brullé, Hist. Nat. Ins. ix. p. 53, pl. 4. f. 3 (1835). *Periplaneta Americana, Burm.* l. c. p. 503. n. 1 (1838) ; Fisch. Orth. Eur. p. 116 (1853) ; Sauss. Mém. Mex., Blatt. p. 71 (1864) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 74. n. 2 (1893) ; Grandidier, Hist. Madagascar, Orth. i. p. 75 (1895); Brunn. ll. cc. p. 232. n. 10, pl. 5. f. 24 A–E (1865); p. 50, pl. 1. f. 11 (1882) ; Bol. l. c. p. 50 (1876) ; Fin. l. c. p. 83 (1889) ; Tepp. l. c. xvii. p. 102 (1893) ; Burr, l. c. p. 26, pl. 2. f. 6 (1897) ; Tümp. l c. p. 235 (1901). *Blatta Kakkerlac, De Geer,* Mém. Ins. iii. p. 535, pl. 44. ff. 1–3 (1773) ; Oliv. Enc. Méth., Ins. iv. p. 315. n. 7 (1789) ;	America, Europe, &c. (*Cosmopolitan.*)

Beauv. Ins. Afr. Amér. p. 181, Orth. pl. 1 *b*. f. 1 (1805).	
‖*Blatta Orientalis, Sulz.* Gesch. Ins. p. 77, pl. 8. f. 2 (1776).	
Blatta Aurelianensis, Fourcr. Ent. Paris. i. p. 177. n. 2 (1785),	
Blatta Siccifolia, Stoll, l. c. p. 5, pl. 3 *d.* ff. 10, 11 (1813).	
Blatta Aurantiaca, Stoll, l. c. f. 14 (1813), *larva.*	
P. Stolida, Walk. Cat. Blatt. B. M. p. 128. n. 15 (1868).	
Var. *P. Americana Colorata, Rehn,* Trans. Amer. Ent. Soc. xxvii. p. 220 (1901).	Mexico (Morelos).
2. **P. Tartara, Sauss.** Fedchenko, Reise Turkestan, Orth. p. 9 (1874).	Khokand.
3. **P. Lata, Herbst,** (*Blatta L.*) l. c. p. 185, pl. 49. f. 7 (1786).	E. Indies.
3 *a.* **P. Concolor, Walk. l. c. p. 135. n. 34 (1868).	Hab. —— ?
*4. **P. Valida, Brunn.** Ann. Mus. Genova, xxxiii. p. 36, pl. 1. f. 13 (1893).	Pegu.
5. **P. (?) Gracilis, Brunn.** l. c. f. 14 (1893).	Rangoon.
6. **P. Monochroma, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 37 (1871).	Bombay.
7. **P. Methanoides, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 209, pl. 16. f. 14 (1898).	Gilolo.
*8. **P. Australasiæ, Fabr.** (*Blatta A.*) Syst. Ent. p. 271. n. 5 (1775); Oliv. Enc. Méth., Ins. iv. p. 315. n. 8 (1789).	Australia, Europe, &c. (*Cosmopolitan.*)
Periplaneta Australasiæ, Burm. l. c. p. 503. n. 4 (1838); Sauss. Mém. Mex., Blatt. p. 72 (1864); Brunn. Syst. Blatt. p. 233. n. 11 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 203 (1893); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. p. 75 (1896); Burr, l. c. p. 26, pl. 2. f. 7 (1897).	
Blatta Domingensis, Beauv. l. c. p. 182, Orth. pl. 1. f. 4 (1805).	
Periplaneta Zonata, Haan, Temminck, Verhandel. Nat. Gesch., Orth. p. 49 (1842).	
Periplaneta Repanda, Walk. Cat. Blatt. B. M. p. 125. n. 11 (1868).	
Periplaneta Subcincta, Walk. l. c. p. 126. n. 12 (1868).	

Periplaneta Inclusa, *Walk.* Cat. Blatt. B. M. p. 126. n. 13 (1868).	
Periplaneta Emittens, *Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 37 (1871).	
Polyzosteria Subornata, *Walk.* l. c. p. 35 (1871), *larva.*	
9. **P.** (**?**) **Australis, Macl.** (*Blatta A.*) King, Survey Coasts Australia, ii. p. 454. n. 109 (1827).	N.Australia.
10. **P. Savignyi, Krauss,** Verh. zool.-bot. Ges. Wien, xl. p. 242 (1890). (Sav. Descr. Égypte, Orth. pl. 2. f. 13.)	Egypt.
11. **P. Brunneriana, Schulth.** Ann. Mus. Genova, xxxix. p. 167, pl. 2. f. 1 (1898).	Somali Land.
12. **P. Atricollis, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 580 (1899).	S. Africa (Akam).
13. **P. Patens, Walk. Cat. Blatt. B. M. p. 127. n. 14 (1868).	Congo.
14. **P. Fuliginosa, Serv.** (*Kakerlac F.*) Ins. Orth. p. 70 (1839).	N. America.
Periplaneta Fuliginosa, *Brunn.* Syst. Blatt. p. 238. n. 17 (1865).	
*15. **P. Brunnea, Burm.** l. c. p. 503. n. 2 (1838).	Demerara, Chile, Mexico, Brazil, Teneriffe, N. Britain.
P. Truncata, *Krauss*, Zool. Anz. xv. p. 165 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 74. n. 3 (1893).	
16. **P. Insignis, Serv.** (*Kakerlac I.*) l. c. p. 67 (1839).	Cayenne.
Blatta Insignis, *Blanch.* Hist. Ins. iii. p. 6, pl. 1. f. 2 (1840).	
Periplaneta Insignis, *Brunn.* l. c. p. 237. n. 16 (1865).	
17. **P.** (**?**) **Heros, Esch.** (*Blatta H.*) Entomographien, p. 83 (1822).	Luzon.

Genus 83. **Pelmatosilpha.** (*Type* no. 1.)

Dohrn, Stett. Ent. Zeit. xlviii. p. 410 (1887).

1. **P. Alaris, Sauss.** (*Periplaneta A.*) Rev. Zool. (2) xvi. p, 319 (1864); Mém. Mex., Blatt. p. 75, pl. 1. f. 10 (1864).	Brazil.
P. Alaris, *Dohrn*, l. c. p. 411 (1887).	
2. **P. Præstans, Dohrn,** l. c. p. 411 (1887).	Fonte Boa.
3. **P. Rotundata, Scudd.** Proc. Davenport Acad. viii. p. 93, pl. 2. f. 5 (1900).	Texas, Panama.

*4. **P. Opaca, Brunn.** (*Polyzosteria O.*) l. c. p. 216. n. 17 (1865). *Eurycotis Opaca, Sauss. & Zehntn.* l. c. p. 72. n. 6 (1893).	Cuba.
5. **P. Floridana, Walk. (*Periplaneta F.*) l. c. p. 135. n. 35 (1868). *Platyzosteria Ingens, Scudd.* l. c. xix. p. 92 (1877).	Florida.
6. **P. Marginalis, Brunn. Proc. Zool. Soc. Lond. 1893, p. 603, pl. 52. f. 2.	W. Indies (Grenada).
7. **P. Villana, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 72. n. 1, pl. 4. ff. 41, 42 (1893).	Panama.
8. **P.** (?) **Occidentalis, Burm.** (*Polyzosteria O.*) Handb. Ent. ii. p. 483. n. 2 (1838). *Opisthoplatia Occidentalis, Brunn.* Syst. Blatt. p. 200. n. 2 (1865).	Colombia.
9. **P. Purpurascens, Kirb. Ann. Nat. Hist. (7) xii. p. 375 (1903).	Dominica.
10. **P. Decipiens, Kirb. l. c. p. 376 (1903).	Trinidad.
11. **P. (?) **Antipoda, Kirb.** l. c. (1903).	Queensland.

Genus 84. **Homalosilpha.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

*1. **H. Ustulata, Burm.** (*Periplaneta U.*) Handb. Ent. ii. p. 503. n. 3 (1839); Brunn. Syst. Blatt. p. 235. n. 13 (1865). *Kakerlac Thoracica, Serv.* Ins. Orth. p. 69, pl. 2. f. 1 (1839).	Java, Sumatra.
2. **H. Contraria, Walk. (*Periplaneta C.*) Cat. Blatt. B. M. p. 131. n. 24 (1868).	Philippines.
3. **H. Vicina, Brunn.** (*Periplaneta V.*) l. c. p. 236. n. 14 (1865).	Hab. —— ?

Genus 85. **Eurycotis.** (*Type* no. 4.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875); Sauss. & Zehntn. Biol.Centr.-Amer., Orth. i. p. 70 (1893).

1. **E. Australis, Burm.** (*Polyzosteria A.*) Handb. Ent. ii. p. 483. n. 3 (1838). *Opisthoplatia Australis, Brunn.* Syst. Blatt. p. 200. n. 2 (1865).	Brazil.

*2. **E. Mexicana, Sauss.** (*Polyzosteria M.*) Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 54 (1864); Miss. Mex., Orth. p. 70, pl. 2. ff. 39, 39*a* (1870); Brunn. l. c. p. 216. n. 16 (1865).	Mexico.
Eurycotis Mexicana, Sauss. & Zehntn. l. c. p. 70. n. 1 (1893).	
Polyzosteria Azteca, Sauss. Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 55 (1864).	
3. **E. Vittifrons, Sauss. & Zehntn.** l. c. p. 71. n. 2 (1893).	Guatemala.
*4. **E. Mysteca, Sauss.** (*Periplaneta M.*) Rev. Zool. (2) xiv. p. 170 (1862); Mém. Mex., Blatt. p. 77 (1864).	Mexico (Oaxaca).
Polyzosteria Mysteca, Sauss. Miss. Mex., Orth. p. 71, pl. 2. f. 40 (1870).	
Eurycotis Mysteca, Sauss. & Zehntn. l. c. p. 71. n. 3 (1893).	
Polyzosteria Rufovittata, Brunn. l. c. p. 215. n. 15 (1865).	
5. **E. Semipicta, Walk. (*Periplaneta S.*) Cat. Blatt. B. M. p. 141. n. 49 (1868).	Florida.
Platyzosteria Sabalianus, Scudd. Proc. Boston Soc. N. H. xix. p. 93 (1877).	
6. **E. Dimidiata, Bol.** (*Polyzosteria D.*) Mém. Soc. Zool. France, i. p. 125 (1888).	Cuba.
7. **E. Flavipennis, Sauss. & Zehntn.** l. c. p. 71. n. 4 (1893).	id.
8. **E. Quadrisquamata, Sauss. & Zehntn. l. c. p. 71. n. 5, pl. 4. f. 40 (1893).	Guatemala.
9. **E. Finschiana, Sauss.** Mém. Soc. Genève, xxiii. p. 111 (1873).	Cuba.
Polyzosteria Cabreræ, Bol. An. Soc. Españ. x. p. 355, pl. 8. f. 3 (1881).	
10. **E. Subalata, Sauss. & Zehntn.** l. c. p. 72. n. 8 (1893).	Colombia.
11. **E. Occidentalis, Sauss.** (*Periplaneta O.*) Rev. Zool. (2) xvi. p. 318 (1864); Mém. Mex., Blatt. p. 74 (1864).	W. Indies.
12. **E. Cothurnata, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 11 (1898).	Ecuador.
13. **E. Caraibea, Bol.** (*Polyzosteria C.*) Mém. Soc. Zool. France, i. p. 126 (1888).	Cuba.

Genus 86. **Deropeltis.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 486 (1838); Brunn. Syst. Blatt. p. 240 (1865); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 70, 75 (1895).

Euryzosteria, Sauss. Rev. Zool. (2) xvi. p. 316 (1864). (*Type* no. 1.)

1. **D. Erythrocephala, Fabr. (*Blatta E.*) Spec. Ins. i. p. 342. n. 7 (1781); Oliv. Enc. Méth., Ins. iv. p. 316. n. 10 (1789). *Perisphæria Erythrocephala, Burm.* l. c. p. 486. n. 7 (1838). *Ischnoptera Erythrocephala, Sauss.* l. c. (2) xvi. p. 314. n. 25 (1864). *D. Erythrocephala, Brunn.* l. c. p. 242. n. 1, pl. 8. f. 38 A–F (1865). *Blatta Capensis, Thunb.* Diss. Ent. Nov. Spec. Ins. iv. p. 77 (1784); Oliv. l. c. p. 316. n. 11 (1789); Serv. Ins. Orth. p. 93 (1839). *Euryzosteria Delalandii, Sauss.* l. c. (2) xvi. p. 316 (1864). *Perisphæria Verticalis*, ♀, *Burm.* l. c. p. 486. n. 6 (1838). *D. Burmeisteri, Sauss.* Ann. Mus. Genova, xxxv. p. 77 (1895).	S. Africa.
2. **D. Melanophila, Walk. (*Ischnoptera M.*) Cat. Blatt. B. M. Suppl. p. 146 (1869). *D. Robusta, Gerst.* Mitth. Ver. Vorpommern, xiv. p. 52 (1883). *D. Speiseri, Brancs.* Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 245, pl. 7. f. 3 (1897). *D. Madecassa, Sauss.* Soc. Ent. vi. p. 17 (1891); Abhandl. Senckenb. Ges. xxi. p. 581 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 77, pl. 3. ff. 28, 29 (1895).	Zanzibar; E. & W. Africa, Madagascar
*3. **D. Caffra, Stål,** (*Periplaneta C.*) Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856); Brunn. l. c. p. 239. n. 19 (1865). *D. Atra, Brunn.* l. c. p. 244. n. 3 (1865); Borm. Ann. Mus. Genova, xvi. p. 207 (1881).	Natal; Ruwenzori, Shoa.

*4. **D. Brevicollis, Serv.** (*Kakerlac B.*) Ins. Orth. p. 70 (1839). *D. Brevicollis, Brunn.* l. c. p. 246. n. 8 (1865); Kirb. Ann. Nat. Hist. (7) v. p. 283 (1900); Distant, Ins. Transvaal. p. 22. n. 9 (1900). *D. Juncea*, var., *Sauss.* Mém. Soc. Genève, xxiii. p. 117 (1873). *Ischnoptera Longipennis*, *Walk.* Cat. Blatt. B. M. p. 117. n. 29 (1868).	Cape; E. & W. Africa.
*5. **D. Juncea, Sauss.** (*Ischnoptera J.*) Rev. Zool. (2) xvi. p. 314 (1864).	S. Africa.
*6. **D. Similis, Sauss.** (*Ischnoptera S.*) l. c. p. 314 (1864). *D. Similis, Kirb.* ll. cc. p. 284 (1900); p. 22. n. 10 (1900).	id.
7. **D. Intermedia, Brunn.** l. c. p. 244. n. 4 (1865).	Natal.
8. **D. Integerrima, Brunn.** l. c. p. 245. n. 5 (1865).	Zanzibar.
9. **D. Orba, Stål,** (*Periplaneta O.*) l. c. p. 167. n. 5 (1856); Brunn. l. c. p. 240. n. 22 (1865).	Natal.
10. **D. Gracilis, Burm.** (*Ischnoptera G.*) l. c. p. 500. n. 1 (1838); Brunn. l. c. p. 139. n. 15 (1865).	Cape.
11. **D. Wahlbergi, Stål,** (*Periplaneta W.*) l. c. xiii. p. 167. n. 2 (1856); Brunn. l. c. p. 239. n. 20 (1865).	Limpopo.
*12. **D. Albilatera, Stål,** (*Periplaneta A.*) l. c. p. 167. n. 3 (1856); Brunn. l. c. p. 237. n. 15 (1865). *Ischnoptera Dimidiata, Walk.* l. c. p. 116. n. 28 (1868). ‖*D. Wahlbergi, Sauss.* Mém. Soc. Genève, xxiii. p. 115 (1873).	Natal.
13. **D. Saussurei, Kirb.** Ann. Nat. Hist. (7) xii. p. 377 (1903). ‖*D. Longipennis, Sauss.* l. c. p. 117 (1873).	Caffraria.
14. **D. Autraniana, Sauss.** Ann. Mus. Genova, xxxv. p. 78 (1895).	Galla Land, W. Africa.
15. **D. Barbeyana, Sauss.** l. c. p. 79 (1895).	Massowa, &c.
16. **D. Schweinfurthi, Sauss.** l. c. (1895).	Massowa.
17. **D. Nigrita, Sauss.** l. c. p. 80 (1895).	Shoa.
18. **D. Bueana, Karsch,** Berlin. Ent. Zeitschr. xxxvii. p. 65 (1892).	Cameroons.
19. **D. Paulinoi, Bol.** Jorn. Sci. Lisboa, xxx. p. 108 (1882); (2) i. p. 76 (1889).	Benguela.

20. **D. Sculpturata, Krauss,** Zool. Jahrb. v. Syst. p. 651, pl. 45. f. 2 (1891).	Guinea (S. Thomé I.).
21. **D. Dichroa, Gerst.** l. c. p. 50 (1883).	Gold Coast.
*22. **D. Flavomarginata, Brunn.** l. c. p. 247. n. 10 (1865). ‖ *Polyzosteria Capensis, Sauss.* Rev. Zool. (2) xvi. p. 307 (1864). *Periplaneta Collaris, Walk.* Cat. Blatt. B. M. p. 142. n. 51 (1868). *Periplaneta Decorata, Walk.* l. c. n. 52 (1868).	S. Africa.
*23. **D. Meridionalis, Sauss.** (*Polyzosteria (Blatta?) M.*) l. c. p. 306 (1864). *D. Bivittata, Brunn.* l. c. p. 247. n. 9 (1865).	id.
24. **D. Distanti, Kirb.** Ann. Nat. Hist. (7) v. p. 284 (1900); Distant, Ins. Transvaal. p. 22, pl. 1. f. 12 (1900).	Pretoria.

Genus 87. **Pseudoderopeltis.** (*Type* no. 1.)

Krauss, Zool. Jahrb. v. Syst. p. 652 (1891).

1. **P. Antennata, Sauss.** (*Deropeltis A.*) Mém. Soc. Genève, xxiii. p. 116, pl. 10. f. 39 (1873). *P. Antennata, Krauss,* l. c. p. 653, pl. 45. f. 4 (1891).	S. Africa (?)
*2. **P. Granulifera, Krauss,** l. c. p. 653 (1891).	Matabele L.
3. **P. Flavescens, Krauss,** l. c. p. 654 (1891).	Cape.
4. **P. Triimpressa, Krauss,** l. c. p. 656, pl. 45. ff. 3, 3 *a* (1891).	Guinea (S. Thomé I.).
5. **P. Carbonaria, Gerst.** (*Deropeltis C.*) Mitth. Ver. Vorpommern, xiv. p. 51 (1883).	Cameroons.
6. **P. Foveolata, Walk. (*Nauphoeta F.*) Cat. Blatt. B. M. p. 42. n. 16 (1868).	S. Africa.
*7. **P. Diluta, Stål,** (*Periplaneta D.*) Œfv. Vet.-Akad. Förh. xiii. p. 167. n. 4 (1856); Brunn. l. c. p. 239. n. 21 (1865).	Natal.

SUBFAM. VIII.

ARCHIBLATTINÆ.

Genus 88. **Archiblatta.** (*Type* no. 1.)

Vollenh. Tidschr. Ent. v. p. 106 (1862); Brunn. Syst. Blatt. p. 248 (1865).
Planetica, Sauss. Mém. Soc. Genève, xvii. p. 164 (1864).

*1. **A. Hoevenii, Voll.** l. c. pl. 6. ff. 1, 2 (1862); Brunn. l. c. p. 249, pl. 8. f. 39 A–E (1865). *Planetica Aranea, Sauss.* l. c. p. 166, pl. 1. f. 23 (1864).	Sumatra, Penang, Singapore.
2. **A. Phalangium, Sauss.** (*Planetica P.*) Rev. Zool. (2) xvi. p. 344 (1864).	"E.Indies."

Genus 89. **Catara.**

Walk. Cat. Blatt. B. M. p. 52 (1868); Brunn. Ann Soc. Genova, xxxiii. p. 35 (1893).

*1. **C. Rugosicollis, Brunn.** (*Deropeltis R.*) Syst. Blatt. p. 245. n. 6 (1865). *C. Rugicollis, Walk.* l. c. p. 53. n. 1 (1868). *Archiblatta Valvularia, Sauss.* Mém. Soc. Genève, xxiii. p. 118, pl. 10. f. 40 (1873).	Java, Borneo, Singapore.

SUBFAM. IX.

PANCHLORINÆ.

Genus 90. **Phenacisma.**

Karsch, Stettin. Ent. Zeit. lvii. p. 243 (1896).

1. **P. Peltata, Karsch,** l. c. (1896).	Mombasa.

Genus 91. **Trichomera.**

Kirb. Ann. Nat. Hist. (6) xviii. p. 257 (1896).

1. **T. Insignata, Kirb. l. c. pl. 12. f. 5 (1896).	Ogowe.

Genus 92. **Gyna.** (*Type* no. 13.)

Brunn. Syst. Blatt. p. 266 (1865).

1. **G. Costalis, Walk. (*Panchlora C.*) Cat. Blatt. B. M. p. 35. n. 33 (1868).	W. Africa.
2. **G. Scutelligera, Walk. (*Panchlora S.*) l. c. p. 32. n. 29 (1868).	Gambia.
3. **G. Nigrifrons, Bol.** J. Sci. Lisboa, (2) i. p. 77 (1889).	Benguela (Caconda).
4. **G. Spurcata, Walk. (*Panchlora S.*) l. c. p. 34. n. 32 (1868).	Gaboon.
5. **G. Æstuans, Sauss.** (*Panchlora Æ.*) Mém. Soc. Genève, xvii. p. 159, pl. 1. f. 20 (1864).	Senegal.
6. **G. Fervida, Sauss.** (*Panchlora F.*) Rev. Zool. (2) xvi. p. 341 (1864).	Senegambia
7. **G. Lata, Walk. (*Panchlora L.*) l. c. p. 31. n. 28 (1868).	Gambia.
*8. **G. Vetula, Brunn.** l. c. p. 267 (1865); Sauss. Abh. Senckenb. Ges. xxi. p. 582 (1899).	W. Africa ; B. E. Afr. (eadem ?).
9. **G. Lurida, Sauss.** l. c. p. 581 (1899).	Zanzibar.
*10. **G. Caffrorum, Stål,** (*Panchlora C.*) Œfv. Vet.-Akad. Förh. xiii. p. 167 (1856); Brunn. l. c. p. 268 (1865).	Natal ; S. & E. Africa.
Epilampra Conspicua, Walk. l. c. p. 67. n. 2 (1868).	
Panchlora Scripta, Walk. l. c. p. 183 (1868).	
‖ *G. Fervida, Borm.* Ann. Soc. Ent. Belgique, xxv. p. 21, pl. 1. f. B (1881).	
11. **G. Maculipennis, Schaum,** (*Panchlora M.*) Ber. Akad. Berlin, 1853, p. 776. n. 2; Peters, Reise Mossamb., Zool. v. p. 109, pl. 7. f. 1 (1862).	Mozambique.
12. **G. Laticosta, Walk. (*Panchlora L.*) l. c. p. 33. n. 31 (1868).	Angola.
*13. **G. Capucina, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 72 (1883).	Cameroons, Old Calabar.
‖ *G. Maculipennis, Brunn.* l. c. p. 268. n. 2, pl. 6. f. 30 A–E (1865).	
14. **G. Buchholzi, Gerst.** l. c. xiv. p. 72 (1883).	Fern. Po, Cameroons.
15. **G. Colini, Rochebr.** Bull. Soc. Philom. (7) vii. p. 176 (1883).	Senegambia

*16. **G. Gloriosa, Stål,** (*Blatta G.*) l. c. xii. p. 351 (1856). *Panchlora Africana, Sauss.* Rev. Zool. (2) xvi. p. 342 (1864). *G. Africana, Sauss.* Mém. Soc. Genève, xx. p. 275 (1869). *G. Pomposa, Brunn.* l. c. p. 269. n. 3 (1865).	Sierra Leone, Gaboon, O. Calabar, Niger, Congo.
17. **G. Centurio, Dohrn,** Stettin. Ent. Zeit. xlix. p. 129 (188-).	Cameroons.

Genus 93. **Rhyparobia.** (*Type* no. 1.)

Krauss, Zool. Anz. xv. p. 165 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 89 (1893); Burr, Brit. Orth. p. 27 (1897).

1. **R. Maderæ, Fabr. (*Blatta M.*) Spec. Ins. i. p. 341. n. 2 (1781); Stoll, Spectres, Blatt. p. 4, pl. 1 *d.* f. 7 (1813); Brullé, Hist. Nat. Ins. ix. p. 19, pl. 3. f. 1 (1835); Hahn, Icon. Orth., Blatt. pl. A. f. 1 (1836); Serv. Ins. Orth. p. 87 (1839); Donovan, Brit. Ins. xiii. p. 51, pl. 457 (1808); Steph. Ill. Brit. Ent., Mand. vi. p. 43 (1835). *Panchlora Maderæ, Burm.* Handb. Ent. ii. p. 507. n. 8 (1838); Sauss. Mém. Mex., Blatt. p. 202 (1864); Brunn. Syst. Blatt. p. 282. n. 15 (1865); Gerst. Mitth. Ver. Vorpomm. xiv. p. 68 (1883). *R. Maderæ, Krauss,* l. c. p. 165 (1892); Burr, l. c. p. 27, pl. 2 *a.* f. 1 (1897). *Blatta Major, Beauv.* Ins. Afr. Amér. p. 182, pl. 16. f. 2 (1805). *Proscratea* (?) *Illepida, Walk.* Cat. Blatt. B. M. p. 185 (1868), *larva.*	Madeira; Africa, &c. (*Cosmopolitan.*)
*2. **R. Grandis, Sauss.** (*Panchlora G.*) Mém. Soc. Genève, xxiii. p. 132, pl. 10. f. 46 (1873).	Sierra Leone.
3. **R. Capelloi, Bol.** (*Panchlora C.*) J. Sci. Lisboa, (2) i. p. 78 (1889).	L. Guinea (Quango).
4. **R. Thoracica, Kirb. Ann. Nat. Hist. (7) xi. p. 404 (1903).	E. Africa (Up. Shire).
5. **R. Adusta, Gerst.** (*Panchlora A.*) l. c. xiv. p. 69 (1883).	Cameroons.
6. **R. Vitellina, Gerst.** (*Panchlora V.*) l. c. p. 70 (1883).	id.

7. **R. Rufipes, Kirb. l. c. (7) xii. p. 377 (1903).	Sierra Leone.
8. **R. Pallescens, Kirb. l. c. (1903).	id.

Genus 94. **Leucophæa.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 278 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 89 (1893).
Pycnoscelus, Scudd. Boston Journ. Nat. Hist. vii. p. 424 (1862), *larva.*

*1. **L. Surinamensis, Linn.** (*Blatta S.*) Syst. Nat. (ed. x.) i. p. 424. n. 3 (1758); De Geer, Mém. Ins. iii. p. 539. n. 6, pl. 44. f. 8 (1783).	Surinam, &c. (*Cosmopolitan.*)
Panchlora Surinamensis, Burm. Handb. Ent. ii. p. 507. n. 5 (1838); Sauss. Mém. Mex., Blatt. p. 188 (1864); Brunn. l. c. p. 278. n. 12, pl. 7. f. 32 A–E (1865).	
L. Surinamensis, Burr, Brit. Orth. p. 28, pl. 2 *a.* f. 1 (1897).	
Blatta Melanocephala, Stoll, Spectres, Blatt. p. 7, pl. 4 *d.* f. 20 (1813).	
Blatta Indica, Fabr. Syst. Ent. p. 272. n. 6 (1775); Serv. Ins. Orth. p. 97 (1839).	
Panchlora Indica, Burm. l. c. p. 507. n. 6 (1838); Sauss. Mém. Mex., Blatt. p. 188 (1864).	
Blatta Punctata, Esch. Entomographien, p. 86 (1822).	
Blatta Corticum, Serv. l. c. p. 90 (1839).	
Panchlora Submarginata, Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 7 (1871).	
Panchlora Occipitalis, Walk. l. c. (1871).	
Panchlora Celebesa, Walk. Cat. Blatt. B. M. p. 26. n. 3 (1868).	
Pycnoscelus Obscurus, Scudd. l. c. p. 424 (1862), *larva.*	
2. **L. Tenebrigera, Walk. (*Panchlora T.*) l. c. p. 31. n. 27 (1868).	India.
3. **L. Striata, Kirb. Ann. Nat. Hist. (7) xii. p. 378 (1903).	Selangor.
4. **L. Nigra, Brunn.** (*Panchlora N.*) l. c. p. 280. n. 13 (1865).	Burma.
5. **L. Conferta, Walk.** (*Ischnoptera C.*) l. c. Suppl. p. 148 (1869).	Siam.

6. **L. (?) Lævigata, Beauv.** (*Blatta L.*) Ins. Afr. Amér. p. 228, Orth. pl. 2 *c.* f. 4 (1805).	Haiti.

(Genus 95. **Panchlora.** (*Type* no. 17.)

Burm. Handb. Ent. ii. p. 506 (1838); Sauss. Mém. Mex., Blatt. p. 186 (1864); Miss. Mex., Orth. p. 101 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 90 (1893); Brunn. Syst. Blatt. p. 270 (1865).

1. **P. Thalassina, Sauss. & Zehntn.** l. c. p. 93. n. 1 (1893).	S. & Centr. America.
*2. **P. Exoleta, Burm.** l. c. p. 507. n. 2 (1838); Brunn. l. c. p. 272. n. 2 (1865); Sauss. & Zehntn. l. c. p. 93. n. 2 (1893).	Mexico to Brazil.
3. **P. Glauca, Sauss.** Rev. Zool. (2) xiv. p. 231 (1862); Mém. Mex., Blatt. p. 200 (1864); Sauss. & Zehntn. l. c. p. 94. n. 3 (1893); Brunn. l. c. p. 274 (1865).	Brazil.
4. **P. Antillarum, Sauss.** ll. cc. (2) xiv. p. 230 (1862); p. 193 (1864); Sauss. & Zehntn. l. c. p. 94. n. 4 (1893); Brunn. l. c. p. 275. n. 5 (1865).	Cuba.
*5. **P. Virescens, Thunb.** (*Blatta V.*) Mém. Acad. St. Pétersb. x. p. 278 (1826); Serv. Ins. Orth. p. 101 (1839). *Blatta* (*Panchlora*) *Virescens, Guér.* Ramon de la Sagra, Hist. Cuba, Ins. p. 344 (1857). *P. Virescens, Sauss.* Mém. Mex., Blatt. p. 190 (1864); Sauss. & Zehntn. l. c. p. 94. n. 5 (1893).	Mexico to Brazil; Cuba.
*6. **P. Hyalina, Stoll,** (*Blatta H.*) Spectres, Blatt. p. 5, pl. 3 *d.* f. 12 (1813). ‖*P. Viridis, Burm.* Handb. Ent. ii. p. 506. n. 1 (1838); Sauss. & Zehntn. l. c. p. 94. n. 6 (1893); Brunn. l. c. p. 273 (1865). ‖*Blatta Nivea, Herbst,* Fuessly, Arch. Insekt. vii. & viii. p. 185. n. 7, pl. 49. f. 7 (1786); Thunb. l. c. p. 277 (1826); Sauss. Mém. Mex., Blatt. p. 194 (1864). *P. Poeyi, Sauss.* Rev. Zool. (2) xiv. p. 230 (1862); Mém. Mex., Blatt. p. 194 (1864).	Cayenne, Cuba.
*7. **P. Prasina, Burm.** l. c. p. 507. n. 3 (1838); Sauss. Mém. Mex., Blatt. p. 192	Rio Janeiro.

(1864); Sauss. & Zehntn. l. c. p. 95. n. 7 (1893); Brunn. l. c. p. 273. n. 3 (1865).	
8. **P. Acolhua, Sauss. & Zehntn. l. c. p. 95. n. 8 (1893). Var. *Minor, Sauss. & Zehntn.* l. c. (1893).	Mexico, Guatemala. Panama.
*9. **P. Peruana, Sauss.** Rev. Zool. (2) xvi. p. 342. n. 52 (1864); Mém. Mex., Blatt. p. 195 (1864); Sauss. & Zehntn. l. c. p. 95. n. 9 (1893).	Mexico to Peru; Cuba.
*10. **P. Nivea, Linn.** (*Blatta N.*) Syst. Nat. (ed. x.) i. p. 424. n. 5 (1758); De Geer, Mém. Ins. iii. p. 540. n. 8, pl. 44. f. 10 (1773); Drury, Ill. Exot. Ent. ii. pl. 36. f. 1 (1773). *P. Nivea, Brunn.* l. c. p. 274. n. 4 (1865); Sauss. Mém. Mex., Blatt. p. 194 (1864); Miss. Mex., Orth. p. 102. n. 5 (1870); Sauss. & Zehntn. l. c. p. 96. n. 10 (1893). *Blatta Viridis, Fabr.* Syst. Ent. p. 272. n. 9 (1775). *P. Viridis, Sauss.* Mém. Mex., Blatt. p. 193 (1864). *Blatta Chlorotica, Pall.* Spicil. Zool. ix. p. 11, pl. 1. f. 6 (1772). *Blatta Cubensis, Sauss.* Rev. Zool. (2) xiv. p. 230 (1862); Mém. Mex., Blatt. p. 192 (1864). *P. Luteola, Sauss.* Rev. Zool. (2) xvi. p. 342. n. 53 (1864).	S. America; Cuba.
11. **P. Punctum, Sauss. & Zehntn.** l. c. p. 96. n. 11 (1893).	Central America.
12. **P. Translucida, Kirb.** Ann. Nat. Hist. (7) xii. p. 378 (1903). ‖*P. Hyalina, Sauss.* Rev. Zool. (2) xiv. p. 231 (1862); Sauss. & Zehntn. l. c. p. 96. n. 12 (1893); Brunn. l. c. p. 275. n. 6 (1865).	Guatemala, Cuba.
13. **P. Nigricornis, Walk. Cat. Blatt. B. M. p. 28. n. 12 (1868).	Quito.
14. **P. Moxa, Sauss.** Rev. Zool. (2) xiv. p. 231 (1862); Mém. Mex., Blatt. p. 199 (1864); Sauss. & Zehntn. l. c. p. 96. n. 13 (1893); Brunn. l. c. p. 276. n. 9 (1865).	Bolivia, Peru.
15. **P. Fraterna, Sauss. & Zehntn. l. c. p. 97. n. 14 (1893).	Nicaragua, Panama.

16. **P. Lancadon, Sauss.** ll. cc. (2) xvi. p. 342. n. 54 (1864); p. 194. n. 96, pl. 2. f. 29 (1864).	Guatemala.
P. Lacandon, Sauss. & Zehntn. l. c. p. 97. n. 15 (1893).	
*17. **P. Quadripunctata, Stoll,** (*Blatta Q.*) Spectres, Blatt. p. 7, pl. 4 *d.* f. 19 (1813).	Mexico, Brazil.
P. Pulchella, Burm. l. c. p. 507. n. 4 (1838); Brunn. l. c. p. 275. n. 7, pl. 7. f. A–E (1865); Sauss. & Zehntn. l. c. p. 97. n. 16 (1893).	
P. Mexicana, Sauss. ll. cc. (2) xiv. p. 231 (1862); p. 197. n. 98 (1864).	
*18. **P. Erronea, Sauss.** Miss. Mex., Orth. p. 103. n. 12 (1870).	Brazil.
‖ *P. Pulchella, Sauss.* Mém. Mex., Blatt. p. 196. n. 98 (1864).	
19. **P. Zendala, Sauss.** Rev. Zool. (2) xiv. p. 231 (1862); Mém. Mex., Blatt. p. 196. n. 99, pl. 2. f. 30 (1864); Sauss. & Zehntn. l. c. p. 98. n. 17 (1893); Brunn. l. c. p. 276. n. 8 (1865).	Guatemala.
20. **P. Najas, Dohrn,** Stettin. Ent. Zeit. xlix. p. 130 (1880); Sauss. & Zehntn. l. c. p. 98. n. 18 (1893).	Amazons (Fonte Boa).
21. **P. Montezuma, Sauss. & Zehntn. l. c. p. 98. n. 19 (1893).	Mexico.
22. **P. Azteca, Sauss.** ll. cc. (2) xiv. p. 230 (1862); p. 198. n. 101, pl. 2. f. 31 (1864); Sauss. & Zehntn. l. c. p. 98. n. 20 (1893).	id.
Var. *P. Lactea, Brunn.* l. c. p. 277. n. 10 (1865).	
23. **P. Latipennis, Sauss. & Zehntn.** l. c. p. 99. n. 21, pl. 5. f. 2 (1893).	Guatemala.
24. **P. Tolteca, Sauss.** Mém. Soc. Genève, xxiii. p. 131 (1873); Sauss. & Zehntn. l. c. p. 99. n. 22, pl. 6. f. 11 (1893).	Mexico.
25. **P. Cribrosa, Sauss. & Zehntn. l. c. p. 99. n. 23, pl. 5. f. 1 (1893).	Panama.
26. **P. Festæ, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 12 (1898).	Ecuador.
*27. **P. (?) Alcarazzas, Serv.** (*Blatta A.*) l. c. p. 90 (1839).	Brazil.
P. Alcarazzas, Walk. l. c. p. 29. n. 18 (1868).	id.
28. **P. Viridula, Beauv.** (*Blatta V.*) Ins. Afr. Amér. p. 182, Orth. pl. 1. f. 3 (1805).	W. Africa (Oware).
28 *a.* **P. Smaragdina, Brunn.** l. c. p. 277. n. 11 (1865).	Old Calabar.

Genus 96. **Achroblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 67 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 100 (1893).

*1. **A. Luteola, Blanch.** (*Blatta L.*) D'Orbigny, Voy. Amér. Mér., Ins. p. 215, pl. 26. f. 3 (1843). *A. Luteola, Sauss. & Zehntn.* l. c. p. 100. n. 1, pl. 6. f. 12 (1893). *Paratropes Histrio, Sauss.* Rev. Zool. (2) xiv. p. 229 (1862); Mém. Mex., Blatt. p. 58. n. 6, pl. 1. f. 5 (1864). *Panchlora Tripartita, Walk.* Cat. Blatt. B. M. p. 35. n. 34 (1868). *Zetobora Sigillata, Walk.* l. c. p. 51. n. 13 (1868).	Bolivia; Mexico to Colombia.
2. **A. (?) Signifera, Scudd.** (*Panchlora S.*) Proc. Boston Soc. Nat. Hist. xvii. p. 280 (1875).	Peruvian Andes.
3. **A. Lituriceps, Walk. (*Pseudomops L.*) l. c. p. 83. n. 24 (1868).	Brazil (Ega).

Genus 97. **Nauphœta.** (*Type* no. 7.)

Burm. Handb. Ent. ii. p. 508 (1838); Sauss. Mém. Mex., Blatt. p. 203 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 100 (1893); Grandidier, Hist. Madag., Orth. i. p. 80 (1895); Brunn. Syst. Blatt. p. 283 (1865).

1. **N. Testacea, Brunn.** l. c. p. 284. n. 1 (1865).	W. Africa.
2. **N. Guineensis, Sauss.** Mém. Soc. Genève, xxiii. p. 133, pl. 10. f. 47 (1873).	Guinea, Gold Coast.
3. **N. Gestriana, Sauss.** Ann. Mus. Genova, xxxv. p. 86 (1895).	E. Afr. (Boran Galla).
4. **N. Flexivitta, Walk. (*Periplaneta F.*) Cat. Blatt. B. M. p. 133. n. 29 (1868). *N. Discoidalis, Sauss.* Abh. Senckenb. Ges. xxi. p. 582 (1899).	Congo.
5. **N. Brazzæ, Bol.** (*Panchlora B.*) An. Soc. Españ. xix. p. 303 (1890).	id.
6. **N. Frenata, Gerst.** Mt. Ver. Vorpomm. xiv. p. 67 (1883).	Ogowe.

*7. **N. Cinerea, Oliv.** (*Blatta C.*) Enc. Méth., Ins. iv. p. 314. n. 3 (1789); Serv. Ins. Orth. p. 89 (1839). *N. Cinerea, Sauss.* Mém. Mex., Blatt. p. 204 (1864); Miss. Mex., Orth. p. 104 (1870); Abh. Senckenb. Ges. xxi. p. 583 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 81, pl. 3. f. 31 (1895). *Epilampra Cinerea, Brunn.* l. c. p. 182. n. 14 (1865). *N. Grisea, Burm.* l. c. p. 508. n. 2 (1838); Brunn. l. c. p. 287. n. 4 (1865). *N. Bivittata, Burm.* l. c. p. 508. n. 3 (1838); Brunn. l. c. p. 287. n. 5 (1865). (?) ‖ *Blatta Maderæ, Herbst,* Fuessly, Arch. Insekt. p. 184. pl. 49. f. 3 (1786). (?) *Blatta Gallica, Fabr.* Ent. Syst. ii. p. 8. n. 11 (1793).	Mauritius, Madagascar Sumatra, Philippines, Polynesia, S. & Centr. America, Cuba, &c.
8. **N. Aspersata, Kirb.** Ann. Nat. Hist. (7) v. p. 285 (1900); Distant, Ins. Transvaal. p. 23. pl. 1. f. 8 (1900).	Pretoria.
9. **N. Madecassa, Sauss.** Soc. Ent. vi. p. 17 (1891): Sauss. & Zehntn. l. c. p. 82, pl. 3. f. 30 (1895).	Madagascar
10. **N. Heydeniana, Sauss.** l. c. p. 17 (1891); Sauss. & Zehntn. l. c. p. 83, pl. 3. f. 32 (1895).	id.
11. **N. Rubricosa, Walk.** Cat. Blatt. B. M. p. 185 (1868).	S. Africa.
12. **N. Opaca, Walk. (*Blatta O.*) Cat. Blatt. B. M. p. 106. n. 85 (1868).	Ceylon.
13. **N. Basalis, Kirb. Ann. Nat. Hist. (7) xii. p. 378 (1903).	Tonkin.

Genus 98. **Heminauphœta.** (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 17 (1891); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 78, 84 (1895).

1. **H. Sakalava, Sauss.** l. c. (1891); Sauss. & Zehntn. l. c. p. 85, pl. 3. f. 33 (1895).	Madagascar
2. **H. Brunneriana, Sauss. & Zehntn.** l. c. p. 86, pl. 3. f. 34 (1895).	id.
3. **H. Hova, Sauss. & Zehntn.** l. c. p. 87, pl. 3. f. 35 (1895).	id.

Genus 99. **Tribonium.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 232 (1864); Mém. Mex., Blatt. p. 208 (1864).
Philobora, Brunn. Syst. Blatt. p. 294 (1865).

*1. **T. Spectrum, Esch.** (*Blatta S.*) Entomographien, p. 85 (1822). *Blatta Conspersa, Guér. & Perch.* Gen. Ins. (2) iii. pl. 2 (1835); Serv. Ins. Orth. p. 39 (1839). *Zetobora Conspersa, Burm.* Handb. Ent. ii. p. 510. n. 2 (1838). *Blatta (Zetobora) Conspersa, Guér.* Ramon de la Sagra, Hist. Cuba, Ins. p. 339 (1857). *Proscratea Conspersa, Sauss.* Mém. Mex., Blatt. p. 208 (1864). *Philobora Conspersa, Brunn.* l. c. p. 295. n. 1, pl. 7. f. 35 A–E (1865).	Brazil, Cuba.
2. **T. Guttulosa, Walk.** (*Nauphata G.*) Cat. Blatt. B. M. p. 184 (1868).	Brazil.
3. **T. Conspurcata, Burm.** (*Zetobora C.*) Handb. Ent. ii. p. 510. n. 1 (1838). *Philobora Conspurcata, Brunn.* l. c. p. 297. n. 2 (1865).	id.
4. **T. Elegans, Brunn.** (*Philobora E.*) l. c. p. 297. n. 3 (1865).	id.
5. **T. Inæqualis, Walk. (*Panchlora I.*) l. c. p. 33. n. 30 (1868).	Hab. —— ?

Genus 100. **Tribonidium.** (*Type* no. 1 *a.*)

Sauss. Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 210 (1864).

1. **T. Signaticollis, Burm.** (*Zetobora S.*) Handb. Ent. ii. p. 510. n. 3 (1838); Brunn. Syst. Blatt. p. 289. n. 1 (1865).	Brazil.
*1 *a*. **T. Monastica, Sauss.** (*Zetobora M.*) ll. cc. p. 232 (1862); p. 211, pl. 2. f. 34 (1864); Miss. Mex., Orth. p. 104 (1870); Brunn. l. c. p. 293. n. 8 (1865). *Zetobora Transversa, Brunn.* l. c. p. 390. n. 2, pl. 7. f. 34 A–E (1865). *Zetobora Impressa, Walk.* Cat. Blatt. B. M. p. 45. n. 2 (1868).	id.

2. **T. (?) **Lignaria, Walk.** (*Perisphæria L.*) Cat. Blatt. B. M. p. 179. n. 30 (1868). (An *T. Monastica*, larva ?)	Rio Janeiro.
3. **T. ? Aberrans, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 13 (1898).	Ecuador.

Genus 101. **Zetobora.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 509 (1838); Brunn. Syst. Blatt. p. 289 (1865).

1. **Z. Nimbata, Burm.** l. c. p. 511. n. 4 (1838); Brunn. l. c. p. 291. n. 6 (1865); Sauss. Miss. Mex., Orth. p. 105 (1870). *Z. Castanea, Sauss.* Rev. Zool. (2) xvi. p. 343 (1864); Mém. Mex., Blatt. p. 216 (1864).	Brazil (Para), Cayenne.
*2. **Z. Emarginata, Burm.** l. c. p. 511. n. 5 (1838); Brunn. l. c. p. 291. n. 4 (1865). *Z. Limbata, Brunn.* l. c. n. 3 (1865). *Z. Perspicua, Walk.* Cat. Blatt. B. M. p. 46. n. 3 (1868).	Brazil (Para).
*3. **Z. Cicatricosa, Burm.** l. c. p. 511. n. 6 (1838); Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 336, pl. 12. f. 5 (1857); Sauss. Mém. Mex., Blatt. p. 213 (1864); Miss. Mex., Orth. p. 107 (1870); Brunn. l. c. p. 291. n. 5 (1865). *Z. Rudis, Walk.* l. c. p. 46. n. 4 (1868).	Brazil (Para, Ega), Cuba (eadem ?).
4. **Z. Verrucosa, Sauss.** Rev. Zool. (2) xvi. p. 344 (1864); Mém. Mex., Blatt. p. 215 (1864); Miss. Mex., Orth. p. 105 (1870).	S. America.
5. **Z. Martinezi, Bol.** An. Soc. Españ. x. p. 478 (1881); Viaje al Pacifico, Ins. p. 20, pl. 1. f. 2 (1884); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 13 (1898).	Ecuador.

Genus 102. **Phortiœca.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 212 (1864).

1. **P. Peruana, Sauss.** (*Zetobora P.*) ll. cc. p. 232 (1862); p. 213, pl. 2. f. 33 (1864); Brunn. Syst. Blatt. p. 294. n. 9 (1865).	Peru.

2. **P. Phoraspoides, Walk. (*Zetobora P.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 8 (1871). *Zetobora Sublobata, Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 102. n. 2 (1893).	Nicaragua, Guatemala.
*3. **P. Maximiliani, Sauss.** (*Zetobora M.*) Rev. Zool. (2) xx. p. 357. n. 13 (1868); Miss. Mex., Orth. p. 105 (1870).	Mexico.

Genus 103. **Schizopilia.**

Sauss. Mém. Mex., Blatt. p. 217 (1864).

1. **S. Fissicollis, Serv.** (*Blatta F.*) Ins. Orth. p. 85 (1839); Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 337, pl. 12. f. 7 (1857). *Zetobora Fissicollis, Brunn.* Syst. Blatt. p. 292. n. 7 (1865). *Schizopilia Fissicollis, Sauss.* l. c. p. 218 (1864).	Cayenne.

Genus 104. **Capucina.**

Sauss. Soc. Ent. viii. p. 67 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 102 (1893).

1. **C. Patula, Walk. (*Zetobora P.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 8 (1871). *C. Cucullata, Sauss.* l. c. p. 67 (1893); Sauss. & Zehntn. l. c. p. 103. n. 1, pl. 6. f. 13 (1893).	Nicaragua.

Genus 105. **Oniscosoma.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 298 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 118 (1893).

‖ *Zetobora, Sauss.* Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 212 (1864); Mém. Soc. Genève, xvii. p. 161 (1863).

Laxta, Walk. Cat. Blatt. B. M. p. 17 (1868). (*Type* no. 2.)

*1. **O. Granicollis, Sauss.** (*Zetobora G.*) Rev. Zool. (2) xiv. p. 232 (1862); Mém. Soc. Genève, xvii. p. 161, pl. 1. f. 21 (1863); Mém. Mex., Blatt. p. 212 (1864).	Australia.

O. Castanea, Brunn. l. c. p. 300. n. 1, pl. 7. f. 36 A–F (1865); Tepp. l. c. xvii. p. 119 (1893); xviii. p. 186 (1894). *Zetobora Antica, Walk.* Cat. Blatt. B. M. p. 47. n. 5 (1868). *Perisphæria Laminata, Walk.* l. c. p. 178. n. 29 (1868).	
*2. **O. Pallida, Brunn.** l. c. p. 301. n. 2 (1865): Tepp. l. c. xvii. p. 120 (1893). *Laxta Oniscoides, Walk.* l. c. p. 18. n. 1 (1868).	New South Wales.
3. **O.** (?) **Contigua, Sauss.** (*Derocalymma C.*) l. c. xxiii. p. 140, pl. 10. ff. 51, 51*a* (1873).	N. Guinea.

SUBFAM. X.

BLABERINÆ.

Genus 106. **Monachoda.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 513 (1838); Sauss. Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 253 (1864); Brunn. Syst. Blatt. p. 362 (1865).

*1. **M. Grossa, Thunb.** (*Blatta G.*) Mém. Acad. St. Pétersb. x. p. 280 (1822). *Blabera Grossa, Serv.* Ins. Orth. p. 79 (1839). *M. Grossa, Sauss.* Mém. Mex., Blatt. p. 254 (1864). *M. Crassimargo, Burm.* l. c. p. 515. n. 6 (1838); Brunn. l. c. p. 370 (1865).	Brazil.
2. **M. Burmeisteri, Sauss.** l. c. p. 254 note (1864). *M. Grossa, Burm.* l. c. p. 515. n. 5 (1838); Brunn. l. c. p. 369 (1865).	id.
*3. **M. Latissima, Brunn.** l. c. p. 370 (1865).	Bahia.
4. **M. Laticollis, Burm.** l. c. p. 515. n. 7 (1838).	Brazil.

Genus 107. **Petasodes.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 349 (1864); Mém. Mex., Blatt. p. 259 (1864).

*1. **P. Reflexa, Thunb.** (*Blatta R.*) Mém. Acad. St. Pétersb. x. p. 278 (1826). — Brazil.
Blabera Reflexa, Serv. Ins. Orth. p. 82, pl. 2. f. 2 (1839).
Monachoda Reflexa, Brunn. Syst. Blatt. p. 364, pl. 11. f. 54 A–E (1865).
Petasodes Reflexa, Sauss. Mém. Mex., Blatt. p. 261 (1864).
(?) *Blatta Mouffeti, Kirb.* Introd. Ent. ii. p. 329 (1817); Trans. Linn. Soc. xii. p. 448. n. 95 (1818).
(?) *Monachoda Mouffeti, Burm.* Handb. Ent. ii. p. 514. n. 3 (1838).
——, *Mouf.* Ins. Theatrum, p. 129 (1634).
Monachoda Franciscana, Burm. l. c. p. 514. n. 2 (1838).

*2. **P. Dominicana, Burm.** (*Monachoda D.*) l. c. p. 514. n. 1 (1838). — id.
Petasodes Dominicana, Sauss. l. c. p. 261 (1864).
Blabera Pedestris, Serv. l. c. p. 83 (1839).
Monachoda Pedestris, Brunn. l. c. p. 365 (1865).

Genus 108. **Monastria.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 349 (1864); Mém. Mex., Blatt. p. 255 (1864).

*1. **M. Biguttata, Thunb.** (*Blatta B.*) Mém. Acad. St. Pétersb. x. p. 276. n. 2, pl. 14 (1826). — Brazil.
Monastria Biguttata, Sauss. Mém. Mex., Blatt. p. 256 (1864); Miss. Mex., Orth. p. 120 (1870).
Monachoda Biguttata, Brunn. Syst. Blatt. p. 365 (1865).
Blabera Nigripennis, Walk. Cat. Blatt. B. M. p. 6. n. 15 (1868).

*2. **M. Similis, Serv.** (*Blabera S.*) Ins. Orth. p. 81 (1839). — S. America.
Monastria Similis, Sauss. Mém. Mex., Blatt. p. 257 (1864).
Monachoda Similis, Brunn. l. c. p. 367 (1865).

*3. **M. Angulata, Sauss.** l. c. p. 257 (1864). — Bahia.

*4. **M. Cassidea, Esch.** (*Blatta C.*) Entomographien, p. 87 (1822). *Monastria Semialata, Sauss.* Mém. Mex., Blatt. p. 258 (1864). *Monachoda Semialata, Sauss.* Miss. Mex., Orth. p. 120 (1870).	S. America.
*5. **M. Granosa, Brunn.** (*Monachoda G.*) l. c. p. 367 (1865)	Rio Grande do Sol.

Genus 109. **Blaptica.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 18 (1875); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 121 (1894).

*1. **B. Dubia, Serv.** (*Blabera D.*) Ins. Orth. p. 78 (1839); Sauss. Mém. Mex., Blatt. p. 245 (1864). *Blabera Claraziana, Sauss.* Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 243, pl. 2. ff. 41, 42 (1864); Miss. Mex., Orth. p. 116 (1870). *Blaptica Claraziana, Sauss. & Zehntn.* l. c. p. 121. n. 1 (1894). *Blabera Ligata, Brunn.* Syst. Blatt. p. 381 (1865).	Buenos Aires, Uruguay.
2. **B. Obscura, Sauss. & Zehntn.** l. c. p. 121. n. 2 (1894).	Brazil.
3. **B. Panesthoides, Walk. (*Polyzosteria P.*) Cat. Blatt. B. M. p. 164. n. 42 (1868).	Jamaica.
4. **B.** (?) **Bipustulata, Thunb.** (*Blatta B.*) Mém. Acad. St. Pétersb. x. p. 279 (1826).	Hab. ——?

Genus 110. **Byrsotria.** (*Type* no. 2.)

Stål. Bihang Svenska Akad. ii. (13) p. 18 (1875); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 120 (1894).

1. **B. Fumigata, Guér.** (*Blatta (Blabera) F.*) Ramon de la Sagra, Hist. Cuba, Ins. p. 335, pl. 12. f. 4 (1857). *Blabera Fumigata, Sauss.* Mém. Mex., Blatt. p. 244 (1864); Brunn. Syst. Blatt. p. 381. n. 10 (1865).	Cuba.
2. **B. Thunbergii, Guér.** (*Blatta (Monachoda) T.*) l. c. p. 337, pl. 12. f. 6 (1857). *Blabera Thunbergii, Sauss.* Mém. Mex., Blatt. p. 246 (1864). *Monachoda* (?) *Thunbergii, Brunn.* l. c. p. 368. n. 6 (1865).	id.

Genus 111. **Archimandrita.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 67 (1893);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 116 (1894).

*1. **A. Marmorata, Stoll,** (*Blatta M.*) Spectres, Blattes, p. 3, pl. 2 *d*. f. 5 (1813). *Blabera Marmorata, Sauss.* Mém. Mex., Blatt. p. 249 (1864); Brunn. Syst. Blatt. p. 378 (1865); Brun. Bull. Lab. Iowa, iii. (3) p. 60, pl. 2. f. 1 (1893). *A. Marmorata, Sauss. & Zehntn.* l. c. p. 116. n. 1 (1894).	S. & Central America.
2. **A. Discoidalis, Serv.** (*Blabera D.*) Ins. Orth. p. 76, pl. 1. f. 6 (1839); Sauss. l. c. p. 250 (1864).	Haiti.
3. **A.** (?) **Colossea, Illig.** (*Blatta C.*) Mag. Insekt. i. p. 186 (1802).	Demerara.
4. **A.** (?) **Deplanata, Sauss.** (*Blabera D.*) Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 250 (1864); Miss. Mex., Orth. p. 118 (1870). *A. Deplanata, Sauss. & Zehntn.* l. c. p. 116. n. 2, pl. 5. f. 18 (1894).	Cuba.

Genus 112. **Blabera.** (*Type* no. 1.)

Blaberus, Serv. Ann. Sci. Nat. xxii. p. 37 (1831).
Blabera, Serv. Ins. Orth. p. 74 (1839); Mém. Mex., Blatt. p. 230 (1864); Miss. Mex., Orth. p. 113 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 117 (1894); Brunn. Syst. Blatt. p. 371 (1865).
Sisapona, Walk. Cat. Blatt. B. M. p. 16 (1868), *larva.* (*Type* no. 5.)
Tarraga, Walk. l. c. p. 16 (1868), *larva.* (*Type* no. 25.)
Libisoca, Walk. l. c. p. 12 (1868), *larva.* (*Type* no. 23.)

*1. **B. Gigantea, Linn.** (*Blatta G.*) Syst. Nat. (ed. x.) i. p. 424. n. 1 (1758); Mus. Ludov. Ulr. p. 106 (1764); Stoll, Spectres, Blatt. p. 2, pl. 1 *d*. f. 2 (1813). *Blabera Gigantea, Burm.* Handb. Ent. ii. p. 517. n. 5 (1838); Serv. Ins. Orth. p. 75 (1839); Sauss. Mém. Mex., Blatt. p. 236 (1864); Brunn. Syst. Blatt. p. 372 (1865); Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 2 (1871).	S. America.

2. **B. Armigera, Scudd.** P. Boston Soc. xii. p. 343 (1869).	Napo (?).
*3. **B. Stollii, Brunn.** l. c. p. 374 (1865). ‖ *Blatta Gigantea, Stoll*, l. c. p. 2, pl. 1 *d*. f. 1 (1813).	Guiana, Rio Negro.
4. **B. Parabolica, Walk. Cat. Blatt. B. M. p. 8. n. 17 (1868). *Blabera Æquatoriana. Bol.* An. Soc. Españ. x. p. 479 (1881); Viaje al Pacifico, Orth. p. 24, pl. 1. f. 3 (1864).	Ecuador.
*5. **B. Trapezoidea, Burm.** l. c. p. 516. n. 1 (1838); Sauss. Mém. Mex., Blatt. p. 240 (1864); Sauss. & Zehntn. l. c. p. 118. n. 2, pl. 5. ff. 26–31 (1894); Brunn. l. c. p. 374 (1865). *Blabera Varians, Serv.* l. c. p. 78 (1839). *Blabera Mexicana, Sauss.* Rev. Zool. (2) xiv. p. 233 (1862): Mém. Mex., Blatt. p. 234 (1864); Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 3 (1871). *Blabera Quadrifera, Walk.* Cat. Blatt. B. M. p. 3. n. 11 (1868). *Sisapona Marginalis, Walk.* l. c. p. 17. n. 1 (1868), *larva*.	Mexico to Brazil.
*6. **B. Fusca, Brunn.** l. c. p. 376 (1865).	S.& C.Amer.
*7. **B. Atropos, Stoll,** (*Blatta A.*) l. c. p. 4, pl. 2 *d*. f. 8 (1813). *Blabera Atropos, Sauss.* Mém. Mex., Blatt. p. 233 (1864); Brunn. l. c. p. 375, pl. 12. f. 55 A–G (1865). *Blabera Craniifera, Burm.* l. c. p. 516. n. 3 (1838). *Blabera Luctuosa, Stål*, Œfv. Vet.-Akad. Förh. xii. p. 351 (1855). *Blabera Laticollis, Walk.* l. c. p. 5. n. 14 (1868).	Mexico to Brazil.
8. **B. Rufescens, Sauss. & Zehntn.** l. c. p. 119. n. 3, pl. 5. f. 22 (1894).	Cuba.
*9. **B. Cubensis, Sauss.** Rev. Zool. (2) xvi. p. 347 (1864); Mém. Mex., Blatt. p. 236 (1864). *Blabera Subspurcata, Walk.* l. c. p. 4. n. 12 (1868).	Cuba, Haiti, Brazil.
*10. **B. Brasiliana, Sauss.** ll. cc. p. 347 (1864); p. 236 (1864). *Blabera Decisa, Walk.* l. c. p. 5. n. 13 (1868).	Brazil.

11. **B. Scutata, Sauss. & Zehntn. l. c. p. 119. n. 4, pl. 5. f. 24 (1894).	Pernambuco.
12. **B. Anisitsi, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 60, pl. 1. f. 5 (1897).	Paraguay.
13. **B. Immacula, Sauss. & Zehntn.** l. c. p. 120. n. 6, pl. 5. f. 23 (1894); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 106 (1897).	Pernambuco.
*14. **B. Ferruginea, Stoll,** (*Blatta F.*) l. c. p. 4, pl. 2 *d*. f. 9 (1813).	Mexico.
Blabera Ferruginea, Sauss. Mém. Mex., Blatt. p. 241 (1864); Brunn. l. c. p. 377 (1865).	
Blabera Limbata, Burm. l. c. p. 516. n. 2 (1838).	
15. **B. Fusiformis, Walk. l. c. p. 7. n. 16 (1868).	Hab. —— ?
16. **B. Femorata, Scudd.** l. c. xii. p. 342 (1869).	Napo.
17. **B. Sulzeri, Guér.** Ramon de la Sagra, Hist. Cuba, Ins. p. 334 (1857); (?) Sauss. Mém. Mex., Blatt. p. 239, pl. 2. f. 39 (1864); Brunn. l. c. p. 380 (1865).	Surinam, Cuba.
(?) ‖*Blatta Surinamensis, Sulz.* Gesch. Ins. pl. 8. f. 1 (1776).	
18. **B. Distanti, Kirb. Ann. Nat. Hist. (7) xi. p. 404 (1903).	Hab. —— ?
*19. **B. Postica, Erichs.** Schomb. Reisen Brit. Guiana, iii. p. 580 (1848); Brunn. l. c. p. 379 (1865).	Guiana, Panama, Colombia.
Blabera Thoracica, Sauss. & Zehntn. l. c. p. 120. n. 5, pl. 5. f. 25 (1894).	
20. **B. Monstrosa, Stål,** Œfv. Vet.-Akad. Förh. xii. p. 351 (1855).	Brazil.
21. **B. Minor, Sauss.** Rev. Zool. (2) xvi. p. 347 (1864); Mém. Mex., Blatt. p. 238 (1864); Miss. Mex., Orth. p. 115 (1870).	id.
22. **B. Fraterna, Sauss.** Mém. Mex., Blatt. p. 241 (1864).	S. America.
23. **B. Æqualis, Walk. (*Libisoca Æ.*) Cat. Blatt. B. M. p. 12. n. 1 (1869), *larva*.	St. Domingo
24. **B. Chitonoides, Walk. (*Laxta C.*) l. c. p. 18. n. 2 (1868), *larva*.	Hab. —— ?
25. **B. Guttiventris, Walk. (*Tarraga G.*) l. c. p. 16. n. 1 (1868), *larva*.	Rio Janeiro.
26. **B. (?) Latissima, Herbst,** (*Blatta L.*) Fuessly, Arch. Insekt. p. 184, pl. 49. f. 2 (1786), *larva*.	Surinam.

Genus 113. **Hemiblabera.** (*Type* no. 3.)

Sauss. Soc. Ent. viii. p. 68 (1893) ;
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 121 (1894).

*1. **H. Capucina, Sauss.** (*Blabera C.*) Rev. Zool. (2) xiv. p. 234 (1862) ; Mém. Mex., Blatt. p. 248, pl. 2. f. 43 (1864) ; Brunn. Syst. Blatt. p. 383. n. 12 (1865). *H. Capucina, Sauss.* Soc. Ent. viii. p. 68 (1893).	Bahia.
2. **H. Brunneri, Sauss.** (*Blabera B.*) Rev. Zool. (2) xxi. p. 113 (1869) ; Miss. Mex., Orth. p. 117 (1870).	Antilles.
3. **H. Manca, Sauss.** Soc. Ent. viii. p. 68 (1893) ; Sauss. & Zehntn. l. c. p. 122. n. 1, pl. 5. f. 20 (1894).	Portorico.
4. **H. Granulata, Sauss.** l. c. viii. p. 68 (1893); Sauss. & Zehntn. l. c. p. 122. n. 2, pl. 5. f. 21 (1894).	Mexico.

Genus 114. **Cacoblatta.**

Sauss. Soc. Ent. viii. p. 68 (1893) ;
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 122 (1894).

1. **C. Scabra, Sauss.** l. c. viii. p. 68 (1893); Sauss. & Zehntn. l. c. p. 122. n. 2, pl. 5. f. 19 (1894).	New Granada.

SUBFAM. XI.

CORYDIINÆ.

Genus 115. **Corydia.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 42 (1831) ; Ins. Orth. p. 122 (1839) ; Burm. Handb. Ent. ii. p. 490 (1838) ; Sauss. Mém. Mex., Blatt. p. 147 (1864) ; Brunn. Syst. Blatt. p. 335 (1865).

*1. **C. Petiveriana, Linn.** (*Cassida P.*) Syst. Nat. (ed. x.) i. p. 364. n. 18 (1758). *Blatta Petiveriana, Herbst,* Fuessly, Arch. Insekt. p. 185. n. 6, pl. 49. f. 7 (1786) ;	India ; W. Africa (?)

Stoll, Spectres, Blatt. p. 7, pl. 5. ff. 21, 22 (1813); Beauv. Ins. Afr. Amér. p. 227, Orth. pl. 2 *c*. f. 1 (1805).	
Corydia Petiveriana, Burm. Handb. Ent. ii. p. 491. n. 1 (1838); Serv. Ins. Orth. p. 123 (1839); Brunn. l. c. p. 336. n. 1, pl. 10. f. 47 A, B (1865).	
Cassida 7-guttata, Linn. Syst. Nat. (ed. xii.) i. (2) p. 577. n. 19 (1767).	
Blatta Heteroclyta, Pall. Spicil. Zool. ix. pl. 1. f. 5 (1772); Sulz. Gesch. Ins. pl. 11. ff. A, B (1776).	
2. **C. Nuptialis, Gerst.** Arch. Naturg. xxvii. p. 113 (1861); Brunn. l. c. p. 338. n. 3, pl. 10. f. 46 A–E (1865).	Bengal.
Corydia Gueriniana, Sauss. Mém. Soc. Genève, xvii. p. 140, pl. 1. f. 7 (1864).	
*3. **C. Dasytoides, Walk.** (*Euthyrrapha D.*) Cat. Blatt. B. M. p. 191 (1868).	Amoy, Tonkin,
C. Tonkinensis, Kirb. Ann. Nat. Hist. (7) xi. p. 405 (1903).	(Siam, eadem?)
4. **C. Purpuralis, Kirb. l. c. (1903).	S.W.Fokien
5. **C. Hilaris, Kirb. l. c. p. 406 (1903).	Hab. —— ?
*6. **C. Westwoodii, Gerst.** l. c. p. 114 (1861); Brunn. l. c. p. 339. n. 4 (1865).	Assam.
7. **C. Ænea, Brunn.** l. c. p. 340. n. 5 (1865); Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 15 (1893).	Pegu.
8. **C. Plagiata, Walk. Cat. Blatt. B. M. p. 58. n. 3 (1868).	India, Burma.
Corydia Elegans, Brunn. Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 16 (1893).	
9. **C. Ornata, Sauss.** (*Melestora O.*) Rev. Zool. (2) xvi. p. 341 (1864).	Bombay.
Corydia Armata, Sauss. Mém. Soc. Genève, xx. p. 280 (1869).	

Genus 116. **Melestora.** (*Type* no. 1.)

Stål, Eugenie's Resa, Ins. p. 311 (1858); Sauss. Mém. Mex., Blatt. p. 149 (1864); Brunn. Syst. Blatt. p. 341 (1865).

1. **M. Adspersipennis, Stål,** l. c. p. 311, pl. 5. ff. 2, 2*a* (1858); Brunn. l. c. p. 341 (1865).	Brazil.
*2. **M. Fuscella, Stål,** l. c. p. 311 (1858); Brunn. l. c. p. 342 (1865).	id.

Genus 117. **Euthyrrhapha.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 491 (1838); Sauss. Mém. Mex., Blatt. p. 148 (1864); Brunn. Syst. Blatt. p. 342 (1865).

*1. **E. Pacifica, Coq.** (*Blatta P.*) Icon. Ins. iii. p. 91, pl. 21. f. 1 (1804); Serv. Ins. Orth. p. 103 (1839).	Brazil, Polynesia, Madagascar
Euthyrrhapha Pacifica, Sauss. l. c. p. 148 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 108. n. 1 (1894); Brunn. l. c. p. 343. n. 1 (1865); Walk. Cat. Blatt. B. M. p. 59. n. 1 (1868).	
Corydia Biguttata, Burm. Handb. Ent. ii. p. 491. n. 2 (1838).	
E. Ipsoides, Walk. Cat. Blatt. B. M. p. 191 (1868).	Para.
2. **E. Sanctæ-Helenæ, Walk.** Melliss, St. Helena, p. 165 (1875).	St. Helena.

Genus 118. **Latindia.** (*Type* no. 8.)

Stål, Eugenie's Resa, Ins. p. 311 (1858); Sauss. Mém. Mex., Blatt. p. 229 (1864); Miss. Mex., Orth. p. 109 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 110 (1894); Brunn. Syst. Blatt. p. 344 (1865).

1. **L. Dohrniana, Sauss. & Zehntn.** l. c. p. 111. n. 1, pl. 5. f. 7 (1894).	Guatemala.
2. **L. Cucullata, Sauss. & Zehntn. l. c. n. 2, pl. 5. f. 9 (1894).	id.
3. **L. Inca, Sauss. & Zehntn.** l. c. n. 3, pl. 5. f. 8 (1894).	Peru.
4. **L. Delicatula, Sauss. & Zehntn. l. c. p. 112. n. 4, pl. 5. f. 10 (1894).	Guatemala.
5. **L. Schwarzi, Caud.** Proc. Ent. Soc. Washington, v. p. 165 (1903).	Arizona.
6. **L. Pusilla, Sauss. & Zehntn.** l. c. n. 5 (1894).	Peru.
7. **L. Tolteca, Sauss. & Zehntn.** l. c. p. 113. n. 6 (1894).	Mexico.
8. **L. Maurella, Stål,** Eugenie's Resa, Ins. p. 312, pl. 5. f. 3 (1858); Sauss. Mém. Mex., Blatt. p. 250 (1864); Brunn. l. c. p. 345. n. 1 (1865).	id.
9. **L. Mexicana, Sauss.** Rev. Zool. (2) xx. p. 100 (1868); Miss. Mex., Orth. p. 110, pl. 2. ff. 53–55 (1870); Sauss. & Zehntn. l. c. p. 113 (1894).	id.
10. **L. Signata, Brunn.** l. c. p. 345 (1865).	Brazil.
11. **L. Castanea, Brunn. Proc. Zool. Soc. Lond. 1893, p. 604.	Grenada.

Genus 119. **Hemilatindia.**

Sauss. Ann. Mus. Genova, xxxv. p. 83 (1895).

1. **H. Doriana, Sauss.** l. c. p. 84 (1895).	S. Africa (Assab).

Genus 120. **Ipisoma.**

Bol. Ann. Soc. Ent. France, 1893, p. 172.

1. **I. Coleoptratum, Bol.** l. c. p. 173 (1893).	W. Africa (Assinie).

Genus 121. **Tivia.**

Walk. Cat. Blatt. B. M. Suppl. p. 153 (1869).

1. **T. Simulatrix, Walk. l. c. (1869)	Lake N'Gami.

Genus 122. **Paralatindia.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xx. p.100 (1868); Miss. Mex., Orth. p. 111 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 113 (1894).

*1. **P. Azteca, Sauss.** Rev. Zool. xx. p. 101 (1868); Sauss. & Zehntn. l. c. p. 113. n. 1 (1894). *Latindia Azteca, Sauss.* Miss. Mex., Orth. p. 112, pl. 2. ff. 54, 55 (1870).	Mexico.
2. **P. Peruviana, Sauss. & Zehntn.** l. c. p. 114. n. 2, pl. 5. ff. 11–14 (1894).	Peru.
3. **P. Mancella, Sauss. & Zehntn.** l. c. n. 3, pl. 5. f. 6 (1894).	id.

Genus 123. **Holocompsa.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 49 (1838); Sauss. Mém. Mex., Blatt. p. 150 (1864); Miss. Mex., Orth. p. 99 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 108 (1894); Brunn. Syst. Blatt. p. 346 (1865).

*1. **H. Cyanea, Burm.** (*Corydia C.*) Handb. Ent. ii. p. 492. n. 3 (1838). *H. Cyanea, Sauss.* Mém. Mex., Blatt. p. 150 (1864); Brunn. l. c. p. 346. n. 1 (1865).	St. Thomas, Cuba, Mauritius.
2. **H. Nitidula, Fabr. (*Blatta N.*) Spec. Ins. i. p. 345. n. 19 (1781). *Corydia Collaris, Burm.* l. c. p. 492. n. 4 (1838).	Surinam, Mexico, W. Indies, Mauritius.

Blatta (Holocompsa) Collaris, Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 332, pl. 12. f. 3 (1857).	
Hol. Collaris, Sauss. Mém. Mex., Blatt. p. 151 (1864); Sauss. & Zehntn. l. c. p. 109. n. 2, pl. 3. f. 34 (1894); Brunn. l. c. p. 347. n. 2, pl. 10. f. 50 A–C (1865); Proc. Zool. Soc. Lond. 1892, p. 205, pl. 15. f. 1.	
*3. **H. Azteca, Sauss.** (*Corydia A.*) Rev. Zool. (2) xiv. p. 230 (1862).	Mexico.
H. Azteca, Sauss. Mém. Mex., Blatt. p. 151 (1864); Miss. Mex., Orth. p. 100, pl. 2. f. 49 (1870); Sauss. & Zehntn. l. c. p. 109. n. 3 (1894); Brunn. Syst. Blatt. p. 347. n. 3 (1865); Walk. Cat. Blatt. B. M. p. 61. n. 4 (1868).	
Euthyrrhapha Mordelloides, Walk. l. c. p. 59. n. 2 (1868).	
4. **H. Zapoteca, Sauss. & Zehntn. l. c. p. 109. n. 4, pl. 3. f. 33 (1894).	Guatemala.
5. **H. Tolteca, Sauss. & Zehntn. l. c. n. 5, pl. 3. f. 35 (1894).	id.
6. **H. Binotata, Sauss. & Zehntn. l. c. p. 110. n. 6, pl. 3. f. 32 (1894).	id.
7. **H. Fulva, Burm.** (*Corydia F.*) l. c. p. 492. n. 5 (1838).	Egypt, Soudan.
H. Fulva, Brunn. l. c. p. 348. n. 4 (1865).	
8. **H. Simonyi, Krauss,** Zool. Anz. xv. p. 165 (1892).	Teneriffe.
9. **H. Debilis, Walk.** l. c. p. 192 (1868).	Sarawak.

Genus 124. **Hypercompsa.** (*Type* no. 2.)

Sauss. Rev. Zool. (2) xvi. p. 323 (1864); Mém. Mex., Blatt. p. 152 (1864).

Diaphana, Brunn. Syst. Blatt. p. 348 (1865). (*Type* no. 1.)

*1. **H. Fieberi, Brunn.** (*Diaphana F.*) l. c. p. 349, pl. 10. f. 51 (1865).	Brazil.
H. Fieberi, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 110. n. 1 (1894).	
H. Cynipsoides, Walk. Cat. Blatt. B. M. p. 61. n. 2 (1868).	
2. **H. Fenestrina, Sauss.** Rev. Zool. xvi. p. 324 (1864); Mém. Mex., Blatt. p. 153, pl. 2. f. 27 (1864); Sauss. & Zehntn. l. c. p. 110. n. 2 (1894).	id.

Genus 125. **Biolleya.**

Sauss. An. Inst. Fis. Nac. Costa Rica, vii. p. 138 (1894 or 1897); Biolley, Inf. Mus. Nac. Costa Rica, 1899–1900, p. 48 (1900).

1. **B. Alaris, Sauss.** l. c. (1894 or 1897); Biolley, l. c. plate (1900).	Costa Rica.

SUBFAM. XII.

POLYPHAGINÆ.

Genus 126. **Polyphaga.** (*Type* no. 1.)

Brullé, Hist. Nat. Ins. ix. p. 57 (1835); Sauss. Mém. Mex., Blatt. p. 220 (1864).

Heterogamia, Burm. Handb. Ent. ii p. 488 (1838); Fisch. Waldh. Orth. Ross. p. 72 (1846); Fisch. Orth. Eur. p. 96 (1853); Brunn. Syst. Blatt. p. 350 (1865); Prodr. Eur. Orth. p. 51 (1882); Sauss. l. c. p. 222 (1864); Rev. Suisse Zool. i. p. 302 (1893). (*Type* no. 1.)

*1. **P. Ægyptiaca, Linn.** (*Blatta Æ.*) Syst. Nat. (ed. x.) i. p. 424. n. 2 (1758); Mus. Ludov. Ulr. p. 107 (1764); Herbst, Fuessly, Arch. Ins. p. 185, pl. 49. f. 4 (1786); Petagna, Inst. Entom. i. p. 305, pl. 3. f. 12 *a*, *b* (1792); Ahrens, Faun. Ins. Eur. i. pl. 13 (1812); Serv. Ins. Orth. p. 94 (1839). *Polyphaga Ægyptiaca, Brullé*, l. c. ix. p. 57, pl. 3. f. 3 (1835). *Heterogamia Ægyptiaca, Burm.* l. c. p. 489. n. 2 (1838); Fisch. Waldh. l. c. p. 73, pl. 1. ff. 2, 3, pl. 24. f. 10 (1846); Fisch. l. c. p. 97, pl. 7. ff. 6, 6 *a*, 7, 7 *a* (1853); Brunn. ll. cc. p. 353, pl. 10. f. 52 A–F (1865); p. 52, pl. 1. f. 12 A–C (1882); Sauss. Rev. Suisse Zool. i. p. 308. n. 1 (1893). *Steleopyga Trichoprocta, Fisch. Waldh.* Bull. Soc. Moscou, vi. p. 367 (1833). (?) *Blatta Omera, Costa*, Atti Accad. Borb. iv. Zool. p. 19, pl. 2. f. 8 (1839).	Egypt, S. Europe, N. Africa, W. Asia.

*2. **P. Saussurii, Dohrn,** (*Heterogamia S.*) Stettin. Ent. Zeit. xlix. p. 131 (1888); Sauss. l. c. i. p. 308 (1893).	Tashkend.
2 *a*. **P. Pellucida, Redt.** (*Heterogamia P.*) Wien. Ent. Zeit. viii. p. 25 (1889).	Turcomania
3. **P. Roseni, Brancs.** (*Heterogamia R.*) Jahresh. Ver. Trencsin. Com. xix.–xx. p. 59, pl. 1. f. 2 *a*, *b* (1897).	Turkestan, Afghanistan
4. **P. Plancyi, Bol.** Ann. Soc. Ent. France, (6) ii. p. 462 (1882).	Pekin.
5. **P. Silphoides, Walk.** Cat. Blatt. B. M. p. 182 (1868).	Cambodia.
6. **P. Sinensis, Walk. l. c. p. 14. n. 5 (1868).	N. China.
Heterogamia Sinensis, Dohrn, l. c. p. 132 (1888).	
Het. Dohrniana, Sauss. l. c. p. 309 (1893).	
7. **P. Indica, Walk. l. c. p. 14. n. 4 (1868).	India.
*8. **P. Limbata, Kirb.** Ann. Nat. Hist. (7) xii. p. 379 (1903).	N. China.
‖ *Homœogamia Sinensis, Sauss.* Mém. Soc. Genève, xx. p. 282 (1869); Rev. Suisse Zool. i. p. 311 (1893).	
(?) *Polyphaga Sinensis, Bol.* l. c. p. 463 (1882).	
9. **P. Camelorum, Kirb. Ann. Nat. Hist. (7) xi. p. 407, xii. p. 379 (1903).	Hari Rud, Turkestan.
Polyphaga sp., Kirb. Trans. Linn. Soc. (2) v. Zool. p. 138 (1889).	
‖ *P. Ægyptiaca, Jacobson & Bianchi,* Premokr. i Lozhn. Ross. Imp. p. 133, pl. 2 (1902).	
*10. **P. Africana, Linn.** (*Blatta A.*) Syst. Nat. (ed. x.) i. p. 424. n. 6 (1758); Mus. Ulr. p. 108 (1764).	Egypt, Syria.
Heterogamia Africana, Sauss. Rev. Suisse Zool. i. p. 312 (1893).	
Polyphaga Syriaca, Sauss. Rev. Zool. (2) xvi. p. 346 (1864).	
11. **P. Maris Mortui, Jans.** (*Het. M.*) Hart, Flora & Fauna of Sinai, p. 184, pl. 10. f. 3 (1891).	Dead Sea.
12. **P. Pilosella, Sauss.** (*Het. P.*) Ann. Mus. Genova, xxxv. p. 82 (1895).	Shoa.
*13. **P. Ursina, Burm.** (*Het. U.*) l. c. p. 489. n. 1 (1838); Sauss. Rev. Suisse Zool. i. p. 313 (1893).	Egypt, Syria.
‖ *Het. Africana, Brunn.* l. c. p. 357 (1865).	

14. **P. Hirsuta, Sauss.** (*Het. H.*) Abh. Senckenb. Ges. xxi. p. 583 (1899).	S. Africa.
15. **P. Gestroiana, Sauss.** (*Het. G.*) Ann. Mus. Genova, xxxv. p. 81 (1895).	Galla Land.
*16. **P. Algerica, Brunn.** (*Het. A.*) l. c. p. 356 (1865).	Algeria.
17. **P. Livida, Brunn.** (*Het. L.*) l. c. p. 359 (1865); Prodr. Eur. Orth. p. 53 (1882).	Cyprus, Ins. Græc.
18. **P. Cerveræ, Bol.** An. Soc. Españ. xv. p. 512 (1886).	W. Sahara.
19. **P. Rugosa, Schulth.** (*Het. S.*) Zool. Jahrb. viii. Syst. p. 68 (1894).	Somali.

Genus 127. **Anisogamia.**

Sauss. Rev. Suisse Zool. i. p. 315 (1893).

1. **A. Tamerlana, Sauss.** l. c. p. 316 (1893).	Turcomania

Genus 128. **Attaphila.** (*Type* no. 1.)

Wheel. Amer. Nat. xxxiv. pp. 856–862 (1900).

1. **A. Fungicola, Wheel.** l. c. ff. 3–5 (1900).	Texas.
2. **A. Bergi, Bol.** Com. Mus. Nac. B. Aires, i. p. 334 (1901).	Argentina, Uruguay.

Genus 129. **Ergaula.**

Walk. Cat. Blatt. B. M. p. 19 (1868).

1. **E. Scarabæoides, Walk. l. c. (1868).	Philippines.

Genus 130. **Dyscologamia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. i. p. 297 (1893).

*1. **D. Cesticulata, Sauss.** l. c. p. 298 (1893); Kirb. Ann. Nat. Hist. (7) xi. p. 406 (1903).	Singapore, Selangore.
2. **D. Carunculigera, Gerst.** (*Corydia C.*) Arch. Naturg. xxvii. (1) p. 12 (1861); Brunn. Syst. Blatt. p. 337 (1865). *D. Carunculigera, Sauss.* l. c. p. 299 (1893).	Luzon.
3. **D. Nepalensis, Sauss.** l. c. p. 300 (1893).	Sikkim(*sic*).

4. **D. Capucina, Brunn.** (*Homœogamia C.*) Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 17 *a, b* (1893). *D. Capucina, Sauss.* l. c. p. 301 (1893).	Tenasserim.
5. **D. Pilosa, Walk.** (*Zetobora P.*) Cat. Blatt. B. M. p. 187 (1868).	Java.
6. **D. Capensis, Sauss.** l. c. p. 301 (1893).	S. Africa.

Genus 131. **Ataxigamia.**

Tepp. Tr. R. Soc. S. Austral. xvii. p. 123 (1893).

1. **A. Tatei, Tepp.** l. c. (1893).	S. Australia.

Genus 132. **Homœogamia.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 490 (1838); Sauss. Mém. Mex., Blatt. p. 225 (1864); Rev. Suisse Zool. i. p. 294 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 105 (1894); Brunn. Syst. Blatt. p. 360 (1865).

*1. **H. Mexicana, Burm.** (*Heterogamia M.*) l. c. p. 490. n. 3 (1838). *Polyphaga (Homœogamia) Mexicana, Sauss.* Mém. Mex., Blatt. p. 226, pl. 2. ff. 36, 37 (1864). *Homœogamia Mexicana, Brunn* Syst. Blatt. p. 360 (1865); Sauss. Miss. Mex., Orth. p. 108 (1870); Rev. Suisse Zool. i. p. 296. n. 1 (1893); Sauss. & Zehntn. l. c. p. 106. n. 1 (1894).	Mexico.
2. **H. Guttipennis, Walk. (*Zetobora G.*) Cat. Blatt. B. M. Suppl. p. 123 (1869). *Polyphaga Æqualis, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 3 (1871). *H. Azteca, Sauss.* Rev. Suisse Zool. i. p. 296. n. 2 (1893); Sauss. & Zehntn. l. c. p. 106. n. 2, pl. 5. ff. 4, 5 (1894).	id.
3. **H. Bolliana, Sauss.** l. c. p. 296. n. 3 (1893); Sauss. & Zehntn. l. c. p. 107. n. 3, pl. 5. f. 3 (1894).	Texas, NewMexico
4. **H. Apacha, Sauss.** l. c. p. 296. n. 4 (1893); Sauss. & Zehntn. l. c. p. 107. n. 4, pl. 3. f. 20 (1894).	NewMexico
5. **H. Brasiliana, Sauss.** (*Polyphaga (Homœogamia) B.*) Mém. Mex., Blatt. p. 228 (1864).	Brazil.

Genus 133. **Culama.**

Walk. Cat. Blatt. B. M. p. 44 (1868).

1. **C. Pilosa, Walk. l. c. (1868).	Brazil.

Genus 134. **Apotrogia.** (*Incertæ sedis.*)

Kirb. Ann. Nat. Hist. (7) v. p. 281 (1900).

1. **A. Angolensis, Kirb. l. c. (1900); Distant, Ins. Transvaal. p. 21, pl. 1. f. 11 (1900).	Angola.

SUBFAM. XIII.

OXYHALOINÆ.

Genus 135. **Oxyhaloa.** (*Type* no. 2.)

Brunn. Syst. Blatt. p. 252 (1865); Sauss. Miss. Mex., Orth. p. 89 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 77 (1893).

1. **O. Kitensis, Rochebr.** Bull. Soc. Philom. (7) vii. p. 175 (1883).	Senegambia
2. **O. Murrayi, Brunn.** l. c. p. 253. n. 1, pl. 6. f. 25 A–E (1865).	Old Calabar.
3. **O. Minor, Brunn.** l. c. p. 254. n. 2 (1865).	Khartoum.
*4. **O. Ferreti, Reiche,** (*Blatta F.*) Ferret & Galinier, Voy. Abyssinie, iii. p. 420, pl. 27. ff. 1, 2 (1847). *O. Ferreti, Brunn.* l. c. p. 254. n. 3 (1865). *Periplaneta Fusata, Walk.* Cat. Blatt. B. M. p. 133. n. 30 (1868).	Abyssinia.
5. **O. Africana, Sauss.** Ann. Mus. Genova, xxxv. p. 85 (1895).	S. Africa.
*6. **O. Deusta, Thunb.** (*Blatta D.*) Diss. Ent. Nov. Ins. Spec. iv. p. 77 (1784). *O. Deusta, Kirb.* Ann. Nat. Hist. (7) v. p. 293 (1900). *Proscratea Deusta, Stål,* Œfv. Vet.-Akad. Förh. xiii. p. 167 (1856). *Proscratea Fulviceps, Burm.* Handb. Ent. ii. p. 509. n. 1 (1838).	Cape, Natal, Transvaal, Delagoa B., B. Centr. Africa.

Perisphæria Verticalis, *Burm.* l. c. p. 486. n. 6 (1838).
Deropeltis Verticalis, ♂, *Brunn.* l. c. p. 244. n. 2 (1865).
O. Fulviceps, *Brunn.* l. c. p. 255. n. 4 (1865).
Nauphœta Ruficeps, *Walk.* Cat. Blatt. B. M. p. 39. n. 11 (1868).
Ischnoptera Ruficeps, *Walk.* l. c. p. 123. n. 14 (1868).
Nauphœta Signifrons, *Walk.* l. c. p. 40. n. 12 (1868).

7. **O. Buprestoides, Sauss.** (*Blatta B.*) Rev. Zool. (2) xiv. p. 166 (1862); Mém. Mex., Blatt. p. 116, pl. 2. f. 20 (1864). — Cuba.
O. Buprestoides, *Sauss.* Miss. Mex., Orth. p. 90, pl. 2. f. 48 (1870); Sauss. & Zehntn. l. c. p. 77. n. 1 (1893).
Ischnoptera Buprestoides, *Brunn.* l. c. p. 140. n. 20 (1865).

Genus 136. **Cirphis.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 74 (1876).

1. **C. Pallipes, Stål,** l. c. (1876). — Damara L.

Genus 137. **Diploptera.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 325 (1864); Mém. Mex., Blatt. p. 177 (1864).

Eleutheroda, *Brunn.* Syst. Blatt. p. 264 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 116 (1893). (*Type* no. 1.)

*1. **D. Dytiscoides, Serv.** (*Blatta D.*) Ins. Orth. p. 102 (1839). — Australia.
Eleutheroda Dytiscoides, *Brunn.* l. c. p. 265. n. 1, pl. 6. f. 29 A–E (1865).
Prosoplecta Silpha, *Sauss.* Rev. Zool. (2) xvi. p. 325 (1864).
D. Silpha, *Sauss.* Mém. Mex., Blatt. pp. 167, 178, pl. 2. f. 28 (1864).

*2. **D. Minor, Brunn.** l. c. p. 265. n. 2 (1865). — Philippines.
D. Silphoides, *Walk.* Cat. Blatt. B. M. p. 57. n. 2 (1868).

SUBFAM. XIV.

PLECTOPTERINÆ.

Genus 138. **Areolaria.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 259 (1865).

*1. **A. Fieberi, Brunn.** l. c. p. 260. n. 1, pl. 6. f. 27 A–E (1865). *Blatta Dermestoides, Walk.* Cat. Blatt. B. M. p. 95. n. 60 (1868).	Java; Penang.
2. **A. Consocia, Walk. (*Blatta C.*) l. c. p. 96. n. 61 (1868).	Pulo Penang.
3. **A. Bipunctata, Brunn.** l. c. p. 261. n. 2 (1865).	Philippines.
4. **A. Coccinelloides, Walk. (*Prosoplecta C.*) l. c. p. 56. n. 2 (1868).	id.

Genus 139. **Prosoplecta.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 324 (1864); Mém. Mex., Blatt. p. 169 (1864).

Cassidodes, Brunn. Syst. Blatt. p. 261 (1865). (*Type* no. 2.)

*1. **P. Coccinella, Sauss.** ll. cc. (2) xvi. p. 324 (1864); p. 173 (1864).	Philippines.
2. **P. Ligata, Brunn.** (*Cassidodes L.*) l. c. p. 262, pl. 6. f. 28 (1865).	id.
3. **P. Rufa, Kirb.** Ann. Nat. Hist. (7) xii. p. 379 (1903).	id. (Mindanao).
4. **P. Gutticollis, Walk.** Cat. Blatt. B. M. p. 189 (1868).	Ceram.
5. **P. Quadriplagiata, Walk.** l. c. (1868).	Batchian.
6. **P. Trifaria, Walk.** l. c. p. 190 (1868).	id.
7. **P. Megaspila, Walk.** l. c. (1868).	id.
8. **P. Bipunctata, Walk.** (*Blatta B.*) l. c. Suppl. p. 141 (1869).	Celebes.

Genus 140. **Plectoptera.** (*Type* no. 7.)

Sauss. Mém. Mex., Blatt. p. 173 (1864); Miss. Mex., Orth. p. 96 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 84 (1893).

Hololampra, sect. 2, *Sauss.* Mém. Mex., Blatt. p. 94 (1864).

1. **P. Unicolor, Burm.** (*Anaplecta U.*) Handb. Ent. ii. p. 494. n. 4 (1838); Brunn. Syst. Blatt. p. 64. n. 3 (1865).	Colombia.

2. **P. Poeyi, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 164 (1862); Mém. Mex., Blatt. p. 94 (1864). *P. Poeyi, Sauss.* Mém. Mex., Blatt. p. 177 (1864); Miss. Mex., Orth. p. 96 (1870); Sauss. & Zehntn. l. c. p. 84. n. 1 (1893). *Ceratinoptera Poeyi, Brunn.* l. c. p. 79. n. 5 (1865).	Cuba.
3. **P. Krugi, Sauss. & Zehntn.** l. c. p. 85. n. 3 (1893).	id.
4. **P. Picta, Sauss. & Zehntn. l. c. n. 4, pl. 3. f. 9 (1893).	Mexico.
5. **P. Circumcincta, Sauss. & Zehntn. l. c. n. 5 (1893).	id.
6. **P. Micans, Bol.** Mém. Soc. Zool. France, i. p. 129 (1888).	Cuba.
7. **P. Porcellana, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 164 (1862). *P. Porcellana, Sauss.* Mém. Mex., Blatt. p. 175, fig., p. 176 (1864); Miss. Mex., Orth. p. 96, pl. 2. f. 50 (1870); Sauss. & Zehntn. l. c. p. 85. n. 7 (1893). *Ceratinoptera Porcellana, Brunn.* l. c. p. 79. n. 6 (1865).	id.
8. **P. Pulicaria, Sauss. & Zehntn. l. c. p. 86. n. 8, pl. 3. f. 8 (1893).	Panama.
9. **P. Circumdata, Sauss. & Zehntn. l. c. n. 9, pl. 3. f. 10, pl. 4. f. 17 (1893).	Guatemala.

Genus 141. **Hypnorna.** (*Type* no. 1.)

Stål, Eugenie's Resa, Ins. p. 312 (1861): Brunn. Syst. Blatt. p. 263 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 86 (1893).

Hypnorma, Sauss. Mém. Mex., Blatt. p. 149 (1864); Walk. Cat. Blatt. B. M. p. 62 (1868).

1. **H. Hummeli, Stål,** l. c. p. 312, pl. 5. ff. 4, 4 *a* (1861); Brunn. l. c. p. 263 (1865); Sauss. & Zehntn. l. c. p. 87. n. 2 (1893).	Rio Janeiro.
2. **H. Cucujoides, Walk. l. c. p. 63. n. 4 (1868).	id.
3. **H. Blanda, Sauss. & Zehntn.** l. c. p. 87. n. 1, pl. 3. ff. 17–19 (1893).	Brazil.

Genus 142. **Calhypnorna.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 87 (1893).

1. **C. Amœna, Sauss. & Zehntn. (*Hypnorna (Calhypnorna) A.*) l. c. p. 88. n. 4 (1893).	Panama.
Hypnorna Amœna, Sauss. & Zehntn. l. c. pl. 3. ff. 14, 15 (1893).	
2. **C. Pulchella, Sauss. & Zehntn. (*Hypnorna (Calhypnorna) P.*) l. c. p. 87. n. 3 (1893).	id.
Hypnorna Pulchella, Sauss. & Zehntn. l. c. pl. 3. f. 16 (1893).	
3. **C. Saperdoides, Walk. (*Hypnorma S.*) Cat. Blatt. B. M. p. 62. n. 2 (1868).	Santarem.
4. **C. Saperdiformis, Walk. (*Hypnorma S.*) l. c. n. 3 (1868).	Tapajos.

Genus 143. **Stenoblatta.**

Walk. Cat. Blatt. B. M. p. 192 (1868).

1. **S. Parallela, Walk.** l. c. p. 193. n. 1 (1868).	Brazil.

SUBFAM. XV.

PERISPHÆRIINÆ.

Genus 144. **Paranauphœta.** (*Type* no. 3.)

Brunn. Syst. Blatt. p. 397 (1865) ;
Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 8, 15 (1895).

1. **P. Indica, Sauss. & Zehntn.** l. c. p. 16 (1895).	Assam.
2. **P. Basalis, Serv.** (*Blatta B.*) Ins. Orth. p. 95 (1839).	Java.
Blatta (Nauphœta) Basalis, Haan, Temminck, Verhandel., Orth. p. 52 (1842).	
(?) *P. Basalis, Brunn.* l. c. p. 398 (1865).	

*3. **P. Circumdata, Haan,** (*Blatta (Nauphæta) C.*) l. c. p. 52 (1842). *P. Circumdata, Brunn.* l. c. p. 399, pl. 13. f. 59 A–E (1865). *Nauphæta Adjuncta, Walk.* Cat. Blatt. B. M. p. 38. n. 9 (1868).	Java, Cambodia.
4. **P. Vicina, Brunn.** Ann. Mus. Genova, xxxiii. p. 44, pl. 1. f. 19 (1893).	Pegu.
*5. **P. Rufipes, Brunn.** Syst. Blatt. p. 400 (1865).	Ternate.
6. **P. Discoidalis, Walk. (*Nauphæta D.*) l. c. p. 39. n. 10 (1868). *P. Rufipes*, var. *Novæ Guineæ*, *Bol.* Act. Soc. Españ. 1898, p. 138.	N. Guinea, Waigiou.
*7. **P. Lyrata, Burm.** (*Nauphæta L.*) Handb. Ent. ii. p. 508. n. 4 (1838): Walk. l. c. p. 37. n. 4 (1868). *Blatta (Nauphæta) Lyrata, Haan*, l. c. p. 52 (1842). *P. Lyrata, Brunn.* l. c. p. 401 (1865). *Blatta Ornata, Serv.* l. c. p. 99 (1839).	Java, Borneo, Sumatra, Philippines, India, Malacca.
8. **P. Bilunata, Haan,** (*Blatta (Nauphata) B.*) l. c. p. 51 (1842). *P. Bilunata, Brunn.* l. c. p. 402 (1865).	Java.
9. **P. Javanica, Sauss.** Mém. Soc. Genève, xxiii. p. 153 (1873).	id.
10. **P. Limbata, Sauss.** l. c. xx. p. 288 (1869).	India (?).

Genus 145. **Compsoblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 9 (1891).

*1. **C. Amœna, Sauss.** (*Nauphæta A.*) Rev. Zool. (2) xvi. p. 343 (1864). *Compsoblatta Amœna, Sauss.* l. c. p. 10 (1891). *Eustegasta Amœna, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 102, pl. 3. f. 36 (1895).	Madagascar
2. **C. Venusta, Sauss.** l. c. p. 10 (1891). *Eustegasta Venusta, Sauss. & Zehntn.* l. c. p. 104 (1895).	id.
3. **C. Lepida, Sauss. & Zehntn.** (*Eustegasta L.*) Rev. Suisse Zool. iii. p. 16 (1895); Grandidier, Hist. Madagascar, Orth. i. p. 104 (1895).	id.

4. **C. Suava, Sauss.** Soc. Ent. vi. p. 26 (1891). Madagascar
Eustegasta Suava, Sauss. & Zehntn. l. c. p. 105 (1895).

5. **C. Blanda, Sauss. & Zehntn.** (*Eustegasta B.*) ll. cc. p. 16 (1895); p. 106 (1895). id.

*6. **C. Pulchella, Sauss.** Soc. Ent. vi. p 10 (1891). id.
Eustegasta Pulchella, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 106, pl. 3. f. 38 (1895).

Genus 146. **Eustegasta.** (*Type* no. 7.)

Gerst. Mt. Ver. Vorpomm. xiv. p. 53 (1883); Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 8, 16 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 94, 99 (1895).

*1. **E. Pœcila, Schaum,** (*Panchlora P.*) Ber. Akad. Berlin, 1853, p. 777; Peters' Reise Mossamb., Zool. v. p. 109, pl. 7. f. 2 (1862); Brunn. Syst. Blatt. p. 281 (1865). Mozambique, Nyasa Land.
E. Pœcila, Kirb. Ann. Nat. Hist. (7) v. p. 286 (1900); Distant, Ins. Transvaal. p. 24, pl. 1. f. 10 (1900).

2. **E. Obsoleta, Kirb. ll. cc. p. 287 (1900); p. 24, pl. 1. f. 9 (1900). Nyasa Land.

3. **E. Splendens, Sauss.** Abh. Senckenb. Ges. xxi. p. 584 (1899). W. (?) Afr.

4. **E. Lueci, Dominique,** Bull. Soc. Ouest France, x. p. 204, pl. 3. ff. 14–18 (1900). French Congo.

5. **E. Micans, Sauss. & Zehntn.** Rev. Suisse Zool. iii. p. 17 (1895); Grandidier, Hist. Madag., Orth. i. p. 107 (1895). Zanzibar.

6. **E. Metallica, Sauss.** (*Compsoblatta M.*) Soc. Ent. vi. p. 26 (1891). Madagascar
E. Metallica, Sauss. & Zehntn. Grandidier, Hist. Madag., Orth. i. p. 108, pl. 3. f. 37 (1895).

7. **E. Buprestoides, Walk. (*Epilampra B.*) Cat. Blatt. B. M. p. 76. n. 41 (1868). Fernando Po, Cameroons.
E. Buprestoides, Gerst. l. c. p. 53 (1883); Sauss. & Zehntn. l. c. p. 108 (1895).

8. **E. Carabidina, Walk. (*Epilampra C.*) l. c. p. 76. n. 42 (1868). Sierra Leone.

Genus 147. **Gynopeltis.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. p. 208 (1869); Von der Decken's Reisen in Ost-Afrika, iii. (2) p. 9 (1873); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 17 (1895).

1. **G. Cryptospila, Walk. (*Polyphaga C.*) Cat. Blatt. B. M. p. 15. n. 6 (1868). *G. Cryptospila, Kirb.* Ann. Nat. Hist. (7) v. p. 288 (1900). *G. Picta, Gerst.* ll. cc. p. 208 (1869); p. 9, pl. 1. ff. 1, 2 (1873); Sauss. & Zehntn. l. c. p. 17 (1895).	E. Africa.
*2. **G. Discoidalis, Brunn.** (*Perisphæria D.*) Syst. Blatt. p. 310 (1865); Sauss. Mém. Soc. Genève, xx. p. 276 (1869).	S., E., & W. Africa.

Genus 148. **Glyptopeltis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxiii. p. 119 (1873).

1. **G. Biguttata, Sauss.** l. c. p. 122, pl. 10. f. 41 (1873).	Java.
2. **G. Couloniana, Sauss.** l. c. p. 124, pl. 10. f. 42 (1873).	id. (?).

Genus 149. **Aptera.** (*Type* no. 2.)

Sauss. Rev. Zool. (2) xvi. p. 326 (1864).
Oncerocorypha, Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 378 (1871). (*Type* no. 1.)

*1. **A. Cingulata, Burm.** (*Perisphæria C.*) Handb. Ent. ii. p. 484. n. 1 (1838). *A. Cingulata, Sauss. & Zehntn.* Rev. Suisse Zool. iii. p. 18 (1895). *Perisphæria Multicincta, Walk.* Cat. Blatt. B. M. p. 169. n. 3 (1868).	S. Africa.
*2. **A. Lenticularis, Sauss.** Rev. Zool. (2) xvi. p. 326 (1864). *Perisphæria Crassa, Walk.* l. c. p. 169. n. 2 (1868).	id.
*3. **A. Fusca, Thunb.** (*Blatta F.*) Dissert. Ent. iv. p. 77 (1784); Oliv. Enc. Méth. iv. p. 315. n. 9 (1789); Serv. Ins. Orth. p. 97 (1839), *nec auct. al.* ‖*Perisphæria Cingulata, Brunn.* Syst. Blatt. p. 307. n. 4 (1865); Walk. l. c. p. 168. n. 1 (1868).	id.

Genus 150. **Ellipsica.** (*Type* no. 1)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 19 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 95, 108 (1895).

1. **E. Insculpta, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 110, pl. 4. f. 53 (1895).	Madagascar
2. **E. Ænea, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 110 (1895).	id.
3. **E. Cribrosa, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 111, pl. 4. f. 52 (1895).	id.
4. **E. Subænea, Sauss. & Zehntn.** l. c. p. 19 (1895); p. 112 (1895).	id.
5. **E. Virescens, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 112 (1895).	id.

Genus 151. **Elliptoblatta.** (*Type* no. 2.)

Sauss. Soc. Ent. vi. p. 9 (1891); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 19 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 95, 112 (1895).

1. **E. Uniformis, Kirb.** Ann. Nat. Hist. (7) v. p. 288 (1900); Distant, Ins. Transvaal. p. 25, pl. 1. f. 19 (1902).	Pretoria.
2. **E. Madecassa, Sauss.** (*Perisphæria M.*) Mém. Soc. Genève, xx. p. 277 (1869). *E. Madecassa, Sauss. & Zehntn.* Grandidier, Hist. Madag., Orth. i. p. 115, pl. 4. f. 50 (1895).	Madagascar (Antananarivo).
3. **E. Sakalava, Sauss. & Zehntn.** l. c. p. 116, pl. 4. f. 49 (1895).	id.
4. **E. Antennata, Sauss. & Zehntn.** l. c. p. 117 (1895).	id.
5. **E. Punctulata, Sauss. & Zehntn.** l. c. p. 117 (1895).	id.
6. **E. Consobrina, Sauss. & Zehntn.** l. c. p. 118 (1895).	id.
7. **E. Polita, Sauss. & Zehntn.** l. c. p. 119 (1895).	id.
8. **E. Bisignata, Sauss. & Zehntn.** l. c. p. 119, pl. 4. f. 47 (1895).	Madagascar
9. **E. Semilimbata, Sauss. & Zehntn.** l. c. p. 120 (1895).	id.
10. **E. Brunneriana, Sauss. & Zehntn.** l. c. p. 120, pl. 4. f. 48 (1895).	id.

11. **E. Cælebs, Sauss. & Zehntn.** l. c. p. 121, pl. 4. f. 51 (1895).	Madag.(Antananarivo).
12. **E. Marginalis, Sauss. & Zehntn.** l. c. p. 122, pl. 4. f. 46 (1895).	Madagascar
13. **E. Hova, Sauss.** Soc. Ent. vi. p. 26 (1891); Sauss. & Zehntn. l. c. p. 122, pl. 4. f. 45 (1895).	id.
14. **E. (?) Terrestris, Walk. (*Perisphæria T.*) Cat. Blatt. B. M. p. 178. n. 28 (1868).	S. Africa.
15. **E. (?) Signata, Walk. (*Polyzosteria S.*) l. c. p. 155. n. 25 (1868).	id.
16. **E. (?) Limosa, Walk. (*Polyzosteria L.*) l. c. p. 167. n. 48 (1868).	id.
17. **E. (?) Oniscoides, Walk.** (*Polyzosteria O.*) Melliss, St. Helena, p. 167 (1875).	St. Helena.

Genus 152. **Gymnonyx.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 10, 21 (1895): Grandidier, Hist. Madagascar, Orth. i. pp. 95, 124 (1895).

1. **G. Grandidieri, Sauss. & Zehntn.** ll. cc. p. 21 (1895); p. 124, pl. 3. ff. 40, 41 (1895).	Madagascar
2. **G. Scabra, Sauss. & Zehntn.** ll. cc. p. 21 (1895); p. 124, pl. 3. f. 39 (1895).	id.

Genus 153. **Pronaonota.** (*Type* no. 2.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 21 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 95, 127 (1895).

1. **P. Clypeata, Sauss.** (*Derocalymma C.*) Mém. Soc. Genève, xxiii. p. 142, pl. 10. f. 52 (1873).	Java (?).
2. **P. Cribrosa, Sauss. & Zehntn.** ll. cc. p. 21, pl. 1. f. 1 (1895); p. 128, pl. 5. f. 62 (1895); Kirb. Ann. Nat. Hist. (7) v. p. 288 (1900); Distant, Ins. Transvaal. p. 25, pl. 1. f. 14 (1902). *Pilema Laubneri, Brancs.* Jahresh. Ver. Trencsin. Com. xxiii.–xxiv. p. 187, pl. 3. f. 2 (1901).	Pretoria.
3. **P. Fornicata, Sauss. & Zehntn.** ll. cc. p. 21 (1895); p. 128 (1895).	S. Africa.

Genus 154. **Pilema.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxiii. p. 142 (1873); Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 11, 22 (1895).

*1. **P. Dentata, Sauss. & Zehntn.** l. c. p. 23 (1895).	S. Africa.
*2. **P. Hebetata, Sauss. & Zehntn.** l. c. p. 24, pl. 1. ff. 2, 2 *a*, *b* (1895).	id.
*3. **P. Dubia, Kirb.**, n. n. ‖*Derocalymma Reflexa*, *Sauss.* Mém. Soc. Genève, xxiii. p. 143 (1873).	id.
4. **P. Serpæ, Bol.** (*Derocalymma S.*) J. Sci. Lisboa, (2) i. p. 79, pl. 1. f. 1 (1889).	Angola.
5. **P. Thoracica, Walk. (*Perisphæria T.*) Cat. Blatt. B. M. p. 174. n. 20 (1868). *Pilema Thoracica*, *Kirb.* Ann. Nat. Hist. (7) v. p. 289 (1900); Distant, Ins. Transvaal. p. 26. n. 15 (1902).	id. (?).
6. **P. Saussurei, Kirb.** ll. cc. p. 289 (1900); p. 26, pl. 1. f. 16 (1902).	Pretoria.
7. **P. Reflexa, Walk. (*Perisphæria R.*) l. c. p. 173. n. 19 (1868).	Natal.
8. **P. (?) Saxicola, Esch.** (*Blatta S.*) Entomographien, p. 89 (1822).	Cape.

Genus 155. **Thysanoblatta.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xii. p. 380 (1903).

1. **T. Latipennis, Kirb. l. c. (1903).	B.E.Africa.
2. **T. (?) Versicolor, Burm.** (*Perisphæria V.*) Handb. Ent. ii. p. 487. n. 9 (1838). *Derocalymma V.*, *Brunn.* Syst. Blatt. p. 317 (1865).	Cape.
3. **T. (?) Macra, Stål,** (*Ischnoptera M.*) Œfv. Vet.-Akad. Förh. xiii. p. 165 (1856). *Derocalymma* (*Cyrtotria*) *Macra, Stål,* l. c. xxviii. p. 380 (1871). *Deropeltis Macra, Brunn.* Syst. Blatt. p. 246 (1865).	Limpopo.
4. **T. (?) Trichoderma, Bol.** (*Derocalymma T.*) An. Soc. Españ. x. p. 356 (1881).	Abyssinia, Zanzibar.
5. **T. (?) Pubescens, Sauss.** (*Perisphæria P.*) Mém. Soc. Genève, xxiii. p. 136 (1873).	Natal.

Genus 156. **Stenopilema.** (*Type* no. 5.)

Sauss. Ann. Mus. Genova, xxxv. p. 87 (1895);
Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 25 (1895).

1. **S. Cylindrica, Walk. (*Perisphæria C.*) Cat. Blatt. B. M. p. 176. n. 23 (1868).	Natal.
2. **S. Elateroides, Walk. (*Perisphæria E.*) l. c. n. 24 (1868). *Derocalymma* (?) *Elateroides, Kirb.* Ann. Nat. Hist. (7) v. p. 290 (1900); Distant, Ins. Transvaal. p. 27, pl. 1. f. 13 (1902).	id., Transvaal.
3. **S. Linearis, Walk. (*Perisphæria L.*) l. c. p. 176. n. 25 (1868).	Natal.
4. **S. Fusca, Burm.** (*Perisphæria F.*) Handb. Ent. ii. p. 487. n. 10 (1838) (*excl. syn.* !). *D. Fusca, Brunn.* Syst. Blatt. p. 317. n. 2 (1865).	S. Africa.
*5. **S. Capucina, Gerst.** (*Derocalymma C.*) Arch. Naturg. xxv. p. 207 (1861); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 8, pl. 1. f. 4 (1873).	E. Africa.
6. **S. Somali, Sauss.** Ann. Mus. Genova, xxxv. p. 88 (1895); Sauss. & Zehntn. l. c. p. 27 (1895).	Somali Land.
*7. **S. Gracilis, Burm.** (*Perisphæria G.*) l. c. p. 487. n. 11 (1838). *Derocalymma Gracilis, Brunn.* l. c. p. 318 n. 3 (1865). *Perisphæria Poduriformis, Walk.* l. c. p. 175. n. 21 (1868).	Cape, Natal.
*8. **S. Macilenta, Sauss. & Zehntn.** l. c. p. 26, pl. 1. f. 3 (1895).	S. Africa, Nyasa Land.
9. **S. Poduroides, Walk. (*Perisphæria P.*) l. c. p. 175. n. 22 (1868).	Natal.
10. **S. Pallicornis, Kirb. (*Perisphæria P.*) ll. cc. p. 290 (1900); p. 26. n. 18, pl. 1. f. 15 (1902).	Pretoria.
11. **S. Graniger, Sauss. & Zehntn.** l. c. p. 26 (1895).	Somali Land.

Genus 157. **Derocalymma.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 487 (1838); Brunn. Syst. Blatt. p. 315 (1865).

Cyrtotria, *Stål*, Œfv. Vet.-Akad. Förh. xxviii. p. 379 (1871); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 28 (1895). (*Type* no. 2.)

*1. **D. Dispar, Burm.** (*Perisphæria D.*) Handb. Ent. ii. p. 487. n. 12 (1838). *Derocalymma Dispar*, *Brunn.* Syst. Blatt. p. 319, pl. 9. f. 42 A, B (1865). *Cyrtotria Dispar*, *Sauss. & Zehntn.* l. c. p. 28, pl. 1. f. 4 (1895). *Perisphæria Picea*, *Walk.* Cat. Blatt. B. M. p. 173. n. 18 (1868).	S. Africa.
2. **D. Gibbicollis, Stål,** (*Ischnoptera G.*) l. c. xiii. p. 165 (1856). *Derocalymma* (*Cyrtotria*) *Gibbicollis*, *Stål*, l. c. xxviii. p. 380 (1871). *Deropeltis Gibbicollis*, *Brunn.* l. c. p. 248 (1865).	Natal.
3. **D. Scabra, Walk. (*Perisphæria S.*) l. c. p. 172. n. 17 (1868).	S. Africa.
4. **D. Scabricollis, Gerst.** (*D.* (*Cyrtotria*) *S.*) Mt. Ver. Vorpomm. xiv. p. 34 (1883).	Gaboon.
5. **D. Brunneriana, Costa,** Rend. Acc. Napoli, (4) iv. p. 174 (1890); Atti Acc. Napoli, (2) iv. (5) p. 18, pl. 3. f. 9 (1891).	Cape.

Genus 158. **Pollusca.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 381 (1871).

1. **P. Cruralis, Stål,** (*Perisphæra C.*) l. c. xv. p. 307 (1858). *Perisphæria Cruralis*, *Brunn.* Syst. Blatt. p. 307. n. 3 (1865).	S. Africa.
2. **P. Murina, Walk. (*Perisphæria M.*) Cat. Blatt. B. M. p. 178. n. 27 (1868).	E. Africa.

Genus 159. **Homalodemas.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856); xxviii. p. 381 (1871); Brunn. Syst. Blatt. p. 332 (1865).

‖*Derocalymma, Sauss. & Zehntn.* Rev. Suisse Zool. iii. p. 29 (1895); Grandidier, Hist. Madagascar, Orth. i. p. 128 (1895); Sauss. Ann. Mus. Genova, xxxv. p. 89 (1895).

1. **H. Exarata, Stål,** l. c. xiii. p. 166 (1856); Brunn. l. c. p. 333 (1865). *H. Exaratum, Stål,* l. c. p. 381 (1871).	Natal, Caffraria.
*2. **H. Porcellio, Gerst.** (*Derocalymma P.*) Arch. Naturg. xxxv. p. 207 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 7, pl. 1. f. 3 (1873).	Zanzibar.
3. **H. Lampyrina, Gerst.** (*Derocalymma L.*) ll. cc. p. 207 (1869); p. 8 (1873).	id.
4. **H. Punctata, Sauss. & Zehntn.** (*Derocalymma P.*) ll. cc. pp. 29, 30 (1895); p. 131 (1895).	Pretoria.
5. **H. Bipapilla, Kirb. (*Derocalymma B.*) Ann. Nat. Hist. (7) v. p. 291 (1900).	Nyasa Land (Blantyre).
6. **H. Intermedia, Kirb. (*Derocalymma I.*) l. c. p. 292 (1900); Distant, Ins. Transvaal. p. 28, pl. 1. f. 17 (1902).	Barberton.
7. **H. Granulata, Sauss. & Zehntn.** (*Derocalymma G.*) l. c. p. 29 (1895); p. 131, pl. 5. f. 65 (1895).	S. Africa.
8. **H. Stigmosa, Krauss,** (*Derocalymma S.*) Verh. zool.-bot. Ges. Wien, li. p. 282 (1901).	S.W. Africa.
9. **H. Analis, Sauss. & Zehntn.** (*Derocalymma A.*) ll. cc. p. 29, pl. 1. ff. 5, 5 *a*, *b* (1895); p. 131 (1895).	S. Africa.
10. **H. Pallipes, Kirb.** (*Derocalymma P.*) Ann. Nat. Hist. (7) v. p. 292 (1900).	id. (Grahamstown).
*11. **H. Bottegoiana, Sauss. & Zehntn.** (*Derocalymma B.*) Rev. Suisse Zool. iii. p. 30 (1895); Ann. Mus. Genova, xxxv. p. 90 (1895).	Somali Land.
12. **H. Clavigera, Kirb.** (*Derocalymma C.*) l. c. p. 293 (1900); Distant, Ins. Transvaal. i. p. 28, pl. 1. f. 18 (1902).	Transvaal (Barberton).
13. **H. Erythreina, Sauss. & Zehntn.** (*Derocalymma E.*) Rev. Suisse Zool. iii. p. 31 (1895).	Abyssinia.
14. **H. Abyssinica, Sauss. & Zehntn.** (*Derocalymma A.*) l. c. p. 31 (1895).	id.

15. **H. Peringueyi, Sauss. & Zehntn.** (*Derocalymma P.*) l. c. p. 30 (1895).	S. Africa (?)
16. **H. (?) Silphoides, Bol.** (*Derocalymma S.*) J. Sci. Lisboa, (2) i. p. 79 (1889).	Quango.

Genus 160. **Pseudopanchlora.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 55 (1893).

1. **P. Punctosa, Walk.** (*Ischnoptera* (?) *P.*) Cat. Blatt. B. M. Suppl. p. 149 (1869). *Ischnoptera Punctuosa, Tepp.* l. c. (1893).	Australia.
2. **P. Brunneri, Brancs.** (*Pellita B.*) Jahresh. Ver. Trencsin. Com. xix.–xx. p. 60, pl. 1. f. 3 (1897).	id. (York Town).

Genus 161. **Pellita.** (*Type* no. 1 ?)

Brunn. Ann. Mus. Genova, xxxiii. p. 42 (1893).

1. **P. Aspera, Walk. (*Zetobora A.*) Cat. Blatt. B. M. p. 50. n. 11 (1868). (?) *Derocalymma Porcellio, Brunn.* l. c. (1893), *nec Gerst.*	S. Africa.
2. **P. Æqua, Walk. (*Perisphæria Æ.*) l. c. p. 177. n. 26 (1868).	Hab. —— ?

Genus 162. **Perisphæria.** (*Type* no. 7.)

Perispherus, Serv. Ann. Sci. Nat. xxii. p. 44 (1831).
Perisphæra, Serv. Ins. Orth. p. 132 (1839).
Perisphæria, Burm. Handb. Ent. ii. p. 483 (1838); Brunn. Syst. Blatt. p. 303 (1865); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 32 (1895).

1. **P. Fornicata, Walk. (*Zetobora F.*) Cat. Blatt. B. M. p. 48. n. 7 (1868).	Philippines.
2. **P. Brunneri, Kirb.**, n. n. *Pseudoglomeris Fornicata, Brunn.* Ann. Mus. Genova, xxxiii. p. 43, pl. 1. f. 18 (1893). *P. Fornicata, Sauss. & Zehntn.* l. c. p. 35 (1895).	Pegu. Tenasserim.
3. **P. Cotesiana, Sauss. & Zehntn.** l. c. p. 35 (1895).	Assam.
4. **P. Himalayæ, Sauss. & Zehntn.** l. c. p. 36 (1895).	id.

5. **P. Alta, Walk. Cat. Blatt. B. M. p. 170. n. 12 (1868).	Silhet.
*6. **P. Lucasiana, Sauss. & Zehntn.** l. c. p. 36 (1895).	Java.
*7. **P. Armadillo, Serv.** Ann. Sci. Nat. xxii. p. 44 (1831) ; Ins. Orth. p. 133, pl. 3. f. 2 (1839). *Derocalymma Flavicornis*, pt., *Brunn.* l. c. p. 321 (1865).	id.
*8. **P. Glomeriformis, Luc.** Ann. Soc. Ent. France, (4) iii. p. 408, pl. 9. ff. 10, 10 *a* (1863) ; Sauss. & Zehntn. l. c. p. 37 (1895).	Cochin China, Philippines.
*9. **P. Ænea, Brunn.** (*Derocalymma Æ.*) l. c. p. 322 (1865).	Philippines.

Genus 163. **Pseudoglomeris.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 42 (1893) ; Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 37 (1895).

1. **P. Glomeris, Sauss.** (*Perisphæria G.*) Mém. Soc. Genève, xvii. p. 135, pl. 1. f. 4 (1863). *Pseudoglomeris Glomeris, Sauss. & Zehntn.* l. c. p. 37 (1895).	Ceylon.
*2. **P. Flavicornis, Burm.** (*Perisphæria F.*) Handb. Ent. ii. p. 488. n. 14 (1838). *Derocalymma Flavicornis, Brunn.* Syst. Blatt. p. 321 (1865).	Java, Tenasserim, Cambodia.
*3. **P. Humbertiana, Sauss.** (*Perisphæria H.*) l. c. p. 136 (1863). *Perisphæria Flavipes, Sauss.* l. c. p. 137, pl. 1. f. 5 (1863). *Pseudoglomeris Humbertiana, Sauss. & Zehntn.* l. c. p. 40 (1895). *Perisphæria Orientalis, Sauss.* l. c. p. 137 (1863), *larva.* *Perisphæria Tarsalis, Walk.* Cat. Blatt. B. M. p. 171. n. 13 (1868).	Ceylon.
*4. **P. Aterrima, Herbst,** (*Blatta A.*) Fuessly, Arch. Insekt. p. 185, pl. 49. f. 9 (1786). *Derocalymma Atra, Brunn.* l. c. p. 321 (1865).	Java.
*5. **P. Planiuscula, Brunn.** Ann. Mus. Genova, xxxiii. p. 44 (1893) ; Sauss. & Zehntn. l. c. p. 41, pl. 1. ff. 14, 14 *a* (1895).	Burma, Tonkin.

6. **P. Nepalensis, Sauss. & Zehntn.** l. c. p. 42 (1895).	Sikkim.
7. **P. Antennata, Sauss. & Zehntn.** l. c. p. 42 (1895).	Bangalore, Nilgiris.
8. **P. Flexicollis, Walk.** (*Zetobora F.*) l. c. p. 187 (1868).	Java.
9. **P. Fallax, Walk. (*Perisphæria F.*) l. c. p. 172. n. 15 (1868).	Swan River.

Genus 164. **Melanoblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 43 (1895).

*1. **M. Virescens, Brunn.** (*Derocalymma V.*) Syst. Blatt. p. 320 (1865); Sauss. Mém. Soc. Genève, xxiii. p. 138, pl. 10. ff. 48, 49 *a, b* (1873). *M. Virescens, Sauss. & Zehntn.* l. c. p. 43, pl. 1. ff. 6, 7 (1895).	Cape.
2. **M. Lampyroides, Walk. (*Nauphœta L.*) Cat. Blatt. B. M. p. 42. n. 15 (1868). ♀. *Perisphæria Æqualis, Walk.* l. c. p. 172. n. 16 (1868).	id.

Genus 165. **Stilpnoblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 44 (1895).

*1. **S. Bengalensis, Sauss.** (*Parahormetica B.*) Mém. Soc. Genève, xx. p. 284 (1869). *S. Bengalensis, Sauss. & Zehntn.* l. c. p. 44, pl. 1. f. 8 (1895).	India, Cochin China.

Genus 166. **Trichoblatta.** (*Type* no. 2.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 44 (1895).

1. **T. Guerini, Sauss. & Zehntn.** l. c. p. 45 (1895).	India (?).
2. **T. Sericea, Sauss.** (*Perisphæria S.*) Mém. Soc. Genève, xvii. p. 138 (1863). *T. Sericea, Sauss. & Zehntn.* l. c. p. 45 (1895).	Pondicherry.
2 *a*. **T. Emortualis, Sauss.** (*Perisphæria E.*) l. c. p. 138, pl. 1. f. 6 (1863). *T. Emortualis, Sauss. & Zehntn.* l. c. p. 45 (1895).	id.

2 *b*. **T. Terranea, Walk. (*Ischnoptera T.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 32 (1871).	Bombay.
3. **T. (?) Purpurea, Walk. (*Polyzosteria P.*) Cat. Blatt. B. M. p. 163. n. 40 (1868).	Hab. —— ?

Genus 167. **Hostilia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 380 (1871).

*1. **H. Proterva, Stål,** (*Blatta P.*) l. c. xiii. p. 166 (1856). *Phyllodromia Proterva, Brunn.* Syst. Blatt. p. 111 (1865). *Zetobora Sordidula, Walk.* Cat. Blatt. B. M. p. 48. n. 8 (1868).	Natal.
2. **H. Congrua, Walk. (*Zetobora C.*) l. c. p. 49. n. 9 (1868). *Zetobora Cervina, Walk.* l. c. p. 186 (1868).	id.
3. **H. Carinata, Sauss.** (*Derocalymma C.*) Mém. Soc. Genève, xxiii. p. 138, pl. 10. ff. 50, 50 *a* (1873).	id.
4. **H. Abscissa, Walk. (*Zetobora A.*) l. c. p. 49. n. 10 (1868).	id.

Genus 168. **Pœciloblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 47 (1895).
(An *Hostilia*, ♀ ?)

1. **P. Angusta, Sauss. & Zehntn.** l. c. p. 48, pl. 1. f. 9 (1895).	Africa.
2. **P. Affinis, Burm.** (*Perisphæria A.*) Handb. Ent. ii. p. 487. n. 13 (1838). *Derocalymma Affinis, Brunn.* Syst. Blatt. p. 319 (1865). *P. Affinis, Sauss. & Zehntn.* l. c. p. 49 (1895).	S. Africa.
3. **P. Peringueyi, Sauss. & Zehntn.** l. c. p. 49 (1895).	Natal.
4. **P. Bicolor, Sauss. & Zehntn.** l. c. p. 50, pl. 1. f. 10 (1895).	S. Africa.
*5. **P. Granicollis, Burm.** (*Perisphæria G.*) Handb. Ent. ii. p. 485. n. 3 (1838); Brunn. l. c. p. 305 (1865).	Cape.

6. **P. Tenebrosa, Walk. (*Panchlora T.*) Cat. Blatt. B. M. p. 36. n. 35 (1868). *Zetobora Leucophthalma, Walk.* l. c. p. 186 (1868).	Natal.
7. **P. Munda, Walk. (*Nauphœta M.*) l. c. p. 41. n. 13 (1868).	Cape.
8. **P. Rugosa, Walk. (*Zetobora R.*) l. c. p. 47. n. 6 (1868).	Hab. —— ?
9. **P. Rubricosa, Walk.** (*Nauphœta R.*) l. c. p. 185 (1868).	S. Africa.

Genus 169. **Hyposphæria.** (*Type* no. 3.)

Luc. Ann. Soc. Ent. France, (4) iii. p. 408 (1863).
Lioblatta, Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 51 (1895).

1. **H. Giebeliana, Sauss. & Zehntn.** (*Lioblatta G.*) l. c. p. 51 (1895).	Java (?).
2. **H. Ruficornis, Sauss. & Zehntn.** (*Lioblatta R.*) l. c. p. 52, pl. 1. f. 13 (1895).	Caffraria.
*3. **H. Stylifera, Burm.** (*Perisphæria S.*) Handb. Ent. ii. p. 485. n. 2 (1838); Brunn. Syst. Blatt. p. 308 (1865). *Lioblatta Stylifera, Sauss. & Zehntn.* l. c. p. 51, pl. 1. f. 12 (1895). *Perisphæria Solida, Walk.* Cat. Blatt. B. M. p. 171. n. 14 (1868).	S. Africa, Tuscany (advena ?)
*4. **H. Micans, Burm.** (*Perisphæria M.*) l. c. p. 485. n. 5 (1838); Brunn. l. c. p. 308 (1865). *Polyzosteria Aversa, Walk.* l. c. p. 156. n. 26 (1868).	S. Africa; Java (?).

Genus 170. **Melanosilpha.** (*Type* no. 2.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 378 (1871);
Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 52 (1895).

*1. **M. Unicolor, Burm.** (*Perisphæria U.*) Handb. Ent. ii. p. 485. n. 4 (1838); (?) Brunn. Syst. Blatt. p. 306 (1865). *Blatta Scabricollis, Serv.* Ins. Orth. p. 96 (1839).	S. Africa; Egypt (eadem ?).
2. **M. Capensis, Sauss. & Zehntn.** l. c. p. 43, pl. 1. f. 11 (1895).	S. Africa.

3. **M. Oniscina, Gerst.** (*Perisphæria* (*Melanosilpha*) *O.*) Mt. Ver. Vorpomm. xiv. p. 75 (1883). — Cameroons.

4. **M. (?) Ampla, Stål,** (*Blatta A.*) Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856). — Natal.
Phyllodromia Ampla, Brunn. l. c. p. 111. n. 32 (1865).

Genus 171. **Homaloblatta.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 54 (1895): Grandidier. Hist. Madagascar. Orth. i. pp. 98, 132 (1895).

1. **H. Peringueyi, Sauss. & Zehntn.** ll. cc. p. 54 (1895): p. 132. pl. 5. f. 61 (1895). — S. Africa.

Genus 172. **Blepharodera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 486 (1838); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 46 (1895).
Hemiblatta, Sauss. Soc. Ent. vi. p. 9 (1891). (*Type* no. 1.)
Trichocoma, Stål. Œfv. Vet.-Akad. Förh. xxviii. p. 379 (1871). (*Type* no. 2.)

*1. **B. Ciliata, Burm.** (*Perisphæria C.*) l. c. p. 486. n. 8 (1838); Brunn. Syst. Blatt. p. 311 (1865). — Cape.
B. Ciliata, Sauss. & Zehntn. l. c. p. 47 (1895).

2. **B. Pilifera, Stål,** (*Heterogamia P.*) l. c. xiii. p. 165 (1856); Brunn. Syst. Blatt. p. 352 (1865). — Natal.
Perisphæria (*Trichocoma*) *Pilifera, Stål,* l. c. xxviii. p. 379 (1871).

3. **B. (?) Contusa, Walk. (*Panchlora C.*) Cat. Blatt. B. M. p. 30. n. 26 (1868). — Cape.
Panchlora Pilipes, Walk. l. c. p. 184 (1868).

Genus 173. **Thliptoblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 13 & 54 (1895); Grandidier. Hist. Madagascar. Orth. i. pp. 99. 133 (1895).

1. **T. Obtrita, Sauss. & Zehntn.** ll. cc. p. 54 (1895); p. 134, pl. 5. f. 63 (1895). — S. Africa.

2. **T. Taurina, Sauss. & Zehntn.** ll. cc. p. 54 (1895): p. 135. pl. 5. f. 64 (1895). — id.

Genus 174. **Thoracopyga.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 13, 54 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 99, 135 (1895).

1. **T. Loricata, Sauss. & Zehntn.** ll. cc. p. 54 (1895); p. 136, pl. 6. f. 69 (1895).	Madagascar

Genus 175. **Proscratea.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 509 (1838); Sauss. Mém. Mex., Blatt. p. 205 (1864); Brunn. Syst. Blatt. p. 324 (1865).

*1. **P. Complanata, Perty,** (*Blatta C.*) Del. Anim. Art. p. 116, pl. 23. f. 1 (1830).	Minas Geraes, Para, Peru.
P. Complanata, Burm. l. c. p. 509. n. 3 (1838); Brunn. l. c. p. 325. n. 2, pl. 9. f. 43 (1865).	
P. Peruana, Sauss. Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 207, pl. 2. f. 32 (1864).	
2. **P. Funebris, Burm.** l. c. p. 509. n. 2 (1838); Brunn. l. c. p. 324. n. 1 (1865).	Brazil (Cameta).

Genus 176. **Paraspharia.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 311 (1865).

1. **P. Ovata, Blanch.** (*Blatta O.*) Gay, Hist. Chile, Zool. vi. p. 14, Orth. pl. 1. f. 3 (1852).	Chile.
Parasphæria Ovata, Brunn. l. c. p. 312. n. 1, pl. 9. f. 40 A–F (1865).	
Polyzosteria Valdiviana, Phil. Zeitschr. Naturw. xxi. p. 223 (1863).	
Polyzosteria Geissei, Phil. l. c. p. 225 (1863), *larva.*	
Hormetica Chilensis, Sauss. Rev. Zool. (2) xiv. p. 233 (1862); Mém. Mex., Blatt. p. 184 (1864).	
Brachycolla (sic) *Chilensis, Sauss.* l. c. (2) xvi. p. 345 (1864).	
2. **P. Linearis, Serv.** (*Blatta L.*) Ann. Sci. Nat. xxii. p. 41. n. 10 (1831); Ins. Orth. p. 100, pl. 3. f. 1 (1839).	Brazil.
Perisphæria Linearis, Brunn. l. c. p. 314 (1865).	
3. **P. Castanea, Brunn.** l. c. p. 315 (1865).	id.

4. **P. Nigra, Brunn. Proc. Zool. Soc. Lond. 1892, p. 206, pl. 15. f. 7.	St. Vincent; Sta. Lucia (eadem ?).
5. **P. Rufipes, Brunn. l. c. 1893, p. 604, pl. 52. f. 3.	Grenada.
6. **P. (?) Nitens, Walk. (*Polyzosteria N.*) Cat. Blatt. B. M. p. 166. n. 46 (1868).	Brazil (Tejuca).
7. **P. (?) Crassipes, Walk.** (*Polyzosteria C.*) l. c. n. 45 (1868).	Napo.

Genus 177. **Oxycercus.**

Bol. An. Soc. Españ. x. p. 470 (1881).

1. **O. Peruvianus, Bol.** l. c. p. 471, pl. 8. f. 2 *a–d* (1881).	Peru.

Genus 178. **Mioblatta.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 55 (1895).

1. **M. Forficata, Sauss. & Zehntn.** l. c. pl. 1. ff. 15, 15 *a–c* (1895).	Brazil.

Genus 179. **Brachycola.** (*Type* no. 1.)

Brachycola, 2me div., Serv. Ins. Orth. p. 119 (1839).
Hormetica, sect. A, *Brunn.* Syst. Blatt. pp. 327, 328 (1865).

*1. **B. Tuberculata, Dalm.** (*Blatta T.*) Anal. Ent. p. 87. n. 95 (1823); Hahn, Icon. Orth. pl. A. f. 3 (1836); Brullé, Hist. Nat. Ins. ix. p. 52, pl. 4. f. 2 (1835). *Hormetica Tuberculata*, *Burm.* Handb. Ent. ii. p. 512. n. 5 (1838); Brunn. l. c. p. 328 (1865). *Blatta Sexnotata*, *Thunb.* Mém. Acad. Pétersb. x. p. 276, pl. 14 (1826); Perty, Del. Anim. Art. p. 116 (1830). *Blatta Maculata*, *Gray*, Griffith, Anim. Kingd. xv. p. 783, pl. 78. f. 1 (1832). *Brachycola Sexnotata*, *Serv.* Ins. Orth. p. 121 (1839). *Blatta Macularia*, *Perty*, l. c. pl. 23. f. 2 (1830).	Brazil.

2. **B. Diabolus, Sauss.** Rev. Zool. (2) xvi. p. 345 (1864). *Hormetica Diabolus, Sauss.* Mém. Mex., Blatt. p. 182 (1864); Miss. Mex., Orth. p. 99 (1870).	Brazil.
3. **B. Interna, Walk.** Cat. Blatt. B. M. p. 188 (1868).	Nauta.
4. **B. Subcincta, Walk.** l. c. (1868).	Colombia.

Genus 180. **Hormetica.** (*Type* no. 3.)

Burm. Handb. Ent. ii. p. 511 (1838); Sauss. Mém. Mex., Blatt. p. 181 (1864); Brunn. Syst. Blatt. p. 327 (1865) (*sect.* B).

Brachycola, 1re div., *Serv.* Ins. Orth. pp. 119, 120 (1839).

1. **H. Advena, Scudd.** P. Davenport Acad. viii. p. 94 (1900).	Massachusetts.
2. **H. Verrucosa, Brunn.** l. c. p. 331 (1865).	Venezuela.
*3. **H. Lævigata, Burm.** l. c. p. 512. n. 2 (1838). *Brachycola Lævicollis, Serv.* Ins. Orth. p. 120 (1839). ♂. *H. Scrobiculata, Burm.* l. c. p. 512. n. 3 (1838); Brunn. l. c. p. 329 (1865). *Brachycola Robusta, Serv.* l. c. p. 120, pl. 2. f. 4 (1839).	Brazil.
4. **H. Vittata, Brunn.** l. c. p. 330, pl. 9. f. 44 A–E (1865).	Minas Geraes.
5. **H. Ventralis, Burm.** l. c. p. 512. n. 1 (1838); Brunn. l. c. p. 331 (1865).	Rio Janeiro.
6. **H. Strumosa, Sauss. & Zehntn.** Rev. Suisse Zool. iii. p. 56 (1895).	Ecuador.
7. **H. (?) Surinama, Sauss.** Rev. Zool. (2) xx. p. 100 (1868); Miss. Mex., Orth. p. 98, pl. 2. f. 52 (1870).	Surinam.

Genus 181. **Parahormetica.** (*Type* no. 2.)

Brunn. Syst. Blatt. p. 385 (1865).

‖*Brachycola, Sauss.* Mém. Mex., Blatt. p. 183 (1864).

*1. **P. Monticollis, Burm.** (*Hormetica M.*) Handb. Ent. ii. p. 512. n. 5 (1838). *P. Monticollis, Brunn.* l. c. p. 386 (1865). *Hormetica Trilobita, Sauss.* l. c. p. 183, pl. 2. f. 35 (1864).	Brazil.

*2. **P. Bilobata, Sauss.** (*Brachycolla B.*) Rev. Zool. (2) xiv. p. 345 (1864). *P. Bilobata, Sauss.* Miss. Mex., Orth. p. 123 (1870). *P. Tumulosa, Brunn.* l. c. p. 385, pl. 12. f. 56 A–C (1865).	Brazil.
*3. **P. Cicatricosa, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 122 (1870).	Argentine Republic.
4. **P. Punctata, Sauss.** Mém. Soc. Genève, xxiii. p. 145 (1873).	Brazil.
5. **P.** (?) **Obscura, Sauss.** l. c. p. 146 (1873).	Java (?).

Genus 182. **Dasyposoma.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 387 (1865).

1. **D. Nigra, Brunn.** l. c. p. 388, pl. 13. f. 57 A–C (1865).	Brazil.
*2. **D. Bicolor, Brunn.** l. c. p. 388 (1865).	id.
3. **D. Brunneri, Sauss. & Zehntn.** Rev. Suisse Zool. iii. p. 57 (1895).	id.
4. **D. Marmorata, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 121 (1870).	Venezuela.
5. **D.** (?) **Castanea, Sauss.** Mém. Soc. Genève, xx. p. 285 (1869).	Australia.

Genus 183. **Ateloblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 10 (1891); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 99, 137 (1895).
Exedra, Brunn. Ann. Mus. Genova, xxxiii. p. 41 (1893).

*1. **A. Cambouini, Sauss.** l. c. p. 10 (1891). *A. Cambouei, Sauss. & Zehntn.* l. c. p. 139, pl. 5. ff. 58, 59 (1895).	Madagascar
2. **A. Malagassa, Sauss.** l. c. p. 10 (1891); Sauss. & Zehntn. l. c. p. 140, pl. 5. f. 60 (1895).	id.

Genus 184. **Gromphadorhina.** (*Type* no. 3.)

Brunn. Syst. Blatt. p. 333 (1865); Sauss. Mém. Soc. Genève, xx. p. 278 (1869); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 99, 141 (1895).

*1. **G. Coquereliana, Sauss.** (*Hormetica* (*Brachycola*) *C.*) l. c. xvii. p. 163, pl. 1. f. 22 (1864). *Gromphadorhina Coquereliana, Sauss.* Abh. Senckenb. Ges. xxi. p. 585 (1899); Sauss. & Zehntn. l. c. p. 143, pl. 5. f. 55 (1895). ‖ *G. Portentosa*, pt., *Sauss.* Mém. Soc. Genève, xx. p. 279 (1869). *Ateloblatta Granulata, Sauss.* Soc. Ent. vi. p. 10 (1891). *Exedra Sacalava, Brancs.* Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 175, pl. 11. f. 6 (1893).	Madagascar
2. **G. Brunneri, Butl. Ann. Nat. Hist. (5) ix. p. 384 (1882); Sauss. & Zehntn. l. c. p. 145, pl. 5. f. 54 (1895).	id.
3. **G. Portentosa, Schaum,** (*Hormetica P.*) Ber. Akad. Berlin, 1853, p. 777. n. 4; Peters, Reise Mossamb., Zool. v. p. 111, pl. 7. f. 3 (1862). *G. Portentosa, Brunn.* l. c. p. 333, pl. 9. f. 45 (1865).	id.
4. **G. Lævigata, Sauss. & Zehntn.** (*G. Portentosa*, var. *Lævigata*) l. c. p. 147 (1895).	id.
5. **G. Grandidieri, Kirb.,** n. n. ‖ *G. Portentosa, Sauss. & Zehntn.* l. c. p. 146, pl. 5. ff. 56, 57 (1895).	id.

Genus 185. **Æluropoda.**

Butl. Ann. Nat. Hist. (5) ix. p. 385 (1881); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 79, 88 (1895).

1. **Æ. Insignis, Butl. l. c. p. 384, f. 2 (1882); Sauss. & Zehntn. l. c. p. 89, pl. 4. f. 44 (1895). *Æ. Gigantea, Butl.* l. c. p. 386 (1882). *Gomphadorhina Hildebrandti, Dohrn,* Stettin. Ent. Zeit. xlviii. p. 412 (1887).	Madagascar

SUBFAM. XVI.

PANESTHIINÆ.

Genus 186. **Cryptocercus.**

Scudd. Boston Journ. Nat. Hist. vii. p. 419 (1863); Sauss. Mém. Soc. Genève, xxiii. p. 147 (1873).

1. **C. Punctulatus, Scudd.** l. c. p. 420 (1863). *Dasyposoma Punctulata, Brunn.* Syst. Blatt. p. 389 (1865). *Cryptocercus Punctulata, Sauss.* l. c. p. 149, pl. 10. f. 53 *a–c* (1873).	United States.

Genus 187. **Salganea.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877).

1. **S. Morio, Burm.** (*Panesthia M.*) Handb. Ent. ii. p. 513. n. 1 (1838); (?) Tepp. Tr. R. Soc. S. Austral. xvii. p. 124 (1893).	Australia, Papua.
*1 *a*. **S. Regina, Sauss.** (*Pan. R.*) Mém. Soc. Genève, xvii. p. 167, pl. 1. f. 24 (1864). ‖*Panesthia Morio, Brunn.* Syst. Blatt. p. 392 (1865).	Java, Borneo, Billiton, India.
2. **S. Passaloides, Walk. (*Pan. P.*) Cat. Blatt. B. M. p. 22. n. 9 (1868). *S. Ceylonica, Brunn.* Ann. Mus. Genova, xxxiii. p. 46 (1893). *Pan. Rufa, Walk.* l. c. p. 23. n. 11 (1868), *larva.*	Ceylon.
3. **S. Erythronota, Bol.** Ann. Soc. Ent. France, 1897, p. 301.	Trichinopoly.
4. **S. Ternatensis, Brunn.** l. c. p. 47 (1893).	Ternate.
4 *a*. **S. Dux, Kirb.** Ann. Nat. Hist. (7) xi. p. 408 (1903).	Obi.
5. **S. Amboinica, Brunn.** l. c. p. 47 (1893). *Pan. Morio*, var. *Minor*, pt., *Brunn.* Syst. Blatt. p. 392 (1865).	Amboina.
*6. **S. Rugulata, Sauss.** Rev. Suisse Zool. iii. p. 304 (1895).	Java.
7. **S. Foveolata, Sauss.** l. c. (1895).	Macassar.

Genus 188. **Microdina.**

Kirb. Ann. Nat. Hist. (7) xi. p. 409 (1903).

*1. **M. Forceps, Sauss.** (*Panesthia F.*) Mém. Soc. Genève, xx. p. 207, pl. 3. f. 24 (1869). *Salganea Forceps, Sauss.* Rev. Suisse Zool. iii. p. 303 (1895). *Microdina Forceps, Kirb.* l. c. p. 409 (1903).	Pondicherry, Nilgiris.

Genus 189. **Cæparia.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877).

*1. **C. Saussurii, Wood-Mason,** (*Panesthia S.*) J. Asiatic Soc. Bengal, xlv. (2) p. 190 (1876) ; Ann. Nat. Hist. (4) xix. p. 118 (1877). ‖ *Pan. Mandarinea*, ♀, *Sauss.* Mém. Soc. Genève, xx. p. 286, pl. 3. f. 23 (1870).	Sikkim.

Genus 190. **Dicellonotus.** (*Type* no. 3.)

Butl. Ann. Nat. Hist. (5) ix. p. 387 (1882).

1. **D. Monstruosus, Wood-Mason,** (*Panesthia Monstruosa*) J. Asiatic Soc. Bengal, xlv. (2) p. 189 (1876) ; Ann. Nat. Hist. (4) xix. p. 117 (1877).	S. India.
2. **D. Panteli, Bol.** (*Pan. P.*) Ann. Soc. Ent. France, 1897, p. 301.	Trichinopoly.
3. **D. Lucanoides, Butl. l. c. p. 387, p. 384. f. 1 (1882).	S. India.
4. **D. Morsus, Butl. l. c. p. 388 (1882).	id.
5. **D. Lævis, Kirb. Ann. Nat. Hist. (7) xi. p. 409 (1903).	Animalli Hills.
6. **D. Insularis, Kirb. l. c. p. 410 (1903).	Bouru.

Genus 191. **Panesthia.** (*Type* no. 4.)

Serv. Ann. Sci. Nat. xxii. p. 38 (1831); Ins. Orth. p. 130 (1839); Burm. Handb. Ent. ii. p. 513 (1838); Brunn. Syst. Blatt. p. 390 (1865); Sauss. Rev. Suisse Zool. iii. p. 306 (1895).

1. **P. Ferrugin[e]ipes, Brunn.** Ann. Mus. Genova, xxxiii. p. 53 (1893); (?) Bol. Ann. Soc. Ent. France, 1897, p. 302.	Trichinopoly (?).
2. **P. Quinquedentata, Kirb. Ann. Nat. Hist. (7) xi. p. 411 (1903).	Nilgiris.
*3. **P. Æthiopis, Stoll,** (*Blatta Æ.*) Spectres, Blattes, p. 3, pl. 1 D. f. 3 (1813). *P. Æthiopis*, *Kirb.* l. c. p. 412 (1903).	Philippines.
*4. **P. Javanica, Serv.** Ann. Sci. Nat. xxii. p. 38 (1831); Ins. Orth. p. 131, pl. 2. f. 5 (1839); Brunn. Syst. Blatt. p. 393, pl. 13. f. 58 A–E (1865); Sauss. Mém. Soc. Genève, xx. p. 286 (1869); (?) Sauss. Rev. Suisse Zool. iii. p. 312. n. 3 (1895); Kirb. l. c. p. 411 (1903). *P. Affinis*, *Burm.* l. c. ii. p. 513. n. 3 (1838). *P. Quadrimaculata*, *Walk.* Cat. Blatt. B. M. p. 21. n. 8 (1868), *larva*.	Java, Borneo, Philippines, Burma, Malacca.
5. **P. Ruficeps, Kirb. l. c. p. 412 (1903).	Christmas I.
*6. **P. Saussurii, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877); Sauss. Rev. Suisse Zool. iii. p. 312. n. 4 (1895).	Philippines.
*7. **P. Angustipennis, Ill.** (*Blatta A.*) Mag. Insekt. i. p. 185. n. 15 (1801). *Panesthia A.*, *Brunn.* l. c. p. 395. n. 4 (1865); Sauss. l. c. p. 312. n. 5 (1895). *P. Æthiops*, *Walk.* l. c. p. 20. n. 1 (1868).	Sumatra, Borneo, Philippines, Amboina&c.
8. **P. Nigrita, Stoll,** (*Blatta N.*) l. c. p. 3, pl. 2 D. f. 6 (1813).	Hab. —— ?
*9. **P. Cribrata, Sauss.** Rev. Zool. (2) xvi. p. 346 (1864). *P. Cribata*, *Sauss.* Rev. Suisse Zool. iii. p. 313. n. 6 (1895).	Australia.
10. **P. Stellata, Sauss.** l. c. p. 313. n. 7 (1895).	Sikkim.
11. **P. Antennata, Brunn.** Ann. Mus. Genova, xxxiii. p. 50 (1893).	Burma.

12. **P. Incerta, Brunn.** l. c. (1893); Sauss. l. c. p. 314. n. 9 (1895).	Burma.
13. **P. Serrata, Sauss.** l. c. p. 315. n. 10 (1895).	India.
*14. **P. Lævicollis, Sauss.** Mém. Soc. Genève, xxiii. p. 151 (1872); Rev. Suisse Zool. iii. p. 315. n. 11 (1895).	Australia.
15. **P. Nicobarensis, Sauss.** Rev. Suisse Zool. iii. p. 316. n. 12 (1895).	Nicobar I.
*16. **P. Brevipennis, Brunn.** l. c. xxxiii. p. 51 (1893).	Amboina.
*17. **P. Quadriglumis, Sauss.** l. c. p. 316. n. 14. pl. 9. f. 3 (1895).	Australia.
18. **P. Lata, Walk. l. c. p. 24. n. 13 (1868).	Lord Howe Island.
*19. **P. Lobipennis, Brunn.** l. c. xxxiii. p. 51 (1893).	Ceylon.
*20. **P. Serratissima, Brunn.** Syst. Blatt. p. 394. n. 3 (1865).	Ternate.
21. **P. Kheili, Bol.** Act. Soc. Españ. 1898, p. 138.	New Guinea.
22. **P. Nigricans, Kirb.** l. c. (7) xii. p. 381 (1903). ‖*P. Nigrita, Sauss.* l. c. p. 317. n. 17 (1895).	Macassar.
23. **P. Puncticollis, Stål,** l. c. xxxiv. (10) p. 37 (1877).	Philippines.
24. **P. Sinuata, Sauss.** l. c. p. 318. n. 19 (1895).	Singapore.
*25. **P. Biglumis, Sauss.** l. c. p. 319. n. 21 (1895).	Sikkim; Java (ead. ?)
26. **P. Flavipennis, Wood-Mason,** J. Asiatic Soc. Bengal, xlv. (2) p. 190 (1876); Ann. Nat. Hist. (4) xix. p. 117 (1877).	Naga Hills, Brahmaputra.
27. **P. Ornata, Sauss.** Mém. Soc. Genève, xxiii. p. 152, pl. 10. f. 54 (1872).	Java, China (?).
28. **P. Regalis, Walk. Cat. Blatt. B. M. p. 21. n. 7 (1868). *P. Bengalica, Brunn.* Ann. Mus. Genova, xxxiii. p. 52 (1893).	Silhet, Assam.
29. **P. Transversa, Burm.** Handb. Ent. ii. p. 513. n. 4 (1838); Brunn. l. c. xxxiii. p. 51 (1893); Sauss. Rev. Suisse Zool. iii. p. 321. n. 25 (1895).	Java, Burma.
30. **P. Tepperi, Kirb.** l. c. (7) xi. p. 412 (1903). ‖*P. Transversa, Tepp.* Tr. R. Soc. S. Austral. xvii. p. 125 (1893).	Port Darwin.

31. **P. Plagiata, Walk. Ann. Nat. Hist. (3) iv. p. 220 (1859). ‖*P. Transversa, Brunn.* Syst. Blatt. p. 395 (1865). *P. Inermis, Brunn.* Ann. Mus. Genova, xxxiii. p. 52 (1893).	Ceylon.
32. **P. Morosa, Kirb. l. c. p. 412 (1903).	Animalli H.
33. **P. Integra, Brunn.** l. c. xxxiii. p. 53 (1893).	India.
34. **P. Mandarinea, Sauss.** Mém. Soc. Genève, xvii. p. 168, pl. 1. f. 25 (1864).	China.
35. **P. Hilaris, Kirb. l. c. p. 413 (1903).	Sandakan.
36. **P. Necrophoroides, Walk. Cat. Blatt. B. M. p. 22. n. 10 (1868).	Tenasserim.
37. **P. Bramina, Sauss.** Rev. Suisse Zool. iii. p. 322. n. 29 (1895).	Johore.
38. **P. Morio, Burm.** l. c. p. 513. n. 1 (1838).	N. Guinea, Australia.
*39. **P. Australis, Brunn.** Syst. Blatt. p. 396 (1865) ; Tepp. l. c. xvii. p. 125 (1893).	Australia.
40. **P. Perfecta, Kirb.** l. c. p. 414 (1903). ‖*P. Australis, Sauss.* l. c. p. 323. n. 30 (1895).	New South Wales.
*41. **P. Wallacei, Wood-Mason,** ll. cc. xlv. (2) p. 189 (1876) ; (4) xix. p. 117 (1877). *P. Walacei, Sauss.* l. c. p. 323. n. 31 (1895).	Singapore, Malacca, Malabar.
42. **P. Celebica, Brunn.** Ann. Mus. Genova, xxxiii. p. 53 (1893).	N. Celebes.
*43. **P. Birmanica, Brunn.** l. c. p. 54 (1893).	Tenasserim.
44. **P. (?) Conica, Walk. l. c. p. 23. n. 12 (1868).	Java.

Genus 192. **Hemipanesthia.**

Sauss. Rev. Suisse Zool. iii. p. 327 (1895).

1. **H. Kraussiana, Sauss.** (*Panesthia K.*) Mém. Soc. Genève, xxiii. p. 150 (1872). *H. Kraussiana, Sauss.* Rev. Suisse Zool. iii. p. 328, pl. ix. f. 6 (1895).	Melbourne.

Genus 193. **Miopanesthia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 323 (1895).

1.	**M. Bigibbosa, Sauss.** l. c. p. 324, pl. 9. f. 1 (1895).	Sikkim Khasia Hills
2.	**M. Stenotarsis, Sauss.** l. c. p. 325, pl. 9. f. 2 (1895).	Java.
3.	**M. Discoidalis, Sauss.** l. c. p. 326 (1895).	id.

Genus 194. **Mylacrina.**

Kirb. Ann. Nat. Hist. (7) xi. p. 414 (1903).

**1.	**M. Wrayi, Kirb.** l. c. (1903).	Perak.

Genus 195. **Heteroplana.**

Kirb. Ann. Nat. Hist. (7) xi. p. 415 (1903).

**1.	**H. Thomsonii, Kirb.** l. c. (1903).	Louisiade I.

Genus 196. **Geoscapheus.** (*Type* no. 2.)

Tepp. Tr. R. Soc. S. Austral. xvii. p. 67 (June, 1893).
Plana, Brunn. Ann. Mus. Genova, xxxiii. p. 46 (Sept. 1893); Sauss. Rev. Suisse Zool. iii. p. 326 (1895). (*Type* no. 1.)

1.	**G. Dilatatus, Sauss.** (*Panesthia Dilatata*) Rev. Zool. (2) xvi. p. 346 (1864); Mém. Soc. Genève, xx. p. 285 (1869). *Plana Dilatata, Sauss.* Rev. Suisse Zool. iii. p. 326 (1895).	Queensland.
2.	**G. Robustus, Tepp.** l. c. p. 68 (1893). *Plana Robusta, Sauss.* l. c. p. 327 (1895).	Australia.
3.	**G. Giganteus, Tepp.** l. c. xviii. p. 176 (1894).	N. Queensland.

Genus 197. **Macropanesthia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 328 (1895).

1.	**M. Rhinoceros, Sauss.** l. c. p. 329, pl. 9. f. 4 (1895).	Queensland (Bowen).
2.	**M. Muelleri, Sauss.** l. c. f. 5 (1895).	C. Australia.

FAM. IV.

MANTIDÆ.

SUBFAM. I.

AMORPHOSCELINÆ.

Genus 1. **Paraoxypilus.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 227 (1870); Mém. Soc. Genève, xxi. p. 153 (1871).

Phthersigena, *Stål*, Œfv. Vet.-Akad. Förh. xxviii. p. 400 (1871). (*Type* no. 5.)

*1.	**P. Kraussii, Sauss.** (*Haania K.*) Mém. Soc. Genève, xxiii. p. 75, pl. 9. f. 26 (1872); Wood-Mason, Mant. p. 2 (1889).	Australia.
2.	**P. Lobifrons, Stål,** Bihang Svenska Akad. iv. (10) p. 8 (1877).	Queensland.
*3.	**P. Tasmaniensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 227 (1870); Mém. Soc. Genève, xxi. p. 155, pl. 6. ff. 49, 49 A, 50 (1871).	Tasmania.
*4.	**P. Verreauxii, Sauss.** ll. cc. p. 227 (1870); p. 157 (1871).	id.
5.	**P. Conspersus, Stål,** (*Phthersigena Conspersa*) Œfv. Vet.-Akad. Förh. xxviii. p. 401 (1871).	Cape York.

Genus 2. **Discothera.**

Bonnet & Finot, Bull. Soc. Ent. France, (6) iv. p. xxvi (1884); Rev. Sci. Nat. Montpellier, (3) iv. p. 202 (1885).

1.	**D. Tunetana, Bonnet & Finot,** ll. cc. p. xxvi (1884); p. 202, pl. 7. ff. 1–6 (1885).	Tunis.

Genus 3. **Amorphoscelis.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 401 (1871); Wood-Mason, Cat. Mant. p. 4 (1889).

1.	**A. Annulipes, Karsch,** Ent. Nachr. xviii. p. 145 (1892); Berlin. Ent. Zeitschr. xxxix. p. 269. pl. 19. f. 6 (1894).	Cameroons.

2. **A. Laxeretis, Karsch,** Berlin. Ent. Zeitschr. xxxix. p. 270 (1891).	Togo.
3. **A. Annulicornis, Stål,** l. c. p. 401 (1871); Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 21 (1882); Cat. Mant. p. 4, ff. 1–3 (1889).	India.
*4. **A. Pellucida, Westw.** Rev. Mant. p. 28 (1889).	Ceyl., Sing., Australia.
5. **A. Costalis, Westw.** l. c. (1889).	Dorey.

Genus 4. **Compsothespis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxiii. p. 64 (1872).

1. **C. Anomala, Sauss.** l. c. pl. 7. f. 13 (1872).	Cape.
2. **C. Falcifera, Rehn,** Proc. Acad. Nat. Sci. Philadelphia, liii. p. 280 (1901).	Galla Land.
3. **C. Tumidiceps, Bol.** An. Soc. Españ. xix. p. 303 (1890).	Philippines.
4. **C. Australiensis, Wood-Mason,** Cat. Mant. p. 7, f. 4 (1889).	Australia.

SUBFAM. II.

EREMIAPHILINÆ.

Genus 5. **Metallyticus.** (*Type* no. 1.)

Westw. Zool. Journ. v. p. 441 (1837).

Metalleutica, Burm. Handb. Ent. ii. p. 526 (1838); Sauss. Mém. Soc. Genève, xxi. p. 265 (1871); Wood-Mason, Cat. Mant. p. 9 (1889).

*1. **M. Splendidus, Westw.** l. c. p. 442, pl. 22. f. 1 (1837). *Metalleutica Splendida, Burm.* l. c. p. 527. n. 1 (1838); Sauss. l. c. p. 268 (1871). *M. Splendidus*, var. *Viridi-auratus, Westw.* Rev. Mant. p. 1 (1889).	Malabar, Singapore, Sumatra, &c.
*2. **M. Violacea, Burm.** (*Metalleutica V.*) l. c. p. 527. n. 2 (1838); Charp. Orth. pl. 3 (1841); Sauss. l. c. p. 267 (1871). ♂. *Metalleutica Vitripennis, Burm.* l. c. n. 3 (1838).	Java, Sumatra.

Mantis Chalybea, Serr. Ins. Orth. p. 202 (1839).
‖*Metalleutica Splendida, Haan.* Temminck, Verhandel., Orth. p. 83 (1842).
M. Splendidus, var., *Westw.* Zool. Journ. v. p. 442 (1837) ; Brit. Cycl. Nat. Hist. p. 359, fig. (1837).
M. Splendidus, var. *Purpureus, Westw.* Rev. Mant. p. 1 (1889).
*3. **M. Semiæneus, Westw.** l. c. p. 28, pl. 14. f. 3 (1889) ; Shelf. Zoologist, (4) vii. p. 299 (1903). Sarawak.

Genus 6. **Chæteessa.** (*Type* no. 3.)

Burm. Handb. Ent. ii. p. 527 (1838) ; Sauss. Miss. Mex., Orth. p. 230 (1870) ; Mém. Mex., Mant. p. 9 (1871).
Chætessa, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 52 (1869).
‖*Hoplophora, Perty*, Del. Anim. Art. p. 126 (1833) ; Westw. Mod. Classif. Ins. pp. 412, 413 note (1839).

*1. **C. Caudata, Sauss.** Miss. Mex., Orth. p. 230 (1870) ; Mém. Mex., Mant. p. 11 (1871) ; Westw. Rev. Mant. p. 1, pl. 14. f. 1 (1889). Brazil.
*2. **C. Valida, Perty,** (*Hoplophora V.*) l. c. p. 126, pl. 25. f. 6 (1833). id.
C. Valida, Sauss. Mém. Mex., Mant. p. 13 (1871).
*3. **C. Filata, Burm.** l. c. p. 528 (1838) ; Sauss. l. c. p. 13 (1871). id.

Genus 7. **Mantoida.** (*Type* no. 4.)

Newm. Ent. Mag. v. p. 178 (1838) ; Westw. Mod. Classif. Ins. i. p. 413 & note (1839). (*Type* no. 4.)
Annia, Stål, Bihang Svenska Akad. iv. (10) p. 10 (1877). (*Type* no. 5.)

1. **M. Maya, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 125, pl. 10. ff. 26, 27 (1894). Yucatan.
*2. **M. Tenuis, Perty,** (*Hoplophora T.*) Del. Anim. Art. p. 127, pl. 25. f. 7 (1833). Brazil.
Chæteessa Tenuis, Sauss. Mém. Mex., Mant. p. 15 (1871).

M. Luteola, Westw. Rev. Mant. p. 28, pl. 14. f. 14 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 251. f. 141 (1895).	
3. **M. Fulgidipennis, Westw.** l. c. p. 28, pl. 14. f. 9 (1889).	Amazons.
4. **M. Nitida, Newm.** l. c. p. 179 (1838).	Para.
5. **M. Brunneriana, Sauss.** (*Chæteessa B.*) l. c. p. 14 (1871).	Brazil.
6. **M. Burmeisteri, Gieb.** (*Chæteessa B.*) Zeitschr. ges. Naturw. xx. p. 316 (1862). *Annia Burmeisteri, Wood-Mason,* Cat. Mant. p. 11 (1889).	Brazil (N. Freiburg).

Genus 8. **Charieis.**

Burr, Proc. Zool. Soc. Lond. 1900, p. 36.

1. **C. Peeli, Burr,** l. c. p. 37, pl. 2. f. 4 (1900).	Somali Land.

Genus 9. **Eremiaphila.** (*Type* no. 6.)

Lef. Ann. Soc. Ent. France, iv. p. 468 (1835); Serv. Ins. Orth. p. 209 (1839); Sauss. Mém. Soc. Genève, xxi. p. 244 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 145 (1902).

| *Eremophila, Burm.* Handb. Ent. ii. p. 524 (1838).

*1. **E. Typhon, Lef.** l. c. p. 499, pl. 12. f. 5 (1835); Sauss. l. c. p. 247, pl. 7. f. 55 (1871); Jacobs. & Bianki, l. c. p. 145 (1902). *Eremophila Ehrenbergii, Burm.* l. c. p. 525. n. 6 (1838).	Egypt.
2. **E. Rotundipennis (*Bates, MS.*)**, Kirb.,** n. n. *E. Typhon*, var., *Sauss.* l. c. p. 248 (1871). ‖ *E. Typhon, Westw.* Rev. Mant. p. 28, pl. 14. f. 11 (1890).	id.
*2 *a*. **E. Petit[i], Lef.** l. c. p. 500 (1835); Sauss. l. c. p. 265 (1871), *larva*.	id.
3. **E. Audouin[i], Lef.** l. c. p. 482, pl. 12. ff. 1, 1 *a*, *b* (1835); Serv. l. c. p. 211 (1839); Sauss. l. c. p. 248 (1871). *Eremophila Audouini, Burm.* l. c. p. 525. n. 1 (1838).	id.
4. **E. Marchali, Reiche & Fairmaire,** Ferret & Galinier, Voy. Abyssinie, iii. p. 424, pl. 27. f. 5 (1847); Sauss. l. c. p. 248 (1871).	Abyssinia.

*5. **E. Cerisy[i], Lef.** l. c. p. 484, pl. 13. ff. 1, 1 *a*, *b* (1835); Serv. l. c. p. 211 (1839); Sauss. l. c. p. 249 (1871).	Egypt, Arabia.
6. **E. Gene[i], Lef.** l. c. p. 486, pl. 12. ff. 2, 2 *a*, *b* (1835); Serv. l. c. p. 212, pl. 3. f. 8 (1839); Sauss. l. c. p. 250 (1871); Jacobs. & Bianki, l. c. p. 145 (1902). *Eremophila Genei*, *Burm.* l. c. p. 525. n. 2 (1838).	Lebanon.
*7. **E. Burmeisteri, Sauss.** l. c. p. 252 (1871). ‖ *Eremophila Zetterstedtii*, *Burm.* l. c. p. 525. n. 3 (1838).	Arabia.
8. **E. Turcica, Westw. l. c. p. 29, pl. 14. f. 2 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 253, f. 144 (1895); Jacobs. & Bianki, l. c. p. 145 (1902).	Baghdad.
9. **E. Denticollis, Luc.** Rev. Zool. (2) vii. p. 103 (1855); Sauss. l. c. p. 252 (1871); Vosseler, Zool. Jahrb. Syst. xvi. p. 347 (1902).	Algeria.
10. **E. Moreti, Bol.** An. Soc. Españ. xv. p. 513 (1886).	W. Sahara.
*11. **E. Arabica, Sauss.** l. c. p. 254, pl. 7. f. 56 (1871); Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 22 (1882); Jacobs. & Bianki, l. c. p. 145 (1902).	Jeddah, Quetta, N.W. India.
*12. **E. Somalica, Rehn,** Proc. Acad. Nat. Sci. Philadelphia, liii. p. 276 (1902).	Somali Land.
13. **E. Numida, Sauss.** l. c. xxiii. p. 6 (1872); Vosseler, l. c. p. 349 (1902).	Algeria.
14. **E. Luxor[i], Lef.** l. c. p. 491, pl. 13. ff. 2, 2 *a*, *b* (1835); Serv. l. c. p. 213 (1839); Sauss. l. c. xxi. p. 256 (1871).	Egypt (Luxor).
15. **E. Bove[i], Lef.** l. c. p. 492, pl. 12. ff. 4, 4 *a*, *b* (1835); Serv. l. c. p. 213 (1839); Sauss. l. c. p. 257 (1871).	Suez.
*16. **E. Hebraica, Lef.** l. c. p. 501 (1835); Sauss. l. c. p. 258 (1871). ——, *Savigny*, Descr. Égypte, Orth. pl. 2. f. 4 (1809).	Egypt.
*17. **E. Lefebvrii, Brunn.** (*Eremophila L.*) l. c. p. 525. n. 5 (1839). *E. Lefebvrii*, *Sauss.* l. c. p. 264 (1871).	id.
18. **E. Spinulosa, Krauss,** Jahresh. Ver. Naturk. Württemb. xlix. p. xcv (1893); Zool. Jahrb. Syst. ix. p. 525, pl. 7. ff. 1, 1 A–D (1896).	Algeria.

19. **E. Kheych[i], Lef.** l. c. p. 498 (1835). *E. Kheychi, Sauss* l. c. p. 262 (1871).	Egypt.
20. **E. Savigny[i], Lef.** l. c. p. 494 (1835); Sauss. l. c. p. 259 (1871). ——, *Savigny*, l. c. Orth. pl. 2. f. 3 (1809).	id.
21. **E. Hedenborgii, Stal,** (*Eremophila H.*) Œfv. Vet.-Akad. Förh. xxviii. p. 396 (1871). *E. Hedenborgii, Sauss.* l. c. xxiii. p. 5 (1872).	Nubia.
22. **E. Dentata, Sauss.** l. c. xxi. p. 264 (1871). ‖ *Eremophila Bovei, Burm.* l. c. p. 525. n. 4 (1838).	Egypt.
23. **E. Barbara, Bris.** Bull. Soc. Ent. France, (3) ii. p. lxx (1854): Sauss. l. c. p. 262 (1871): Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 234, f. 1 (1902).	Algeria.
24. **E. Brevipennis, Sauss.** l. c. p. 259 (1871). ——, *Savigny*, l. c. pl. 2. f. 6 (1809).	Egypt.
25. **E. Anubis, Lef.** l. c. p. 501 (1835): Sauss. l. c. p. 260 (1871). ——, *Savigny*, l. c. pl. 2. f. 2 (1809).	id.
*26. **E. Khamsin[i], Lef.** l. c. p. 496, pl. 13. f. 3 (1835); Sauss. l. c. p. 260 (1871).	id., Suez.
27. **E. Hralil[i], Lef.** l. c. p. 497 (1835); Sauss. l. c. p. 261 (1871).	Egypt.
28. **E. Nilotica, Sauss.** l. c. p. 262 (1871). ——, *Savigny*, l. c. pl. 2. f. 1 (1809). *E. Hralil* (?), *Lef.* l. c. p. 497, pl. 11. ff. 1, 3–10 (1835).	id.
29. **E. Sabulosa, Sauss.** l. c. p. 263 (1871).	Suez.
30. **E. Aristidis, Luc.** Bull. Soc. Ent. France, (5) x. p. lxxv (1880).	id.
31. **E. Zetterstedt[ii], Lef.** l. c. p. 489, pl. 12. ff. 3, 3 *a*, *b* (1835); Serv. l. c. p. 212 (1839); Sauss. l. c. p. 253 (1871).	id., Arabia.

Genus 10. **Heteronutarsus.**

Lef. Ann. Soc. Ent. France, iv. p. 501 (1835).
Heteronychotarsus, *Sauss.* Mém. Soc. Genève, xxi. p. 242 (1871).

1. **H. Ægyptiacus, Lef.** l. c. p. 503, pl. 13 B. ff. 1–9 (1835). *Heteronychotarsus Ægyptiacus, Sauss.* l. c. p. 243 (1871). ——, *Savigny*, Desc. Égypte, Orth. pl. 2. f. 5 (1809), *larva* (?).	Egypt (Fayum).

Genus 11. **Theopompa.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 22 (1877).

1. **T. Ophthalmica, Oliv.** (*Mantis Ophtalmica*) Encycl. Méth., Ins. vii. p. 637. n. 62 (1792).	Malabar.
‖ *Mantis Oratoria*, *Stoll*, Spectres, Mantes, p. 19, pl. 6. f. 23 (1813).	
Mantis Grisea, *Licht.* Trans. Linn. Soc. Lond. vi. p. 29 note (1802).	
*2. **T. Burmeisteri, Haan,** (*Mantis B.*) Temminck, Verhandelingen, Orth. p. 80, pl. 16. ff. 3, 4 (1842).	Java, Borneo.
*3. **T. Servillei, Haan,** (*Mantis S.*) l. c. p. 81, pl. 16. ff. 5, 6 (1842).	Java, &c., Malacca.
(?) *Humbertiella Ophthalmica*, ♂, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 224 (1869); Mém. Soc. Genève, xxi. p. 25 (1871).	
4. **T. Tosta, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.
*5. **T. Blanchardi, Wood-Mason,** Cat. Mant. p. 62 (1891).	Amboina, Ceram.
‖ *Mantis Ophthalmica*, *Blanch.* Voy. Pôle Sud, iv. p. 354, pl. 1. f. 6 (1853).	
‖ *Humbertiella Ophthalmica*, ♀, *Sauss.* ll. cc. p. 224 (1870); pp. 24, 274 (1871).	
‖ *Humbertiella Servillei*, *Sauss.* Mém. Soc. Genève, xxiii. p. 17 (1872).	
6. **T. Cambodjensis, Westw.** Rev. Mant. p. 29 (1889).	Cambodia.
7. **T. Nigropicta, Westw. l. c. p. 29, pl. 2. f. 6 (1889).	Australia.
*8. **T. Heterochroa, Gerst.** (*Humbertiella H.*) Mitth. Ver. Vorpomm. xiv. p. 80 (1883).	Cameroons, Fernando Po.
Theopompa Heterochroa, *Westw.* l. c. p. 29, pl. 2. ff. 4, 7 (1889).	
9. **T. Westwoodii, Kirb. Ann. Nat. Hist. (7) xiii. p. 81 (1904).	Gold Coast, Ashanti.
10. **T. Aurivillii, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 3, ff. 3–5 (1900).	Cameroons.
11. **T. Angusticollis, Sjöst.** l. c. p. 5 (1900).	Congo.

Genus 12. **Humbertiella.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Soc. Genève, xxi. p. 19 (1871).

*1. **H. Indica, Sauss.** ll. cc. p. 62 (1869); p. 23, pl. 4. f. 6 (1871); Westw. Rev. Mant. p. 4, pl. 2. f. 5 (1889); Wood-Mason, Cat. Mant. pl. 1. f. 5 (1891); Bol. Ann. Soc. Ent. France, 1897, p. 303.	India.
2. **H. Assimilata, Wood-Mason,** (*Theopompa A.*) l. c. pl. 1. ff. 2, 4 (1891).	id. (?).
*3. **H. Septentrionum, Wood-Mason,** (*Theopompa S.*) l. c. p. 64, pl. 1. f. 3 (1891).	Assam, Travancore.
*4. **H. Ceylonica, Sauss.** ll. cc. p. 62 (1869); p. 22, pl. 4. f. 5 (1871); Westw. l. c. p. 30, pl. 2. f. 1 (1889).	Ceylon.
Theopompa Taprobanarum, Wood-Mason, l. c. p. 62, pl. 1. f. 1 (1891).	
*5. **H. Ocularis, Sauss.** Mém. Soc. Genève, xxiii. p. 16 (1872); Kirb. Ann. Nat. Hist. (7) xiii. p. 82 (1904).	Borneo, Singapore.
Theopompa Ocularis, Wood-Mason, l. c. pl. 1. ff. 6, 7 (1891).	
Theopompa Disparilis, Westw. l. c. p. 29, pl. 13. ff. 2, 3 (1889).	
6. **H. Semirufula, Westw.** (*Hapalomantis S.*) l. c. p. 37, pl. 1. f. 1, pl. 13. f. 8 (1889).	Sarawak.
7. **H. Fuliginosa, Westw.** (*Hapalomantis F.*) l. c. p. 37, pl. 13. f. 6 (1889).	Aru.
8. **H. (?) Brunneri, Kirb. l. c. p. 83 (1904).	Lombok.

Genus 13. **Elæa.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 22 (1877).

1. **E. Perloides, Sauss.** (*Humbertiella P.*) Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869); Mém. Soc. Genève, xxi. p. 21, pl. 4. ff. 4, 4 *a* (1871).	Senegal.
*2. **E. Somalica, Schulth.** Ann. Mus. Genova, xxxix. p. 170 (1898).	Somali.
*3. **E. Consobrina, Sauss.** (*Humbertiella C.*) l. c. p. 273 (1871).	India, Singapore.

Genus 14. **Tarachodes.** (*Type* no. 13.)

Burm. Handb. Ent. ii. p. 528 (1838).
Chiropus, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869). (*Type* no. 2.)
Ariusia, Stål, Bihang Svenska Akad. iv. (10) p. 12 (1877). (*Type* no. 6.)

*1. **T. Irrorata, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 79 (1883).	W. Africa (GoldCoast)
2. **T. Dives, Sauss.** (*Chiropus D.*) l. c. p. 61 (1869); Mém. Soc. Genève, xxi. p. 16, pl. 4. ff. 1, 1 A (1871).	Benguela; Senegal (eadem ?).
2 *a*. **T. Dissimulator, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 23 (1882); Cat. Mant. p. 29, ff. 20, 21 (1889).	Cameroons.
*3. **T. Afzelii, Stål,** (*Chiropacha A.*) Œfv. Vet.-Akad. Förh. xxviii. p. 396 (1871). ‖ *Chiropus Dives, Westw.* Rev. Mant. p. 3, pl. 14. f. 15 (1889).	Sierra Leone.
4. **T. Oxycephala, Gerst.** l. c. xiv. p. 77 (1883).	Ogowe.
4 *a*. **T. Maculisternum, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 6 (1900).	W. Africa (Itoki).
*5. **T. Pantherina, Gerst.** Arch. Nat. xxxv. p. 208 (1869); Von der Decken, Reisen Ost-Afrika, iii. (2) p. 11, pl. 1. f. 5 (1873).	Zanzibar, B.E. Africa.
6. **T. Conspersa, Stål,** (*Ariusia C.*) Bihang Svenska Akad. iv. (10) p. 16 (1877).	Damara Land.
7. **T. Obtusiceps, Stål,** (*Chiropacha O.*) Œfv. Vet.-Akad. Förh. xxviii. p. 396 (1871).	Nubia.
8. **T. Insidiator, Wood-Mason,** ll. cc. p. 22 (1882); p. 28 (1889).	Nyasa.
*9. **T. Æstuans, Sauss.** Ann. Mus. Genova, xxxv. p. 91 (1895). *T. Media, Schulth.* Ann. Mus. Genova, xxxix. p. 171 (1898).	Somali.
*10. **T. Modestior, Schulth.** Bull. Soc. Vaud. xxxv. p. 192 note (1899). ‖ *Chiropacha Modesta, Schulth.* Zool. Jahrb. viii. Syst. p. 69 (1894). ‖ *T. Modesta, Schulth.* Ann. Mus. Genova, xxxix. p. 173 (1898). *T. Schulthessi, Rehn.* Proc. Acad. Sci. Philad. liii. p. 279 (1901).	id.

*11. **T. Smithi, Rehn,** l. c. p. 278 (1901).	Somali.
*12. **T. Perloides, Burm.** l. c. p. 529 (1838). ♀. *Chiropacha Maura, Stål,* Œfv. Vet.-Akad. Förh. xv. p. 168 (1856). (?) *Mantis Nympha, Stoll,* Spectres, Mantes, p. 11, pl. 4. f. 13 (1813).	Cape, Natal, &c.
*13. **T. Sancta, Sauss.** (*Chiropus S.*) Mém. Soc. Genève, xxi. p. 269 (1871). ‖ *Chiropus Insidiator, Kirb.* Dist. Ins. Transvaal. p. 34, f. 1 (1902).	Natal, Transvaal.

Genus 15. **Achlæna.** (*Type* no. 1.)

Karsch, Ent. Nachr. xviii. p. 149 (1892).

1. **A. Cryptochroma, Karsch,** l. c. p. 150 (1892); Berl. Ent. Zeitschr. xxxix. p. 271, pl. 19. f. 2 (1894).	Cameroons.
2. **A. Lucubrans, Burch. (*Mantis L.*) Travels S. Africa, i. p. 465 (1822). *Tarachodes Lucubrans, Westw.* Rev. Mant. p. 29, pl. 6. f. 2 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 249 (1895).	S. Africa (Gariep R.; Deelfontein)

Genus 16. **Chiropacha.**

Charp. Germ. Zeitschr. Ent. iii. p. 288 (1841); Orth. pl. 15 (1842); Sauss. Mém. Soc. Genève, xxi. p. 15 (1871).

1. **C. Gilva, Charp.** ll. cc. p. 288 (1841); pl. 15 (1842).	Egypt.

Genus 17. **Galepsus.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 13 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 149 (1895).

Lygdamia, Stål, l. c. p. 14 (1877). (*Type* no. 3.)

1. **G. Capitatus, Sauss.** (*Chiropacha Capitata*) Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869); Mém. Soc. Genève, xxi. p. 18, pl. 4. f. 2 (1871). *Lygdamia Capitata, Stål,* l. c. p. 17 (1877); Sauss. Abhandl. Senckenb. Ges. xxi. p. 586 (1899).	Zanzibar, Delagoa Bay.
2. **G. Tenuis, Stål,** l. c. p. 17 (1877).	W. Africa.

*3. **G. Meridionalis, Sauss.** (*Chiropacha M.*) l. c. xxiii. p. 10, pl. 9. f. 19 (1872). Natal, Transvaal.
‖*Lygdamia Capitata, Westw.* Rev. Mant. p. 3, pl. 14. ff. 6, 7 (1889).
♂. *Chiropacha Lenticularis, Sauss.* l. c. p. 11, pl. 9. f. 18 (1872).
Lygdamia Lenticularis, Stål, l. c. p. 17 (1877).

4. **G. Modesta, Gerst.** (*Tarachodes M.*) Arch. f. Nat. xxxv. p. 209 (1869); Von der Decken, Reisen Ost-Afrika, iii. (2) p. 11 (1873). Zanzibar.

5. **G. Madagascariensis, Serv.** (*Mantis M.*) Ins. Orth. p. 204 (1839). Madagascar

5 *a*. **G. Hova, Sauss. & Zehntn.** l. c. p. 151, pl. 7. f. 8 (1895). id.

Genus 18. **Paralygdamia.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 152 (1895).

1. **P. Madecassa, Sauss. & Zehntn.** l. c. p. 53, pl. 7. f. 9 (1895). Madagascar

Genus 19. **Pyrgomantis.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. (1) p. 210 (1869); Von der Decken, Reisen, Ins. p. 17 (1873); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870); Mém. Soc. Genève, xxi. pp. 177, 272 (1871).

*1. **P. Nasuta, Thunb.** (*Mantis N.*) Nov. Spec. Ins. iii. p. 62 (1784). S. & E. Africa.
P. Nasuta, Sauss. Mém. Soc. Genève, xxi. p. 272, pl. 7. f. 57 (1871); Wood-Mason, Cat. Mant. p. 32, ff. 22, 23 (1889).
Mantis Capensis, Gmel. Syst. Nat. i. (4) p. 2055. n. 46 (1788); Oliv. Enc. Méth., Ins. vii. p. 634. n. 47 (1792).
P. Singularis, Gerst. ll. cc. p. 210 (1869); p. 18, pl. 1. ff. 8, 8 *b* (1873); Sauss. ll. cc. p. 223 (1870); p. 177 (1871); Westw. Rev. Mant. p. 3, pl. 14. ff. 4, 5 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 252, f. 142 (1895).

2. **P. Jonesi, Kirb. Ann. Nat. Hist. (7) xiii. p. 83 (1904). Nigeria.

Genus 20. **Didymocorypha.**

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 221 (1877).
Pyrgocotis, Stål, Bihang Svenska Akad. iv. (10) p. 14 (1877).

*1. **D. Lanceolata, Fabr.** (*Mantis L.*) Suppl. Ent. Syst. p. 191 (1798). *D. Ensifera, Wood-Mason*, l. c. p. 222 (1877); Journ. Asiatic Soc. Bengal, li. p. 24 (1882); Cat. Mant. p. 34, ff. 24, 25 (1889). *Pyrgocotis Gracilipes, Stål*, l. c. p. 17 (1877).	India, Ceylon.

Genus 21. **Orthodera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 529 (1838).
Bolidena, Blanch. Voy. Pôle Sud, iv. p. 356 (1853). (*Type* no. 3.)

1. **O. Ministralis, Fabr. (*Mantis M.*) Syst. Ent. p. 277. n. 18 (1775); Oliv. Enc. Méth., Ins. vii. p. 630. n. 20 (1792). *O. Prasina, Burm.* l. c. p. 530. n. 1 (1838); Brancs. Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 246, pl. 7. f. 5 *b* (1896). *Mantis Rubrocoxata, Serv.* Ins. Orth. p. 203 (1839). *O. Laticollis, Brancs.* l. c. f. 5 *a* (1896).	Australia.
*2. **O. Novæ-Zealandiæ, Colenso,** (*Mantis N.*) Trans. N. Zeal. Inst. xiv. p. 277 (1882). ‖ *Tenodera Intermedia, Huds.* Manual N. Zeal. Ent. p. 109, pl. 17. f. 2 (1892).	N. Zealand.
*3. **O. Hobsonii, Le Guill.** (*Mantis H.*) Rev. Zool. 1841, p. 293. n. 6; Blanch. l. c., Orth. pl. 1. f. 7 (1853). ♂. *Mantis Gunnii, Le Guill.* l. c. n. 7 (1841). *Bolidena Hobsonii, Blanch.* l. c. p. 356 (1853).	Tasmania (Hobart Town).
*4. **O. Marginata, Sauss.** Mém. Soc. Genève, xxiii. p. 8, pl. 8. f. 1 (1872).	Swan River.
5. **O. Burmeisteri, Wood-Mason,** Cat. Mant. p. 21 (1889).	New Guinea.
5 *a*. **O. Longicollis, Brancs.** l. c. xix.–xx. p. 61, pl. 1. f. 6 (1897).	id.

Genus 22. **Orthoderella.**

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 13 (1897).

1. **O. Ornata, Giglio-Tos,** l. c. (1897). | Bolivia.

SUBFAM. III.

CHŒRADODINÆ.

Genus 23. **Chœradodis.** (*Type* no. 5.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 206 (1839); Sauss. Mém. Soc. Genève, xxi. p. 13 (1871); Mém. Mex., Mant. p. 16 (1871).
Craurusa, Burm. Handb. Ent. ii. p. 542 (1838). (*Type* no. 1.)

1. **C. Strumaria, Linn.** (*Gryllus* (*Mantis*) *Strumarius*) Syst. Nat. (ed. x.) i. p. 426. n. 10 (1758). | Surinam, Cayenne.
Mantis Strumaria, Fabr. Syst. Ent. p. 276. n. 8 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 38 (1792).
C. Strumaria, Wood-Mason, Journ. Asiatic Soc. Bengal, liii. p. 239, f. 5 (1885); Cat. Mant. p. 13. f. 9 (1889); Westw. Rev. Mant. p. 3, pl. 8. f. 1 (1889).
(Mer. Ins. Sur. pl. 27; Rœs. Ins. Bel. ii. Locusta Indica, p. 17, pl. 3.)
‖*Mantis Cancellata, Licht.* Trans. Linn. Soc. Lond. vi. p. 25. n. 17 (1802); Stoll, Spectres, Mantes, p. 35, pl. 11. f. 42 (1813); Burm. l. c. p. 542. n. 50 (1838).
C. Cancellata, Serv. Ins. Orth. p. 206 (1839); Sauss. Mém. Mex., Mant. p. 19 (1871).

*2. **C. Peruviana, Serv.** l. c. p. 207 (1839). | Nicaragua to Peru.
‖*C. Rhombicollis, Wood-Mason,* Ann. Nat. Hist. (5) vi. p. 161 (1880); Journ. Asiatic Soc. Bengal, xlix. p. 82 (1880), liii. p. 240, ff. 6, 7 (1885); Cat. Mant. p. 14, ff. 11, 12 (1889); De Borre, C. R. Soc.

Ent. Belge, xxvii. p. cxliv, fig. (1883); Westw. l. c. p. 3, pl. 7. ff. 3, 4 (1889); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 126. n. 1, pl. 9. f. 3 (1894).	
*3. **C. Servillei, Wood-Mason,** ll. cc. p. 161 (1880); p. 83 (1880); p. 238, f. 3, p. 240, f. 8 (1885); p. 12, f. 7, pp. 14, 15, f. 12 (1889); Sauss. & Zehntn. l. c. p. 126. n. 2, pl. 9. ff. 1, 2 (1894).	Central America.
4. **C. Brunneri, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 21 (1882), liii. p. 248, f. 2, p. 241, f. 9 (1885); Cat. Mant. p. 12, f. 6, p. 15, f. 13 (1889).	New Granada.
5. **C. Rhombicollis, Latr.** (*Mantis R.*) Humboldt & Bonpland. Obs. Zool. ii. p. 103, pl. 39. ff. 2, 3 (1833).	Hab. —— ?
5 *a*. **C. Laticollis, Serv.** Ann. Sci. Nat. xxii. p. 51. n. 3 (1831); Ins. Orth. p. 208, pl. 4. f. 2 (1839); Sauss. Mém. Mex., Mant. p. 20 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 16. n. 2 (1877); Wood-Mason, Ann. Nat. Hist. (5) vi. p. 181 (1880); Journ. Asiatic Soc. Bengal, xlix. p. 83. n. 4 (1880), liii. pp. 241, 242, ff. 10, 11 (1885); Cat. Mant. p. 16, ff. 14, 15 (1889); Westw. l. c. p. 3, pl. 8. f. 2 (1889).	Surinam, Ecuador, Peru.
‖ *C. Strumaria, Sauss.* l. c. p. 18 (1871).	
6. **C. Stæli, Wood-Mason,** (*C. Stalii*) ll. cc. p. 162 (1880); p. 83 (1880); p. 242, ff. 12, 13 (1885); p. 17, ff. 16, 17 (1889).	Ecuador.
*7. **C. Rhomboidea, Stoll,** (*Mantis R.*) Spectres, Mantes, p. 39, pl. 12. f. 45 (1813).	Surinam, Amazons.
C. Rhomboidea, Wood-Mason, ll. cc. p. 162 (1880); p. 84 (1880); p. 242 (1885); p. 17 (1889); Westw. l. c. p. 3, pl. 7. f. 1 (1889).	
‖ *Mantis Strumaria, Licht.* l. c. p. 26. n. 18 (1802).	
‖ *C. Strumaria, Stål,* l. c. p. 15. n. 1 (1877).	
C. Hyalina, Serv. Ann. Sci. Nat. xxii. p. 51. n. 2 (1831)	
*8. **C. Cancellata, Fabr.** (*Mantis C.*) Syst. Ent. p. 276. n. 10 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 37 (1792).	India, Ceylon.

C. Cancellata, Wood-Mason, Journ. Asiatic Soc. Bengal, liii. p. 238, f. 1, p. 243 (1885); Cat. Mant. p. 12, f. 5, p. 18 (1889); Westw. l. c. p. 3, pl. 7. f. 6 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 252, f. 143 (1895).	
? *C. Squilla, Luc.* Ann. Soc. Ent. France, (5) ii. p. 32 (1872); Westw. l. c. p. 3, pl. 7. ff. 2, 5 (1889).	
*9. **C. Squilla, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869); Mém. Soc. Genève, xxi. p. 13, pl. 1. ff. 3, 3 *a* (1871); Wood-Mason, ll. cc. p. 238, f. 4, pp. 243, 244, ff. 14, 14 (1885); p. 12. f. 8, p. 19, ff. 18, 19 (1889).	Ceylon.

SUBFAM. IV.

MANTINÆ.

Genus 24. **Hapalopeza.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 23 (1877).

1. **H. Occipitalis, Westw. Rev. Mant. p. 36, pl. 13. f. 5 (1889).	Hong Kong.
*2. **H. Nitens, Sauss.** (*Gongypeta (Iridopteryx) N.*) Mém. Soc. Genève, xxi. p. 279 (1871). *H. Nitens, Stål,* l. c. p. 48 (1877).	Cambodia.
*3. **H. Tigrina, Westw.** l. c. p. 37, pl. 14. f. 13 (1889).	Singapore, Borneo, &c.
4. **H. Maculata, Kirb. Ann. Nat. Hist. (7) xiii. p. 84 (1904).	Ceylon.
5. **H. Nigricornis, Stål,** l. c. p. 48 (1877).	Malacca.
6. **H. Nilgirica, Wood-Mason,** Cat. Mant. pl. 2. ff. 4, 4 *a*, *b* (1891).	Nilgiris.

Genus 25. **Nemotha.**

Wood-Mason, Ann. Nat. Hist. (5) xiii. p. 34 (1884).

1. **N. Metallica, Westw.** (*Mantis M.*) Arc. Ent. ii. p. 51, pl. 62. f. 3 (1845). *N. Metallica, Wood-Mason,* l. c. p. 34 (1884); Westw. Rev. Mant. p. 42 (1889).	Silhet. Assam.

Genus 26. **Micromantis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 225 (1870); Mém. Soc. Genève, xxi. p. 30 (1871).

1. **M. Glauca, Sauss.** (*Iridopteryx G.*) Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869). *M. Glauca, Sauss.* Mém. Soc. Genève, xxi. p. 31, pl. 4. f. 9 (1871).	Ceylon.

Genus 27. **Compsomantis.**

Micromantis, div. *Compsomantis, Sauss.* Mém. Soc. Genève, xxiii. p. 23 (1872).

1. **C. Crassiceps, Haan,** (*Mantis* (*Oxypilus*) *C.*) Temminck, Verhandel., Orth. p. 87, pl. 17. f. 8 (1842). *Gonypeta Crassipes, Sauss.* l. c. xxi. p. 59 (1871). *Micromantis* (*Compsomantis*) *Crassipes, Sauss.* l. c. xxiii. p. 23 (1872).	Java; Timor (eadem ?).

Genus 28. **Antissa.**

Stål, Bihang Svenska Akad. iv. (10) p. 81 (1877).

*1. **A. Pulchra, Fabr.** (*Mantis P.*) Mant. Ins. p. 229. n. 34 (1787); Oliv. Enc. Méth., Ins. vii. p. 631. n. 25 (1792). *Mantis Flavicincta, Oliv.* l. c. p. 641. n. 11 (1792); Burm. Handb. Ent. ii. p. 531. n. 4 (1838). *Mantis Caffrana, Licht.* Trans. Linn. Soc. Lond. vi. p. 31. n. 37 (1802). *Mantis Marginalis, Stoll*, Spectres, Mantes, p. 37, pl. 11. f. 43 (1813). *Gonypeta* (*Antissa*) *Marginalis, Sauss.* Mém. Soc. Genève, xxiii. p. 32. n. 6 (1872). *Gonypeta* (*Iridopteryx*) *Micans, Sauss.* l. c. xxi. p. 194 (1871).	India, Ceylon. (Cape, *errore* ?)

Genus 29. **Odontomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. p. 32 (1871).

*1. **O. Javana, Sauss.** (*Acromantis J.*) Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870). *Micromantis Javana, Sauss.* Mém. Soc. Genève, xxi. p. 33, pl. 4. f. 11 (1871).	Java, N. India.
*2. **O. Planiceps, Haan,** (*Mantis* (*Oxypilus*) *P.*) Temminck, Verhandel., Orth. p. 88. n. 11, pl. 17. f. 10 (*nec* f. 11, *nec* Gieb.) (1842).	Java, Borneo.
3. **O. Euphrosyne, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.

Genus 30. **Anaxandra.**

Stål, Bihang Svenska Akad. iv. (10) p. 81 (1877).

1. **A. Grammica, Stål,** l. c. p. 87 (1877).	Darjiling.

Genus 31. **Iridopteryx.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Soc. Genève, xxi. p. 59 (1871).

1. **I. Infumata, Sauss.** (*Gonypeta* (*Iridopteryx*) *I.*) Mém. Soc. Genève, xxiii. p. 30 (1872). *I. Infumata, Bol.* Ann. Soc. Ent. France, 1897, p. 305.	Egypt (?)
*2. **I. Reticulata, Haan,** (*Mantis* (*Oxypilus*) *R.*) Temminck, Verhandel., Orth. p. 87. n. 9, pl. 17. f. 9 (1842). *Mantis Reticulata, Stål,* Eugenie's Resa, Orth. p. 313 (1858).	Java, Singapore.
3. **I. Iridipennis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869); Mém. Soc. Genève, xxi. p. 59, pl. 4. f. 14 (1871).	Ceylon.
*4. **I. Marmorata, Brunn.** Ann. Mus. Genova, xxxiii. p. 65, pl. 2. f. 20 (1893).	Burma.
5. **I. (?) Irina, Sauss.** (*Gonypeta I.*) ll. cc. p. 244 (1870); p. 56, pl. 6. f. 42 (1871).	Amboina.

Genus 32. **Gonypeta.** (*Type* no. 4.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Soc. Genève, xxi. p. 50 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

*1. **G. Authæmon, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 26 (1882).	Tenasserim.
2. **G. Saussurei, Bol.** (*Iridopteryx S.*) Ann. Soc. Ent. France, 1897, p. 305.	S. India (Madura).
3. **G. Vicina, Bol.** l. c. p. 307 (1897).	Trichinopoly.
*4. **G. Punctata, Haan,** (*Mantis* (*Oxypilus*) *P.*) Temminck, Verhandel., Orth. p. 85. n. 2, pl. 17. ff. 12, 13 (1842). *G. Punctata, Sauss.* Mém. Soc. Genève, xxi. p. 53 (1871). *G. Humbertiana, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869).	Java, Ceylon.
5. **G. Fuliginosa, Thunb.** (*Mantis F.*) Mém. Acad. Pétersb. v. p. 291 (1815). *G. Fuliginosa, Wood-Mason,* Cat. Mant. pl. 2. ff. 6, 6 *a* (1889). ♀. *G. Femorata, Sauss.* l. c. p. 230 (1870); Mém. Soc. Genève, xxi. p. 58 (1871).	Ceylon.
6. **G. Aspera, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.
7. **G. Malayana, Westw.** Rev. Mant. p. 37, pl. 13. f. 9 (1889).	Batchian, Sula, &c.
8. **G. Benguelæ, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869); Mém. Soc. Genève, xxi. p. 57 (1871).	Benguela.
9. **G. Modesta, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 82 (1883).	Cameroons (?).
10. **G. Noctivaga, Krauss,** Verh. zool.-bot. Ges. Wien, li. p. 283 (1901).	S.W. Africa (Windhoek)
11. **G. Punctigera, Stål,** l. c. xxviii. p. 394 (1871).	Caffraria.

Genus 33. **Geomantis.**

Pant. An. Soc. Españ. xxv. p. 63 (1896);
Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

1. **G. Larvoides, Pant.** l. c. p. 67, pl. 1. f. 3 (1896); Azam, Bull. Soc. Ent. France, 1898, p. 59; Jacobs. & Bianki, l. c. (1902).	Spain, Constantinople, Brussa.

Genus 34. **Mantellias.**

Westw. Rev. Mant. p. 38 (1889).

*1. **M. Pubicornis, Westw.** l. c. p. 39 (1889).	Amazons.

Genus 35. **Mantillica.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

*1. **M. Nigricans, Westw.** l. c. pl. 14. f. 16 (1889).	Upper Amazons.
*2. **M. Sialidea, Westw.** l. c. p. 39 (1889).	id. (Ega).

Genus 36. **Armene.**

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

1. **A. Alata, Sauss.** (*Ameles A.*) Mém. Soc. Genève, xxiii. p. 51 (1872); Fedchenko, Reise Turk., Orth. p. 13, pl. 1. ff. 6, 7 (1874); Jacobs. & Bianki, l. c. (1902). *Armene Alata, Stål,* l. c. p. 49 (1877).	Turkestan.

Genus 37. **Entella.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877); Sauss. Abhandl. Senckenb. Ges. xxi. p. 594 (1899).

1. **E. Marginella, Thunb.** (*Mantis M.*) Mém. Acad. Pétersb. v. p. 289 (1815).	Hab. —— ?
*2. **E. Nebulosa, Serv.** (*Mantis N.*) Ins. Orth. p. 203 (1839).	S. Africa.
*3. **E. Delalandii, Sauss.** (*Gongyleta D.*) Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870); Mém. Soc. Genève, xxi. p. 55, pl. 4. ff. 12, 13 (1871). *E. Delalandii, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 595 (1899).	id.
4. **E. Jucunda, Sauss.** l. c. (1899).	id.
5. **E. Parva, Sauss.** l. c. p. 594 (1899).	id.
6. **E. (?) Gracilipes, Sauss.** (*Ameles G.*) Mém. Soc. Genève, xxiii. p. 50 (1872).	id. (?)

Genus 38. **Ligaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877); Sauss. Abhandl. Senckenb. Ges. xxi. p. 596 (1899).

1. **L. Quadrinotata, Stål,** l. c. p. 50 (1877).	Transvaal.
2. **L. Brevicollis, Stål,** l. c. (1877).	id.
3. **L. Trigonalis, Sauss.** l. c. (1899).	S. Africa.
4. **L. Producta, Rehn,** Proc. Acad. Sci. Philadelphia, liii. p. 281 (1901).	Galla Land.

Genus 39. **Bolbe.**

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877).

1. **B. Pygmea, Sauss.** (*Ameles P.*) Mém. Soc. Genève, xxi. p. 299 (1871).	N. Australia

Genus 40. **Hapalomantis.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 392 (1871).

1. **H. Orba, Stål,** (*Mantis O.*) l. c. xiii. p. 169 (1856). *H. Orba, Stål,* l. c. xxviii. p. 393 (1871).	Natal.
*2. **H. Meridionalis, Sauss.** (*Ameles M.*) Mém. Soc. Genève, xxi. p. 297, pl. 7. f. 63 (1871).	S. Africa.
3. **H. Natalensis, Sauss.** (*Ameles N.*) l. c. p. 299 (1871).	Natal.
*4. **H. Debilitata, Westw.** (*Gonypeta D.*) Rev. Mant. p. 37, pl. 14. f. 12 (1889).	id.

Genus 41. **Sphæromantis.**

Schulth. Ann. Mus. Genova, xxxix. p. 174 (1898).

1. **S. Spinulosa, Schulth.** l. c. p. 175, pl. 2. ff. 3, 3 *a* (1898).	Somali.

Genus 42. **Dystacta.**

Sauss. Mém. Soc. Genève, xxi. p. 321 (1871).

*1. **D. Alticeps, Schaum,** (*Mantis A.*) Ber. Acad. Berlin, 1853, p. 777. n. 5; Peters' Reise Mossamb. v. p. 113, pl. 7. f. 4 (1852). *Cardioptera Alticeps, Sauss.* l. c. p. 63 (1871).	East & Central Africa.

Dystacta Alticeps, Westw. Rev. Mant. p. 37, pl. 9. f. 8 (1889); Krauss, Verh. zool.-bot. Ges. Wien, li. p. 284 (1901). ♂. *D. Paradoxa, Sauss.* l. c. xxi. p. 323 (1871), xxiii. p. 80, pl. 8. f. 16 (1872); Stål, Bihang Svenska Akad. iv. (10) p. 51 (1877).	

Genus 43. **Chroicoptera.**

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 393 (1871); Bihang Svenska Akad. iv. (10) p. 26 (1877).

1. **C. Vidua, Stål,** (*Mantis V.*) Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856). *Chroicoptera Vidua, Stål,* l. c. xxviii. p. 393 (1871).	Natal.

Genus 44. **Tropidomantis.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 164 (1895).

1. **T. Madagascar[i]ensis, Sauss.** (*Miopteryx M.*) Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Mém. Soc. Genève, xxi. p. 124 (1871). *T. Madagascariensis, Sauss. & Zehntn.* l. c. p. 167, pl. 9. f. 27 (1895).	Madagascar
*2. **T. Tenera, Stål,** (*Mantis T.*) Eugenie's Resa, Ins. p. 314 (1858). *T. Tenera, Sauss. & Zehntn.* l. c. p. 168 (1895). *Miopteryx Perla, Westw.* Rev. Mant. p. 38 (1889). ♀. *Mantis (Oxypilus) Planiceps,* ♂, *Haan,* Temminck, Verhandel., Orth. p. 88. n. 11, pl. 17. f. 11 (*nec* 10) (1842).	Singapore, &c.
3. **T. Guttatipennis, Stal,** Bihang Svenska Akad. iv. (10) p. 51 (1877).	India (?).
4. **T. Iridipennis, Westw. (*Miopteryx I.*) l. c. p. 38 (1889).	India.
*5. **T. Australis, Sauss. & Zehntn.** l. c. p. 169 (1895).	Queensland, Murray I.
6. **T. Thalassina, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 593 (1899).	Nossi Bé.

Genus 45. **Platycalymma.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

1. **P. Latipennis, Westw.** l. c. p. 40, pl. 10. f. 7 (1889). *Tropidomantis* (*Platycalymma*) *Latipennis, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 169, pl. 9. f. 28 (1895).	Madagascar
2. **P.** (?) **Madagascariensis, Westw.** l. c. p. 40 (1889).	id.

Genus 46. **Enicophlebia.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 171 (1895).

*1. **E. Pallida, Westw.** l. c. p. 39, pl. 1. f. 10 (1889); Sauss. & Zehntn. l. c. p. 172, pl. 9. f. 29 (1895).	Madagascar
2. **E. Hilara, Sauss. & Zehntn.** l. c. p. 174, pl. 9. f. 30 (1895).	id.
3. **E.** (?) **Tortricoides, Haan,** (*Mantis T.*) Temminck, Verhandelingen, Orth. p. 82, pl. 18. f. 4 (1842); Sauss. & Zehntn. l. c. p. 177 (1895).	Java.

Genus 47. **Myrcinus.**

Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877).

*1. **M. Tuberosus, Stål,** l. c. p. 46 (1877); Westw. Rev. Mant. p. 30, pl. 2. f. 2 (1889).	Borneo.

Genus 48. **Myrcinellus.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 15 (1898).

1. **M. Festæ, Giglio-Tos,** l. c. p. 16 (1898).	Ecuador.

Genus 49. **Antistia.**

Ameles, subg. *Antistia, Stål,* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 69 (1876).

Antistia, Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877).

1. **A. Maculipennis, Stål,** (*Ameles* (*Antistia*) *M.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 69 (1876).	Damara Land.

Genus 50. **Yersinia.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 153 (1894).

‖ *Ameles, Sauss.* Mém. Mex., Mant. p. 98 (1871); Miss. Mex., Orth. p. 258 (1872).

1. **Y. Mexicana, Sauss.** (*Acanthops M.*) Rev. Zool. (2) xi. p. 60 (1859). *Ameles Mexicana, Sauss.* Mém. Mex., Mant. p. 99, pl. 1. ff. 14, 14 *a*, 15 (1871); Miss. Mex., Orth. p. 258 (1872). *Y. Mexicana, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869); Sauss. & Zehntn. l. c. p. 153 (1894). ♀. *Acanthops Aztecus, Sauss.* Rev. Zool. (2) xi. p. 60 (1859).	Mexico.
2. **Y. Solitaria, Scudd.** Canad. Ent. xxviii. p. 209 (1896).	Nebraska.

Genus 51. **Ameles.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 531 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 62 (1869); Mém. Soc. Genève, xxi. p. 100 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877); Bol. Sin. Ortópt. Españ. p. 58 (1876); Brunn. Prodr. Eur. Orth. p. 64 (1882); Fin. Faune France, Orth. p. 89 (1889); Tümp. Geradfl. Mitteleuropas, pp. 211, 212, 236 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 147 (1902).

Perlamantis, Guér. Rev. Zool. 1843, p. 42. (*Type* no. 1 *a*.)

*1. **A. Abjecta, Cyr.** (*Mantis A.*) Ent. Neap. p. 4, pl. 5. f. 4 (1787?). *A. Abjecta, Jacobs. & Bianki*, l. c. p. 147 (1902). *Mantis Spallanzania, Rossi*, Mant. Ins. i. p. 102. n. 226, ii. pl. 5. ff. G, H (1792); Fisch. Orth. Eur. p. 124, pl. 8. ff. 4, 4 *a*, 5 (1853). *A. Spallanzania, Bol.* l. c. p. 59. n. 1, pl. 1. f. 20 (1876); Brunn. l. c. p. 66. n. 2 (1882). *Mantis Nana, Charp.* Hor. Ent. p. 91 (1825); Burm. l. c. p. 531. n. 1 (1838). *Mantis Soror, Serv.* Ins. Orth. p. 200 (1839).	S. Europe, N. Africa, W. Asia.

Mantis Brevis, ♀, *Ramb.* Faune Andal. ii. p. 21, pl. 1. f. 5 (1842).	
1 *a.* **A. Alliberti, Guér.** (*Perlamantis A.*) l. c. p. 42 (1843).	Basses Alpes.
*2. **A. Decolor, Charp.** (*Mantis D.*) Hor. Ent. p. 90 (1825); Germ. Zeitschr. Ent. iii. p. 289 (1841); Serv. Ins. Orth. p. 200 (1839); Fisch. Waldh. Orth. Ross. p. 104, pl. 2. f. 6 (1846); Fisch. Orth. Eur. p. 125, pl. 8. f. 6 (1853).	S. Europe, N. Africa.
Harpax Decolor, Luc. Expl. Alg., Zool. iii. p. 9, pl. 1. f. 4 (1849).	
Ameles Decolor, Bol. l. c. p. 60, pl. 1. f. 21 (1876); Brunn. Prodr. Eur. Orth. p. 65 (1882); Fin. l. c. p. 89, pl. 3. f. 52 (1889); Tümp. l. c. pp. 212, 236 (1900); Jacobs. & Bianki, l. c. p. 147, pl. 2 (1902).	
2 *a.* **A. Minima, Charp.** (*Mantis M.*) l. c. p. 91 (1825); Burm. Handb. Ent. ii. p. 531. n. 2 (1838).	S. Russia.
2 *b.* **A. Pusilla, Eversm.** (*Mantis P.*) Bull. Mosc. xxvii. p. 195 (1854), xxxii. (1) p. 124 (1859).	Kirghis Steppes.
Gonypeta (?) *Pusilla, Sauss.* Mém. Soc. Genève, xxi. p. 55. n. 4 (1871).	
3. **A. Paui, Bol.** Actas Soc. Españ. 1898, p. 146.	Spain (Morella).
*4. **A. Gracilis, Brullé,** (*Mantis G.*) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 16, pl. 1. f. 4 (1845).	Canaries; Bushire (eadem ?).

Genus 52. **Parameles.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Mém. Soc. Genève, xxi. p. 101 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 147 (1902).

*1. **P. Picteti, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869).	S. Europe, Algeria, Cyprus.
Ameles Picteti, Sauss. Mém. Soc. Genève, xxi. p. 103 (1871).	
‖*Mantis Nana, Ramb.* Faune Andal. ii. p. 2, pl. 1. f. 3 (1842).	
‖*Harpax Nana, Luc.* Expl. Algér. iii. p. 10 (1849).	
P. Nana, Jacobs. & Bianki, l. c. p. 148 (1902).	

1 *a*. **P. Limbata, Brullé,** (*Mantis L.*) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 15, pl. 1. f. 3 (1838).	Canaries.
*2. **P. Assoi, Bol.** (*Mantis A.*) An. Soc. Españ. ii. p. 216 (1873): Sin. Ortópt. Españ. p. 61, pl. 1. f. 22 (1876).	Spain.
3. **P. Brevis, Ramb.** (*Mantis B.*; ♂ nec ♀) l. c. p. 21, pl. 1. f. 4 (1842).	id. (Grenada).
*4. **P. Heldreichi, Brunn.** (*Ameles H.*) Prodr. Eur. Orth. p. 67. n. 3, pl. 3. f. 18 *a, b* (1882). *P. Heldreichi, Jacobs. & Bianki,* l. c. p. 147 (1902).	Greece, Asia Minor, Crimea, Odessa.
5. **P. Taurica, Jakovleff,** Rev. Russe d'Ent. iii. pp. 41–43, ff. 1, 2 (1903).	Crimea.

Genus 53. **Pseudoyersinia, Kirb.** (n. n.). (*Type* no. 1.)

Yersinia, pt., *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

1. **P. Brevipennis, Yers.** (*Mantis B.*) Ann. Soc. Ent. France, (3) viii. p. 511, pl. 10. ff. 36–40 (1860). *Ameles Brevipennis, Sauss.* Mém. Soc. Genève, xxi. p. 102. n. 2 (1871); Brunn. Prodr. Eur. Orth. p. 68 (1882); Fin. Faune France, Orth. p. 90 (1889).	Hyères.
2. **P. Wagneri, Kitt.** (*Mantis W.*) Bull. Soc. Nat. Mosc. xxii. p. 447, pl. 7. f. 9 (1849). *Yersinia Wagneri, Jacobs. & Bianki,* l. c. p. 148 (1902).	Kirghis Steppes.
3. **P. (?) Aptera, Fuente,** (*Ameles A.*) An. Soc. Españ. xxii. p. 137 (1894).	Spain.

Genus 54. **Astollia, Kirb.** (n. n.).

[*Stollia*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 55 note (1869).

1. **A. Chloris, Oliv.** (*Mantis C.*) Enc. Méth., Ins. vii. p. 639. n. 2 (1792). *Mantis Prasinana, Licht.* Trans. Linn. Soc. Lond. vi. p. 32. n. 38 (1802). *Mantis Abbreviata, Stoll,* Spectres, Mantes, p. 5, pl. 1. f. 4 (1813).	Surinam.

Genus 55. **Litaneutria.**

Sauss. Soc. Ent. vii. p. 123 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 154 (1894).

1. **L. Ocularis, Sauss. l. c. p. 124 (1892); Sauss. & Zehntn. l. c. p. 154 (1894). *Lithaneutria Ocularis, Sauss. & Zehntn.* l. c. pl. 8. ff. 3, 3 *a–c* (1894).	Mexico, (N. Sonora).
2. **L. Minor, Scudd.** (*Stagmatoptera M.*) Rep. U.S. Geol. Surv. Nebraska, p. 251. n. 24 (1872). *L. Minor, Scudd.* Canad. Ent. xxviii. p. 209 (1896). *Mantis* (?) sp., *Glover*, Ill. N. Amer. Ent., Orth. pl. 13. f. 12 (1872).	Nebraska, Texas, Wyoming, E. U. States.
3. **L. Borealis, Scudd.** l. c. p. 209 (1896).	Nebraska.
4. **L. Obscura, Scudd.** l. c. pp. 209, 210 (1896).	Ariz., Calif.
5. **L. Pacifica, Scudd.** l. c. p. 210 (1896).	N. Calif.

Genus 56. **Acontista.** (*Type* no. 4.)

‖*Acontistes, Burm.* Handb. Ent. ii. p. 542 (1839); Stål, Bihang Svenska Akad. iv. (10) p. 85 (1877).

Acontista, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Mex., Mant. p. 31 (1871); Miss. Mex., Orth. p. 236 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 130 (1894).

*1. **A. Perspicua, Fabr.** (*Mantis P.*) Mant. Ins. i. p. 230. n. 36 (1787); Oliv. Enc. Méth., Ins. vii. p. 631. n. 27 (1792). *A. Perspicua, Sauss.* Mém. Mex., Mant. p. 33. n. 1 (1871); Miss. Mex., Orth. p. 238, pl. 6. f. 18 (1872). *A. Elegans, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869). *Mantis Fusca, Oliv.* l. c. p. 635. n. 53 (1792). *Mantis Truncata, Fabr.* Ent. Syst. ii. p. 17. n. 20 (1793); Licht. Trans. Linn. Soc. Lond. vi. p. 31. n. 35 (1802); Stoll, Spectres, Mantes, p. 9, pl. 3. f. 10 (1813).	Cayenne, Guiana, Surinam.

A. Truncata, Sauss. Mém. Mex., Mant. p. 33 (1871); Miss. Mex., Orth. p. 237 (1872); Sauss. & Zehntn. l. c. p. 133. n. 1 (1894).

Mantis Multistriata, Serv. Ins. Orth. p. 199 (1839).

2. **A. Westwoodi, Sauss. & Zehntn. l. c. p. 134. n. 2 (1894). Amazons (Tapajos, Para); Colombia.

‖ *A. Truncata, Westw.* Rev. Mant. p. 45, pl. 9. ff. 1, 3 (1889).

3. **A. Fuscata, Stoll,** (*Mantis F.*) l. c. p. 57, pl. 19. f. 70 (1813). Surinam.

*4. **A. Concinna, Perty,** (*Mantis C.*) Del. Anim. Art. p. 117, pl. 23. f. 5 (1830); Serv. l. c. p. 201 (1839); Charp. Orth. pl. 27 (1842). Brazil.

A. Concinna, Sauss. Mém. Mex., Mant. p. 38 (1871); Sauss. & Zehntn. l. c. p. 134 (1894).

‖ *Mantis Oratoria, De Geer,* Mém. Ins. iii. p. 410. n. 5, pl. 37. f. 2 (1773).

Mantis Aurantiaca, Burm. l. c. p. 531. n. 3 (1838).

Mantis Tricolor, Burm. l. c. p. 543. n. 54 (1838).

Mantis Quadrimaculata, Serv. l. c. p. 201 (1839).

5. **A. Eximia, Pascoe, (*Callimantis E.*) Ann. Nat. Hist. (5) ix. p. 423 (1882). Para.

A. Paraensis, Sauss. & Zehntn. l. c. p. 135. n. 4 (1894).

A. Concinna, var., *Sauss.* l. c. p. 38 (1871).

6. **A. Mexicana, Sauss. & Zehntn. l. c. p. 135. n. 5 (1894); Rehn, Proc. U. S. Nat. Mus. xxvii. p. 562 (1904). Mexico to Panama.

A. Cordilleræ ♀ (nec ♂), *Sauss.* l. c. p. 34 (1871); Miss. Mex., Orth. p. 239 (1872).

6 *a*. **A. Inquinata, Sauss. & Zehntn. (*A. Mexicana,* var. *Inquinata*) l. c. p. 136, pl. 6. f. 10 (1894). Mexico.

6 *b*. **A. Championi, Kirb., n. n. Guatemala.

‖ *A. Mexicana,* var. *Quadrimaculata, Sauss. & Zehntn.* l. c. p. 136, pl. 6. f. 8 (1894).

7. **A. Multicolor, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Sauss. & Zehntn. l. c. p. 136. n. 6 (1894). Guadeloupe

8. **A. Fraterna, Sauss. & Zehntn. l. c. p. 136. n. 7 (1894).	Costa Rica.
9. **A. Cayennensis, Sauss. & Zehntn.** l. c. n. 8 (1894).	Cayenne.
10. **A. Semirufa, Westw. l. c. p. 45, pl. 9. f. 2 (1889).	Amazons (Ega).
11. **A. Amœnula, Gerst.** Mitth. Ver. Vorpomm. xx. p. 51 (1889); Sauss. & Zehntn. l. c. p. 137. n. 9 (1894).	Amazons (Pebas).
*12. **A. Cordilleræ, Sauss.** l. c. iii. p. 62 (1869); Mém. Mex., Mant. p. 34 (1871) (♂ nec ♀); Miss. Mex., Orth. p. 239, pl. 6. f. 17 (1872) (♂ nec ♀); Sauss. & Zehntn. l. c. p. 137. n. 10 (1894).	Vera Cruz.
13. **A. Vitrea, Sauss. & Zehntn. l. c. p. 138. n. 11, pl. 6. f. 9 (1894).	Mexico to Panama.
*14. **A. Bimaculata, Sauss.** ll. cc. iii. p. 229 (1870); p. 39 (1871); p. 240 (1872); Sauss. & Zehntn. l. c. p. 138. n. 12 (1894).	S. Brazil, Paraguay.
15. **A. Brevipennis, Sauss.** Miss. Mex., Orth. p. 241 (1872); Mém. Soc. Genève, xxiii. p. 21, pl. 9. f. 20 (1872).	Brazil.

Genus 57. **Tithrone.**

Stål, Bihang Svenska Akad. iv. (10) p. 42 (1877).

*1. **T. Roseipennis, Sauss.** (*Acontista R.*) Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870). *T. Roseipennis, Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 139. n. 1 (1894).	Guiana.

Genus 58. **Archimantis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869);
Mém. Soc. Genève, xxi. pp. 38, 237 (1871).

*1. **A. Latistylus, Serv.** (*Mantis L.*) Ins. Orth. p. 179 (1839); McCoy, Prodr. Zool. Vict. xiii. pl. 130 (1886). *A. Latystilus, Sauss.* l. c. p. 39 (1871).	Australia.

*2. **A. Brunneriana, Sauss.** l. c. p. 277 (1871).	N. Australia.
3. **A. Monstrosa, Wood-Mason, Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 1, 1 *a*, *b*; Westw. Rev. Mant. p. 9, pl. 3. f. 1 (1889).	id. (Victoria R.).
Mantis Fuscoelytris, McCoy, l. c. text p. 4 (1886).	
*4. **A. Armatus, Wood-Mason,** Ann. Nat. Hist. (4) xx. p. 76 (1877); Proc. Zool. Soc. Lond. 1878, p. 584, pl. 36, ff. 2, 2 *a*.	N. Australia.
*5. **A. Sobrina, Sauss.** l. c. xxiii. p. 26 (1872).	Swan River.

Genus 59. **Pseudomantis.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc. Genève, xxi. p. 34 (1871).

1. **P. (?) Brachyptera, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 586 (1899).	S. Africa.
2. **P. (?) Menyharthi, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 246, pl. 7. f. 6 (1896).	Zambesi.
*3. **P. Albofimbriata, Stål,** (*Mantis A.*) Eugenie's Resa, Ins. p. 312 (1858).	Tasmania.
P. Albofimbriata, Sauss. Mém. Soc. Genève, xxi. p. 34, pl. 4. f. 7 (1871).	
4. **P. Victorina, Westw. Rev. Mant. p. 37, pl. 9. f. 6 (1889).	N. Australia.
5. **P. Apicalis, Sauss.** (*Mantis A.*) l. c. xxi. p. 291 (1871), xxiii. p. 48 (1872).	Sydney.

Genus 60. **Omomantis.** (*Type* no. 1.)

Sauss. Abhandl. Senckenb. Ges. xxi. p. 588 (1899).

1. **O. Zebrata, Charp.** (*Mantis Z.*) Orth. pl. 39 (1842).	S. & E. Africa.
Pseudomantis Zebrata, Sauss. Mém. Soc. Genève, xxi. p. 37 (1871).	
Hierodula Suavis, Brancs. Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 247, pl. 7. f. 7 (1895).	
O. Pardalina, Sauss. Abhandl. Senckenb. Ges. xxi. p. 589, pl. 37. f. 1 (1899).	

2. **O. (?) Fasciata, Thunb.** (*Mantis F.*) Mém. Acad. Pétersb. v. p. 292 (1815).	Hab. ——?
3. **O. (?) Ocellaria, Drury,** (*Mantis O.*) Ill. Exot. Ent. iii. pl. 43. f. 1 (1782). *Mantis* (*Harpax*) *Ocellaria*, *Westw.* ed. Drury, l. c. iii. p. 57, pl. 43. f. 1 (1837); Duncan, Jardine, Nat. Libr., Ins. i. p. 232, pl. 7. f. 3 (1840).	Sierra Leone.

Genus 61. **Statilia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 36 (1877).
Pseudomantis, pt., *Sauss.* Mém. Soc. Genève, xxi. p. 34 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

*1. **S. Nemoralis, Sauss.** (*Pseudomantis N.*) Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Mém. Soc. Genève, xxi. pp. 35, 275, pl. 4. f. 8, pl. 5. f. 33 (1871). ♂. *Mantis Orientalis*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870).	Manilla, Japan.
*2. **S. Maculata, Thunb.** (*Mantis M.*) Nov. Spec. Ins. iii. p. 61 (1784); Mém. Soc. Pétersb. v. p. 291 (1815); Oliv. Enc. Méth., Ins. vii. p. 634. n. 46 (1792); Haan, Temminck, Verhandel., Orth. p. 77, pl. 18. f. 5 (1842). *S. Maculata*, *Bol.* Ann. Soc. Ent. France, 1897, p. 309. *Pseudomantis Haani*, *Sauss.* Mém. Soc. Genève, xxi. pp. 37, 276 (1871), xxiii. p. 24 (1872); Jacobs. & Bianki, l. c. p. 148 (1902).	Japan, China, India, Malacca, Burma, Java, Borneo, Celebes.

Genus 62. **Euchomena.** (*Type* no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 45 (1871); Sauss. & Zehntn., Grandidier, Hist. Madagascar, Orth. i. p. 177 (1895).

*1. **E. Thoracica, Haan,** (*Mantis* (*Thespis*) *T.*) Temminck, Verhandel., Orth. p. 94 (1842). *E. Thoracica*, *Wood-Mason*, Ann. Nat. Hist. (5) i. p. 143 (1878); Journ. Asiatic Soc. Bengal, li. p. 27 (1882).	Java, Borneo, Singapore.

Mantis Heteroptera, Haan, l. c. p. 78, pl. 18. f. 1 (nec 2) (1842).	
E. Moluccarum, Sauss. Mém. Soc. Genève, xxiii. p. 27, pl. 8. f. 5 (1872); Sauss. & Zehntn. l. c. p. 179 (1895).	
2. **E. Manillensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 236 (1870); Mém. Soc. Genève, xxi. p. 47. pl. 6. f. 44 (1871).	Manilla.
3. **E. Heteroptera, Haan,** (*Mantis H.*) l. c. p. 78, pl. 18. f. 2 (1842).	Sunda Isl., Celebes, Tondano.
E. Heteroptera, Sauss. Mém. Soc. Genève, xxi. p. 48 (1871).	
E. Confusa, Westw. Rev. Mant. p. 9 (1889).	
4. **E. Macrops, Sauss.** (*Miopteryx* (?) *M.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870),	Cochin China.
E. (?) *Macrops, Sauss.* Mém. Soc. Genève, xxi. p. 48, pl. 6. ff. 43, 43 *a*, *b* (1871).	
5. **E. Madecassa, Sauss.** ll. cc. p. 236 (1870); p. 41, pl. 6. f. 45 (1871); Sauss. & Zehntn. l. c. p. 179, pl. 10. f. 35 (1895).	Madagascar

Genus 63. **Stenopyga.** (*Type* no. 1.)

Karsch, Ent. Nachr. xviii. p. 146 (1892).

*1. **S. Extera, Karsch,** l. c. (1892); Berlin. Ent. Zeitschr. xxxix. p. 273, pl. 19. f. 5 (1894).	Cameroons, Gold Coast.
2. **S. Casta, Gerst.** (*Euchomena* (?) *C.*) Mitth. Ver. Vorpomm. xiv. p. 83 (1883).	Fernando Po.

Genus 64. **Mesopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870);
Mém. Soc. Genève, xxi. p. 40 (1871).

1. **M. Alata, Sauss.** ll. cc. p. 235 (1870); p. 40, pl. 5. f. 34 (1871).	Manilla, India.
*2. **M. Platycephala, Stål,** (*Tenodera P.*) Bihang Svenska Akad. iv. (10) p. 56 (1877); Brunn. Ann. Mus. Geneva, xxxiii. p. 67, pl. 2. f. 21 (1893).	N. India, Tenasserim.
M. Platycephala, Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 34 (1882).	

3. **M. Robusta, Wood-Mason,** l. c. p. 36 (1882).	S. Andamans (?).
4. **M. Fasciata, Oliv.** (*Mantis F.*) Enc. Méth., Ins. vii. p. 640. n. 6 (1792); Burm. l. c. p. 534 n. 23 (1838). *Mantis Leptelytra, Licht.* Trans. Linn. Soc. Lond. vi. p. 20. n. 3 (1802). *Mantis Attenuata, Stoll*, Spectres, Mantes, p. 13, pl. 5. f. 16 (1813). *Mantis Exsiccata, Serv.* Ins. Orth. p. 176 (1839).	Java.

Genus 65. **Tenodera.** (*Type* no. 8.)

Burm. Handb. Ent. ii. p. 534 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 94, 292 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

1. **T. Limbalicollis, Karsch,** Ent. Nachr. xviii. p. 7 (1892).	Cameroons (Kribi).
*2. **T. Capitata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. pp. 95, 293 (1871).	E. Africa, Congo (eadem ?).
*3. **T. Herbacea, Serv.** (*Mantis H.*) Ins. Orth. p. 177 (1839); Haan, Temminck, Verhandel., Orth. p. 72 (1842). *T. Herbacea, Sauss.* Mém. Soc. Genève, xxi. pp. 98, 295 (1871).	Senegal, Nyassa.
*4. **T. Costalis, Blanch.** (*Mantis C.*) Voy. Pôle Sud, Zool. iv. p. 353 (1853). ‖ *Mantis Fusca, Blanch.* l. c., Orth. pl. 2. ff. 1, 2 (1853). ‖ *Mantis Superstitiosa, Serv.* l. c. p. 176 (1839). ‖ *T. Superstitiosa*, var. *a*, *Sauss.* l. c. p. 296 (1871). ? ‖ *Mantis Religiosa, Stoll*, Spectres, Mantes, p. 63, pl. 21. f. 80 (1813).	Ceram, Celebes, Ind., Siam, Java, &c.
5. **T. Superstitiosa, Fabr. (*Mantis S.*) Spec. Ins. i. p. 348, n. 17 (1781); Oliv. Enc. Méth., Ins. vii. p. 632. n. 34 (1792). *T. Superstitiosa, Sauss.* l. c. pp. 99, 296 (1871); Shelford, Zoologist, (4) vii. pp. 293–303 (1903).	Africa, Asia, Australia.
6. **T. Madagascariensis, Sauss. & Zehntn.** (*T. Superstitiosa* var. *Madagascariensis*) Grandidier, Hist. Madagascar, Orth. p. 207, pl. 9. f. 26 (1895).	Madagascar
7. **T. Brevipennis, Sauss.** l. c. p. 297 (1871).	Africa (?).

*8. **T. Aridifolia, Stoll,** (*Mantis A.*) Spectres. Mantes. p. 65, pl. 22. f. 82 (1813); Serv. l. c. p. 178 (1839). *T. Aridifolia, Sauss.* l. c. pp. 97, 294 (1871); Jacobs. & Bianki, l. c. p. 149 (1902). *Mantis Chloreudeta, Burm.* l. c. p. 535. n. 24 (1839). ♂. *T. Angustipennis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869).	China, Japan, India, Java, &c.
9. **T. Sinensis, Sauss.** (*T. Aridifolia*, var. *Sinensis*) Mém. Soc. Genève, xxi. p. 295, pl. 7. f. 62 (1871).	Ningpo.
*10. **T. Australasiæ, Leach,** (*Mantis A.*) Zool. Misc. i. pl. 34 (1814). *T. Australasiæ, Sauss.* l. c. p. 96 (1871). *Mantis Darchii, Macl.* King's Survey Coasts Austral. ii. p. 454. n. 111 (1827). *Mantis Tessellata, Burm.* l. c. p. 535. n. 25 (1838).	Australia, Tasmania, New Zealand, Ternate, Ceram, N. Guinea.
11. **T. Intermedia, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 233 (1869); Mém. Soc. Genève, xxi. p. 98 (1871).	N. Zealand.

Genus 66. **Polyspilota.** (*Type* no. 5.)

Burm. Handb. Ent. ii. p. 534 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. pp. 86, 286 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 149 (1902).

1. **P. Muta, Wood-Mason,** (*Hierodula* (*Sphodromantis*) *M.*) Journ. Asiatic Soc. Bengal, li. p. 30 (1882).	Cameroons.
2. **P. Gasconi, Rochebr.** Bull. Soc. Philom. (7) viii. p. 29 (1884).	Senegambia
*3. **P. Validissima, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 89 (1883); Westw. Rev. Mant. p. 12, pl. 10. ff. 4, 5 (1889).	Gold Coast, Ashanti.
4. **P. Insignis, Wood-Mason,** l. c. p. 33 (1882).	Cameroons.
*5. **P. Variegata, Oliv.** (*Mantis V.*) Enc. Méth. vii. p. 638. n. 68 (1792); Beauv. Ins. Afr. Amér. p. 62, Orth. pl. 12. f. 4 (1805); Burm. l. c. p. 534. n. 21 (1838). *Mantis Adspersa, Licht.* Trans. Linn. Soc. Lond. vi. p. 30. n. 39 (1802).	Africa, W. Asia, Borneo (eadem ?).

Mantis Striata, *Stoll*, Spectres, p. 34, pl. 11. f. 41 (1813); Blanch. Hist. Nat. Ins. iii. p. 12. n. 4 (1840); Haan, Temminck, Verhandel. Orth. p. 73. n. 19 (1842).

P. Striata, *Sauss.* l. c. xxi. pp. 87, 198 (1871); Gerst. Mitth. Ver. Vorpomm. xiv. p. 89 (1883).

*6. **P. Pustulata, Stoll,** (*Mantis P.*) l. c. p. 59, pl. 20. f. 73 (1813); Serv. Ins. Orth. p. 186 (1839). Africa, Madagascar

P. Pustulata, *Sauss.* Mém. Soc. Genève, xxi. pp. 87, 198 (1871).

Mantis Catenata, *Burm.* l. c. p. 534. n. 22 (1838).

P. Æruginosa, var. *Viridis*, *Sauss.* Abhandl. Senckenb. Ges. xxi. p. 592 (1899); Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 9 (1900).

Mantis Varia, *Burm.* l. c. p. 534. n. 20 (1838).

M. Signata, *Thunb.* Mém. Soc. Pétersb. v. p. 292 (1815).

P. Æruginosa, *Sauss.* & *Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 205, pl. 8. f. 23 (1895); Jacobs. & Bianki, l. c. p. 149 (1902).

P. Æruginosa, var. *Fuscoirrorata*, *Sauss.* Abhandl. Senckenb. Ges. xxi. p. 592 (1899).

?? *Mantis Æruginosa*, *Goeze*, Ent. Beytr. ii. p. 35. n. 29 (1778); Oliv. l. c. p. 642. n. 23 (1792); (Seba, Thesaurus, iv. p. 76, pl. 70. ff. 7, 8).

?? *Mantis Rubromaculata*, *Goeze*, l. c. n. 30 (1778); Oliv. l. c. n. 24 (1792); (Seba, l. c. ff. 9, 10).

P. Caffra, *Westw.* Rev. Mant. p. 35, pl. 11. f. 7 (1889).

P. Æruginosa, var. *Prasina*, *Sauss.* & *Zehntn.* l. c. p. 206 (1895).

*7. **P. Marginata, Fabr.** (*Mantis M.*) Suppl. Ent. Syst. p. 191 (1798). Mauritius, Farquhar I.

‖ *Mantis Variegata*, *Serv.* l. c. p. 187 (1839).

8. **P. Saussurei, Borm.** Ann. Mus Genova, xvi. p. 209 (1880). Shoa.

9. **P. Vicina, Serv.** (*Mantis V.*) l. c. p. 187 (1839).	Senegal.
10. **P. Laticollis, Karsch,** Ent. Nachr. xviii. p. 147 (1892); Berlin. Ent. Zeitschr. xxxix. p. 274, pl. 19. f. 3 (1894).	
11. **P. Flavipennis, Karsch,** ll. cc. p. 147 (1892); p. 274, pl. 20. f. 9 (1894).	id.
12. **P. Marmorata, Schulth.** Bull. Soc. Vaud. xxxv. p. 192, pl. 8. f. 2 (1899).	Delagoa Bay.
13. **P. Truncatipennis, Karsch,** ll. cc. p. 147 (1892); p. 193, pl. 20. f. 7 (1894).	Cameroons.
14. **P. Calabarica, Westw.** l. c. p. 35, pl. 11. f. 2 (1889).	OldCalabar.
15. **P. (?) Brunneriana, Sauss.** Mém. Soc. Genève, xxi. p. 286 (1871).	New Caledonia.

Genus 67. **Tarachomantis.** (*Type* no. 4*a*.)

Brancs. Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 176 (1893); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 188 (1895).

1. **T. Hova, Sauss. & Zehntn.** (*Hierodula H.*) l. c. p. 189, pl. 7. ff. 12, 13 (1895).	Madagascar
2. **T. Sakalava, Sauss. & Zehntn.** (*Hierodula S.*) l. c. p. 190, pl. 8. f. 18 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 590 (1899).	id.
3. **T. Betsilea, Sauss. & Zehntn.** (*Hierodula B.*) l. c. p. 191, pl. 8. ff. 16, 17 (1895).	id.
*4. **T. Caldwellii, Bates,** (*Mantis C.*) Proc. Zool. Soc. Lond. 1863, p. 479. *Hierodula Caldwelli, Sauss. & Zehntn.* l. c. p. 192, pl. 8. f. 21 (1895). *Hierodula Roseinervis, Stål,* Bihang Svenska Akad. iv. (10) p. 58 (1877).	id.
4*a*. **T. Brunneri, Brancs.** l. c. p. 177, pl. 10. f. 1 (1893).	id.
*5. **T. Rubiginosa, Sauss. & Zehntn.** (*Hierodula R.*) l. c. p. 194 (1895).	id.
*6. **T. Betanimena, Sauss. & Zehntn.** (*Hierodula B.*) l. c. p. 196, pl. 8. f. 19 (1895).	id.

7. **T. Malagassa, Sauss. & Zehntn.** (*Hierodula M.*) l. c. p. 197, pl. 8. f. 20 (1895) ; Sauss. l. c. p. 590 (1899).	Madagascar
8. **T.** (?) **Macula, Sauss. & Zehntn.** (*Hierodula M.*) l. c. p. 199, pl. 8. ff. 14, 15 (1895).	id.

Genus 68. **Sphodropoda.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 56 (1877).

*1. **S. Tristis, Sauss.** (*Mantis T.*) Mém. Soc. Genève, xxi. p. 93 (1871). *S. Tristis*, *Westw.* Rev. Mant. p. 13, pl. 10. ff. 2, 9 (1889).	Australia, Fiji.
2. **S. Dentifrons, Stål,** (*Hierodula D.*) l. c. p. 56 (1877).	Australia.
*3. **S. Quinquedens, Macl.** (*Mantis Q.*) King's Surv. Coasts Austral. ii. p. 454. n. 110 (1827). *Hierodula Quinquedens*, *Sauss.* l. c. p. 78 (1871) ; Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 28 (1882).	id.

Genus 69. **Cilnia.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 71 (1876).

*1. **C. Humeralis, Sauss.** (*Cardioptera H.*) Mém. Soc. Genève, xxi. pp. 195, 281 (1871). *C. Humeralis*, *Stål*, Bihang Svenska Handl. iv. (10) p. 53 (1877) ; Kirb. Ann. Nat. Hist. (7) iv. p. 349 (1899). *Hierodula Brevipennis*, *Schulth.* Bull. Soc. Vaud. xxxv. p. 193, pl. 8. f. 3 (1899). *Mantis Latipes*, *Stål*, l. c. iii. (14) p. 43 (1875). *C. Latipes*, *Stål*, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 71 (1876) ; Bihang Svenska Akad. iv. (10) p. 53 (1877).	Natal, Transvaal, Nyassa, Delagoa Bay.

Genus 70. **Sphodromantis.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 57 (1877); Sauss. & Zehntn. Grandidier, Hist. Madag., Orth. i. p. 185 (1895); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 149 (1902).

*1. **S. Guttata, Thunb.** (*Mantis G.*) Mém. Acad. Pétersb. v. p. 290 (1815). *Mantis Bioculata, Burm.* Handb. Ent. ii. p. 537. n. 34 (1838). *Hierodula Bioculata, Sauss.* Mém. Soc. Genève, xxi. p. 71, pl. 5. ff. 20, 21 (1871); Bol. Sin. Ortópt. Españ. p. 56 (1876); Brunn. Prodr. Eur. Orth. p. 58, pl. 2. f. 13 (1882); Sauss. & Zehntn. l. c. p. 185, pl. 7. f. 10 (1895). *S. Bioculata, Jacobs. & Bianki*, l. c. p. 149 (1902). ‖*Mantis Simulacrum, Serv.* Ins. Orth. p. 184 (1839). Var. *Mantis Bimaculata, Burm.* l. c. p. 537. n. 35 (1838). *Mantis Simulacrum*, var. *Zabou*, *Serv.* l. c. p. 185 (1839).	Malaga, N. Africa, Somali, W. Asia, Baltistan, Ceylon.
2. **S. Arabica, Wood-Mason,** (*Hierodula (Sphodromantis) A.*) Journ. Asiatic Soc. Bengal, li. p. 29 (1882). ‖*Hierodula Trimacula, Wood-Mason*, Ann. Nat. Hist. (5) i. p. 147 (1878).	Oman.
3. **S. (?) Rudolfæ, Rehn,** (*Sphodropoda R.*) Proc. Acad. Philad. liii. p. 282 (1901).	Lake Rudolf.
*4. **S. Lineola, Burm.** (*Mantis L.*) l. c. p. 537. n. 33 (1838). *Hierodula Lineola, Gerst.* Mitth. Ver. Vorpomm. xiv. p. 87 (1883).	W. Africa.
*5. **S. Gastrica, Stål,** (*Mantis G.*) Œfv. Vet.-Akad. Förh. xv. p. 308 (1858). *Hierodula Gastrica, Sauss. & Zehntn.* l. c. p. 187 (1895). *Hierodula Bicarinata, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. p. 74, pl. 5. f. 22 (1871). *Hierodula (Sphodromantis) Bicarinata, Wood-Mason*, Journ. Asiatic Soc. Bengal, li. p. 28 (1882).	S. & E. Africa.

Mantis (Stagmatoptera) Kersteni, Gerst. Arch. f. Nat. xxxv. p. 209 (1869); Von der Decken, Reisen Ost-Afrika, Ins. p. 13 (1873).	
*6. **S. Christina, Kirb.,** n. n. ‖ *Mantis Kersteni, Stål*, Bihang Svenska Akad. iv. (10) p. 57 (1877). ‖ *Hierodula Kersteni, Sauss. & Zehntn.* l. c. p. 187 (1895).	Zanzibar, B.E. Africa.
7. **S. Muta, Wood-Mason,** (*Hierodula (Sphodromantis) M.*) l. c. p. 30 (1882). *Polyspilota Picta, Gerst.* Mitth. Ver. Vorpomm. xiv. p. 88 (1883). *Hierodula Picta, Sjöst.* Bihang Svenska Akad. xxv. (4 : 6) p. 13 (1900). *S. (Hierodula) Coxalis, Sauss. & Zehntn.* l. c. p. 200, pl. 9. f. 25 (1895).	Cameroons, Gaboon.
8. **S. (?) Voelzkowiana, Sauss.** (*Hierodula V.*) Abhandl. Senckenb. Ges. xxi. p. 591, pl. 37. ff. 2–4 (ootheca) (1899).	I. Aldabra.
9. **S. Trimacula, Sauss.** (*Hierodula T.*) Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870); Mém. Soc. Genève, xxi. p. 82, pl. 5. f. 29 (1871).	China (?).
*10. **S. Transcaucasica, Brunn.** (*Hierodula T.*) Schneider, Naturw. Beitr. Kaukasusländer, p. 88 (1878); Jacobs. & Bianki, l. c. p. 150 (1902). ? *Hierodula Tenuidentata, Sauss.* Fedchenko, Reise Turk., Orth. p. 12 (1874).	Baku, Turkestan, Afghanistan (eadem ?).
11. **S. Tenuidentata, Sauss.** (*Hierodula T.*) Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. pp. 75, 197, pl. 5. f. 25 (1871); xxiii. p. 40 (1872); Jacobs. & Bianki, l. c. p. 150 (1902).	Malabar, Borneo.
11 *a*. **S. Harpyia, Westw. (*Hierodula H.*) Rev. Mant. p. 35, pl. 5. f. 3 (1889).	Ceylon.

Genus 71. **Arria.**

Stål, Bihang Svenska Akad. iv. (10) p. 20 (1877).

1. **A. Cinctipes, Stål,** l. c. p. 46 (1877); Wood-Mason, Cat. Mant. p. 50 (1891).	Manipur.

Genus 72. **Hierodula.** (*Type* no. 16 *a.*)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869); Mém. Soc. Genève. xxi. p. 65 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 38 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 150 (1902).

*1. **H. Coarctata, Sauss.** ll. cc. p. 67 (1869); p. 85, pl. 5. f. 24 (1871); (?) Westw. Rev. Mant. p. 34, pl. 4. f. 1 (1889).	India, Australia (eadem?).
*2. **H. Latipennis, Brunn.** Ann. Mus. Genova, xxxiii. p. 69, pl. 2. f. 22 (1893).	Burma.
*3. **H. Bipapilla, Serv.** (*Mantis B.*) Ins. Orth. p. 188 (1839). *H. Bipapilla, Westw.* Rev. Mant. p. 34, pl. 5. f. 2 (1889); Jacobs. & Bianki, l. c. p. 150 (1902). ‖*H. Patellifera, Westw.* l. c. p. 35, pl. 4. f. 5 (1889).	Java, Siam, Lombok, Bouru.
*4. **H. Patellifera, Serv.** (*Mantis P.*) l. c. p. 185 (1839). *H. Manillensis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870). ‖*H. Bipapilla, Sauss.* Mém. Soc. Genève, xxi. pp. 79, 197, pl. 5. ff. 28, 28 (1871).	Java, Philippines.
*5. **H. Saussurei, Kirb.,** n. n. ‖*H. Simulacrum, Sauss.* l. c. p. 77, pl. 5. ff. 23, 23 (1871).	China, Loochoo, Moulmein.
*6. **H. Dispar, Kirb.** Monograph of Christmas Island, p. 146 (1900).	Christmas I.
*7. **H. Raptoria, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. p. 38 (1877).	Philippines.
8. **H. Biroi, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 61, pl. 1. f. 7 (1897). *H. Punctipectus, Brunn.* Abh. Senckenb. Ges. xxiv. p. 212, pl. 16. f. 18 (1898).	N. Guinea, New Britain
9. **H. Timorensis, Haan,** (*Mantis T.*) Temminck, Verhandel., Orth. p. 69 (1842). *H. Timorensis, Sauss.* l. c. xxiii. p. 38, pl. 9. f. 24 (1872); Jacobs. & Bianki, l. c. p. 150 (1902). *H. Robusta, Sauss.* l. c. xxi. p. 73, pl. 6. f. 53 (1871).	Timor, Amboina (eadem?).

*10. **H. Grandis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870) ; Mém. Soc. Genève, xxi. p. 80, pl. 5, ff. 27, 27 (1871).	Sillhet, Tenasserim.
11. **H. Multispinulosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 68 (1893).	Burma.
*12. **H. Unimaculata, Oliv.** (*Mantis U.*) Enc. Méth. vii. p. 640. n. 9 (1792). ‖*Mantis Simulacrum, Licht.* Trans. Linn. Soc. Lond. vi. p. 28. n. 24 (1802) ; Burm. l. c. p. 536. n. 32 (1838). *Mantis Notata, Stoll,* Spectres, Mantes, p. 42*, pl. 12. f. 49 (1813). *H. Notata, Sauss.* Mém. Soc. Genève, xxi. p. 83, pl. 5. ff. 31, 31 (1871) ; Wood-Mason, Ann. Nat. Hist. (5) i. p. 145 (1878).	Coromandel, Bombay, Tonkin.
*13. **H. Malaya, Stål,** Bihang Svenska Akad. iv. (10) p. 58 (1877).	Malacca.
14. **H. Heterodera, Westw.** l. c. p. 34 (1889).	Bengal.
15. **H. (?) Vitrea, Stoll,** (*Mantis V.*) l. c. p. 15, pl. 5. f. 19 (1813).	"Surinam."
*15 *a*. **H. Hybrida, Burm.** (*Mantis H.*) l. c. p. 536. n. 31 (1839) ; Haan, l. c. p. 68. n. 6 (1842). ‖*H. Vitrea, Sauss.* Mém. Soc. Genève, xxi. p. 76, pl. 5. f. 26 (1871).	Siam, Malacca, Java, Borneo, Celebes.
15 *b*. **H. Novemdentata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869).	Syria (?).
16. **H. Venosa, Oliv.** (*Mantis V.*) l. c. p. 639. n. 73 (1792). *Mantis Conspurcata, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 36 (1796) ; Trans. Linn. Soc. Lond. vi. p. 29. n. 27 (1802). *Mantis Punctata, Stoll,* l. c. p. 49, pl. 16. f. 60 (1813).	Coromandel
*16 *a*. **H. Membranacea, Burm.** (*Mantis M.*) l. c. p. 536. n. 30 (1838). *H. Membranacea, Sauss.* l. c. xxi. p. 84, pl. 5. f. 32 (1871). ‖*H. Birivia, Sauss.* l. c. xxiii. p. 41 (1872) ; Wood-Mason, l. c. (5) i. p. 146 (1878). ‖*Stagmatoptera Birivia, Sauss.* Mém. Mex., Mant. p. 89, pl. 1. f. 8 (1871). *Stagmatoptera Veneratoria, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870).	India, Ceylon.

*17. **H. Daphne, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.
18. **H. Westwoodi, Kirb., n. n.	N. India.
‖*H. Simulacrum, Westw.* l. c. p. 34, pl. 4. f. 2, pl. 6. f. 5 (1889).	
19. **H. Parviceps, Stål,** l. c. p. 38 (1877).	Philippines.
20. **H. Bankæ, Gieb.** (*Mantis B.*) Zeitschr. ges. Naturw. xviii. p. 111 (1861).	Banka.
20*a*. **H. Dyaka, Westw. l. c. p. 34, pl. 6. f. 4 (1889); Shelford, Zoologist, (4) vii. pp. 293–299 (1903).	Borneo, Sumatra, Celebes.
H. Modesta, Brunn. Abhandl. Senckenb. Ges. xxiv. p. 213, pl. 17. f. 20 (1898).	
*21. **H. Similis, Gieb.** (*Mantis S.*) l. c. p. 111 (1861).	Borneo.
H. Gracilicollis, Stål, Bihang Svenska Akad. iv. (10) p. 58 (1877).	
H. Stigmata, Brunn. l. c. p. 214, pl. 17. f. 2 (1898).	
*22. **H. Fuscescens, Blanch.** (*Mantis F.*) Voy. Pôle Sud, Zool. iv. p. 354, pl. 1. f. 5 (1853),	Fiji, Solomon Is. (eadem ?).
H. Fuscescens, Sauss. Mém. Soc. Genève, xxi. p. 81, pl. 5. f. 30 (1871).	
23. **H. Lævicollis, Sauss.** l. c. p. 82 (1871).	Amboina.
*24. **H. Ovata, Sauss.** l. c. p. 285, pl. 7. f. 60 (1871).	id., Ceram.
25. **H. Aruana, Westw. l. c. p. 35, pl. 4. f. 4 (1889).	Aru.
H. Tertiata, Brunn. l. c. p. 211, pl. 16. f. 16 (1898).	
*26. **H. Everetti, Kirb.,** n. n.	Borneo, Alor.
‖*H. Notata, Brunn.* l. c. p. 215, pl. 17. f. 22 A (1898).	
27. **H. Reticulata, Brunn.** l. c. p. 214, pl. 17. f. 22 (1898).	Lombok, Sumbawa.
28. **H. Obtusata, Brunn.** l. c. p. 213, pl. 17. f. 19 (1898).	N. Celebes.
29. **H. Atrocoxata, Brunn.** l. c. p. 211. pl. 16. f. 15 (1898).	S. Celebes.
30. **H. Purpurescens, Brunn.** l. c. p. 212. pl. 16. f. 17 (1898).	Minahassa, Celebes.
*31. **H. Sternosticta, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 31 (1882).	Australia.

Genus 73. **Rhombodera.** (*Type* no. 4.)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mém. Soc. Genève, xxi. p. 68 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 59 (1877).

*1. **R. Scutata, Karsch,** Ent. Nachr. xviii. p. 6 (1892).	Angola, E. Africa.
*2. **R. Tectiformis, Sauss.** (*Hierodula T.*) Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870); Mém. Soc. Genève, xxi. p. 68, pl. 5. f. 19 (1871). *Hierodula* (*Rhombodera*) *Tectiformis*, *Wood-Mason*, Proc. Zool. Soc. Lond. 1878, p. 580.	
*3. **R. Butleri, Wood-Mason,** (*Hierodula* (*Rhombodera*) *B.*) l. c. p. 580, pl. 36. ff. 3, 3 *a*, *b* (1878).	N. India.
*4. **R. Valida, Burm.** (*Mantis V.*) l. c. p. 536. n. 28 (1838). *Mantis Basalis*, *Haan*, Temminck, Verhandel., Orth. p. 67 (1842). *Hierodula Basalis*, *Stål*, l. c. p. 60. n. 21 (1877). *R. Basalis*, *Westw.* Rev. Mant. p. 33, pl. 5. ff. 4, 5 (1889); Shelford, Zoologist, (4) vii. pp. 294, 299. f. 1 (1903).	Java, Borneo, Malay Peninsula. Australia (?)
5. **R. Saussurii, Kirb.,** n. n. ‖*Hierodula Valida*, *Sauss.* Mém. Soc. Genève, xxi. p. 69, pl. 5. f. 17 (1871).	Amboina.
6. **R. Deflexa, Sauss.** (*Hierodula* (*Rhombodera*) *D.*) l. c. p. 283, pl. 7. f. 58 (1871).	Banka.
*7. **R. Laticollis, Burm.** (*Mantis L.*) l. c. p. 536. n. 29 (1838); Haan, l. c. p. 67 (1842).	Java, Borneo.
*8. **R. Haanii, Kirb.,** n. n. ‖*Mantis Valida*, *Haan*, l. c. p. 66 (1842).	Timor, Sumatra.
9. **R. Medioconstricta, Westw.** l. c. p. 35, pl. 12. f. 4 (1889).	Flores.
10. **R. Fratricida, Wood-Mason, (*Hierodula* (*Rhombodera*) *F.*) l. c. p. 581, pl. 36. ff. 5, 5 *a* (1878).	Malabar, Borneo.
*11. **R. Taprobanæ, Wood-Mason,** (*Hierodula T.*) Ann. Nat. Hist. (5) i. p. 146 (1878). *Hierodula* (*Rhombodera*) *Taprobanæ*, *Wood-Mason*, Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 7, 7 *a*.	Ceylon, Java.

12. **R. Major, Sauss.** (*Hierodula* (*Rhombodera*) *M.*) l. c. xxi. p. 284, pl. 7. f. 59 (1871); xxiii. p. 37, pl. 9. f. 22 (1872).	Ternate, &c.
13. **R. Titania, Stål,** (*Hierodula T.*) l. c. p. 59. n. 19 (1877).	Moluccas.
*14. **R. Extensicollis, Serv.** (*Mantis E.*) Ins. Orth. p. 189 (1839). *Mantis Flava, Haan,* l. c. p. 68 (1842). *Hierodula* (*Rhombodera*) *Flava, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 31 (1882). *Mantis Macropsis, Gieb.* Zeitschr. ges. Naturw. xviii. p. 111 (1861). *Hierodula Macropsis, Sauss.* l. c. xxi. pp. 70, 284, pl. 5. f. 18 (1871). *Hierodula Rhomboidalis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870). *Hierodula Lingulata, Stål,* l. c. p. 59. n. 18 (1877).	Java.
15. **R. Phryne, Stål,** (*Hierodula* (*Rhombodera*) *P.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.
*16. **R. Pustulifera, Wood-Mason,** (*Hierodula* (*Rhombodera*) *P.*) Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 6, 6 *a*.	Australia, Bouru, Obi, Kei.
*17. **R. Atricoxis, Wood-Mason,** (*Hierodula* (*Rhombodera*) *A.*) l. c. p. 582, pl. 36. ff. 4, 4 *a*, *b* (1878). *Mantis* (*Rhombodera*) *Atricoxis,* var. *Grandis, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 31 (1885).	Australia.
*18. **R. Tamolana, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 62, pl. 1. f. 8 (1897).	N. Guinea.
19. **R. Pectoralis, Westw. l. c. p. 33, pl. 1. f. 7 (1889).	id. Lizard I.

Genus 74. **Mantis.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 425 (1758); Geoffr. Hist. Ins. i. p. 399 (1762); Latr. Hist. Nat. Crust. Ins. iii. p. 273 (1802), xii. p. 105 (1804); Burm. Handb. Ent. ii. p. 530 (1838); Serv. Ins. Orth. p. 174 (1839); Sauss. Mém. Soc. Genève, xxi. p. 88 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 201 (1895); Brunn. Prodr. Eur. Orth. p. 58 (1882); Tümp. Geradfl. Mitteleurop. p. 235 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 150 (1902).

*1. **M. Religiosa, Linn.** (*Gryllus* (*Mantis*) *Religiosus*) l. c. p. 426. n. 5 (1758). ——, *Rösel*, Insect. Belust. ii. Locust. Ind. pl. 1 (1749), iv. pl. 12 (1761). *M. Religiosa*, *Sulz.* Gesch. Ins. p. 78, pl. 8. f. 4 (1776); Oliv. Enc. Meth. vii. p. 627. n. 10 (1792); Panz. Faun. Germ. fasc. 1. pl. 8 (1798); Latr. l. c. xii. p. 109, pl. 94. f. 3 (1804); Guér. Icon. R. Anim., Ins. p. 327. pl. 52. f. 7 (1829–44); Burm. l. c. p. 535. n. 26 (1838); Serv. l. c. p. 193 (1839); Duncan, Nat. Libr., Ins. i. p. 233, pl. 8 (1840); Fisch. Waldh. Orth. Ross. p. 100, pl. 2. ff. 1, 2 (1846); Fisch. Orth. Eur. p. 129, pl. 2. ff. 6, 7, pl. 8. f. 1 (1853); Kitt. Bull. Mosc. xxii. p. 443, pl. 7. ff. 7, 8 (1849); Sauss. l. c. xxi. p. 91 (1871); Bol. Sin. Ortópt. Españ. p. 57, pl. 1. f. 23 (1876); Brunn. l. c. p. 59 (1882); Gerst. Mitth. Ver. Vorpomm. xiv. p. 86 (1883); Fin. Faune France, Orth. p. 87, pl. 3. f. 50 (1889); Tümp. l. c. p. 235, pl. 16 (1900); Jacobs. & Bianki, l. c. p. 151, pl. 4 (1902). ‖*M. Oratoria*, pt., *Fabr.* Syst. Ent. p. 276. n. 14 (1775); Oliv. l. c. p. 628. n. 11 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 28. n. 26 (1802). *M. Maroccana*, *Thunb.* Mém. Acad. Pétersb. v. p. 287 (1815). *M. Striata*, *Fabr.* Ent. Syst. ii. p. 20. n. 30 (1793). *M. Radiata*, *Motsch.* Fisch. Waldh. l. c. p. 101, pl. 2. f. 3 (1846).	S. & Centr. Europe, N. & W. Asia, N. Africa.
1*a*. **M. Sancta, Fabr.** Mant. Ins. i. p. 228. n. 23 (1787); Oliv. l. c. p. 628. n. 14 (1792); Licht. l. c. p. 30. n. 33 (1802).	S. France.
*2. **M. Sacra, Thunb.** l. c. v. p. 289 (1815); Dist. Nat. in Transvaal, p. 258 (1892); Kirb. Ann. Nat. Hist. (7) iv. p. 348 (1899); Sauss. Fedchenko, Reise Turk., Orth. p. 12 (1874); Jacobs. & Bianki, l. c. p. 150 (1902). ? ‖*Mantis Oratoria*, *Stoll*, Spectres, Mantes, p. 53, pl. 17. f. 64 (1813).	Africa, India (?), Borneo (?).

*2 *a.* **M. Pia, Serv.** l. c. p. 193 (1839); Stål, Œfv. Vet.-Akad. Förh. p. 391 (1871); Kirb. l. c. p. 348 (1899). ‖*M. Prasina, Sauss.* Mém. Soc. Genève, xxi. p. 93 (1871). *M. Capensis, Sauss.* l. c. xxiii. p. 46 (1872).	Africa.
*3. **M. (?) Prasina, Serv.** l. c. p. 195 (1839); Sauss. Abhandl. Senckenb. Ges. xxi. p. 592 (1899); Sauss. & Zehntn. l. c. p. 203, pl. 9. f. 24 (1895). *M. Callifera, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 32 (1882). *M. Emortualis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. p. 89, pl. 5. f. 37 (1871).	Mauritius, Bourbon, Madagascar S. Africa, Sierra Leone.
*4. **M. (?) Natalensis, Stål,** Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 391 (1871); Sauss. Mém. Soc. Genève, xxi. p. 288 (1871). *M. Viridis, Sauss.* l. c. xxiii. p. 47 (1872); Sauss. & Zehntn. l. c. p. 201, pl. 8. f. 22 (1895).	Natal, Madagascar
5. **M. Japonica, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. p. 90 (1871); Jacobs. & Bianki, l. c. p. 151 (1902).	Japan.
6. **M. Mandarinea, Sauss.** l. c. xxi. p. 289, pl. 7. f. 61 (1871); Jacobs. & Bianki, l. c. p. 151 (1902).	Ningpo.
*7. **M. Nobilis, Brunn.** Ann. Mus. Genova, xxxiii. p. 70, pl. 2. f. 23 (1893).	Bhamo, Sikhim.
8. **M. Octospilota, Westw.** Rev. Mant. p. 35 (1889).	Adelaide.
9. **M. (?) Monochroa, Montr.** Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 79 (1855).	Woodlark I.

Genus 75. **Callimantis.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) pp. 39, 61 (1877).

1. **C. Floridana, Scudd.** Canad. Ent. xxviii. p. 210 (1896).	Florida.
*2. **C. Antillarum, Sauss.** (*Mantis A.*) Rev. Zool. (2) xi. p. 60 (1859). *Iris Antillarum, Sauss.* Mém. Mex., Mant. p. 105 (1871); Miss. Mex., Orth. p. 261, pl. 6. f. 16 (1872).	St. Thomas, Haiti; Brazil (?).

Genus 76. **Stagmomantis.** (*Type* no. 4.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 56, 65 (1869); Mém. Mex., Mant. pp. 28, 42 (1871): Miss. Mex., Orth. pp. 233, 242 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 139 (1894).

*1. **S. Nahua, Sauss.** ll. cc. p. 65 (1869); p. 45 (1871); p. 244, pl. 6. ff. 14, 15 (1872).	Mexico, Costa Rica, &c.
2. **S. Vicina, Sauss.** ll. cc. p. 229 (1870); p. 46 (1871); p. 245 (1872).	Guatemala.
*3. **S. Heterogamia, Sauss. & Zehntn.** l. c. p. 142. n. 3. pl. 7. ff. 2, 3 (1894).	Panama.
3 *bis*. **S. Theophila, Rehn,** Proc. U. S. Nat. Mus. xxvii. p. 563 (1904).	Costa Rica.
*4. **S. Carolina, Joh.** (*Gryllus Carolinus*) Amœn. Acad. vi. p. 396. n. 28 (1763). *Gryllus Irroratus, Joh.* l. c. p. 397. n. 29 (1763). *Mantis Irrorata, Oliv.* Enc. Méth., Ins. vii. p. 628. n. 12 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 21 (1802). (?) *Mantis Nebulosa, Thunb.* Mém. Soc. Pétersb. v. p. 288 (1815). *Mantis Carolina, Oliv.* l. c. p. 632. n. 31 (1792); Stoll, Spectres, Mantes, p. 70, pl. 24. f. 91 (1813); Burm. Handb. Ent. ii. p. 538. n. 38 (1838); Pack. Guide Stud. Ins. pp. 574, 575 (1869). *Phasmomantis Carolina, Comst.* Man. Stud. Ins. p. 107, f. 116 (1895). *S. Carolina, Sauss.* Mém. Mex., Mant. p. 47 (1871); Sauss. & Zehntn. l. c. p. 143. n. 4 (1894); Howard, Insect Book, p. 326, f. 215 (1902). (?) *Mantis Fuscata, Weber,* Obs. Ent. p. 97 (1801). *Mantis Conspurcata, Serv.* Ins. Orth. p. 190 (1839). *Mantis Inquinata, Serv.* l. c. p. 191 (1839).	Southern United States, N. Mexico.
*5. **S. Tolteca, Sauss.** (*Mantis* (*Stagmatoptera*) *T.*) Rev. Zool. (2) xiii. p. 127 (1861). *S. Tolteca, Sauss. & Zehntn.* l. c. p. 143. n. 5 (1894). *S. Carolina*, var. *Tolteca, Sauss.* Mém.	Texas, Mexico, Central America, Panama.

Mex., Mant. p. 47 (1871); Miss. Mex., Orth. p. 247, pl. 5. f. 5, pl. 6. f. 12 (1872).	
5 *a*. **S. Wheelerii, Thom.** (*Mantis W.*) Wheeler, Rep. Expl. Surv. W. 100th Merid. v. Zool. p. 849 (1875).	Colorado(?).
*6. **S. Dimidiata, Burm.** (*Mantis D.*) Handb. Ent. ii. p. 539. n. 39 (1838); Berl. Ent. Zeitschr. viii. p. 237 (1864).	Argentine Republic.
Mantis Cuticularis, *Serv.* l. c. p. 189 (1839).	
*7. **S. Ferox, Sauss.** (*Mantis F.*) Rev. Zool. (2) xi. p. 60 (1859).	Carolina, Texas, Mexico, Cent. Amer.
‖ *S. Dimidiata*, pt., *Sauss.* Mém. Mex., Mant. p. 48 (1871); Sauss. & Zehntn. l. c. p. 144. n. 6 (1894).	
S. Dimidiata, var. *Ferox*, *Sauss.* Miss. Mex., Orth. p. 248, pl. 5. f. 6 (1872).	
*8. **S. Stollii, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869).	Georgia, Virginia, Cuba.
(?) *S. Dimidiata*, var. *c. Stollii*, *Sauss.* Mém. Mex., Mant. p. 49 (1871).	
‖ *Mantis Carolina*, *Stoll*, l. c. p. 71, pl. 24. f. 92 (1813).	
9. **S. Fraterna, Sauss. & Zehntn. l. c. p. 144. n. 7, pl. 9. ff. 7, 8 (1894).	Mex., Guat., Brit. Hond.
10. **S. Maya, Sauss. & Zehntn. l. c. p. 145. n. 8, pl. 9. ff. 5, 6 (1894).	iid.
11. **S. Cærulans, Sauss. & Zehntn.** l. c. n. 9, pl. 9. f. 9 (1894).	Central America(?).
12. **S. Venusta, Sauss. & Zehntn. l. c. n. 10, pl. 7. ff. 4, 5 (1894).	Guatemala.
*13. **S. Limbata, Hahn,** (*Mantis L.*) Icones, pl. A. f. 2 (1835).	Mexico.
S. Limbata, *Sauss.* Miss. Mex., Orth. p. 249, pl. 6. f. 11 (1872); Sauss. & Zehntn. l. c. p. 146. n. 11 (1894).	
Mantis Cellularis, *Burm.* Handb. Ent. ii. p. 532. n. 12 (1838).	
Mantis Viridimargo, *Burm.* l. c. n. 13 (1838).	
Mantis Latipennis, *Burm.* l. c. p. 538. n. 37 (1838); Sauss. Mém. Mex., Mant. p. 52 (1871); Westw. Rev. Mant. p. 36, pl. 9. ff. 4, 5 (1889).	
Mantis Asteca, *Sauss.* Rev. Zool. (2) xi. p. 60 (1859).	
14. **S. Montana, Sauss. & Zehntn. l. c. p. 146, pl. 9. f. 4 (1894).	Mexico, Guatemala

*15. **S. Domingensis, Beauv.** (*Mantis D.*) Ins. Afr. Amér. p. 61, pl. 12. f. 2 (1805). *S. Dominicensis, Sauss.* Mém. Mex., Mant. p. 50 (1871); Miss. Mex., Orth. p. 245 (1872); Westw. l. c. p. 36, pl. 4. f. 3 (1889); Sauss. & Zehntn. l. c. p. 146. n. 13 (1894): Rehn, l. c. p. 564 (1904). *Mantis Cubaensis, Haan*, Temminck, Verhandel., Orth. p. 74. n. 27 (1842).	Haiti, Cuba.
15*a*. **S. Albimacula, Burm.** (*Mantis A.*) l. c. p. 534. n. 19 (1838).	Brazil.
16. **S. Androgyna, Sauss. & Zehntn. l. c. p. 147. n. 14, pl. 7. f. 1 (1894).	British Honduras.
17. **S. (?) Thalassina, Burm.** (*Mantis T.*) l. c. p. 532. n. 8 (1838).	Brazil.
18. **S. (?) Tripunctata, Burm.** (*Mantis T.*) l. c. n. 10 (1838).	Bahia.
19. **S. (?) Conspersa, Burm.** (*Mantis C.*) l. c. p. 534. n. 18 (1838).	B. Aires.
20. **S. (?) Marginata, Beauv.** (*Mantis M.*) l. c. p. 62, Orth. pl. 12. f. 3 (1805).	Haiti.

Genus 77. **Melliera.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 123 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 147 (1894).

1. **M. Atopogamia, Sauss. l. c. p. 123 (1892); Sauss. & Zehntn. l. c. p. 148, pl. 7. ff. 7, 8 (1894).	Mexico, Guatemala, Nicaragua.
2. **M. Major, Sauss.** (*Acontista M.*) Mém. Soc. Genève, xxiii. p. 22 (1872); Miss. Mex., Orth. p. 241 (1872). *M. Major, Sauss. & Zehntn.* l. c. p. 149. n. 2 (1894).	Brazil.

Genus 78. **Phasmomantis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869); Mém. Soc. Genève, xxi. pp. 42, 278 (1871); Mém. Mex., Mant. p. 54 (1871); Miss. Mex., Orth. p. 251 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 149 (1894).

*1. **P. Sumichrasti, Sauss.** (*Mantis (Cardioptera) S.*) Rev. Zool. (2) xiii. p. 126 (1861). *P. Sumichrasti, Sauss.* Mém. Mex., Mant.	Mexico, Texas, Brit. Honduras.

p. 55 (1871); Miss. Mex., Orth. p. 252. pl. 1. ff. 7, 8 (1872); Sauss. & Zehntn. l. c. p. 149. n. 1 (1894).	
♂. *Mantis Mexicana, Sauss.* Rev. Zool. (2) xiii. p. 127 (1861).	
2. **P. Championi, Sauss. & Zehntn. l. c. p. 149. n. 2, pl. 7. f. 6 (1894).	Panama.

Genus 79. **Oxyothespis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 234, 239 (1870).
Oxythespis, Sauss. Mém. Soc. Genève, xxi. p. 127 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 29 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 151 (1902).

*1. **O. Senegalensis, Sauss.** ll. cc. p. 239 (1870); p. 128, pl. 6. ff. 41, 41 *a*, *b* (1871).	Senegal, Abyssinia.
*2. **O. Granulata, Sauss.** ll. cc. p. 239 (1870); p. 128, pl. 6. ff. 40, 40 *a* (1871).	Senegal, Lagos.
3. **O. Turcomaniæ, Sauss.** Mém. Soc. Genève, xxiii. p. 61 (1872); Fedchenko, Reise Turk., Orth. p. 19, pl. 1. f. 8 (1874); Jacobs. & Bianki, l. c. p. 151 (1902).	Turkestan.

Genus 80. **Nanomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. pp. 29, 115, 310 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

*1. **N. Australis, Sauss.** l. c. pp. 117, 311, pl. 7. f. 64 (1871).	Australia.
2. **N. (?) Snelleni, Sauss.** l. c. p. 313, pl. 7. f. 65 (1871).	Moluccas.
*3. **N. (?) Albella, Burm.** (*Mantis A.*) Handb. Ent. ii. p. 533. n. 15 (1838).	Java, Borneo, Sumatra, Singapore, Manilla.
Miopteryx Lactea, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Mém. Soc. Genève, xxi. p. 125. n. 5 (1871).	
Miopteryx Albella, Sauss. l. c. xxiii. p. 72 (1872).	
4. **N. (?) Miranda, Westw.** Rev. Mant. p. 19. n. 467 (1889).	Sumatra.
Miopteryx Mirandula, Westw. l. c. p. 38 (1889).	

5. **N. (?) Hemerobius, Stoll,** (*Mantis H.*) Spectres, Mantes, p. 40 (1788); Oliv. Enc. Méth., Ins. vii. p. 638. n. 70 (1792). *Mantis Fenestrata, Stoll*, l. c. pl. 12. f. 46 (1813). *Mantis Neuroptera, Licht.* Trans. Linn. Soc. Lond. vi. p. 31. n. 36 (1802).	Ceylon.
6. **N. (?) Fragilis, Westw.** (*Musonia F.*) Rev. Mant. p. 31 (1889).	Sarawak.
7. **N. (?) Gilolæ, Westw.** (*Musonia G.*) l. c. (1889).	Gilolo.
8. **N. (?) Variipennis, Westw.** (*Musonia V.*) l. c. (1889).	Dorey.
9. **N. (?) Bilineata, Westw.** (*Musonia B.*) l. c. (1889).	Sarawak.

Genus 81. **Stenomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. p. 311 (1871).

*1. **S. Novæ-Guineæ, Haan,** (*Mantis N.*) Temminck, Verhandel., Orth. p. 76, pl. 17. f. 3 (1842). *Miomantis Novæ-Guineæ, Sauss.* l. c. pp. 121, 308 (1871). *Nanomantis Novæ-Guineæ, Sauss.* l. c. p. 314 (1871).	N. Guinea, Waigiou, Queensland.
1 *a*. **S. Biseriata, Westw.** (*Nanomantis B.*) Rev. Mant. p. 32 (1889).	Rockhampton.

Genus 82. **Parathespis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869); Mém. Soc. Genève, xxi. p. 132 (1871).

1. **P. Humbertiana, Sauss.** ll. cc. p. 71 (1869); xxi. p. 133 (1871); xxiii. p. 63 (1872).	Ceylon.

Genus 83. **Hoplocorypha.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 388 (1871); Sauss. Mém. Soc. Genève. xxiii. p. 63 (1872); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 208 (1895).

*1. **H. Galeata, Gerst.** (*Mantis (Damria) G.*) Arch. f. Nat. xxxv. p. 210 (1870); Von der Decken, Reisen in Ost-Afrika, Ins. p. 16 (1873).	Africa.

Parathespis Galeata, Sauss. l. c. xxi. p. 135 (1871), xxiii. p. 63 (1872).	
Mantis Macra, Stål, l. c. xiii. p. 169. n. 4 (1856).	
H. Macra, Stål, l. c. xxviii. p. 388 (1871); Sauss. & Zehntn. l. c. p. 209 (1895).	
2. **H. Rapax, Sauss.** Ann. Mus. Genova, xvi. p. 211 (1881).	Shoa.
3. **H. Bottegi, Sauss.** l. c. xxxv. p. 91 (1895).	Galla Land.
4. **H. Boromensis, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 247, pl. 7. f. 8 *a–d* (1895).	Zambesi.
*5. **H. Grandis, Brancs.** l. c. p. 248, pl. 7. f. 9 *a–c* (1895).	id.
6. **H. Aurita, Sauss. & Zehntn.** l. c. p. 210, pl. 9. f. 34 (1895).	Madagascar
7. **H. Bispina, Sauss. & Zehntn.** l. c. p. 211, pl. 9. f. 33 (1895).	id.

Genus 84. **Fulcinea.**

Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

1. **F. Alaris, Sauss.** (*Nanomantis A.*) Mém. Soc. Genève, xxi. p. 312 (1871).	Moluccas.

Genus 85. **Calidomantis.** (*Type* no. 3.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901).
‖*Miomantis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. pp. 225, 228 (1870); Mém. Soc. Genève, xxi. p. 117 (1871); Rev. Suisse Zool. v. pp. 184, 788 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 53 (1877) (*nec Blanch.*).
‖*Photina, Burm.* Handb. Ent. ii. p. 531 (1838).

1. **C. Armicollis, Karsch,** (*Miomantis A.*) Ent. Nachr. xviii. p. 148 (1892); Berl. Ent. Zeitschr. xxvii. p. 66 (1892), xxxix. p. 275, pl. 19. f. 4 (1894).	Cameroons.
2. **C. Cephalotes, Gerst.** (*Miomantis C.*) Mitth. Ver. Vorpomm. xiv. p. 85 (1883); Sauss. Rev. Suisse Zool. v. p. 187 (1898).	id.

3. **C. Fenestrata, Fabr. (*Mantis F.*) Spec. Ins. i. p. 349. n. 13 (1781); Oliv. Enc. Méth., Ins. vii. p. 629. n. 18 (1792); Burm. Handb. Ent. ii. p. 531. n. 5 (1838).	S. & E. Africa.
Miomantis Fenestrata, Sauss. Mém. Soc. Genève, xxi. p. 119 (1871); Rev. Suisse Zool. v. p. 187 (1898).	
Mantis Nana, Stoll, Spectres, Mantes, p. 66, pl. 22. f. 84 (1813).	
Mantis Vitrata, Oliv. Enc. Méth., Ins. vii. p. 639. n. 1 (1792); Serv. Ins. Orth. p. 196 (1839).	
Mantis Forficata, Stoll, l. c. p. 4, pl. 1. f. 2 (1813).	
4. **C. Lutescens, Sjöst.** (*Miomantis L.*) Bihang Svenska Akad. xxv. (4 : 6) p. 15 (1900).	Cameroons.
5. **C. Preussi, Karsch,** (*Miomantis P.*) Berl. Ent. Zeitschr. xxxvii. p. 148 (1892), xxxix. p. 275, pl. 20. ff. 11, 12 (1894).	id.
6. **C. Quadripunctata, Sauss.** (*Miomantis Q.*) Rev. Suisse Zool. v. p. 188 (1898).	S. Africa.
*7. **C. Monacha, Fabr.** (*Mantis M.*) Mant. Ins. i. p. 228. n. 21 (1787); Oliv. Enc. Méth., Ins. vii. p. 629. n. 15 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 32 (1802).	S. & E. Africa.
Miomantis Monacha, Kirb. Ann. Nat. Hist. (7) iv. p. 349 (1899).	
8. **C. Coxalis, Sauss.** (*Miomantis C.*) l. c. p. 189 (1898).	S. Africa.
*9. **C. Caffra, Sauss.** (*Miomantis C.*) Mém. Soc. Genève, xxi. p. 309 (1871); Rev. Suisse Zool. v. p. 195 (1898).	Natal.
10. **C. Brevipennis, Sauss.** (*Miomantis B.*) Mém. Soc. Genève, xxiii. p. 68 (1872); Rev. Suisse Zool. v. p. 190 (1898).	Cape, Natal, Zanzibar.
*11. **C. Menelikii, Borm.** (*Miomantis M.*) Ann. Mus. Genova, xvi, p. 209, fig. (1881), xviii. p. 705 (1883); Sauss. Rev. Suisse Zool. v. p. 194 (1898).	Shoa.
12. **C. Paykullii, Stål,** (*Miomantis P.*) Œfv. Vet.-Akad. Förh. xxviii. p. 392, note (1871); Sauss. l. c. p. 194 (1898).	Senegal (?).

*13. **C. Savignyi, Sauss.** (*Miomantis S.*) Mém. Soc. Genève, xxiii. p. 69, pl. 8. f. 15 (1872); Rev. Suisse Zool. v. p. 190 (1898); Westw. Rev. Mant. p. 37, pl. 10. f. 1 (1889).	Egypt, Nubia, Zululand.
14. **C. Senegalensis, Schulth.** (*Miomantis S.*) Bull. Soc. Vaud. xxxv. p. 196 (1899).	Senegal.
*15. **C. Prasina, Burm.** (*Mantis P.*) l. c. p. 543. n. 55 (1838).	Natal.
‖*Mantis Fenestrata, Charp.* Orth. pl. 40 (1842).	
Miomantis Semialata, Sauss. Mém. Soc. Genève, xxiii. p. 71, pl. 8. f. 14 (1872); Rev. Suisse Zool. v. p. 191, pl. 9. f. 1 (1898).	
Miomantis Marginalis, var., *Sauss.* Mém. Soc. Genève, xxi. p. 309 (1871).	
16. **C. Saussurei, Schulth.** (*Miomantis S.*) l. c. p. 195 (1899).	id., Delagoa B.
*17. **C. Pellucida, Sauss.** (*Miopteryx P.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870).	Senegal, S. Africa.
Miomantis Pellucida, Sauss. Mém. Soc. Genève, xxi. p. 119, pl. 5. ff. 38, 39 (1871); Rev. Suisse Zool. v. p. 191 (1898).	
17*a*. **C. Clara, Serv.** (*Mantis C.*) l. c. p. 204 (1839).	Senegal.
18. **C. Nyassensis, Sauss.** (*Miomantis N.*) Rev. Suisse Zool. v. p. 195 (1898).	Nyassa.
19. **C. Scabricollis, Gerst.** (*Miomantis S.*) Mitth. Ver. Vorpomm. xiv. p. 84 (1883); Sauss. l. c. p. 192 (1898).	Gold Coast.
*20. **C. Pharaonis, Sauss.** (*Miomantis P.*) l. c. p. 193 (1898).	Egypt.
21. **C. Gracilis, Karsch,** (*Miomantis G.*) Ent. Nachr. xviii. p. 149 (1892), xxxix. p. 275, pl. 20. f. 10 (1894).	Cameroons.

Genus 86. **Iris.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc. Genève, xxi. p. 105 (1871); Mém. Mex., Mant. p. 104 (1871); Miss. Mex., Orth. p. 261 (1872); Bol. Sin. Ortópt. Esp. p. 63 (1876); Brunn. Prodr. Eur. Orth. p. 60 (1882); Finot, Faune France, Orth. p. 88 (1890); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 151 (1902).

*1. **I. Oratoria, Linn.** (*Gryllus* (*Mantis*) *Oratorius*) Syst. Nat. (ed. x.) i. p. 426. n. 6 (1758). *Mantis Oratoria*, *Linn.* op. cit. (ed. xii.) i. (2) p. 690. n. 6 (1766) (*excl. syn.*); Charp. Hor. Ent. p. 89 (1825); Orth. pl. 16 (1842); Burm. Handb. Ent. ii. p. 540. n. 44 (1838); Serv. Ins. Orth. p. 195 (1839); Fisch. Orth. Eur. p. 127 (1853). *Iris Oratoria*, *Sauss.* Mém. Soc. Genève, xxi. p. 106 (1871); Fedchenko, Reise Turk., Orth. p. 15 (1874); Bol. l. c. p. 64 (1876); Brunn. l. c. p. 61, pl. 2. f. 15 A, B (1882); Finot, l. c. p. 88, pl. 3. f. 51 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 248, f. 140 (1895); Jacobs. & Bianki, l. c. p. 152, pl. 2 (1902). *Mantis Bella*, *Germ.* Faun. Ins. Eur. fasc. 6, pl. 16 (1817). *Mantis Minima*, *Charp.* Hor. Ent. p. 91 (1825); Burm. l. c. p. 531. n. 2 (1838); Fisch. Waldh. Orth. Ross. p. 105 (1846). *Mantis Fenestrata*, *Brullé*, Exp. Morée, p. 84, pl. 29. f. 5 (1832). *Mantis Polystictica*, *Fisch. Waldh.* l. c. p. 102, pl. 2. f. 4 (1846).	N. Africa, S. Europe, W. Asia.
2. **I. Fasciata, Oliv.** (*Mantis F.*) Enc. Méth., Ins. vii. p. 640. n. 4 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 34 (1802). *Mantis Strigosa*, *Stoll*, Spectres, Mantes, p. 56, pl. 18. f. 68 (1813). *I. Strigosa*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869); Mém. Mex., Mant. p. 104 (1871).	Surinam, Cayenne.
*3. **I. Orientalis, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 32 (1882).	India.
4. **I. Masoni, Westw.** Rev. Mant. p. 32, pl. 1. f. 6 (1889).	id.
5. **I. Rogenhoferi, Sauss.** Mém. Soc. Genève, xxiii. p. 55, pl. 8. f. 9 (1872).	Natal.

Genus 87. **Oxyophthalmus.** (*Type* no. 1.)

Oxyophthalmus, Sauss. Ann. Soc. Ent. France, (4) i. p. 469 (1861).

Oxyophthalma, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Mém. Soc. Genève, xxi. p. 270 (1871), xxiii. p. 12 (1872).

1. **O. Gracilis, Sauss.** Ann. Soc. Ent. France, (4) i. p. 470, pl. 11. f. 1 (1861): Mém. Soc. Genève, xxi. p. 271 (1871).	Ceylon.
2. **O. Engæus, Wood-Mason,** Cat. Mant. p. 37, f. 28 (1889).	Nilgiris.

Genus 88. **Paroxyophthalmus.** (*Type* no. 1.)

Wood-Mason, Cat. Mant. p. 38 (1889).

1. **P. Collaris, Sauss.** (*Oxyophthalmus C.*) Mém. Soc. Genève, xxiii. p. 14, pl. 9. f. 17 (1872).	Senaar.
2. **P.** (?) **Savatieri, Rochebr.** (*Oxyophthalma S.*) Bull. Soc. Philom. (7) vii. p. 176 (1883).	Senegambia

Genus 89. **Episcopus.**

Sauss. Mém. Soc. Genève, xxiii. p. 12 (1872).

*1. **E. Chalybeus, Burm.** (*Schizocephala Chalybea*) Handb. Ent. ii. p. 552. n. 2 (1838). *Oxyophthalma Chalybea, Sauss.* l. c. p. 12, pl. 8. ff. 2, 2 *a* (1872). *E. Chalybeus, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 24 (1882); Cat. Mant. p. 38, f. 29 (1889).	S. & E. Africa.

Genus 90. **Paraepiscopus.**

Wood-Mason, Cat. Mant. p. 39 (1889).

1. **P. Hampsoni, Wood-Mason,** l. c. p. 40, f. 30 (1889),	Nilgiris.

Genus 91. **Dysaules.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 15 (1877); Wood-Mason, Cat. Mant. p. 41 (1889).

*1. **D. Longicollis, Stål,** l. c. p. 18 (1877); Wood-Mason, l. c. p. 41, f. 31 (1889). *D. Longicollis*, var. *Brevipennis*, *Wood-Mason*, Journ. Asiatic Soc. Bengal, li. p. 25 (1882).	India.
*2. **D. Himalayanus, Wood-Mason,** Cat. Mant. p. 42, ff. 42, 43 (1889). ‖*D. Longicollis*, *Wood-Mason*, Journ. Asiatic Soc. Bengal, li. p. 25 (1882).	N.W. India, Quetta.

Genus 92. **Schizocephala.**

Serv. Ann. Sci. Nat. xxii. p. 55 (1831); Ins. Orth. p. 166 (1839); Burm. Handb. Ent. ii. p. 552 (1838); Sauss. Mém. Soc. Genève, xxi. p. 135 (1871).

*1. **S. Bicornis, Linn.** (*Gryllus* (*Mantis*) *B.*) Syst. Nat. (ed. x.) i. p. 426. n. 8 (1758); Mus. Ludov. Ulr. p. 116 (1764); Oliv. Enc. Méth., Ins. vii. p. 632. n. 35 (1792). *Mantis Oculata*, *Fabr.* Spec. Ins. i. p. 348. n. 16 (1781); Oliv. l. c. n. 33 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 20. n. 2 (1802); Stoll, Spectres, Mantes, pp. 32, 43, pl. 10. f. 38, pl. 13. f. 53 (1813). *S. Bicornis*, *Burm.* l. c. p. 552. n. 1 (1838); Serv. Ins. Orth. p. 167 (1839); Sauss. l. c. p. 137 (1871); Wood-Mason, Cat. Mant. p. 44, f. 34 (1889). *Mantis Stricta*, *Oliv.* l. c. p. 641. n. 12 (1792). *S. Stricta*, *Serv.* Ann. Sci. Nat. xxii. p. 56 (1831).	Africa, India, China.

Genus 93. **Leptocola.** (*Type* no. 1.)

Gerst. Mitth. Ver. Vorpomm. xiv. p. 91 (1883).

*1. **L. Gracillima, Gerst.** l. c. p. 92 (1883). *Euchomena Stanleyana, Westw.* Rev. Mant. p. 33 (1889).	Cameroons, Congo, Gaboon.
*2. **L. Giraffa, Karsch,** Berl. Ent. Zeitschr. xxxix. p. 277 (1894). ‖ *L. Gracillima, Karsch,* Ent. Nachr. xviii. p. 11 (1892).	Cameroons.
3. **L. Lignea, Karsch,** l. c. p. 12 (1892).	Tanganyika.
4. **L. Seriepunctata, Karsch,** l. c. p. 10 (1892).	Chinchoxo.
5. **L. Tenuissima, Karsch,** l. c. p. 146 (1892); Berlin. Ent. Zeitschr. xxxix. p. 276, pl. 19. f. 1 (1894).	Cameroons.

Genus 94. **Solygia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 32 (1877).
‖ *Thespis, Serv.* Ins. Orth. p. 171 (1839).

1. **S. Sulcatifrons, Serv.** (*Thespis S.*) l. c. p. 171 (1839).	Cape, Senegal.
2. **S. Agrionina, Gerst.** (*Mantis* (*Photina*) *A.*) Arch. Nat. xxxv. p. 209 (1869); Von der Decken, Reisen in Ost-Afrika, Ins. p. 13 (1873).	Zanzibar.
3. **S. (?) Distanti, Kirb. Ann. Nat. Hist. (7) iv. p. 350 (1899); Dist. Ins. Transv. p. 38, pl. 2. f. 5 (1902).	Transvaal, Zululand.
4. **S. Phthisica, Sauss.** (*Mantis P.*) Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869); Mém. Mex., Mant. p. 131 (1871).	W. Africa (nec Brazil).
5. **S. (?) Bormantiella, Borm.** (*Thespis B.*) Ann. Mus. Genov. xvi. p. 210 (1881). *Thespis Cormantiella, Westw.* Rev. Mant. p. 6 (1889).	Shoa.

Genus 95. **Teddia.**

Burr, Bull. Liverpool Mus. ii. p. 42 (1899); Forbes, Nat. Hist. Sokotra, p. 415 (1903).

1. **T. Dioscoris, Burr, ll. cc. p. 43 (1899); p. 416, pl. 25. ff, 3, 3*a*, *b* (1903).	Sokotra.

Genus 96. **Brunneria.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869), p. 240 (1870); Mém. Mex., Mant. p. 132 (1871).

*1. **B. Subaptera, Sauss.** ll. cc. p. 71 (1869); p. 133, pl. 2. f. 30 (1871).	Argentina.
*2. **B. Brasiliensis, Sauss.** ll. cc. p. 240 (1870); p. 135, pl. 2. ff. 31, 31*a* (1871).	Brazil.
3. **B. Borealis, Scudd.** Canad. Ent. xxviii. p. 212 (1896).	Texas.
4. **B. (?) Caudata, Sauss.** (*Thespis* (?) *C.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870). *B.* (?) *Caudata, Sauss.* Mém. Mex., Mant. p. 136, pl. 2. f. 32 (1871).	Brazil.

Genus 97. **Thespis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 54 (1831); Burm. Handb. Ent. ii. p. 533 (1838), *sect. typ.*

Angela, Serv. Ins. Orth. p. 171 (1839); Sauss. Mém. Mex., Mant. p. 57 (1871); Miss. Mex., Orth. p. 271 (1872); Sauss. & Zehntn. Biol. Centr. Amer., Orth. i. p. 155 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 41 (1877).

*1. **T. Purpurascens, Oliv.** (*Mantis P.*) Enc. Méth., Ins. vii. p. 640. n. 7 (1792); Licht. Trans. Linn. Soc. vi. p. 20. n. 4 (1802); Burm. l. c. p. 533. n. 17 (1838). *T. Purpurascens, Serv.* Ann. Sci. Nat. xxii. p. 54 (1831). *Mantis Versicolor, Stoll,* Spectres, Mantes, p. 25, pl. 8. f. 28 (1813); Blanch. Hist. Ins. iii. p. 13. n. 7 (1841).	S. America.

Angela Versicolor, *Sauss.* Mém. Mex., Mant. p. 59 (1871); Westw. Rev. Mant. p. 5, pl. 3. ff. 2, 3 (1889).	
♀. *Mantis Brachyptera*, *Stoll*, l. c. p. 58, pl. 19. f. 71 (1813).	
T. Brachyptera, *Serv.* l. c. p. 173 (1839).	
Angela Brachyptera, *Sauss. & Zehntn.* l. c. p. 156. n. 1 (1894).	
2. **T. Fulgida, Sauss.** (*Angela F.*) Mém. Soc. Genève, xxiii. p. 61 (1872); Miss. Mex., Orth. p. 272 (1872); Sauss. & Zehntn. l. c. p. 157. n. 2 (1894).	Cayenne.
3. **T. Quinquemaculata, Oliv.** (*Mantis Q.*) l. c. p. 636. n. 57 (1792); Stoll, l. c. p. 8, pl. 3. f. 9 (1813); Burm. l. c. p. 533. n. 16 (1838).	Surinam, Cayenne.
Angela Quinquemaculata, *Sauss. & Zehntn.* l. c. p. 157. n. 3 (1894).	
Mantis Picta, *Licht.* l. c. p. 21. n. 5 (1802).	
4. **T. Championi, Sauss. & Zehntn. (*Angela C.*) l. c. p. 158. n. 4 (1894).	Guatemala
5. **T. Miranda, Sauss.** (*Angela M.*) Mém. Mex., Mant. p. 60 (1871); Sauss. & Zehntn. l. c. p. 158. n. 6 (1894).	Mexico.
*6. **T. Perpulchra, Westw.** (*Angela P.*) l. c. p. 30 (1889); Sauss. & Zehntn. l. c. p. 158. n. 7, pl. 8. f. 1 (1894).	Nicaragua.
7. **T. Trifasciata, Stål,** l. c. p. 62 (1877).	Bahia.

Genus 98. **Eremoplana.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

*1. **E. Guerini, Reiche & Fairm.** (*Thespis G.*) Ferret & Galinier, Voy. Abyss. iii. p. 422, pl. 27. f. 4 (1847).	Abyssinia, E. Africa.
E. Guerini, *Westw.* Rev. Mant. pp. 8, 33, pl. 11. f. 5 (1889).	
Iris (Fischeria) Guerini, *Sauss.* Mém. Soc. Genève, xxi. p. 306 (1871).	
Mantis Perfida, *Guér.* Lefebvre, Voy. Abyss. vi. p. 334, pl. 6. f. 1 (1848).	
2. **E. Gigas, Sauss.** (*Brunneria G.*) Mitth. Schweiz. Ent. Ges. iii. p. 240 (1869).	Africa (?).
Iris (Fischeria) Gigas, *Sauss.* Mém. Soc. Genève, xxi. p. 307 (1871).	

3. **E. Microptera, Westw. l. c. pp. 9, 32, pl. 3. f. 4 (1889).	India.
4. **E.** (?) **Basalis, Westw.** (*Phasmomantis B.*) l. c. pp. 10, 33, pl. 13. f. 4 (1889).	Darjiling.
5. **E. Armata, Haan,** (*Mantis* (*Thespis*) *A.*) Temminck, Verhandel., Orth. p. 95 (1842).	Hab. —— ?
5*a*. **E. Laticeps, Wood-Mason,** (*Fischeria L.*) Ann. Nat. Hist. (4) xviii. p. 337 (1876), (5) i. p. 144 (1878). *Deiphobe Laticeps, Wood-Mason*, Proc. Zool. Soc. Lond. 1878, p. 580, pl. 35. (?) *Mantis Ocellata, Thunb.* Mém. Acad. Pétersb. v. p. 293 (1815).	India.

Genus 99. **Deiphobe.**

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

*1. **D. Ocellata, Sauss.** (*Thespis O.*) Mém. Soc. Genève, xxi. pp. 130, 306 (1871).	India.

Genus 100. **Ischnomantis.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 389 (1871).

1. **I. Fatiloqua, Stål,** (*Mantis F.*) l. c. xiii. p. 168 (1856), xxviii. p. 389 (1871).	Natal.
2. **I. Spinigera, Schulth.** Ann. Mus. Genova, xxxix. p. 176 (1898).	Somali.
3. **I. Media, Rehn,** Proc. Acad. Sci. Philad. liii. p. 284 (1901).	Galla Land.
4. **I. Grandis, Sauss.** (*Phasmomantis G.*) Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. p. 43 (1871); Mém. Mex., Mant. p. 57 (1871). *Fischeria Grandis, Sauss.* Mém. Soc. Genève, xxiii. p. 60, pl. 1. f. 10 (1872).	Senegal.

Genus 101. **Carvilia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 70 (1876); Bihang Svenska Akad. iv. (10) p. 29 (1877).

Parasphendale, Schulth. Ann. Mus. Genova, xxxix. p. 177 (1898). (*Type* no. 1.)

*1. **C. Vincta, Gerst.** (*Mantis V.*) Arch. f. Naturg. xxxv. p. 209. n. 24 (1859); Von	E. Africa.

der Decken, Reisen in Ost-Afrika, Ins. p. 14, pl. 1. f. 6 (1873).	
C. Vincta, Sauss. Abhandl. Senckenb. Ges. xxi. p. 587 (1899).	
2. **C. Costalis, Kirb. Ann. Nat. Hist. (7) xiii. p. 85 (1904).	E. Africa.
Mantis Vincta, var. *a, Gerst.* ll. cc. p. 210 (1859) ; pp. 14, 15 (1873).	
3. **C. Saussurii, Stål,** (*Fischeria* (*Carrilia*) *S.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 70 (1876).	Damara Land.
4. **C. Minor, Schulth.** (*Parasphendale M.*) l. c. p. 177 (1898).	Somali Land.
5. **C. Obscura, Fabr. (*Mantis O.*) Spec. Ins. i. p. 349. n. 21 (1781).	W. Africa.

Genus 102. **Dactylopteryx.**

Karsch, Ent. Nachr. xviii. p. 8 (1892).

1. **D. Flexuosa, Karsch,** l. c. p. 10 (1892).	Gaboon.

Genus 103. **Bisanthe.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 72 (1876).

1. **B. Pulchripennis, Stål,** (*Mantis P.*) Bihang Svenska Akad. iii. (14) p. 43 (1875).	Damara Land.
B. Pulchripennis, Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 72 (1876).	
2. **B. Ornatipennis, Bol.** Ann. Soc. Ent. France, 1893, p. 174.	W. Africa.

Genus 104. **Fischeria.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869) ; Mém. Soc. Genève, xxi. pp. 106, 300 (1870) ; Brunn. Prodr. Eur. Orth. p. 64 (1882) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 153 (1902).

*1. **F. Bætica, Ramb.** (*Mantis B.*) Faune Andalusie, ii. p. 19, pl. 1. ff. 1, 2 (1839) ; Luc. Expl. Alg. iii. p. 11 (1849) ; Fisch. Orth. Eur. p. 128, pl. 8. ff. 2, 3 (1853).	S. Europe, N. Africa, W. Asia.

Iris Bætica, Sauss. Mém. Soc. Genève, xxi. pp. 108, 302 (1871). *Iris (Fischeria) Bætica, Bol.* Sin. Ortópt. Españ. p. 64 (1876). *F. Bætica, Sauss.* Fedchenko, Reise Turk., Orth. p. 16 (1874) ; Jacobs. & Bianki, l. c. p. 153 (1902). *Mantis Pallasii, Fieb.* Lotos, iii. p. 95. n. 3 (1858).	
*2. **F. Syriaca, Sauss.** (*Iris S.*) Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869).	Syria.
3. **F. Caucasica, Sauss.** (*Iris C.*) Mém. Soc. Genève, xxi. p. 110 (1871). *F. Caucasica, Sauss.* Fedchenko, Reise Turk., Orth. p. 17 (1874) ; Jacobs. & Bianki, l. c. p. 153 (1902).	Caucasus, W. Asia.
*4. **F. Fraterna, Sauss.** (*Iris F.*) Mém. Soc. Genève, xxi. p. 109 (1871).	India, Arabia.

Genus 105. **Bolivaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 34 (1877) ; Brunn. Prodr. Eur. Orth. p. 62 (1882) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 152 (1902).

1. **B. Brachyptera, Pall.** (*Mantis B.*) Reise, ii. p. 728. n. 81 (1773) ; Goeze, Ent. Beytr. ii. p. 32. n. 19 (1778) ; Fisch. Waldh. Orth. Ross. p. 103, pl. 5. f. 3 (1846). *Iris Brachyptera, Sauss.* Mém. Soc. Genève, xxi. p. 112 (1871). *Mantis Commutata, Fieb.* Lotos, iii. p. 95. n. 4 (1853). *Iris Pallasii, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869). *Mantis Mesomelas, Oliv.* Enc. Méth., Ins. vii. p. 635. n. 54 (1792). *Mantis Nympha, Stoll,* Spectres, Mantes, p. 10, pl. 4. f. 12 (1813). *Coptopteryx (?) Stollii, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870). *Coptopteryx (?) Mesomelas, Sauss.* Mém. Mex., Mant. p. 68 (1871).	S.E. Europe N. Africa, W. Asia.

Fischeria Brachyptera, Sauss. Fedchenko, Reise Turk., Orth. p. 18 (1874). *B. Brachyptera, Brunn.* l. c. p. 62, pl. 2. f. 16 (1882); Jacobs. & Bianki, l. c. p. 152 (1902).	
2. **B. Moseri, Sauss.** (*Iris M.*) Mém. Soc. Genève, xxi. p. 114 (1871). *Fischeria Moseri, Sauss.* Fedchenko, l. c. p. 18 (1874). *B. Moseri, Jacobs. & Bianki,* l. c. p. 152 (1902).	Samarcand.
3. **B. Dolichoptera, Schulth.** Zool. Jahrb. Syst. viii. p. 71 (1894).	Somali Land.

Genus 106. **Sphendale.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 34 (1877).

1. **S. Infuscata, Sauss.** (*Phasmomantis I.*) Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 44 (1871). *Iris (Fischeria) Infuscata, Sauss.* Mém. Soc. Genève, xxi. p. 303 (1871). *S. Infuscata, Bol.* Ann. Soc. Ent. France, 1897, p. 312.	India.
*2. **S. Xanthoptera, Oliv.** (*Mantis X.*) Enc. Méth., Ins. vii. p. 637. n. 61 (1792). *Mantis Ochroptera, Licht.* Trans. Linn. Soc. Lond. vi. p. 29. n. 29 (1802). *Mantis Nympha, Stoll,* Spectres, Mantes, p. 19, pl. 6. f. 22 (1813). *S. Xanthoptera, Kirb.* Ann. Nat. Hist. (7) xiii. p. 85 (1904).	id.
3. **S. Robusta, Kirb. l. c. p. 86 (1904).	Nepal.
4. **S. (?) Brunneri, Sauss.** (*Iris (Fischeria) B.*) l. c. p. 304 (1871).	Himalaya.

Genus 107. **Gonatista.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869); Mém. Mex., Mant. p. 23 (1871); Miss. Mex., Orth. p. 230 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 40 (1877).

*1. **G. Grisea, Fabr.** (*Mantis G.*) Ent. Syst. ii. p. 22. n. 40 (1793). *G. Grisea, Sauss.* Mém. Mex., Mant. p. 23 (1871); Miss. Mex., Orth. p. 231, pl. 5. ff. 1, 2 (1872). *Mantis Reticulata, Thunb.* Mém. Acad. Pétersb. v. p. 288 (1815). *Mantis Phryganoides, Serv.* Ins. Orth. p. 198 (1839). *Mantis Bifasciata, Haan*, Temminck, Verhandel., Orth. p. 78 (1842). *G. Cubensis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869).	N. America, Cuba, Jamaica, &c.
2. **G. Trifasciata, Haan,** (*Mantis T.*) l. c. p. 77 (1842). *G.* (?) *Trifasciata, Sauss.* Mém. Mex., Mant. p. 27 (1871).	Brazil.

Genus 108. **Majanga.** (*Type* no. 2.)

Wood-Mason, Cat. Mant. pl. 1. f. 8 (1891).
Pantelica, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 159 (1895).

1. **M. Tricolor, Sauss. & Zehntn.** (*Pantelica T.*) l. c. p. 162, pl. 9. f. 32 (1895).	Madagascar
2. **M. Basilaris, Westw.** (*Epaphrodita B.*) Rev. Mant. p. 45, pl. 1. f. 2 (1889). *Pantelica Basilaris, Sauss. & Zehntn.* l. c. p. 163 (1895). *M. Basilaris, Wood-Mason*, l. c. pl. 1. ff. 8, 8 *a*, *b* (1891).	id.

Genus 109. **Hagiomantis.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 158 (1894).

1. **H. Ornata, Stoll,** (*Mantis O.*) Spectres, Mant. p. 57, pl. 19. f. 69 (1813). *Mantis Ornata, Serv.* Ins. Orth. p. 192 (1839). *Gonatista Ornata, Sauss.* Mém. Mex., Mant. p. 25 (1871); Westw. Rev. Mant. p. 4, pl. 13. f. 7 (1889).	"India," "Cape," Cayenne, Bolivia, Ega (eadem ?).
*2. **H. Superba, Gerst.** (*Liturgusa S.*) Mitth. Ver. Vorpomm. xx. p. 53 (1889).	Peru, Ega.

3. **H. Lutescens, Guér. & Perch.** (*Mantis L.*) Gen. Ins., Orth. pl. 3 (1835). *Liturgousa Lutescens, Sauss.* l. c. p. 103 (1871).	Cayenne.
4. **H. Nubeculosa, Gerst.** (*Liturgusa N.*) l. c. p. 54 (1889).	Ega.
5. **H. Surinamensis, Sauss.** (*Liturgousa S.*) Miss. Mex., Orth. p. 260 (1872).	Surinam.

Genus 110. **Liturgousa.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Mex., Mant. p. 100 (1871); Miss. Mex., Orth. p. 259 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Grandidier, Hist. Madagascar, Orth. i. p. 157 (1895).

*1. **L. Annulipes, Serv.** (*Mantis A.*) Ins. Orth. p. 199 (1839); (?) Charp. Orth. pl. 28 (1843). *L. Annulipes, Sauss.* Mém. Mex., Blatt. p. 102 (1871); Westw. Rev. Mant. p. 4, pl. 2. f. 3 (1889).	Cayenne, Brazil.
2. **L. Lichenalis, Gerst.** Mitth. Ver. Vorpomm. xx. p. 52 (1889).	Peru.
*3. **L. Cayennensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 62 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894).	Cayenne, Panama, Amazons.
4. **L. Maya, Sauss. & Zehntn. (*L. Cayennensis*, var. *Maya*) l. c. p. 160 (1894).	Mex., Guat., Brazil.
5. **L. Mesopoda, Westw.** l. c. p. 30, pl. 13. f. 10 (1889).	Cayenne.
6. **L. Malagassa, Sauss. & Zehntn.** Grandidier, Hist. Madagascar, Orth. i. p. 157, pl. 9. f. 31 (1895).	Madagascar

Genus 111. **Coptopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Mex., Mant. p. 61 (1871); Miss. Mex., Orth. p. 263 (1872).

*1. **C. Crenaticollis, Blanch.** (*Mantis C.*) Gay, Hist. Chile, Zool. vi. p. 22. n. 2 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 225. n. 2 (1863). *C. Crenaticollis, Sauss.* Mém. Mex., Mant.	Chile, Patagonia, Argentina, Uruguay.

p. 63 (1871); Miss. Mex., Orth. p. 264, pl. 6. ff. 19, 20 (1872). *C. Claraziana, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869).	
*2. **C. Argentina, Burm.** (*Mantis A.*) Berlin. Ent. Zeitschr. vii. p. 234 (1864). *C. Argentina, Sauss.* Mém. Mex., Mant. p. 66 (1871); Miss. Mex., Orth. p. 266, pl. 6. f. 21, E. A (1872).	Argentina, Brazil.
3. **C. Gayi, Blanch.** (*Mantis G.*) l. c. p. 21. n. 1, pl. 1. f. 5 (1852). *C. Gayi, Sauss.* ll. cc. p. 65 (1871); p. 265, pl. 6. f. 13 (1872); Giglio-Tos, Bull. Mus. Torino, ix. (184) p. 4 (1894).	Chile, Argentina.
4. **C. (?) Gymnopyga, Burm.** (*Mantis G.*) Handb. Ent. ii. p. 541. n. 48 (1838).	Brazil.
5. **C. (?) Grisea, Phil.** (*Mantis G.*) l. c. p. 225. n. 3 (1863). *C. (?) Grisea, Sauss.* Mém. Mex., Orth. p. 67 (1871).	Chile.

Genus 112. **Euryderes.**

Brancs. Jahresh. Ver. Trencsin. Com. xix.–xx. p. 63 (1897).

1. **E. Anisitsi, Brancs.** l. c. p. 64, pl. 1. f. 9 (1897).	Paraguay.

Genus 113. **Macromantis.** (*Type* no. 1.)

Sauss. Mém. Mex., Mant. p. 77 (1871); Miss. Mex., Orth. p. 270 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 150 (1894).

Pentacantha, Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 400 (1872). (*Type* no. 3.)

*1. **M. Ovalifolia, Stoll,** (*Mantis O.*) Spectres, Mantes, p. 58, pl. 19. f. 72 (1813); Burm. Handb. Ent. ii. p. 541. n. 49 (1838). *Cardioptera Ovalifolia, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 231 (1870). *M. Ovalifolia, Sauss.* Mém. Mex., Mant. p. 78, pl. 1. f. 4 (1871).	Guiana.
2. **M. Nicaraguæ, Sauss. & Zehntn. (*M. Ovalifolia,* var. *Nicaraguæ*) l. c. p. 150 (1894).	Nicaragua.

3. **M. Hyalina, De Geer,** (*Mantis H.*) Mém. Ins. iii. p. 410. n. 4, pl. 37. f. 1 (1773); Stoll, l. c. p. 60, pl. 20. f. 75 (1813). *M. Hyalina, Sauss.* Mém. Mex., Blatt. p. 79 (1871); Miss. Mex., Orth. p. 270 (1872).	Surinam.

Genus 114. **Metriomantis.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 151 (1894).

*1. **M. Cupido, Sauss.** (*Cardioptera C.*) Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869); Mém. Mex., Mant. p. 71 (1871); Miss. Mex., Orth. p. 267, pl. 6. ff. 9, 9 A (1872). *M. Cupido, Sauss. & Zehntn.* l. c. p. 152. n. 1 (1894).	Brazil (Ceara).
2. **M. Biramosa, Sauss. & Zehntn.** l. c. n. 2 (1894).	Brazil.
3. **M. Ovata, Sauss. & Zehntn.** l. c. n. 3 (1894).	Cayenne.

Genus 115. **Photina.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 531 (1838);
Stål, Bihang Svenska Akad. iv. (10) p. 63 (1877).

*1. **P. Vitrea, Burm.** (*Mantis V.*) l. c. p. 532. n. 7 (1838); Charp. Zeitschr. Ent. iii. p. 289 (1841). *Cardioptera Vitrea, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 231 (1870); Mém. Mex., Mant. p. 72, pl. 1. f. 3 (1871); Miss. Mex., Orth. p. 269, pl. 6. f. 10 (1872). *Mantis Pellucida, Serv.* Ins. Orth. p. 191 (1839). *Cardioptera Translucida, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869).	Brazil.
1 *a*. **P. Reticulata, Burm.** (*Mantis R.*) l. c. p. 541. n. 46 (1839). *Cardioptera Burmeisteri, Westw.* Rev. Mant. p. 15. n. 5 (1889).	id.
1 *b*. **P. Amplipennis, Stål,** l. c. p. 64. n. 3 (1877). *Cardioptera Vitrea,* ♀, *Sauss.* Mém. Mex., Mant. p. 73, pl. 1. f. 2 (1871).	id., Guiana.

2. **P. Breviceps, Stål,** l. c. p. 64. n. 4 (1877).	Rio Janeiro.
3. **P. Gracilipes, Kirb.** Ann. Nat. Hist. (7) xiii. p. 86 (1904). ‖*Cardioptera Reticulata, Sauss.* l. c. p. 196 (1871).	Para (?).
4. **P. (?) Vitripennis, Sauss.** (*Cardioptera V.*) Miss. Mex., Orth. p. 268 (1872).	Cayenne.

Genus 116. **Ardesca.**

Stål, Bihang Svenska Akad. iv. (10) p. 43 (1877).

1. **A. Vitreola, Stål,** l. c. p. 63 (1877).	Colombia.

Genus 117. **Hicetia.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 152 (1894).

1. **H. Goeldiana, Sauss. & Zehntn.** l. c. p. 153 (1894).	Rio Janeiro.

SUBFAM. V.

MIOPTERYGINÆ.

Genus 118. **Miopteryx.** (*Type* no. 2.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 55, 64 (1869); Mém. Soc. Genève, xxi. p. 122 (1871); Mém. Mex., Mant. p. 110 (1871); Miss. Mex., Orth. p. 277 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 162 (1894).

*1. **M. Ciliata, Stål,** (*Mantis C.*) Eugenie's Resa, Ins. p. 313 (1858). *M. Phryganea, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869). *M. Ciliata, Sauss.* Mém. Mex., Mant. p. 111, pl. 2. f. 21 (1871).	Rio Janeiro.
2. **M. Rustica, Fabr. (*Mantis R.*) Spec. Ins. i. p. 350. n. 27 (1781); Oliv. Enc. Méth., Ins. vii. p. 630. n. 22 (1792). *M. Rustica, Sauss.* l. c. p. 112 (1871); Miss. Mex., Orth. p. 277 (1872). *M. Perloides, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869).	Patagonia, Brazil (eadem ?).

3. **M. Argentina, Sauss.** l. c. p. 237 (1870).	Argentina.
4. **M. Brunneri, Sauss.** Mém. Mex., Mant. p. 113 (1871).	Brazil (N. Freiburg).
5. **M. Granadensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Sauss. & Zehntn. l. c. p. 162 (1894).	Bogota.
6. **M. Grandis, Westw.** Rev. Mant. p. 38 (1889).	Brazil (?).
7. **M. Livida, Serv.** (*Thespis L.*) Ins. Orth. p. 172 (1839). *M. Livida, Sauss.* Mém. Mex., Mant. p. 172 (1871).	Brazil.
8. **M.** (?) **Stigmatica, Burm.** (*Mantis S.*) Handb. Ent. ii. p. 532. n. 6 (1838). *M.* (?) *Stigmatica, Sauss.* l. c. p. 177 (1871). *Miomantis* (?) (*Stagmomantis* ?) *Stigmatica, Westw.* Rev. Mant. p. 18. n. 448 (1889).	id.

Genus 119. **Pseudomiopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 228 (1870); Mém. Mex., Mant. p. 107 (1871); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 163 (1894).

1. **P. Spinifrons, Sauss.** ll. cc. p. 228 (1870); p. 108. pl. 2. ff. 20, 20*a* (1871).	Brazil.
2. **P. Infuscata, Sauss. & Zehntn. l. c. p. 163, pl. 9. ff. 10–12 (1894); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904).	Mexico, Cent. Amer.
3. **P. Bogotensis, Sauss.** ll. cc. p. 228 (1870); p. 109 (1871); Sauss. & Zehntn. l. c. p. 164 (1894).	Bogota.

Genus 120. **Bantia.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 180 (1894).

1. **B. Marmorata, Sauss. & Zehntn.** l. c. p. 180 (1894).	Rio Janeiro.
2. **B. Pygmæa, Sauss.** (*Oligonyx Pygmea*) Miss. Mex., Orth. p. 274 (1872). *B. Pygmæa, Stål*, l. c. p. 64 (1877); Sauss. & Zehntn. l. c. p. 180 (1894).	Brazil.

Genus 121. **Astape.**

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877).

1 *a*. **A. Denticollis, Stål,** l. c. p. 65 (1877).	Hab. ——?

Genus 122. **Musonia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) pp. 45, 66 (1877) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 164 (1894).

Paramusonia, Rehn, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904). (*Type* no. 3.)

1. **M. Major, Sauss. & Zehntn.** l. c. p. 165. n. 1, pl. 10. ff. 17–19 (1894).	S. America.
*2. **M. Conspersa, Sauss.** (*Thespis C.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870) ; Mém. Mex., Mant. p. 130, pl. 2. ff. 29, 29 *a* (1871).	id.
3. **M. Cubensis, Sauss.** (*Thespis C.*) ll. cc. p. 70 (1869) ; p. 127, pl. 2. ff. 29, 29 *a* (1871) ; Sauss. & Zehntn. l. c. p. 165. n. 2 (1894).	Cuba.
4. **M. Vicina, Sauss.** (*Thespis V.*) Miss. Mex., Orth. p. 276 (1872).	Colombia.
5. **M. Infumata, Serv.** (*Mantis I.*) Ins. Orth. p. 173 (1839). *Oligonyx* (?) *Infumata, Sauss.* Mém. Mex., Orth. p. 124. n. 5 (1871).	Brazil.
6. **M. Femorata, Sauss. & Zehntn. l. c. p. 166. n. 3, pl. 10. ff. 20, 21 (1894).	Nicaragua.

Genus 123. **Galapagia.**

Scudd. Bull. Mus. Harvard Coll. xxv. p. 7 (1893).

*1. **G. Solitaria, Scudd.** l. c. p. 8, pl. 1. ff. 2, 3 (1893).	Galapagos Isl.

Genus 124. **Mionyx.** (*Type* no. 4.)

Sauss. Soc. Ent. vii. p. 122 (1892) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 166 (1894).

Musonia, bb & *aa, Stål,* Bihang Svenska Akad. iv. (10) pp. 63, 64 (1877).

1. **M. Rapax, Sauss. & Zehntn. l. c. p. 167. n. 1 (1894). *Musonia Rapax, Sauss. & Zehntn.* l. c. pl. 10. ff. 22–25 (1894)	Costa Rica.

2. **M. Ferus, Sauss. & Zehntn. l. c. p. 167. n. 2 (1894). *M. Fera, Sauss. & Zehntn.* l. c. pl. 10. ff. 15, 16 (1894).	Panama.
3. **M. Sævus, Sauss. & Zehntn. l. c. p. 167. n. 3 (1894). *M. Sæva, Sauss. & Zehntn.* l. c. pl. 10. ff. 12–14 (1894).	id.
4. **M. Lineativentris, Stål,** (*Musonia L.*) Bihang Svenska Akad. iv. (10) p. 66. n. 3 (1877). *M. Lineativentris, Sauss. & Zehntn.* l. c. p. 168. n. 4 (1894).	id., Colombia.
5. **M. Dohrnianus, Sauss. & Zehntn.** l. c. p. 168. n. 5 (1894). *M. Dohrniana, Sauss. & Zehntn.* l. c. pl. 9. f. 16 (1894).	Guatemala.
*6. **M. Surinamus, Sauss.** (*Thespis Surinama*) Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869); Mém. Mex., Mant. p. 129 (1871). *Musonia Surinama, Stål,* l. c. p. 66. n. 2 (1877).	Surinam, W. Indies.

Genus 125. **Thesprotia.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 45 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 169 (1894).

1. **T. Vidua, Sauss. & Zehntn.** l. c. p. 170. n. 1 (1894). *Oligonyx Subhyalina*, var., *Sauss.* Mém. Mex., Orth. p. 125 (1871).	S. America.
*2. **T. Subhyalina, Sauss.** (*Oligonyx S.*) Mitth. Schweiz. Ent. Ges. iii. p. 239 (1870); Mém. Mex., Mant. p. 124. n. 6, pl. 2. ff. 27, 27*a* (1871).	Amazons.
*3. **T. Filiformis, Sauss.** (*Oligonyx F.*) ll. cc. p. 71 (1869); p. 123, pl. 2. ff. 26, 26*a* (1871). *T. Filiformis, Westw.* Rev. Mant. p. 31, pl. 3. f. 5 (nec 6) (1889).	id.
4. **T. Macilenta, Sauss. & Zehntn.** l. c. p. 170. n. 4 (1894).	Brazil.
5. **T. Fuscipennis, Sauss. & Zehntn.** l. c. p. 171. n. 5 (1894).	Rio Janeiro.

Genus 126. **Bactromantis.** (*Type* no. 1.)

Scudd. Canad. Ent. xxviii. p. 213 (1896).

*1. **B. Virga, Scudd.** l. c. (1896).	Florida.
2. **B. Toltecus, Sauss. & Zehntn. (*Oligonyx T.*) Biol. Centr.-Amer., Orth. i. p. 175. n. 6 (1894).	Mexico.
3. **B. (?) Parvula, Goeze,** (*Mantis P.*) Ent. Beytr. ii. p. 34. n. 25 (1778); Oliv. Enc. Méth., Ins. vii. p. 642. n. 19 (1792) (Seba, Thes. iv. pl. 68. ff. 13–16).	Hab. —— ?

Genus 127. **Oligonyx.** (*Type* no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869); Mém. Mex. Mant. p. 117 (1871); Miss. Mex., Orth. p. 273 (1872); Soc. Ent. vii. p. 122 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 171 (1894).

1. **O. Brunneri, Sauss.** Mém. Mex., Mant. p. 119 (1871).	Colombia.
2. **O. Uhleri, Stål,** Bihang Svenska Akad. iv. (10) p. 66 (1877).	Louisiana.
3. **O. Scudderi, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 239 (1870); Mém. Mex., Mant. p. 121, pl. 2. ff. 24, 24 *a* (1871).	Georgia (?).
4. **O. Graminis, Scudd.** Proc. Bost. Soc. Nat. Hist. xix. p. 90 (1877).	Florida.
5. **O. Parva, Drury,** (*Mantis P.*) Ill. Exot. Ent. ii. pl. 39. f. 5 (1773); Oliv. Enc. Méth. vii. p. 634. n. 48 (1792); Burm. Handb. Ent. ii. p. 533. n. 14 (1838). *Mantis Minuta*, *Goeze*, Ent. Beytr. ii. p. 28. n. 1 (1778). *Miopteryx* (?) *Minuta*, *Sauss.* Mém. Mex., Mant. p. 116. n. 2 (1871).	S. America.
6. **O. Mexicanus, Sauss. & Zehntn. l. c. p. 172. n. 1, pl. 9. ff. 13–15 (1894).	Mexico, Guatemala.
7. **O. Bollianus, Sauss. & Zehntn.** l. c. p. 173. n. 2, pl. 9. f. 17 (1894).	Texas, New Mexico
8. **O. Striolatus, Sauss. & Zehntn. l. c. n. 3, pl. 9. ff. 18–22 (1894).	Guatemala.
9. **O. Punctulatus, Sauss. & Zehntn. l. c. p. 174. n. 4, pl. 9. ff. 23–25 (1894).	Mexico.
10. **O. Tessellatus, Sauss. & Zehntn. l. c. n. 5, pl. 9. ff. 26–31 (1894).	id.

Genus 128. **Harpagonyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 175 (1894).

1. **H. Gryps, Sauss. & Zehntn. l. c. p. 176. n. 1, pl. 8. ff. 4, 4 *a*, *b* (1894).	Mexico, Guatemala.
2. **H. Dohrnianus, Sauss. & Zehntn.** l. c. n. 2 (1894).	Guatemala.
3. **H. Maya, Sauss. & Zehntn. l. c. p. 176 (1894).	Mexico.
4. **H. Carlottæ, Rehn,** Proc. U.S. Nat. Mus. xxvii. p. 568 (1904).	Costa Rica.

Genus 129. **Spanionyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 177 (1894).

*1. **S. Bicornis, Sauss.** (*Oligonyx B.*) Mitth. Schweiz. Ent. Ges. iii. p. 71 (1869); Mém. Mex., Mant. p. 122 (1871); Miss. Mex., Orth. p. 274, pl. 6. ff. 22, 22 *a*, *b* (1872). *S. Bicornis, Sauss. & Zehntn.* l. c. p. 177. n. 1 (1894).	Mexico.
2. **S. Bidens, Sauss. & Zehntn. l. c. n. 2, pl. 10. ff. 1–3 (1894); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 569 (1904).	Honduras.
*3. **S. Filum, Licht.** (*Mantis F.*) Trans. Linn. Soc. Lond. vi. p. 19. n. 1, pl. 2. f. 2 (1802); Charp. Germar, Zeitschr. Ent. v. p. 289 (1844). *Oligonyx Filum, Sauss.* Mém. Mex., Mant. p. 125. n. 7 (1871).	Surinam, Trinidad.

Genus 130. **Thrinaconyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 178 (1894).

1. **T. Fumosus, Sauss. & Zehntn. l. c. p. 179. n. 1, pl. 10. ff. 4–10 (1894).	Panama.
2. **T. Kirschianus, Sauss. & Zehntn.** l. c. n. 2, pl. 10. f. 11 (1894).	Colombia.

SUBFAM. VI.

CREOBOTRINÆ.

Genus 131. **Acromantis.** (*Type* no. 2.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Mém. Soc. Genève, xxi. pp. 61, 324 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 153 (1902).

*1. **A. Japonica, Westw.** Rev. Mant. p. 43 (1889); Jacobs. & Bianki, l. c. p. 154 (1902).	Japan.
*2. **A. Oligoneura, Haan,** (*Mantis O.*) Temminck, Verhandel., Orth. p. 90, pl. 18. f. 6 (1842). *A. Oligoneura, Sauss.* Mém. Soc. Genève, xxi. p. 62, pl. 4. ff. 10, 10 *a* (1871); Westw. Rev. Mant. p. 43 (1889). *A. Formosa, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870).	India, Java, Borneo, Sumatra, Celebes.
*3. **A. Parvula, Westw.** l. c. p. 43, pl. 10. f. 6 (1889).	Borneo.
*4. **A. Hesione, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877).	Philippines.
5. **A. Australis, Sauss.** Mém. Soc. Genève, xxi. p. 325, pl. 7. f. 68 (1871).	Waigiou.
6. **A. Aruana, Westw.** l. c. p. 43, pl. 11. f. 3 (1889).	Aru, &c., N. Guinea.
*7. **A. Borneensis, Haan,** (*Mantis B.*) l. c. p. 91 (1842). *A. Borneensis, Westw.* l. c. p. 43, pl. 6. f. 8 (1889).	Borneo.
8. **A. (?) Subcornuta, Westw.** l. c. p. 43, pl. 12. f. 3 (1889).	Natal.

Genus 132. **Ambivia.**

Stål, Bihang Svenska Akad. iv. (10) p. 88 (1877).

*1. **A. Popa, Stål,** l. c. (1877); Westw. Rev. Mant. p. 22, pl. 11. f. 6 (1889).	India.

Genus 133. **Deroplatys.** (*Type* no. 1 *a*.)

Westw. Mod. Classif. Ins. i. p. 430 (1839); Jardine's Nat. Library, Intr. Ent. p. 234 (1840); Arc. Ent. i. p. 33 (1841); Sauss. Mém. Soc. Genève, xxi. p. 164 (1871).

1. **D. Cordata, Fabr.** (*Mantis C.*) Ent. Syst. Suppl. p. 190 (1798).	Hab. —— ?
*1 *a*. **D. Desiccata, Westw.** Mod. Classif. Ins. i. p. 430 (1839); Arc. Ent. i. p. 33, pl. 9. f. 3 (1841); Shelf. Zool. (4) vii. pp. 295, 296, 304 (1903). *Mantis (Deroplatys) Desiccata, Westw.* Nat. Libr., Intr. Ent. p. 234, pl. 9 (1840); Haan, Temminck, Verhandel., Orth. p. 91 (1842). *Mantis Palliata, Haan,* l. c. pl. 16, ff. 1, 2 (1842). *D. Arida, Westw.* Arc. Ent. i. p. 34, pl. 9. f. 1 (1841).	Malacca, Java, Borneo, Sumatra.
*2. **D. Trigonodera, Westw.** Rev. Mant. p. 40, pl. 8. f. 5 (1889).	Burma.
3. **D. Lobata, Guér.** (*Chæradodis L.*) Mag. Zool., Ins. 1838, p. 69, pl. 134. *D. Lobata, Westw.* Arc. Ent. i. p. 34, pl. 9. f. 4 (1841).	Hab. —— ?
*4. **D. Angustata, Westw.** l. c. f. 2 (1841); Rev. Mant. p. 41 (1889). *Mantis (Deroplatys) Rhombica,* ♂, *Haan,* l. c. p. 92, pl. 17. f. 1 (1842).	Java, Borneo, Sumatra.
5. **D. Brunneri, Kirb.** (n. n.). ‖*D. Rhombica, Brunn.* Obs. Color. Ins. p. 11, pl. 8. f. 95 (1897).	Sunda Isl.
*6. **D. Rhombica, Haan,** (*Mantis (R.) Rhombica,* ♀) l. c. f. 2 (1842).	Borneo, &c.
7. **D. Sarawaca, Westw.** Rev. Mant. p. 40, pl. 8. f. 3 (1889); Sharp, Cambridge Nat. Hist., Ins. i. pp. 243, 252, f. 135 (1895).	Sarawak.
*8. **D. Siccifolium, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 240 (1870); Mém. Soc. Genève, xxi. p. 166 (1871); Westw. Rev. Mant. p. 44, pl. 9. f. 11 (1889).	Malacca, Borneo.
9. **D. Shelfordi, Kirb. Zool. (4) vii. p. 304; Shelf. l. c. pp. 296, 298 (1903).	Sarawak.

10. **D. Horrifica, Westw.** l. c. p. 40, pl. 8. f. 4 (1889).	Burma.
*11. **D. Truncata, Guér.** (*Chœradodis T.*) Delessert, Souv. Inde, Ins. p. 65, pl. 15 (1843). *D. Truncata, Westw.* l. c. p. 23, pl. 8. f. 6 (1889).	Malacca.

Genus 134. **Brancsikia.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 216 (1895).

*1. **B. Freyi, Brancs.** (*Deroplatys F.*) Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 178, pl. 4. f. 3 (1893). *B. Freyi, Sauss. & Zehntn.* l. c. p. 217, pl. 10. ff. 36, 37 (1895).	Madagascar

Genus 135. **Metilia.**

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

*1. **M. Integra, Stål,** l. c. p. 89 (1877); Westw. Rev. Mant. p. 45, pl. 9. f. 9 (1889).	Brazil.

Genus 136. **Acanthops.** (*Type* no. 2.)

Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 164 (1839); Burm. Handb. Ent. ii. p. 551 (1838); Sauss. Mém. Mex., Mant. p. 139 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

1. **A. Godmani, Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 181, pl. 6. f. 3 (1894).	British Honduras.
*2. **A. Falcataria, Goeze,** (*Mantis F.*) Ent. Beytr. ii. p. 36. n. 36 (1788); Olivier, Enc. Méth., Ins. vii. p. 642. n. 30 (1792) (Seba, Thes. iv. pl. 76. ff. 1–4). *Mantis Fuscifolia, Oliv.* l. c. p. 636. n. 55 (1792). *A. Fuscifolius, Burm.* l. c. p. 552 (1838). *Mantis Sinuata, Stoll,* Spectres, Mantes, p. 12, pl. 4. f. 14 (1813); ? Kirb. Trans.	S. America.

Linn. Soc. xii. p. 74 (1818); Charp. Germar, Zeitschr. Ent. i. p. 375 (1839), iii. p. 299 (1841); Orth. pl. 29 (1845). *A. Sinuata, Sauss.* l. c. p. 141 (1871); Stål, l. c. p. 90. n. 1, pl. 1. f. 3 (1877). *A. Mortuifolia, Serv.* Ins. Orth. p. 166, pl. 6. f. 1 (1839); Brunn. Obs. Color. Ins. p. 11, pl. 8. f. 96 (1897).	
3. **A. Erosa, Serv.** l. c. p. 165, pl. 4. ff. 1, 1 *a*, *b* (1839). *A. Contorta, Gerst.* Mitth. Ver. Vorpomm. xx. p. 56 (1888).	Brazil, Iquitos.
*4. **A. Erosula, Stål,** l. c. p. 90. n. 3 (1877). *A. Angulifera, Westw.* Rev. Mant. p. 45, pl. 13. f. 1. (1889).	Para, Ega.
*5. **A. Falcata, Stål,** l. c. p. 90. n. 2 (1877).	N. Granada.
6. **A. Adusta, Gerst.** l. c. p. 57 (1888).	Iquitos.
7. **A. Brunneri, Sauss.** l. c. p. 144 (1871).	Surinam.
8. **A. Tuberculata, Sauss.** (*A. Tuberculatus*) Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870). *A. Tuberculata, Sauss.* Mém. Mex., Mant. p. 146, pl. 1. f. 16 (1871); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 570 (1904).	Cayenne, Costa Rica.

Genus 137. **Decimia.**

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

*1. **D. Tessellata, Charp.** (*Acanthops T.*) Germar, Zeitschr. Ent. iii. p. 302 (1841); Orth. pl. 30 (1845); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870); Mém. Mex., Mant. p. 143 (1871).	Brazil, Bolivia.

Genus 138. **Pseudocanthops.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870).

Pseudacanthops, Sauss. Mém. Mex., Mant. p. 178 (1871); Miss. Mex., Orth. p. 279 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 182 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 91 (1877).

Paracanthops, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870); Mém. Mex., Mant. p. 147 (1871).

1. **P. Cælebs, Sauss.** (*Hymenopus C.*) Mitth. Schweiz. Ent. Ges. iii. p. 73 (1869). *P. Cælebs, Sauss.* Mém. Mex., Mant. p. 148,	Mexico.

pl. 1. ff. 17, 17 *a* (1871); Miss. Mex., Orth. p. 279 (1872); Sauss. & Zehntn. l. c. p. 182 (1894).	
*2. **P. Spinulosa, Sauss.** (*Paracanthops S.*) Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870).	Cayenne
P. Spinulosa, Sauss. Mém. Mex., Mant. p. 150, pl. 1. f. 18 (1871).	
3. **P. (?) Angulata, Licht.** (*Mantis A.*) Trans. Linn. Soc. Lond. vi. p. 33. n. 43 (1802).	Surinam.
P. (?) Angulata, Sauss. Mém. Mex., Mant. p. 151 (1871).	

Genus 139. **Antemna.**

Stål, Bihang Svenska Akad. iv. (10) p. 83 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 182 (1894).

1. **A. Rapax, Stål,** l. c. p. 88 (1877); Sauss. & Zehntn. l. c. p. 182 (1894).	Chiriqui.

Genus 140. **Phyllomantis.**

Sauss. Soc. Ent. vii. p. 124 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 183 (1894).

1. **P. Laurifolia, Sauss. l. c. p. 124 (1892); Sauss. & Zehntn. l. c. p. 183, pl. 6. ff. 6, 7 (1894).	Panama.

Genus 141. **Epaphrodita.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 205 (1839); Sauss. Mém. Mex., Mant. p. 152 (1871); Miss. Mex., Orth. p. 280 (1872).

*1. **E. Musarum, Beauv.** (*Mantis M.*) Ins. Afr. Amér. p. 111, Orth. pl. 13. f. 3 (1805); Burm. Handb. Ent. ii. p. 537. n. 36 (1838).	Haiti.
E. Musarum, Serv. Ins. Orth. p. 205 (1839); Sauss. Mém. Mex., Mant. p. 152 (1871).	
1 *a*. **E. Undulata, Sauss.** (*Phyllocrania U.*) Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870); Mém. Soc. Genève, xxi. p. 176, pl. 6. ff. 54, 54 *a* (1871).	Santa Lucia.
*2. **E. Dentifrons, Sauss.** Miss. Mex., Orth. p. 281 (1872).	Haiti, Cuba.

Genus 142. **Toxodera.**

Serv. Ann. Soc. Ent. France, vi. p. 27 (1837); Ins. Orth. p. 168 (1839); Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 321 (1889).

1. **T. Denticulata, Serv.** ll. cc. p. 28, pl. 2 (1837); p. 169, pl. 5 (1839); Wood-Mason, l. c. p. 323 (1889); Sharp, Cambridge Nat. Hist., Ins. i. pp. 253, 254, f. 145 (1895).	Java.

Genus 143. **Toxoderopsis.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 317 (1889).

1. **T. Curtipes, Westw.** (*Toxodera* (*Paradanuria*) *C.*) Rev. Mant. p. 41, pl. 1. f. 4 (1889). *T. Curtipes, Wood-Mason*, l. c. p. 319 (1889).	Bombay.
2. **T. Taurus, Wood-Mason,** l. c. p. 320 (1889).	Sind, Orissa.

Genus 144. **Paratoxodera.**

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 324 (1889).

1. **P. Cornicollis, Wood-Mason,** l. c. p. 325 (1889).	Java.

Genus 145. **Oxypilus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 155 (1839); Burm. Handb. Ent. ii. p. 526 (1838); Sauss. Mém. Soc. Genève, xxi. p. 168 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877); Wood-Mason, Cat. Mant. p. 50 (1891).

1. **O. Annulatus, Serv.** Ann. Sci. Nat. xxii. p. 50 (1831); Burm. l. c. p. 526 (1838); Wood-Mason, l. c. p. 51, pl. 2. f. 1 *a–c* (1891). *Oxypila Annulata, Serv.* l. c. p. 156, pl. 3. f. 5 (1839).	Senegal.

*2. **O. Nasutus, Fabr.** (*Mantis Nasuta*) Mant. Ins. i. p. 229. n. 32 (1787); Oliv. Enc. Méth., Ins. vii. p. 630. n. 23 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 25. n. 16 (1802). *Gongylus Nasuta, Thunb.* Mém. Soc. Pétersb. v. p. 295 (1815). *O. Capensis, Sauss.* Mém. Soc. Genève, xxi. p. 169, pl. 6. ff. 52, 52 *a* (1871). ‖ *O. Annulatus, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870).	S. & E. Afr.
3. **O. Strigipennis, Westw. Rev. Mant. p. 44, pl. 9. f. 7, pl. 12. f. 1 (1889).	Natal.
4. **O. Brunnerianus, Sauss.** Mém. Soc. Genève, xxi. p. 171 (1871).	Nubia.
*5. **O. (?) Vigilax, Westw.** Rev. Mant. p. 44, pl. 10. f. 8 (1889).	Ega.

Genus 146. **Oxypiloidea.**

Schulth. Ann. Mus. Genova, xxxix. p. 178 (1898); Bull. Soc. Vaud. xxxv. p. 198 (1899).

*1. **O. Lobata, Schulth.** Ann. Mus. Genova, xxxix. p. 179, pl. 2. ff. 4, 4 *a* (1898).	Somali, B.E. Africa.

Genus 147. **Panurgica.**

Karsch, Stett. Ent. Zeit. lvii. p. 243 (1896).

*1. **P. Duplex, Karsch,** l. c. p. 244 (1896).	W. Africa.

Genus 148. **Junodia.**

Schulth. Bull. Soc. Vaud. xxxv. p. 197 (1899).

1. **J. Amœna, Schulth.** l. c. p. 198, pl. 7. ff. 3, 3 *a–c* (1899).	Delagoa Bay.

Genus 149. **Sibylla.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xiii. p. 168 (1856); Bihang Svenska Akad. iv. (10) p. 20 (1877); Sauss. Mém. Soc. Genève, xxi. pp. 173, 331 (1871), xxiii. p. 80 (1872).

*1. **S. Pretiosa, Stål,** Œfv. Vet.-Akad. Förh. xiii. p. 168. n. 1 (1856); Sauss. l. c. xxi. p. 332, pl. 7. ff. 69, 69 *a* (1871);	Natal, Transvaal, Zomba.

Kirb. Ann. Nat. Hist. (7) iv. p. 351 (1899); Distant, Ins. Transvaal. p. 39, f. 2 (1902). ♂. *S. Fuscosparsa, Stål,* l. c. n. 2 (1856).	
2. **S. Pannulata, Karsch,** Berl. Ent. Zeitschr. xxxix. p. 277 (1894).	Cameroons.
3. **S. (?) Polyacantha, Gerst.** Mitth. Ver. Vorpomm. xx. p. 49 (1888).	Congo.

Genus 150. **Triænocorypha.**

Wood-Mason, Ann. Nat. Hist. (6) v. p. 439 (1890); Cat. Mant. p. 59 (1891).

1. **T. Dohertyi, Wood-Mason,** ll. cc. p. 440, pl. 17 B (1890); p. 60 (1891).	Perak.

Genus 151. **Ceratomantis.**

Wood-Mason, Proc. Asiatic Soc. Bengal, 1876, p. 175; Ann. Nat. Hist. (4) xviii. p. 507 (1876); Cat. Mant. p. 52 (1891).

1. **C. Saussurii, Wood-Mason,** ll. cc. p. 175 (1876); p. 507 (1876); p. 53, pl. 2. ff. 3, 3 *a–c* (1891). *Oxypilus Saussurii, Wood-Mason,* Proc. Asiatic Soc. Bengal, 1879, p. 259.	Pegu.

Genus 152. **Pachymantis.** (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xxi. p. 158 (1871); Wood-Mason, Cat. Mant. p. 56 (1891).

1. **P. Phyllopus, Haan,** (*Mantis* (*Oxypilus*) *P.*) Temminck, Verhandel., Orth. p. 84, pl. 16. f. 7 (1842).	Java.
2. **P. Bicingulata, Haan,** (*Mantis* (*Oxypilus*) *B.*) l. c. p. 86, pl. 17. ff. 6, 7 (1842). *P. Bicingulata, Wood-Mason,* l. c. p. 57, pl. 2. ff. 2, 2 *a, b* (1891). *Oxypilus Bicingulatus, Wood-Mason,* Proc. Asiatic Soc. Bengal, 1879, p. 251. *P. Biangulata, Sauss.* l. c. (1871).	Sumatra.

*3. **P. Sarawaca, Westw.** (*Hestias S.*) Rev. Mant. p. 44, pl. 11. f. 1 (1889). *Hestiasula Sarawaca, Shelf.* Zoologist, (4) vii. pp. 296–302, f. 2 (1903).	Sarawak. Penang.
*4. **P. Inermis, Wood-Mason,** (*Hestias I.*) Proc. Asiatic Soc. Bengal, 1879, p. 258; Westw. l. c. p. 44, pl. 9. f. 12 (1889).	Naga Hills.
5. **P. Castetsi, Bol.** Ann. Soc. Ent. France, 1897, p. 313, pl. 10. f. 9.	S. India.
6. **P. Amœna, Bol.** l. c. p. 314 (1897).	id.
7. **P. Rogenhoferi, Sauss.** l. c. xxiii. p. 77, pl. 9. f. 27 (1872).	Moluccas (?).

Genus 153. **Hestiasula.** (*Type* no. 7.)

Sauss. Mém. Soc. Genève, xxi. p. 329 (1871).
Hestias, *Wood-Mason*, Proc. Asiatic Soc. Bengal, 1876, p. 175, 1879, p. 257.

*1. **H. Brunneriana, Sauss.** l. c. p. 330 (1871). *Hestias Brunneriana, Wood-Mason*, l. c. 1876, p. 175.	India.
*2. **H. Nitida, Brunn.** (*Pachymantis N.*) Ann. Mus. Genova, xxxiii. p. 72, pl. 2. f. 24 (1893).	Tenasserim.
*3. **H. Pictipes, Wood-Mason,** (*Hestias P.*) Proc. Asiatic Soc. Bengal, 1879, p. 258.	

Genus 154. **Gonypetyllis.**

Wood-Mason, Cat. Mant. pl. 2 (1891).

1. **G. Semuncialis, Wood-Mason,** l. c. figs. 5, 5 *a*, *b* (1891).	India (?).

Genus 155. **Parairidopteryx.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

1. **P. Confusus, Sauss.** (*Haania C.*) l. c. n. 1 (1871). ♂. *Mantis* (*Oxypilus*) *Lobiceps*, ♀, *Haan.* Temminck, Verhandel., Orth. pp. 85, 86, pl. 17. f. 5 (1842).	Sumatra.

Genus 156. **Haania.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

1. **H. Lobiceps, Haan,** (*Mantis* (*Oxypilus*) *L.*) Temminck, Verhandel., Orth. p. 85, pl. 17. f. 4 (1842).	Sumatra.

Genus 157. **Sigerpes.** (*Type* no. 3.)

Wood-Mason. Proc. Asiatic Soc. Bengal, 1879, p. 259.

1. **S. Tridens, Sauss.** (*Sibylla T.*) Mém. Soc. Genève, xxiii. p. 81, pl. 9. ff. 29, 29 *a* (1872).	Zanzibar, Mozambique.
S. Tridens, Westw. Rev. Mant. p. 23, pl. 12. f. 8 (1889).	
2. **S. Mortuifolia, Sauss.** (*Sybilla M.*) Abhandl. Senckenb. Ges. xxi. p. 597 (1899).	"Tropical Africa."
3. **S. Occidentalis, Wood-Mason, l. c. p. 259 (1879).	Sierra Leone.

Genus 158. **Phyllothelys.** (*Type* no. 1.)

Wood-Mason, Proc. Ent. Soc. London, 1877, p. xviii ; Journ. Asiatic Soc. Bengal, liii. p. 206 (1884).

1. **P. Westwoodi, Wood-Mason, (*Phyllocrania W.*) Proc. Asiatic Soc. Bengal, 1876, p. 176 ; Ann. Nat. Hist. (4) xviii. p. 507 (1876).	Naga Hills, Bhutan.
P. Westwoodii, Wood-Mason, Proc. Ent. Soc. Lond. 1877, p. xviii ; Journ. Asiatic Soc. Bengal, liii. p. 207, pl. 12. ff. 1, 2 (1885) ; Westw. Rev. Mant. p. 44, pl. 1. f. 3, pl. 6. f. 6 (1889).	
2. **P. Paradoxum, Wood-Mason,** Journ. Asiatic Soc. Bengal, liii. p. 209, pl. 12. f. 3 (1885).	Burma.

Genus 159. **Ceratocrania.**

Westw. Rev. Mant. p. 46 (1889).

*1. **C. Macra, Westw.** l. c. pl. 11. f. 9 (1889).	Borneo.
Phyllothelys Macra, Dohrn, Stett. Ent. Zeit. lv. p. 129, pl. 5. ff. 5, 6 (1894).	

Genus 160. **Phyllocrania.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 548 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 174, 326 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 220 (1895).

*1. **P. Paradoxa, Burm.** l. c. p. 549 (1838); Westw. Arc. Ent. ii. p. 51 note (1845); Kirb. Ann. Nat. Hist. (7) iv. p. 40 (1899); Distant, Ins. Transvaal. p. 40, f. 3 (1903). ‖*P. Insignis, Sauss.* l. c. p. 327 (1871).	S. & E. Afr.
*2. **P. Insignis, Westw.** l. c. p. 51, pl. 12. f. 1 (1845); Rev. Mant. p. 12, f. 7 (1889); Sauss. l. c. pp. 174, 328 (1871).	W. Africa.
3. **P. Illudens, Sauss. & Zehntn.** l. c. p. 221, pl. 10. f. 39 (1895).	Madagascar

Genus 161. **Parablepharis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870); Mém. Soc. Genève, xxi. p. 171 (1871).

*1. **P. Kuhlii, Haan,** (*Mantis* (*Blepharis*) *K.*) Temminck, Verhandel., Orth. p. 93, pl. 18. f. 3 (1842). *Parablepharis Kuhlii, Sauss.* l. c. p. 172 (1871).	Java.

Genus 162. **Creoboter.** (*Type* no. 1 *a.*)

Serv. Ins. Orth. p. 160 (1839); Stål, Bihang Svenska Akad. iv. (10) p. 80 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 154 (1902).

Creobotra, Sauss. Mém. Soc. Genève, xxi. p. 143 (1871); Rev. Suisse Zool. v. p. 200 (1897); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 215 (1898).

*1. **C. Urbana, Fabr.** (*Mantis U.*) Syst. Ent. p. 278. n. 19 (1775); Oliv. Enc. Méth. vii. p. 630. n. 21 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 23 (1802). *Harpax Urbana, Burm.* Handb. Ent. ii. p. 550. n. 1 (1838).	India, China.

Mantis (Harpax) Urbana, ♂, *Haan*, Temminck, Verhandel., Orth. p. 89 (1842).	
C. Urbanus, Jacobs. & Bianki, l. c. p. 154 (1902).	
C. Urbana, Sauss. Mém. Soc. Genève, xxi. p. 144 (1871).	
1 *a*. **C. Discifera, Serv.** (*Mantis D.*) Ins. Orth. p. 161 (1839).	Java.
‖ *Mantis Gemmata, Serv.* l. c. p. 160 (1839).	
‖ *C. Lobata, Stål*, l. c. p. 86 (1877).	
‖ *C. Urbana, Brunn.* Obs. Color. Ins. p. 9, pl. 6. f. 71 (1897); Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 23 (1898).	
*2. **C. Gemmata, Stoll,** (*Mantis G.*) Spectres, Mantes, p. 71, pl. 24. f. 93 (1813).	"America," Java.
3. **C. Signifer, Walk. (*Harpax S.*) Ann. Nat. Hist. (3) iv. p. 220 (1859).	Ceylon.
*4. **C. Apicalis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 73 (1869); Mém. Soc. Genève, xxi. pp. 146, 317 (1871).	N. India.
*5. **C. Fuscoareata, Sauss.** ll. cc. p. 242 (1870); p. 147, pl. vi. ff. 46, 46 *a* (1871).	Siam.
*6. **C. Granulicollis, Sauss.** ll. cc. p. 242 (1870); p. 147 (1871).	Penang.
7. **C. Meleagris, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).	Philippines.
8. **C. Episcopalis, Stål,** Bihang Svenska Akad. iv. (10) p. 86 (1877).	Borneo.
9. **C. Brunneri, Kirb.** (n. n.).	Sumatra.
‖ *C. Sumatrana, Brunn.* Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 24 (1898).	
10. **C. Cattulus, Westw. Rev. Mant. p. 42, pl. 9. f. 10 (1889).	Java.
11. **C. Sumatrana, Haan,** (*Mantis (Harpax) S.*) l. c. p. 89, pl. 17. ff. 14, 15 (1842).	Sumatra.
12. **C. Lævicollis, Sauss.** ll. cc. p. 242 (1870); p. 146 (1871).	Java.
*13. **C. Pictipennis, Wood-Mason,** Proc. Zool. Soc. Lond. 1878, p. 585, pl. 36. f. 8.	Ceylon.

Genus 163. **Helvia.**

Stål, Bihang Svenska Akad. iv. (10) p. 80 (1877).

1. **H. Cardinalis, Stål,** l. c. p. 86 (1877); Sauss. Rev. Suisse Zool. v. p. 200 (1897).	Malacca.

Genus 164. **Mystipola.**

Sauss. Rev. Suisse Zool. v. p. 201 (1898).

1. **M. Compressicollis, Sauss.** l. c. (1898); Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 19 (1900).	W. Africa.

Genus 165. **Bomistria.**

Sauss. Rev. Suisse Zool. v. pp. 202, 789 (1898).

*1. **B. Lunata, Sauss.** l. c. pp. 203, 789 (1898). *Chlinidonoptera Lunata, Sjöst.* Bihang Svenska Akad. xxv. (4 : 6) p. 20, pl. 1. f. 6 (1900).	Gaboon, Cameroons, Gold Coast.

Genus 166. **Chlidonoptera.**

Karsch, Ent. Nachr. xviii. p. 150 (1892); Berlin. Ent. Zeitschr. xxxvii. p. 68 (1892); Sauss. Rev. Suisse Zool. v. p. 789 (1898).

1. **C. Vexillum, Karsch,** ll. cc. p. 150 (1892); xxxvii. p. 68 (1892), xxxix. p. 279, pl. 20. f. 13 (1894); Sauss. l. c. p. 789 (1898); Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 20 (1900).	Cameroons, Congo.
2. **C.** (**?**) **Pavonina, Burm.** (*Mantis P.*) Handb. Ent. ii. p. 540. n. 42 (1838). *Stagmatoptera Pavonina, Sauss.* Mém. Soc. Genève, xxi. p. 64 (1871).	S. Africa.

Genus 167. **Theopropus.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. v. p. 204 (1898).

*1. **T. Elegans, Westw.** (*Blepharis E.*) Griffith, Animal Kingd. xv. p. 190, pl. 78. f. 3 (1832). *Creobotra Elegans, Sauss.* Mém. Soc. Genève, xxi. p. 145 (1871); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 25 (1898). *T. Elegans, Sauss.* Rev. Suisse Zool. v. p. 205, pl. 9. f. 3 (1898); Shelf. Zoologist, (4) vii. pp. 297–303 (1903).	Tenasserim, Java, Borneo.
2. **T. Præcontatrix, Sauss.** l. c. p. 205 (1898).	Java.

Genus 168. **Pseudocreobotra.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 241 (1870); Mém. Soc. Genève, xxi. p. 148 (1871); Rev. Suisse Zool. v. p. 206 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 78 (1877).

*1. **P. Ocellata, Beauv.** (*Empusa O.*) Ins. Afr. Amér. p. 110, Orth. pl. 13. f. 2 (1805). *Harpax Ocellata, Burm.* Handb. Ent. ii. p. 550. n. 2 (1838); Gerst. Mitth. Ver. Vorpomm. xiv. p. 95 (1883). *P. Ocellata, Sauss.* Mém. Soc. Genève, xxi. p. 148, pl. 6. ff. 47, 47 *a*, *b* (1871); Stål, l. c. p. 85. n. 1 (1877).	W. Africa, Ruwenzori.
*2. **P. Wahlbergi, Stål,** l. c. p. 85. n. 2 (1877); Kirb. Distant, Ins. Transvaal. p. 40, f. 4 (1902). ‖*Harpax Ocellata, Serv.* Ins. Orth. p. 158 (1839). ‖*P. Ocellata, Sauss.* l. c. xxi. p. 317 (1871); Brunn. Obs. Color. Ins. pp. 7, 8, pl. 6. f. 70, *a–c* (1897).	S. & E. Africa.
3. **P. Amaræ, Rehn,** Proc. Acad. Nat. Sci. Philadelphia, liii. p. 286 (1901).	Galla Land.

Genus 169. **Callibia.**

Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877); Sauss. Rev. Suisse Zool. v. p. 207 (1898).
Anastira, *Gerst.* Mitth. Ver. Vorpomm. xiv. p. 97 (1883).

*1. **C. Diana, Stoll,** (*Mantis D.*) Spectres, Mantes, p. 74, pl. 25. f. 100 (1813). *Anastira Diana*, *Gerst.* l. c. (1883). *Harpax Pictipennis*, *Serv.* Ins. Orth. p. 160 (1839).	"E. Indies," Cayenne, Ega, Pernambuco.

Genus 170. **Hymenopus.**

Serv. Ann. Sci. Nat. xxii. p. 46 (1831); Burm. Handb. Ent. ii. p. 549 (1838); Sauss. Mém. Soc. Genève, xxi. p. 142 (1871); Rev. Suisse Zool. v. p. 208 (1898).
Hymenopa, *Serv.* Ins. Orth. p. 162 (1839).

*1. **H. Coronatus, Oliv.** (*Mantis Coronata*) Enc. Méth. vii. p. 638. n. 69 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 24. n. 14 (1802). *H. Coronatus*, *Burm.* l. c. p. 549 (1838); Sauss. Rev. Suisse Zool. v. p. 209 (1898). *Hymenopa Coronata*, *Serv.* Ins. Orth. p. 163 (1839). *Mantis Bicornis*, *Stoll*, Spectres, Mantes, p. 38, pl. 11. f. 44 (1813). *H. Bicornis*, *Wood-Mason*, Proc. Zool. Soc. London, 1878, p. 786; Annandale, P. Z. S. Lond. 1900, pp. 839–848, ff. 1, 2 (1901); Shelf. Zoologist, (4) vii. pp. 299–304 (1903).	India, Borneo, &c.

Genus 171. **Parymenopus.**

Wood-Mason, Ann. Nat. Hist. (6) v. p. 437 (1890); Sauss. Rev. Suisse Zool. v. p. 209 (1898).

1. **P. Davisoni, Wood-Mason,** l. c. pl. 17 A, *a–c* (1890); Sauss. l. c. (1898).	Singapore.

Genus 172. **Harpagomantis.** (*Type* no. 9.)

Kirb. Ann. Nat. Hist. (7) iv. p. 352 (1899); Distant, Ins. Transvaal. p. 40 (1902).

|| *Harpax*, *Serv.* Ann. Sci. Nat. xxii. p. 49 (1831); Ins. Orth. p. 157 (1839); Burm. Handb. Ent. ii. p. 550 (1838); Sauss. Mém. Soc. Genève, xxi. p. 151 (1871); Rev. Suisse Zool. v. p. 210 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877).

Australomantis, *Rehn*, Canad. Ent. xxxiii. p. 271 (1901).

*1. **H. Tricolor, Linn.** (*Gryllus* (*Mantis*) *T.*) Syst. Nat. (ed. x.) i. p. 426. n. 9 (1758). — S. Africa.

Mantis Tricolor, *Fabr.* Syst. Ent. p. 276. n. 9 (1775); Herbst, Fuessly, Archiv. Ins. p. 188, pl. 51. f. 4 (1786); Oliv. Enc. Méth., Ins. vii. p. 632. n. 36 (1792).

Gryllus Tricolor, *Linn.* Mus. Ludov. Ulr. p. 117 (1764).

Harpax Tricolor, *Serv.* Ins. Orth. p. 158 (1839); Sauss. ll. cc. p. 151 (1871); p. 210 (1898); Stål, l. c. p. 85 (1877); Brunn. Obs. Color. Ins. p. 7, pl. 6. f. 69 (1897).

Mantis Lobata, *Fabr.* Spec. Ins. i. p. 350. n. 28 (1781); Oliv. Enc. Méth., Ins. vii. p. 630. n. 24 (1792); Licht. Trans. Linn. Soc. Lond. p. 25. n. 15 (1802); Stoll, Spectres, Mantes, p. 29, pl. 9. f. 33, p. 41*, pl. 12. f. 48 (1813).

Harpax Lobata, *Burm.* l. c. p. 551. n. 4 (1838).

Mantis Cornuta, *Oliv.* Enc. Méth., Ins. vii. p. 641. n. 13 (1792).

Harpax Cornuta, *Burm.* l. c. p. 551. n. 3 (1838).

Mantis Quadricornis, *Stoll*, l. c. p. 42*, pl. 12. f. 50 (1813).

Harpax Spinocula, *Serv.* l. c. p. 159, pl. 3. f. 6 (1839).

|| *Harpax Coronata*, *Westw.* Rev. Mant. p. 20. n. 505 (1889).

(?) *Mantis Paradoxa*, *Goeze*, Ent. Beytr. ii. p. 35. n. 33 (1788); Oliv. l. c. p. 642. n. 27 (1792) (Seba, Thes. iv. pl. 73. ff. 9, 10).

*2. **H. Discolor, Stål,** (*Harpax D.*) l. c. p. 85 (1877); Sauss. Rev. Suisse Zool. v. p. 210 (1898).	Caffraria, Transvaal.

Genus 173. **Pseudoharpax.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 241 (1870); Mém. Soc. Genève, xxi. p. 150 (1871); Rev. Suisse Zool. v. p. 211 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877).

*1. **P. Virescens, Serv.** (*Harpax V.*) Ins. Orth. p. 162, pl. 3. f. 7 (1839); Sauss. Mém. Soc. Genève, xxi. p. 150, pl. 6. ff. 48, 48 *a* (1871).	W. Africa, Abyssinia.

Genus 174. **Galinthias.** (*Type* no. 1)

Stål, Bihang Svenska Akad. iv. (10) pp. 79, 86 (1877); Sauss. Rev. Suisse Zool. v. p. 318 (1898).

*1. **G. Amœna, Sauss.** (*Harpax A.*) Mém. Soc. Genève, xxi. p. 318 (1871). *G. Amœna, Westw.* Rev. Mant. p. 21. n. 510, pl. 10. ff. 3, 10 (1889); Brunn. Obs. Color. Ins. p. 7, pl. 6. f. 68 (1897).	Natal, Cape, Zanzibar.
2. **G. Hyalina, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 598 (1899).	Delagoa Bay.

Genus 175. **Otomantis.** (*Type* no. 1.)

Bol. An. Soc. Españ. xix. p. 304 (1890).
Acanthomantis, Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 212 (1895). (*Type* no. 3.)

*1. **O. Scutigera, Bol.** l. c. p. 305, pl. 1. f. 3 (1890). *Acanthomantis Africana, Sauss. & Zehntn.* l. c. p. 215 (1895).	Delagoa Bay.

2. **O. Rendalli, Kirb.** (*Acanthomantis R.*) Ann. Nat. Hist. (7) iv. p. 352 (1899); Distant, Ins. Transvaal. p. 41, pl. 2. f. 6 (1902).	Fort Johnston.
3. **O. Aurita, Sauss. & Zehntn.** (*Acanthomantis A.*) l. c. p. 213, pl. 10. f. 38 (1895).	Madagascar

SUBFAM. VII.

VATINÆ.

Genus 176. **Cardioptera.**

Burm. Handb. Ent. ii. p. 540 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869); Mém. Mex., Mant. p. 68 (1871); Miss. Mex., Orth. p. 267 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 43 (1877).

*1. **C. Brachyptera, Burm.** (*Mantis B.*) Handb. Ent. ii. p. 541. n. 47 (1838). *Mantis Sublobata, Serv.* Ins. Orth. p. 180 (1839); Charp. Germar, Zeitschr. Ent. iii. p. 290 (1841); Orth. pl. 37 (1845). *C. Sublobata, Sauss.* Mém. Mex., Mant. p. 75 (1871). ♂. *Mantis Pilipes, Serv.* l. c. p. 192 (1839).	Brazil.

Genus 177. **Oxyops.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Mex., Mant. p. 41 (1871); Miss. Mex., Orth. i. p. 253 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 189 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 68 (1877).

*1. **O. Rubicunda, Stoll,** (*Mantis R.*) Spectres, Mantes, p. 73, pl. 25. f. 96 (1813). *O. Rubicunda, Sauss.* Mém. Mex., Mant. p. 41 (1871); Miss. Mex., Orth. p. 254	Guiana, Brazil.

(1872); Sauss. & Zehntn. l. c. p. 189. n. 1 (1894); Stål, l. c. p. 71. n. 1 (1877); Westw. Rev. Mant. p. 15. n. 378, pl. 6. f. 3 (1889).	
Stagmatoptera Diluta, ♂ (nec ♀), *Sauss.* Mém. Mex., Mant. p. 87, pl. 1. f. 6 (1871).	
2. **O. Dubiosa, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 18 (1898).	Ecuador.
3. **O. Acutipennis, Stål,** l. c. p. 71. n. 2 (1877).	Peru.
4. **O. Media, Stål,** l. c. n. 3 (1877).	Brazil.
5. **O. Obtusa, Stål,** l. c. p. 72. n. 4 (1877).	id.
6. **O. Icterica, Sauss. & Zehntn.** l. c. p. 190. n. 2 (1894).	S. America.
7. **O. Borellii, Giglio-Tos,** l. c. xii. (302) p. 15 (1897).	Bolivia.
8. **O. Paraguayensis, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 64, pl. 1. f. 10 (1898).	Paraguay.

Genus 178. **Pseudoxyops.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894).

1. **P. Perpulchra, Westw.** (*Stagmatoptera P.*) Rev. Mant. p. 36, pl. 11. f. 8 (1889).	Ega.

Genus 179. **Parastagmatoptera.** (*Type* no. 1.)

Sauss. Mém. Mex., Mant. p. 83 (1871); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 188 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 68 (1877).

1. **P. Flavoguttata, Serv.** (*Mantis F.*) Ins. Orth. p. 183 (1839).	Cayenne.
*1 *a.* **P. Unipunctata, Burm.** (*Mantis U.*) Handb. Ent. ii. p. 540. n. 43 (1838); Berlin. Ent. Zeitschr. viii. p. 238 (1864).	Brazil, Buenos Aires.
2. **P. Ciliata, Stål,** (*Mantis C.*) Eugenie's Resa, Orth. p. 313 (1858).	Rio Janeiro.
3. **P. Serricornis, Kirb. (n. n.).	Santarem.
(*Mantis Serricornis, Bates,* MS.)	
‖*Stagmatoptera Flavoguttata, Sauss.* l. c. p. 84, pl. 1. f. 5 (1871); Miss. Mex., Orth. p. 256 (1872).	

‖*P. Unipunctata, Sauss. & Zehntn.* l. c. p. 188. n. 1 (1894).	
‖*P. Flavoguttata, Westw.* Rev. Mant. p. 16. n. 392, pl. 6. f. 1 (1889).	
4. **P. Tessellata, Sauss. & Zehntn.** l. c. p. 188. n. 2 (1894).	Cayenne.
5. **P. Lobipes, Redt. Proc. Zool. Soc. Lond. 1892, p. 206, pl. 15. f. 8; Brunn. op. cit. 1893, p. 605, pl. 52. f. 4; Sauss. & Zehntn. l. c. p. 189. n. 3 (1894).	W. Indies: St. Vincent, Grenada.
6. **P. (?) Simulacrum, Fabr.** (*Mantis S.*) Ent. Syst. ii. p. 21. n. 34 (1793).	America.
7. **P. (?) Diluta, Stoll,** (*Mantis D.*) Spectres, Mantes, p. 66, pl. 22. f. 83 (1813).	Surinam.
Stagmatoptera Diluta, ♀, *Sauss.* ll. cc. p. 87 (1871); p. 256 (1872).	

Genus 180. **Stagmatoptera.** (*Type* no. 10.)

Burm. Handb. Ent. ii. p. 537 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869); Mém. Soc. Genève, xxi. p. 64 (1871); Mém. Mex., Mant. p. 80 (1871); Miss. Mex., Orth. p. 255 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894); Grandidier, Hist. Madagascar, Orth. i. p. 223 (1895); Stål, Bihang Svenska Akad. iv. (10) pp. 68, 72 (1877).

*1. **S. Biocellata, Sauss.** ll. cc. p. 67 (1869); p. 96 (1871); p. 257 (1872).	Brazil.
2. **S. Supplicaria, Burm.** (*Mantis S.*) l. c. p. 542. n. 52 (1838).	Guiana, Brazil.
‖*Mantis Hyalina, Burm.* l. c. p. 532. n. 11 (1838).	
‖*Mantis Precaria, Licht.* Trans. Linn. Soc. Lond. vi. p. 26. n. 16 (1802); Stoll, Spectres, Mantes, p. 51, pl. 17. f. 62 (1813).	
Mantis Flavipennis, Serv. Ins. Orth. p. 182 (1839).	
S. Supplicaria, Sauss. Mém. Mex., Mant. p. 94. n. 8, pl. 1. ff. 11, 11 (1871).	
3. **S. Hyaloptera, Perty,** (*Mantis H.*) Delectus Anim. Art. p. 117, pl. 23. f. 6 (1832).	Amazons, Cayenne.
S. Hyaloptera, Sauss. l. c. p. 95, pl. 1. f. 12 (1871); Miss. Mex., Orth. p. 257 (1872).	

*4. **S. Luna, Serv.** (*Mantis L.*) l. c. p. 183 (1839).	Argentine Republic.
*5. **S. Predicatoria, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870). *S. Prædicatoria, Sauss.* Mém. Mex., Mant. p. 92, pl. 1. f. 10 (1871); (?) Westw. Rev. Mant. p. 16. n. 386, pl. 4. f. 6 (1889). ‖*Mantis Rogatoria, Burm.* l. c. p. 540. n. 41 (1838).	Brazil.
6. **S. Binotata, Scudd.** Proc. Boston Soc. Nat. Hist. xii. p. 341 (1869).	Napo (?).
7. **S. Septentrionalis, Sauss. & Zehntn. l. c. p. 186. pl. 8. f. 2 (1894).	Panama, Trinidad.
*8. **S. Minor, Sauss. & Zehntn.** (*S. Septentrionalis*, var. *Minor*) l. c. p. 187 (1894).	Colombia, Venezuela.
9. **S. Pia, Sauss. & Zehntn.** l. c. p. 187. n. 2 (1894).	Brazil.
*10. **S. Præcaria, Linn.** (*Gryllus* (*Mantis*) *Præcarius*) Syst. Nat. (ed. x.) i. p. 426. n. 7 (1758). *Gryllus Mantis Precarius, Linn.* Mus. Ludov. Ulr. p. 114 (1764). *Mantis Precaria, De Geer,* Mém. Ins. iii. pp. 406, 407. n. 3, pl. 37. ff. 4, 8, 9 (1773); Herbst, Fuessly, Arch. Ins. p. 186, pl. 50. f. 1 (1786); Oliv. Enc. Méth., Ins. vii. p. 628. n. 13 (1792); Beauv. Ins. Afr. Amér. p. 61, Orth. pl. 12. f. 1 (1805); Hahn, Icon. Orth., Mant. t. A. f. 1 (1836); Serv. Ins. Orth. p. 181 (1839). *Mantis Præcaria, Burm.* l. c. p. 539. n. 40 (1838); Berlin. Ent. Zeitschr. viii. p. 236. n. 1 (1864). *S. Precaria, Brunn.* Obs. Color. Ins. p. 3, pl. 2. f. 22 *a* (1897). *S. Flavipennis, Brunn.* l. c. f. 22, *b* (1897). *Mantis Cubitata, Goeze,* Ent. Beytr. ii. p. 34. n. 27 (1778); Oliv. Enc. Méth., Ins. vii. p. 642. n. 21 (1792) (Seba, Thes. iv. pl. 69. ff. 3, 4). *Mantis Obsecraria, Licht.* Trans. Linn. Soc. vi. p. 28. n. 25 (1802). *Mantis Ocellata, Oliv.* l. c. p. 639. n. 77 (1792).	S. America.

Mantis Annulata, Stoll, Spectres, Mantes, p. 55. pl. 18. f. 66 (1813). *S. Annulata, Sauss.* l. c. p. 91, pl. 1. ff. 9, 9 (1871); Miss. Mex., Orth. p. 256. n. 4 (1872); Sauss. & Zehntn. l. c. p. 187. n. 3 (1894). *Mantis Rogatoria, Stoll*, l. c. p. 73, pl. 25. f. 95 (1813).	
11. **S. Femoralis, Sauss. & Zehntn.** l. c. p. 187. n. 4 (1894). ? *Mantis Præcaria, Müll.* Naturs. Linn., Ins. i. p. 413, pl. 9. f. 3 (1774).	Cayenne.
12. **S. Indicator, Oliv.** (*Mantis I.*) l. c. p. 641. n. 16 (1792). *Mantis Bodegetica, Licht.* l. c. p. 26. n. 20 (1802). *Mantis Sancta, Stoll*, l. c. p. 52, pl. 17. f. 63 (1813); Burm. l. c. p. 542. n. 51 (1838).	Surinam.
12 *a*. **S. Pagana, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870). ‖ *S. Sancta, Sauss.* Mém. Mex., Mant. p. 88, pl. 1. f. 7 (1871).	Bogota.
12 *b*. **S. Costalis, Burm.** (*Mantis C.*) l. c. p. 532. n. 9 (1838).	Brazil.
13. **S. Insatiabilis, Rehn,** Proc. U. S. Nat. Mus. xxvii. p. 572 (1904).	Costa Rica.
14. **S. Abdominalis, Oliv.** (*Mantis A.*) l. c. p. 640. n. 8 (1792). *Mantis Birivia, Stoll*, l. c. p. 28, pl. 9. f. 31 (1813); Burm. l. c. p. 541. n. 45 (1838). *S. Birivia, Sauss. & Zehntn.* l. c. p. 186 (1894). *Mantis Urbana, Licht.* l. c. p. 27. n. 23 (1802).	Surinam.
15. **S. Freyi, Brancs.** (*Hierodula (Sphodromantis) F.*) Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 177, pl. 9. ff. 1, 1 *a* (1892). *S. Freyi, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 224, pl. 6. ff. 1, 2 (1895).	Madagascar
*16. **S. Acutipennis, Westw.** (*Hierodula A.*) Rev. Mant. p. 34, pl. 1. f. 8 (1889). *S. Acutipennis, Sauss. & Zehntn.* l. c. p. 228, pl. 7. f. 5 (1895). *S. Grandidieri, Sauss. & Zehntn.* l. c. p. 226, pl. 7. ff. 3, 4 (1895).	id.

Genus 181. **Heterovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 85 (1872); Miss. Mex., Orth. p. 289 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

1. **H. Pardalina, Sauss.** ll. cc. p. 85, pl. 9. f. 32 (1871); p. 289 (1872).	Brazil.

Genus 182. **Zoolea.**

Serv. Ins. Orth. p. 154 (1839); Sauss. Mém. Mex., Mant. pp. 156, 160 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

|| *Vates*, *Stål*, Bihang Svenska Akad. iv. (10) pp. 69, 73 (1877).

*1. **Z. Lobipes, Oliv.** (*Mantis L.*) Enc. Méth. vii. p. 637. n. 65 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 9 (1802); Charp. Germar, Zeitschr. Ent. v. p. 294 (1844). *Empusa Lobipes*, *Guér.* Icon. R. Anim., Ins. p. 327, pl. 52. f. 5 (1829–1844); Gray, Griffith, Anim. Kingd. xv. p. 172, pl. 104. f. 5 (1832); Duncan, Nat. Libr., Ins. i. p. 237, pl. 10. f. 2 (1840). *Theoclytes Lobipes*, *Serv.* Ins. Orth. p. 254 (1839). *Mantis Macroptera*, *Stoll*, Spectres, Mantes, p. 26, pl. 8. f. 30 (1813). *Vates Macropterus*, *Burm.* Handb. Ent. ii. p. 544. n. 3 (1838); Charp. Orth. pls. 25, 26 (1842). *Z. Macroptera*, *Sauss.* Mém. Mex., Mant. p. 161 (1871). *Vates Orbus*, *Burm.* l. c. p. 544. n 2 (1838).	"Tranquebar," Brazil, Guiana.

Genus 183. **Phyllovates, Kirb.** (n. n.). (*Type* no. 1.)

Theoclytes (2$^{\text{me}}$ subdiv.), *Serv.* Ins. Orth. p. 153 (1839), *nec sect. typ.*

|| *Theoclytes*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60

(1869); Mém. Mex., Mant. p. 172 (1871); Miss. Mex., Orth. p. 292 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 190 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 69 (1877).

*1. **P. Chlorophæa, Blanch.** (*Mantis C.*) Mag. Zool., Ins. pl. 135 (1836). *Theoclytes* (?) *Chlorophæa, Serv.* l. c. p. 153 (1839); Sauss. Mém. Mex., Mant. p. 173 (1871); Miss. Mex., Orth. p. 292, pl. 5. ff. 4, 4 *a* (1872); Sauss. & Zehntn. l. c. p. 191. n. 1 (1894). *Theoclytes Azteca, Sauss.* Rev. Zool. (2) xi. p. 61 (1859). *Theoclytes Mexicana, Sauss.* l. c. (2) xiii. p. 127 (1861).	N. & Centr. America.
1 *a*. **P. Cornuta, Sauss. & Zehntn. (*Theoclytes Chlorophæa*, var. *Cornuta*) l. c. p. 191 (1894).	Guatemala.
2. **P. Maya, Sauss. & Zehntn. (*Theoclytes M.*) l. c. p. 192. n. 2 (1894). *Theoclytes Chlorophæa*, var., *Sauss. & Zehntn.* l. c. pl. 10. f. 33 (1894).	Mexico.
*3. **P. Brevicornis, Stål,** (*Pseudovates B.*) l. c. p. 74 (1877).	Colombia, Brazil.
4. **P. Cingulata, Drury,** (*Mantis C.*) Ill. Ex. Ent. ii. pl. 49. f. 2 (1773); Oliv. Enc. Méth., Ins. vii. p. 635. n. 49 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 22 (1802). *Mantis Bidens, Haan*, Temminck, Verhandel., Orth. p. 79 (1842). *Theoclytes Cingulata, Sauss. & Zehntn.* l. c. p. 192. n. 3 (1894). ‖*Mantis Hyalina, Fabr.* Syst. Ent. p. 277. n. 16 (1775); Oliv. Enc. Méth., Ins. vii. p. 629. n. 17 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 3 (1802).	Jamaica.
5. **P. Stolli, Sauss. & Zehntn.** (*Mantis S.*) l. c. p. 192. n. 4 (1894). ‖*Mantis Cingulata, Stoll*, Spectres, Mantes, p. 28, pl. 9. f. 32 (1813); Burm. Handb. Ent. ii. p. 542. n. 53 (1838); Serv. l. c. p. 197 (1839). *Theoclytes Cingulata, Sauss.* Mém. Mex., Mant. p. 174 (1871); Miss. Mex., Orth. p. 293 (1872).	Guiana, Brazil.

*6. **P. Parallela, Haan,** (*Mantis P.*) l. c. p. 79 (1842). *Theoclytes Parallela, Sauss.* ll. cc. p. 176, pl. 2. f. 33 (1871) : p. 294 (1872) ; Sauss. & Zehntn. l. c. p. 193. n. 5 (1894). *Theoclytes Surinamensis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 60 (1869) ; Mém. Mex., Mant. pl. 1. f. 19 (1871).	Guiana.
*7. **P. Spinicollis, Sauss. & Zehntn.** (*Theoclytes S.*) l. c. p. 193. n. 6. pl. 6. f. 2 (1894).	Brazil.
8. **P. Iheringi, Sauss. & Zehntn.** (*Theoclytes I.*) l. c. p. 193. n. 7 (1894).	R. Grando do Sol.
*9. **P. Minor, Sauss.** (*Theoclytes M.*) Mém. Soc. Genève, xxiii. p. 85, pl. 9. f. 33 (1872) ; Miss. Mex., Orth. p. 294 (1872).	Brazil.
9 *a*. **P. Parvulus, Westw.** (*Theoclytes* (*Vates*) *P.*) Rev. Mant. p. 46 (1889).	id.

Genus 184. **Pseudovates.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 60, 221 (1869, 1870) ; Stål, Bihang Svenska Akad. iv. (10) pp. 69, 74 (1877) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 190, 194 (1894).

*1. **P. Tolteca, Sauss.** (*Theoclytes T.*) Rev. Zool. (2) xi. p. 61 (1859). *Vates Tolteca, Sauss.* Mém. Mex., Mant. p. 167 (1871) ; Miss. Mex., Orth. p. 291, pl. 5. ff. 3, 3 *a–c* (1872); Sauss. & Zehntn. l. c. p. 194. n. 1 (1894).	Mexico.
*2. **P. Paraensis, Sauss.** (*Vates P.*) Mém. Mex., Mant. p. 168 (1871) ; Sauss. & Zehntn. l. c. p. 195. n. 2, pl. 6. f. 1, pl. 10. ff. 28, 29 (1894).	Para, Mexico.
3. **P. Bidens, Fabr.** (*Mantis B.*) Syst. Ent. p. 227. n. 17 (1775) ; Oliv. Enc. Méth., Ins. vii. p. 629. n. 19 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 24. n. 13 (1802). *Vates Bidens, Sauss.* l. c. p. 169, pl. 2. ff. 35, 35 *a* (1871). *P. Consobrina, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870).	Brazil.
4. **P. Longicollis, Stål,** l. c. p. 74 (1877). *Vates Longicollis, Sauss. & Zehntn.* l. c. p. 195. n. 3 (1894).	Mexico.

Genus 185. **Vates.** (*Type* no. 2 *b.*)

Burm. Handb. Ent. ii. p. 543 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60, 221 (1869, 1870); Mém. Mex., Mant. pp. 156, 162 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 184, 194 (1894).
Theoclytes, *Serv.* Ins. Orth. p. 150 (1839). (*Type* no. 2 *b.*)

*1. **V. Pectinata, Sauss.** Mém. Mex., Mant. p. 163, pl. 2. f. 34 (1871); Sauss. & Zehntn. l. c. p. 196. n. 4, pl. 6. ff. 4, 5, pl. 10. ff. 30–32 (1894).	Mexico.
2. **V. Foliata, Licht.** (*Mantis F.*) Trans. Linn. Soc. Lond. vi. p. 24. n. 11 (1802). *Mantis Subfoliata, Stoll*, Spectres, Mantes, p. 55, pl. 18. f. 67 (1813). *Vates Subfoliata, Sauss.* l. c. p. 166 (1871).	"Bengal."
2 *a.* **V. Sphingicornis, Stoll,** (*Mantis S.*) l. c. p. 59, pl. 20. f. 74 (1813).	"Amboina."
2 *b.* **V. Lobata, Fabr.** (*Mantis L.*) Ent. Syst., Suppl. p. 190 (1798). ‖*Empusa Hyalina, Charp.* Silbermann, Rev. Ent. iii. p. 316 (1835); Charp. Germar, Zeitschr. Ent. i. p. 372 (1839); Charp. Orth. pl. 2 (1841). *V. Cnemidotus, Burm.* l. c. p. 543. n. 1 (1838); Charp. Germar, Zeitschr. Ent. iii. p. 295 (1841). ‖*Theoclytes Foliata, Serv.* l. c. p. 151 (1839). ‖*V. Sphingicornis, Sauss.* l. c. p. 164 (1871). ‖*V. Subfoliata, Sauss. & Zehntn.* l. c. p. 196. n. 5 (1894).	Cayenne, Brazil.
3. **V. Denticulata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870).	Surinam.
4. **V. Pectinicornis, Stal,** (*Theoclytes P.*) Bihang Svenska Akad. iv. (10) p. 73 (1877). *V. Pectinicornis, Sauss. & Zehntn.* l. c. p. 197. n. 6 (1894).	Panama.
5. **V. Serraticornis, Stål,** (*Theoclytes S.*) l. c. p. 73 (1877).	N. Granada.

6. **V. Amazonicus, Westw.** (*Theoclytes A.*) Rev. Mant. p. 46 (1889). *V. Amazonica, Sauss. & Zehntn.* l. c. p. 197. n. 7 (1894).	Amazons.
7. **V. Annectens, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 85 (1900).	Mexico.
8. **V. Townsendi, Rehn,** Proc. U. S. Nat. Mus. xxvii. p. 573 (1904). *Vates sp., Rehn,* Trans. Amer. Ent. Soc. xxvii. p. 221 (1904).	id.

Genus 186. **Hagiotata.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 197 (1894).

1. **H. Hofmanni, Sauss. & Zehntn. l. c. p. 197, pl. 8. f. 5 (1894).	Brazil.

Genus 187. **Stenophylla.**

Westw. Arc. Ent. ii. p. 52 (1845); Sauss. Mém. Mex., Mant. p. 154 (1871): Miss. Mex., Orth. p. 282 (1872): Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

1. **S. Cornigera, Westw.** l. c. pl. 62. f. 2 (1845); Rev. Mant. p. 45 (1889); Sauss. ll. cc. p. 155 (1871); p. 283 (1872); Mém. Soc. Genève, xxiii. p. 82, pl. 9. f. 30 (1872); Sharp, Cambridge Nat. Hist., Ins. i. pp. 257, 258, f. 147 (1895).	Brazil.

Genus 188. **Stenovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 84 (1872);
Miss. Mex., Orth. p. 286 (1872).

1. **S. Pantherina, Sauss.** ll. cc. p. 84, pl. 9. ff. 31, 31 *a* (1872); p. 287 (1872); Brunn. Ann. Mus. Genova, xxxiii. p. 74 (1893).	"C. Amer.," White Nile.

Genus 189. **Heterochæta.** (*Type* no. 1.)

Westw. Arc. Ent. i. p. 162 (1845);
Sauss. Mém. Soc. Genève, xxi. pp. 140, 164 (1871).

1. **H. Tenuipes, Westw.** (*Toxodera T.*) Ann. Nat. Hist. (1) viii. p. 272 (1841).	Senegal.

Toxodera (Heterochæta) Tenuipes, Westw. Arc. Ent. i. p. 162, pl. 41 (1845). *H. Tenuipes, Westw.* Rev. Mant. p. 41 (1889).	
2. **H. Orientalis, Kirb. Ann. Nat. Hist. (7) xiii. p. 87 (1904). (?) *H. Tenuipes, Gerst.* Mitth. Ver. Vorpomm. xiv. p. 94 (1883).	E. Africa.

Genus 190. **Pseudochæta.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 87 (1904).

1. **P. Strachani, Kirb. l. c. p. 88 (1904).	Lagos.

Genus 191. **Severinia.**

Finot, Ann. Soc. Ent. Belg. xlvi. p. 433 (1902).

1. **S. Lemoroi, Finot,** (*Heterochæta L.*) Bull. Soc. Ent. France, 1893, p. xxix ; Ann. Soc. Ent. Belg. xlvi. p. 432 (1902).	Algeria.

Genus 192. **Heterochætula.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 308 (1889).

1. **H. Fissispinis, Wood-Mason,** l. c. p. 309 (1889).	Mysore.
2. **H. Tricolor, Wood-Mason,** (*Heterochæta T.*) Ann. Nat. Hist. (4) xviii. p. 441 (1876).	Calcutta, Orissa.

Genus 193. **Paradanuria.** (*Type* no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 220 (1877) ; Journ. Asiatic Soc. Bengal, lviii. p. 314 (1889).

*1. **P. Orientalis, Wood-Mason,** Ann. Nat. Hist. (4) xix. p. 220 (1877). *Toxodera (Paradanuria) Orientalis, Westw.* Rev. Mant. p. 41, pl. 12. f. 9 (1889).	India.
2. **P. Parvula, Westw.** (*Toxodera (Paradanuria) P.*) l. c. p. 41 (1889).	Hab. —— ?
3. **P. Fortnumi, Westw.** (*Toxodera (Paradanuria) F.*) l. c. p. 41, pl. 8. f. 7 (1889).	N.Australia.

Genus 194. **Euthyphleps.**

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 315 (1889).

1. **E. Rectivenis, Wood-Mason,** l. c. p. 317 (1889).	N.W. Himalayas.

Genus 195. **Æthalochroa.** (*Type* no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 308 (1877); Journ. Asiatic Soc. Bengal, lviii. p. 310 (1889).
Arsacia, Stål, Bihang Svenska Akad. iv. (10) p. 70 (1877).
Arteria, Brunn. Ann. Mus. Genova, xxxiii. p. 74 (1893).

1. **Æ. Ashmoliana, Westw.** (*Vates Ashmolianus*) Ann. Nat. Hist. (1) viii. p. 271 (1841); Arc. Ent. ii. p. 52 note (1845).	India.
Popa (?) Aschmoliana, Sauss. Mém. Soc. Genève, xxi. p. 161 (1871).	
Æ. Ashmoliana, Wood-Mason, ll. cc. p. 308 (1877); p. 312 (1889); Westw. Rev. Mant. p. 46, pl. 12. f. 6 (1889).	
Æ. Ashmoliana, var. *Simplicipes, Wood-Mason*, Proc. Zool. Soc. Lond. 1878, p. 584.	Bombay, N. India.
Æ. Ashmoliana, var. *Insignis, Wood-Mason*, l. c. (1878).	
2. **Æ. Affinis, Wood-Mason,** Journ. Asiatic Soc. Bengal, lviii. p. 313 (1889).	Sind.
3. **Æ. Spinipes, Wood-Mason,** l. c. (1889).	Karachi.

Genus 196. **Pseudempusa.**

Brunn. Ann. Mus. Genova, xxxiii. p. 73 (1893).

1. **P. Pinnapavonis, Brunn.** l. c. p. 75, pl. 2. f. 25 (1893); Obs. Color. Ins. p. 5, pl. 4. f. 50 (1897).	Burma.

Genus 197. **Popa.** (*Type* no. 2.)

Stål, Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. pp. 386, 397 (1871); Bihang Svenska Akad. iv. (10) p. 70 (1877); Sauss. Mém. Soc. Genève, xxi. pp. 140, 160 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 229 (1895).

*1. **P. Undata, Fabr.** (*Mantis U.*) Ent. Syst. ii. p. 19. n. 28 (1793).	Tranquebar, Bombay;
(?) *Mantis Undata, Charp.* Orth. pl. 38 (1841).	S. Africa (?)
*2. **P. Spurca, Stål,** ll. cc. p. 169 (1856), p. 387 (1871).	S. & E. Africa, Madagascar
‖ *Theoclytes (?) Undata, Serv.* Ins. Orth. p. 152 (1839).	

‖*P. Undata, Sauss.* l. c. xxiii. p. 79 (1872); Sauss. & Zehntn. l. c. p. 233 (1895). *P. Undata*, var. *Pallida, Sauss. & Zehntn.* l. c. p. 234 (1895).	
3. **P. Batesi, Sauss. & Zehntn.** l. c. p. 230 (1895). *P. Undata*, pt., *Bates*, Proc. Zool. Soc. Lond. 1863, p. 480.	Madagascar

Genus 198. **Macrodanuria.** (*Type* no. 1.)

Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 22 (1900).

*1. **M. Phasmoides, Sjöst.** l. c. p. 23, pl. 1. ff. 1, 2 (1900).	Congo.
2. **M. Elongata, De Borre** (*Danuria E.*) Ann. Soc. Ent. Belg. xxvii. p. 76 (1883).	S. Guinea.
*3. **M. Bolauana, Sauss.** (*Danuria B.*) Mitth. Schweiz. Ent. Ges. iii. p. 70 (May, 1869). *Danuria Bolauana, Sauss.* Mém. Soc. Genève, xxi. p. 162 (1871). *Mantis* (*Danuria* ?) *Superciliaris, Gerst.* Arch. Naturg. xxxv. p. 210. n. 25 (1869); Von der Decken's Reisen in Ost-Afrika, Ins. p. 15, pl. 1. ff. 7, 7 *a*, *b* (1873). *Danuria* (?) *Caffra, Westw.* Rev. Mant. p. 42, pl. 1. f. 5 (1889).	E. Africa.

Genus 199. **Danuria.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 387 (1871); Bihang Svenska Akad. iv. (10) p. 70 (1877); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869); Mém. Soc. Genève, xxi. pp. 161, 319 (1871); Karsch, Ent. Nachr. xv. p. 270 (1889).
Daniura, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869).

*1. **D. Thunbergi, Stål,** ll. cc. p. 169 (1856), p. 387 (1871); Sauss. Mém. Soc. Genève, xxi. pp. 163, 320, pl. 7. ff. 66, 67 (1871); Karsch, l. c. p. 273 (1889); (?) Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 228 (1895).	S. & E. Africa, Madagascar (eadem ?).
*2. **D. Buchholzi, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 93 (1883).	W. Africa.

3. **D. Gracilis, Schulth.** (*Popa G.*) Ann. Mus. Genova, xxxix. p. 180 (1898). *D. Gracilis, Schulth.* Bull. Soc. Vaud. xxxv. p. 200 note (1899).	Somali Land.
*4. **D. Impannosa, Karsch,** l. c. p. 274 (1889).	Nubia.
*5. **D. Serratodentata, Karsch,** l. c. p. 274 (1889).	Congo, Angola.

Genus 200. **Danuriella.**

Westw. Rev. Mant. p. 42 (1889); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 235 (1895).

1. **D. Irregularis, Westw.** l. c. p. 42, pl. 1. f. 9 (1889); Sauss. & Zehntn. l. c. p. 236, pl. 7. ff. 6, 7 (1895).	Madagascar

Genus 201. **Phitrus.**

Karsch, Ent. Nachr. xviii. p. 149 (1892).

1. **P. Lobulipes, Karsch,** l. c. (1892); Berlin. Ent. Zeitschr. xxxix. p. 279, pl. 20. f. 8 (1894).	Cameroons.

SUBFAM. VIII.

EMPUSINÆ.

Genus 202. **Gongylus.** (*Type* no. 1.)

Thunb. Mém. Pétersb. v. p. 220 (1815); Burm. Handb. Ent. ii. p. 545 (1838); Sauss. Mém. Soc. Genève, xxi. p. 185 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 75 (1877).

*1. **G. Gongylodes, Linn.** (*Gryllus Mantis G.*) Syst. Nat. (ed. x.) i. p. 426. n. 4 (1758); Mus. Ulr. p. 112 (1764). ——, *Rœsel,* Ins. Belust. ii. Locusta Indica, pl. 7. ff. 1–3 (1749). *Mantis Gongylodes, Fabr.* Syst. Ent. p. 275. n. 6 (1775); Drury, Ill. Exot. Ent. i. pl. 50. f. 2 (1773); Oliv. Enc. Méth., Ins. vii. p. 626. n. 7 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 21. n. 6 (1802);	India, Ceylon.

Stoll, Spectres, Mantes, p. 46, pl. 16. ff. 58, 59 (1813); Brullé, Hist. Nat. Ins. ix. p. 78, pl. 6. f. 2 (1835).
G. Gongylodes, Thunb. l. c. p. 294 (1815); Sauss. l. c. xxi. p. 185 (1871); Sharp, Cambridge Nat. Hist., Ins. i. pp. 254–256, f. 146 (1895).
Empusa Gongylodes, Burm. l. c. p. 545. n. 1 (1838); Serv. Ins. Orth. p. 141 (1839); Duncan, Nat. Libr., Ins. i. p. 235, pl. 10. f. 1 (1840).
♂. *Mantis Flabellicornis, Fabr.* Ent. Syst. ii. p. 16. n. 16 (1793); Licht. l. c. p. 22. n. 7 (1802); Stoll, l. c. p. 49, pl. 17. f. 61 (1813).

*2. **G. Trachelophyllus, Burm.** (*Empusa Trachelophylla*) l. c. p. 545. n. 2 (1838). — India, Ceylon.
G. Trachelophyllus, Sauss. l. c. xxi. p. 186 (1871), xxiii. p. 86, pl. 9. f. 34 (1872).

Genus 203. **Empusa.** (*Type* no. 6.)

Illiger. Käfer Preuss. p. 499 (1798); Latr. Gen. Crust. Ins. iii. p. 90 (1807); Serv. Ann. Sci. Nat. xxi. p. 47 (1831); Ins. Orth. p. 140 (1839); Burm. Handb. Ent. ii. pp. 544, 546 (1838); Fisch. Waldh. Orth. Ross. p. 94 (1846); Fisch. Orth. Eur. p. 131 (1853); Sauss. Mém. Soc. Genève, xxi. p. 186 (1871); Bol. Sin. Ortópt. Españ. p. 65 (1876); Stal, Bihang Svenska Akad. iv. (10) p. 26 (1877); Brunn. Prodr. Eur. Orth. p. 69 (1882); Finot, Faune France, Orth. p. 91 (1890); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 240 (1895); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 154 (1902).
Ampusa, Ramb. Faune And. ii. p. 17 (1842).

1. **E. Pectinata, Dru.** (*Mantis P.*) Ill. Exot. Ent. i. pl. 50. f. 1 (1773). — "Jamaica."
‖*E. Pennicornis, Westw.* ed. Drury, l. c. (1837).

*1 *a*. **E. Egena, Charp.** Germar, Zeitschr. Ent. iii. p. 298 (1841); Fisch. Waldh. l. c. p. 97, pl. 1. f. 7 (1846); Fisch. l. c. p. 132 (1853); Sauss. l. c. p. 189 (1871); Bol. l. c. p. 66, pl. 1. f. 24 *a*, *b* (1876); Brunn. l. c. p. 70 (1882); Finot, l. c. p. 91, pl. 3. f. 53 (1890). — S. Europe, N. Africa, W. Asia.
‖*Mantis Pauperata, Rossi*, Faune Etr. i. p. 258 (1783); Cyr. Ent. Neap. pl. 6. f. 1, pl. 8. f. 1 (1797).

E. Pauperata, Charp. Hor. Ent. p. 87; Burm. l. c. p. 547. n. 6 (1838); Serv. Ins. Orth. p. 145 (1839); Fisch. l. c. p. 135 (1853).	
‖*Ampusa Pauperata, Ramb.* l. c. p. 17 (1842)	
‖*Mantis Pectinicornis, Cyr.* l. c. pl. 9. f. 5 (1797); Stoll. Spectres, Mantes, p. 30, pl. 9. f. 34 (1813).	
Empusa Stollii, Sauss. l. c. p. 188 (1871).	
E. Brachyptera, Fisch. Waldh. l. c. p. 97, pl. 1. f. 8 (1846).	
E. Europæa, Fieb. Lotos, iii. p. 96. n. 1 (1853).	
E. Occidentalis, Fisch. l. c. p. 133 (1853).	
??*Mantis Clavata, Goeze,* Ent. Beytr. ii. p. 34. n. 24 (1778); Oliv. Enc. Méth., Ins. vii. p. 642. n. 18 (1792) (Seba, Thesaurus, iv. pl. 68. ff. 11, 12).	
??*Mantis Tricornis, Goeze,* l. c. n. 26, pl. 69. ff. 1, 2 (1778); Oliv. l. c. n. 20 (1792) (Seba, l. c. pl. 69. ff. 1, 2).	
??*Mantis Spuria, Goeze,* l. c. p. 37. n. 39 (1778); Oliv. l. c. n. 33 (1792) (Seba, l. c. pl. 76. ff. 13, 14).	
E. Tricornis, Jacobs. & Bianki, l. c. p. 155 (1902).	
*2. **E. Hedenborgi, Stål,** l. c. p. 77 (1877).	Nubia.
‖*E. Pectinicornis, Burm.* l. c. p. 546. n. 4 (1838).	
*3. **E. Fasciata, Brullé,** Expl. Morée, Ins. p. 83, pl. 6. f. 4 (1836); Fisch. l. c. p. 133 (1853); Brunn. l. c. p. 70, pl. 3. f. 19 (1882); Jacobs. & Bianki, l. c. p. 155 (1902).	Balkan Peninsula, W. Asia, Egypt.
4. **E. Unicornis, Joh.** (*Gryllus U.*) Amœn. Acad. vi. p. 396. n. 27 (1764).	China.
Mantis Pectinicornis, Linn. Syst. Nat. (ed. xii.) i. (2) p. 691. n. 10 (1767); Fabr. Syst. Ent. p. 276. n. 12 (1775); Oliv. l. c. p. 632. n. 32 (1792).	
*5. **E. Pennicornis, Pall.** (*Mantis P.*) Reise, ii. p. 728. n. 80 (1773); Goeze, Ent. Beytr. ii. p. 31. n. 18 (1778); Oliv. l. c. p. 635. n. 50 (1792).	S.E. Russia, W. Asia.
E. Pennicornis, Sauss. l. c. p. 188. n. 5 (1871); Brunn. l. c. p. 71 (1882); Jacobs. & Bianki, l. c. p. 155 (1902).	

Mantis Pallasiana, Oliv. l. c. p. 637. n. 66 (1792).	
‖*Mantis Pectinicornis, Licht.* Trans. Linn. Soc. Lond. vi. p. 22. n. 8 (1802).	
E. Orientalis, Burm. l. c. p. 546. n. 5 (1838); Fisch. Waldh. l. c. p. 97, pl. 1. f. 6 (1846); Fisch. l. c. p. 132 (1853).	
‖*E. Pauperata, Kitt.* Bull. Soc. Mosc. xxii. p. 443 (1849).	
(?) *Gongylus Pennatus, Thunb.* Mém. Soc. Pétersb. v. p. 294 (1815).	
(?) *Gongylus Marginatus, Thunb.* l. c. (1815).	
6. **E. Pauperata, Fabr. (*Mantis P.*) Spec. Ins. i. p. 346. n. 9 (1781); Herbst, Fuessly, Arch. Ins. p. 187, pl. 51. f. 1 (1786); Oliv. l. c. p. 627. n. 8 (1792); Licht. l. c. p. 24. n. 12 (1802); Stoll, l. c. p. 33, pl. 10. f. 40 (1813).	India, Ceylon.
E. Humbertiana, Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 60 (1869).	
‖*E. Unicornis, Sauss.* Mém. Soc. Genève, xxi. p. 189 (1871).	
7. **E. Guttulus, Thunb.** (*Gongylus G.*) l. c. p. 294 (1815).	Hab. —— ?
*7 *a*. **E. Binotata, Serv.** Ins. Orth. p. 143 (1839).	S. Africa.
‖*Mantis Pectinicornis, Stoll,* l. c. p. 30, pl. 9. f. 35 (1813).	
‖*E. Fronticornis, Burm.* l. c. p. 546. n. 3 (1838); Sauss. Mém. Soc. Genève, xxi. p. 86 (1871).	
8. **E. Dolosa, Serv.** l. c. p. 143 (1839).	Senegal.
9. **E. Servillii, Sauss.** l. c. xxiii. p. 88. n. 3 (1872); Sauss. & Zehntn. l. c. p. 240 (1895).	Hab. —— ?
‖*E. Fronticornis, Serv.* l. c. p. 144 (1839).	

Genus 204. **Hemiempusa.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 242 (1895).

*1. **H. Fronticornis, Stoll,** (*Mantis F.*) Spectres, Mantes, p. 63, pl. 21. f. 79 (1813).	S. & E. Africa.
Empusa Capensis, Burm. Handb. Ent. ii. p. 547. n. 7 (1838); Sauss. Mém. Soc. Genève, xxiii. p. 88 (1872).	

Idolomorpha (Hemiempusa) Capensis, Sauss. & Zehntn. l. c. p. 242, pl. 10. f. 43 (1895). *Vates Wahlbergi, Stål,* Œfv. Vet.-Akad. Förh. xiii. p. 167 (1856). *Empusa Wahlbergi, Stål,* l. c. xxviii. p. 382 (1871); Sauss. l. c. p. 88 (1872). *Empusa Purpuripennis, Serv.* Ins. Orth. p. 145 (1839). *Mantis Nympha, Stoll,* l. c. p. 72, pl. 24. f. 94 (1813).	

Genus 205. **Hypsicorypha.**

Krauss, Zool. Anz. xv. p. 166 (1892); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 240 (1895).

1. **H. Juliæ, Krauss,** l. c. p. 166 (1892); Rebeur-Paschwitz, Berlin. Ent. Zeitschr. xl. p. 265, pl. 2. ff. 1–5 (1895).	Teneriffe.

Genus 206. **Idolomorpha.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 547 (1838); Sauss. Mém. Soc. Genève, xxi. p. 191 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 241 (1895).

*1. **I. Lateralis, Burm.** (*Empusa L.*) l. c. p. 547. n. 8 (1838).	W. Africa.
2. **I. Defoliata, Serv.** (*Empusa D.*) Ins. Orth. p. 147 (1839). (?) *I. Defoliata, Sauss.* l. c. p. 191 (1871).	Senegal.
3. **I. Spinifrons, Sauss.** (*Empusa S.*) Rev. Zool. (2) xi. p. 61 (1859). *I. Spinifrons, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869); Sauss. & Zehntn. l. c. p. 244, pl. x. f. 42 (1895).	id.
4. **I. Sagitta, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 25 (1900).	Congo.
5. **I. Longifrons, Sauss.** l. c. p. 224 (1870); Mém. Soc. Genève, xxi. p. 193 (1871); Sauss. & Zehntn. l. c. p. 244 (1895).	Tunis.
6. **I. Gracilis, Burm.** (*Empusa G.*) l. c. p. 547. n. 9 (1838).	Hab. —— ?

*7. **I. Dentifrons, Sauss. & Zehntn.** l. c. p. 244 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 599 (1899).	Zanzibar, Kilimanjaro
8. **I. Madagascariensis, Westw. Rev. Mant. p. 46, pl. 6. f. 7 (1889); Sauss. & Zehntn. l. c. p. 242, pl. 10. f. 41 (1895).	Madagascar

Genus 207. **Blepharodes.**

Bol. An. Soc. Españ. xix. p. 303 (1890).

1. **B. Candelarius, Bol.** l. c. p. 306, pl. 1. f. 4 (1890).	Mogadixo.
2. **B. (?) Cornuta, Schulth.** (*Blepharis C.*) Zool. Jahrb. Syst. viii. p. 72, pl. 4. f. 1 (1895) ; Ann. Mus. Genova, xxxix. p. 18 (1898).	Somali Land.
3. **B. (?) Kotschyi, Schulth.** l. c. p. 72 (1895).	Sennaar.

Genus 208. **Blepharopsis.**

Rehn, Canad. Ent. xxxiv. p. 316 (1902).

||*Blepharis*, *Serv.* Ann. Sci. Nat. xxii. p. 47 (1831) ; Ins. Orth. p. 148 (1839) ; Burm. Handb. Ent. ii. p. 547 (1838) ; Sauss. Mém. Soc. Genève, xxi. pp. 179, 181 (1871) ; Stål, Bihang Svenska Akad. iv. (10) p. 76 (1877) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 155 (1902).

*1. **B. Mendica, Fabr.** (*Mantis M.*) Syst. Ent. p. 275. n. 7 (1775); Oliv. Enc. Méth., Ins. vii. p. 627. n. 9 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 10 (1802) ; Stoll, Spectres, Mantes, p. 41*, pl. 12. f. 47 (1813) ; Brullé, Hist. Nat. Ins. ix. p. 77, pl. 6. f. 1 (1835). *Blepharis Mendica*, *Burm.* l. c. p. 548 (1838); Serv. l. c. p. 149 (1839) ; Sauss. l. c. p. 181 (1871); Jacobs. & Bianki, l. c. p. 155 (1902). *Mantis Marmorata*, *Oliv.* l. c. p. 641. n. 10 (1792).	N. Africa, W. Asia.

Genus 209. **Idolum.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 53 (1869); Mém. Soc. Genève, xxi. p. 182 (1871).

*1. **I. Diabolicum, Sauss.** ll. cc. pp. 60, 223 (1869–1870); p. 183, pl. 5. ff. 36, 36*a* (1871); Westw. Rev. Mant. p. 26, pl. 5. f. 1 (1889); Sharp, Proc. Cambridge Soc. Nat. Hist. x. p. 175, pl. 2 (1899); Shelf. Zoologist, (4) vii. p. 298 (1903). *I. Diabroticum, Shelf.* l. c. p. 295 note (1903).	E. Africa.

FAM. V.

PHASMIDÆ.

SUBFAM. I.

LONCHODINÆ.

Genus 1. **Stælonchodes.** (*Type* no. 7.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 372 (1904).
Lonchodes, pt., *Gray* (*nec sect. typ.*), Syn. Phasm. p. 19 (1835); Stål, Rec. Orth. iii. pp. 8, 64 (1875).

1. **S. Praon, Westw. (*Lonchodes P.*) Cat. Phasm. p. 41. n. 110, pl. 6. ff. 3, 3 *a–c* (1859).	Ceylon.
2. **S. Porus, Westw. (*Lonchodes P.*) l. c. p. 42. n. 113, pl. 7. ff. 9, 9 *a* (1859); Wood-Mason, Proc. Asiatic Soc. Bengal, 1877, p. 162; Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 40. *Lopaphus Porus*, *Wood-Mason*, Journ. Asiatic Soc. Bengal, xlvi. p. 348 (1877).	Upper Tenasserim.
3. **S. Nigropunctatus, Kirb. (*Lonchodes N.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 453 (1896).	Lizard I.
4. **S. Sinkiebensis, Wood-Mason,** (*Bacteria S.*) Journ. Asiatic Soc. Bengal, xlvi. p. 343 (1879).	Sumatra, Sinkieb I.
*5. **S. Sarawaca, Westw.** (*Bacteria S.*) l. c. p. 31. n. 89, pl. 25. ff. 1, 1 *a*, 2, 2 *a*, *b* (1859).	Sarawak.
6. **S. Steira, Westw.** (*Lonchodes S.*) l. c. p. 40. n. 108, pl. 23. ff. 5, 5 *a* (1859).	Amboina.
*7. **S. Geniculatus, Gray,** (*Lonchodes G.*) l. c. p. 19 (1835); Westw. l. c. p. 37. n. 101 (1859). *Phasma* (*Bacteria*) *Geniculosum*, *Westw.* Cab. Orient. Ent. p. 80, pl. 39. f. 4 (1848).	Penang. Prince of Wales I.
8. **S. Forcipatus, Bates,** (*Lonchodes F.*) Trans. Linn. Soc. Lond. xxv. p. 338 (1865).	Celebes.

9. **S. Stomphax, Westw. (*Lonchodes S.*) Cat. Phasm. p. 38. n. 104, pl. 4. f. 8 (1859).	Hong Kong.
10. **S. Tagalicus, Stål,** (*Lonchodes T.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).	Philippines.
11. **S. Dispar, Bates,** (*Lonchodes D.*) l. c. p. 337 (1865).	Sarawak.
12. **S. Catori, Kirb. (*Lonchodes C.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 454 (1896).	Sandakan.
13. **S. Nodosus, Haan,** (*Phasma* (*Bacteria*) *Nodosum*, ♂) Temminck, Verhandel., Orth. p. 133, pl. 11. f. 3 (1842). *Lonchodes Nodosus*, ♂, *Westw.* l. c. p. 37. n. 100 (1859).	Java, Timor.
14. **S. Trollius, Westw. (*Lonchodes T.*) l. c. p. 40. n. 109, pl. 23. ff. 1, 1 *a* (1859).	Philippines.
15. **S. Confucius, Westw. (*Lonchodes C.*) l. c. p. 46. n. 124, pl. 7. ff. 2, 2 *a*, 3, 3 *a* (1859).	China.
16. **S. Asperatus, Bates,** (*Lonchodes A.*) l. c. p. 339 (1865).	Darjiling.
17. **S. Batesii, Kirb. (*Lonchodes B.*) l. c. p. 452 (1896).	Bouru (?).
*18. **S. Hæmatomus, Westw.** (*Lonchodes H.*) l. c. p. 39. n. 106, pl. 24. ff. 8, 8 *a* (1859).	Sarawak.
19. **S. Myrina, Westw. (*Lonchodes M.*) l. c. p. 38. n. 105, pl. 24. ff. 7, 7 *a* (1859).	N. India.
20. **S. Virgatus, Kirb. (*Lonchodes V.*) l. c. p. 452 (1896).	Bouru (?).
21. **S. Alluaudi, Bol.** (*Lonchodes A.*) Ann. Soc. Ent. France, 1895, p. 372.	Seychelles.
22. **S. Sechellensis, Bol.** (*Lonchodes S.*) l. c. p. 373 (1895).	id.
23. **S. Denticauda, Bates,** (*Lonchodes D.*) l. c. p. 336 (1865).	Ceylon.
24. **S. Gracillimus, Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).	Tonkin.
25. **S. Baucis, Westw. (*Bacteria B.*) l. c. p. 21. n. 56, pl. 8. f. 8 (1859). *L. Baucis*, *Wood-Mason*, l. c. xlvi. p. 349, pl. 2. f. 2 (1877).	Assam, &c.

Genus 2. **Greenia.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).

*1. **G. Furcata, Bates,** (*Lonchodes Furcatus*) Trans. Linn. Soc. Lond. xxv. p. 335, pl. 44. ff. 5, 6 (1865). ‖*Lonchodes Praon*, ♀, *Sauss.* Mém. Soc. Genève, xx. p. 302, pl. 2. ff. 6, 6 *a* (1870).	Ceylon.

Genus 3. **Thrasyllus.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

1. **T. Macilentus, Stål,** l. c. (1877).	Philippines.

Genus 4. **Chondrostethus.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 455 (1896).

1. **C. Woodfordi, Kirb. l. c. pl. 39. ff. 1, 1 *a*, 2, 2 *a* (1896).	Solomon Isl.

Genus 5. **Mithrenes.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

1. **M. Asperulus, Stål,** l. c. p. 40 (1877).	Philippines.
2. **M. (?) Whiteheadi, Kirb. (*Lonchodes W.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 451 (1896).	Luzon.

Genus 6. **Phraortes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 8 (1875).

*1. **P. Elongata, Thunb.** (*Phasma E.*) Mém. Soc. Pétersb. v. p. 299 (1815); Westw. Cat. Phasm. p. 183. n. 4 (1859). *P. Elongatus, Stål,* l. c. p. 64 (1875). *Phasma* (*Bacteria*) *Niponense*, *Haan*, Temminck, Verhandel., Orth. p. 134 (1842). *Lonchodes Niponensis*, *Westw.* l. c. p. 46. n. 123 (1859).	Japan.
2. **P. Mikado, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 10.	Yokohama.

Genus 7. **Periphetes.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).

1. **P. Graniferum, Westw. (*Phasma G.*) Cat. Phasm. p. 35. n. 97, pl. 3. f. 4 (1859).	Philippines.
2. **P.** (?) **Duivenbodei, Kaup,** (*Lonchodes D.*) Berlin. Ent. Zeitschr. xv. p. 30, pl. 2. f. 3 (1871).	Celebes, Menado.

Genus 8. **Mnesilochus.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

1. **M. Capreolus, Stål,** l. c. (1877).	Philippines.
2. **M. Hædulus, Stål,** l. c. (1877).	id.

Genus 9. **Carausius.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 8 (1875).

1. **C. Strumosus, Stål,** l. c. p. 64 (1875).	Java.
2. **C. Macer, Stål,** l. c. p. 65 (1875).	id.
3. **C. Mercurius, Stål,** C. R. Soc. Ent. Belg. xx. p. lxii (1877).	Hab. —— ?
4. **C. Bracatus, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 42.	Siam.
5. **C. Mammatus, Rehn,** l. c. p. 44 (1904).	Obi.
6. **C. Obiensis, Rehn,** l. c. p. 46 (1904).	id.
7. **C.** (?) **Granulatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 81, pl. 2. f. 26 (1893).	Tenasserim.

Genus 10. **Myronides.** (*Type* no. 3.)

Stål, Rec. Orth. iii. pp. 8, 63 (1875).

1. **M. Crishna, Westw. (*Lonchodes C.*) Cat. Phasm. p. 44. n. 117, pl. 24. f. 9 (1859).	Java.
2. **M. Bootanicus, Westw. (*Lonchodes B.*) l. c. p. 43. n. 115, pl. 26. f. 8 (1859). *Lopaphus Bootanicus, Wood-Mason,* Journ. Asiatic Soc. Bengal, xlvi. p. 348, pl. 2. f. 1 (1877).	Bootan, Naga Hills.

3. **M. Pfeifferæ, Westw. (*Lonchodes P.*) l. c. p. 44. n. 118, pl. 5. f. 6 (1859). *M. Pfeifferæ*, *Stål*, l. c. p. 63. n. 1 (1875); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 451 (1896).	Amboina, Ceram.
4. **M. Kaupii, Stål,** l. c. p. 63. n. 2 (1875).	Moluccas.
5. **M. Filum, Sharp,** Willey, Zool. Results, p. 81, pl. 7. f. 1 (1898).	New Britain.
6. **M. Ashmeadi, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 38.	Siam.
7. **M. Binodis, Sharp,** l. c. p. 82, pl. 7. f. 2 (1898).	New Britain.
8. **M. Bituber, Sharp,** l. c. p. 82 (1898).	id.
9. **M. Simplex, Sharp,** l. c. (1898).	id.
10. **M. Sordidus, Sharp,** l. c. p. 83 (1898).	id.
11. **M. Ramulus, Sharp,** l. c. pl. 7. f. 3 (1898).	id.

Genus 11. **Lonchodes.** (*Type* no. 1.)

Gray. Syn. Phasm. p. 19 (1835); Westw. Cat. Phasm. p. 36 (1859); Sauss. Mém. Soc. Genève, xx. p. 299 (1870); Stål, Bihang Svenska Akad. iii. (14) p. 7 (1875); Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).

Dixippus, *Stål*, Rec. Orth. iii. pp. 9, 66 (1875). (*Type* no. 3.)

1. **L. Brevipes, Gray, l. c. p. 19. n. 1 (1835); Westw. l. c. p. 36. n. 99 (1859). ♀. *L. Pterodactylus*, *Gray*, l. c. n. 3 (1835).	Malabar, Singapore.
2. **L. Sodalis, Kirb. (*Dixippus S.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 459 (1896).	N. Borneo (Baram).
*3. **L. Uniformis, Westw.** (*Phasma* (*Lonchodes*) *Uniforme*) Cab. Orient. Ent. p. 79, pl. 39. f. 3 (1848). *L. Uniformis*, *Westw.* Cat. Phasm. p. 37. n. 102 (1859). *Dixippus Uniformis*, *Rehn*, Proc. Acad. Nat. Sci. Philad. 1904, p. 42.	Prince of Wales I., Singapore.
*4. **L. Sumatranus, Haan,** (*Phasma Sumatranum*) Temminck, Verhandel., Orth. pl. 13. f. 6 (1842). *Dixippus Sumatranus*, *Rehn*, l. c. p. 41 (1904). *Phasma* (*Bacteria*) *Nodosum*, ♀, *Haan*, l. c. p. 133 (1842). *L. Nodosus*, ♀, *Westw.* l. c. p. 37. n. 100 (1859).	Sumatra. Borneo.

5. **L. Cornutus, Kirb. (*Dixippus C.*) l. c. p. 459 (1896).	Hong Kong.
6. **L. Verrucifer, Wood-Mason,** Proc. Asiatic Soc. Bengal, 1876, p. 95; Journ. Asiatic Soc. Bengal, xlv. p. 47, pl. 11 (1876).	Andaman Islands.
7. **L. Godama, Wood-Mason,** Proc. Asiatic Soc. Bengal, 1877, p. 162.	Upper Tenasserim.
8. **L. (?) Beecheyi, Gray, (*Bacillus B.*) Syn. Phasm. p. 21 (1835); Westw. l. c. p. 12. n. 28 (1859).	Sandwich Isl. (?).
9. **L. Shiva, Westw. (*Bacteria S.*) l. c. p. 32. n. 90, pl. 8. f. 6 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 342, pl. 2. f. 3 (1877).	N. India.
10. **L. (?) Viridis, Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).	Tonkin.

Genus 12. **Hermagoras.** (*Type* no. 5.)

Stål, Rec. Orth. iii. p. 8 note (1875); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).

Prisomera, pt., *Gray*, Syn. Phasm. p. 15 (1835); Brunn. Ann. Mus. Genov. xxxiii. p. 81 (1893).

1. **H. Verrucosus, Haan,** (*Phasma* (*Acanthoderus*) *Verrucosum*) Temminck, Verhandel., Orth. p. 136, pl. 14. f. 1 (1842). *Prisomera Verrucosum*, *Westw.* Cat. Phasm. p. 48. n. 128 (1859).	Sumatra.
2. **H. Cristatus, Kirb. l. c. p. 457 (1896).	N. Borneo (Baram).
3. **H. Hosei, Kirb. l. c. pl. 40. ff. 1, 1 *a* (1896).	id.
4. **H. Foliopeda, Oliv.** (*Mantis F.*) Enc. Méth. vii. p. 638. n. 72 (1792). *Phasma Latipes*, *Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 15 (1796); Trans. Linn. Soc. Lond. vi. p. 11. n. 6 (1802). *Phasma Femorata*, *Stoll*, Spectres, Mantes, p. 44, pl. 14. f. 54 (1813). *Bacteria Femorata*, *Burm.* Handb. Ent. ii. p. 565. n. 5 (1838). *Prisomera Femoratum*, *Gray*, Syn. Phasm. p. 15 (1835); Westw. l. c. p. 47. n. 125 (1859).	Amboina.

*5. **H. Personatus, Bates,** (*Lonchodes P.*) Trans. Linn. Soc. Lond. xxv. p. 336, pl. 44. f. 7 (1862).	Bouru.
6. **H. Valgus, Wood-Mason,** (*Lonchodes V.*) Ann. Nat. Hist. (4) xix. p. 487 (1877).	Perak.

Genus 13. **Prisomera.**

Gray. Syn. Phasm. p. 15 (1835);
Westw. Cat. Phasm. p. 47 (1859).

1. **P. Spinicollis, Gray, l. c. p. 16 (1835). *Prisomera Spinicolle, Westw.* l. c. p. 47. n. 126 (1859).	Ceylon.

Genus 14. **Sthenobœa.** (*Type* no. 7.)

Stål, Rec. Orth. iii. pp. 10. 68 (1875);
Bihang Svenska Akad. iii. (14) p. 8 (1875).

1. **S. Cyllabacus, Westw. (*Lonchodes C.*) Cat. Phasm. p. 45. n. 120. pl. 6. f. 4 (1859).	Ceylon.
1 *a*. **S. (?) Flavicornis, Bates,** (*Lonchodes F.*) Trans. Linn. Soc. Lond. xxv. p. 333 (1865).	id.
2. **S. Taprobanæ, Westw. (*Lonchodes T.*) l. c. p. 41. n. 111, pl. 6. f. 6, pl. 24. f. 12 (1859); (?) Sauss. Rev. Zool. (2) xx. p. 66. n. 13 (1868); Mém. Soc. Genève. xxi. p. 304, pl. 2. ff. 7, 7 *a*, *b* (1870).	id.
2 *a*. **S. (?) Auscultator, Bates,** (*Lonchodes A.*) l. c. p. 334 (1865).	id.
3. **S. Amaurops, Westw. (*Lonchodes A.*) l. c. p. 43. n. 116, pl. 24. f. 10 (1859).	Sarawak.
4. **S. Tuberculata, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 462 (1896).	id.
*5. **S. Phyllopus, Haan,** (*Phasma* (*Acanthoderus*) *P.*) Temminck, Verhandel., Orth. p. 135, pl. 12. f. 5 (1842). *Acanthoderus Phyllopus, Westw.* l. c. p. 50. n. 137 (1859).	Java, Malacca.
*6. **S. Bifoliata, Haan,** (*Phasma* (*Acanthoderus*) *Bifoliatum*) l. c. p. 136, pl. 14. f. 2 (1842). *Prisomera Bifoliatum, Westw.* l. c. p. 47. n. 127 (1859).	Sumatra: W. Africa (*errore* ?).

7. **S. Malaya, Stål,** Rec. Orth. iii. p. 68 (1875).	Malacca.
8. **S. (?) Canna, Haan,** (*Phasma* (*Bacteria*) *C.*) l. c. p. 101 (1842). *Bacteria Canna*, *Westw.* l. c. p. 21. n. 54 (1859).	Cape.

Genus 15. **Phasgania.** (*Type* no. 2.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 461 (1896).

1. **P. Crawangensis, Haan,** (*Phasma Crawangense*) Temminck, Verhandel., Orth. pl. 13. f. 1 (1842). *Phasma* (*Bacteria*) *Nematodes*, ♀, *Haan*, l. c. p. 132 (1842). *Lonchodes Nematodes*, ♀, *Westw.* Cat. Phasm. p. 42. n. 112 (1859).	Java.
2. **P. Everetti, Kirb. l. c. p. 461, pl. 40. ff. 2, 2 *a* (1896).	N.W. Borneo.
3. **P. Insularis, Kirb. (*Dixippus* (?) *I.*) l. c. p. 460 (1896).	Thursday Island.
4. **P. (?) Squeleton, Oliv.** (*Mantis S.*) Enc. Méth., Ins. vii. p. 639. n. 74 (1792). *Phasma Sceleton*, *Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 17 (1796) ; Trans. Linn. Soc. Lond. vi. p. 10. n. 5 (1802). *Phasma Simplex*, *Stoll*, Spectres, Phasmes, p. 45, pl. 14. f. 55 (1813). *Bacteria Simplex*, *Gray*, Syn. Phasm. p. 17 (1835) : Burm. Handb. Ent. ii. p. 565. n. 4 (1838) ; Westw. l. c. p. 23. n. 60 (1859).	China.

Genus 16. **Oxyartes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 18, 73 (1875).

*1. **O. Despectus, Westw.** (*Phasma* (*Acanthoderus*) *Despectum*) Cab. Orient. Ent. p. 80, pl. 39. f. 5 (1848). *Anophelepis Despecta*, *Westw.* Cat. Phasm. p. 68. n. 179, pl. 3. f. 6 (1859). *Anophelepis Despecta*, var. *Cresphontes*, *Westw.* l. c. f. 1 (1859).	Silhet.

2. **O. Ceylonicus, Sauss.** (*Anophelepis Ceylonica*) Rev. Zool. (2) xx. p. 67. n. 18 (1868); Mém. Soc. Genève, xx. p. 298, pl. 2. f. 5 (1870).	Ceylon.
3. **O. Lamellatus, Kirb. Ann. Nat. Hist. (7) xiii. p. 374 (1904).	Tonkin.

Genus 17. **Neohirasea.**

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 84.

1. **N. Japonicus, Haan,** (*Phasma* (*Acanthoderus*) *Japonicum*) Temminck. Verhandel., Orth. p. 135, pl. 12. f. 4 (1842). *Acanthoderus Japonicus*, *Westw.* Cat. Phasm. p. 50. n. 136 (1859).	Japan.

Genus 18. **Menexenus.** (*Type* no. 6.)

Stål, Rec. Orth. pp. 18, 33 (1875).
Menexus, *Brunn.* Ann. Mus. Genova, xxxiii. p. 81 (1893).

*1. **M. Lacertinus, Westw.** (*Phasma* (*Acanthoderus*) *Lacertinum*) Cab. Orient. Ent. p. 80, pl. 39. f. 6 (1848). *Acanthoderus Lacertinus*, *Westw.* Cat. Phasm. p. 49. n. 133 (1859).	Assam, Bootan.
2. **M. Mimas, Westw. (*Acanthoderus M.*) l. c. p. 55. n. 150, pl. 1. f. 3 (1859).	Ceylon.
*3. **M. Luteoviridis, Westw.** (*Phasma* (*Lonchodes*) *Luteoviride*) Cab. Orient. Ent. p. 78, pl. 38. f. 7 (1848). *Lonchodes Luteoviridis*, *Westw.* Cat. Phasm. p. 38. n. 103 (1859).	Assam, Sikkim.
4. **M. Bicoronatus, Westw.** (*Phasma* (*Acanthodera*) *Bicornuta*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848). *Acanthoderus Bicoronatus*, *Westw.* Cat. Phasm. p. 50. n. 134 (1859).	Himalayas.
5. **M. Semiarmatus, Westw.** (*Phasma* (*Acanthodera*) *Semiarmata*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848). *Acanthoderus Semiarmatus*, *Westw.* Cat. Phasm. p. 50. n. 135 (1859).	id.

Genus 19. **Promachus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 17, 73 (1875) ;
Bihang Svenska Akad. iii. (14) p. 9 (1875).

1. **P. Wallacei, Westw. (*Acanthoderus W.*) Cat. Phasm. p. 181. n. 468, pl. 40. ff. 7, 8 (1859).	Aru.
2. **P. (?) Lætus, Kirb. Ann. Nat. Hist. (7) xiii. p. 375 (1904).	Tonkin.
*3. **P. Doreyanus, Bates,** (*Lonchodes D.*) Trans. Linn. Soc. Lond. xxv. p. 332 (1865).	N. Guinea (Dorey).
4. **P. Servillei, Montr.** (*Bacteria S.*) Ann. Phys. Lyon, vii. p. 80 (1855) ; Westw. l. c. p. 182. n. 1 (1859). *Acanthoderus Servillei, Westw.* l. c. p. 58. n. 159 (1859).	Woodlark I.
5. **P. Austeni, Wood-Mason,** (*Lonchodes A.*) Journ. Asiatic Soc. Bengal, xliv. p. 216 (1875), xlvi. p. 343, pl. 3. f. 4 (1877).	Assam.
*6. **P. Hispa, Bates,** (*Lonchodes H.*) l. c. p. 333 (1865).	N. Guinea, Salwatty.
7. **P. Hystrix, Kaup,** (*Acanthoderus (?) H.*) Berlin. Ent. Zeitschr. xv. p. 32, pl. 2. f. 4 (1871).	Aru.
7 *a*. **P. Insularis, Kirb. l. c. (6) iv. p. 231 (1889).	Louisiades (Sudest I.).
8. **P. Sordidus, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 463, pl. 40. ff. 4, 4 *a* (1896).	Thursday I.
9. **P. Spinosus, Kirb. Ann. Nat. Hist. (6) iv. p. 230 (1889).	Louisiades (Rossel I.).
10. **P. Rachis, Sauss.** (*Acanthoderus R.*) Rev. Zool. (2) xx. p. 64 (1868) ; Mém. Soc. Genève, xx. p. 295 (1870). *Acanthoderus Rhachis, Sauss.* l. c. pl. 3. ff. 10, 10 *a* (1870).	New Caledonia.
11. **P. Rosarius, Perch.** (*Bacteria Rosaria*) Gen. Ins., Orth. pl. 5 (1838 ?). *Acanthoderus Rosarius, Westw.* l. c. p. 56. n. 154 (1859).	South America (?).
12. **P. (?) Bicolor, Kirb. l. c. (7) xiii. p. 377 (1904).	Tonkin.

SUBFAM. II.

BACTRICIINÆ.

Genus 20. **Bactricia.** (*Type* no. 1.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 463 (1896).
Scaphegyna, Karsch, Ent. Nachr. xxiv. pp. 364, 366 (1898). (*Type* no. 1.)

1. **B. Trophinus, Westw. (*Bacteria T.*) Cat. Phasm. p. 30. n. 85, pl. 5. f. 5 (1859). *B. Trophinus, Kirb.* l. c. p. 463, pl. 39. ff. 3, 3 *a*, 4, 4 *a* (1896). ♀. *Bacteria Bituberculata, Westw.* l. c. p. 180. n. 467 (1859).	Natal, Mozambique.
*2. **B. Calametum, Bates,** (*Phibalosoma C.*) Trans. Linn. Soc. Lond. xxv. p. 341 (1865).	Caffraria, Natal.
3. **B. Ridleyi, Kirb. Ann. Nat. Hist. (7) xiii. p. 429 (1904).	Singapore.

SUBFAM. III.

BACILLINÆ.

Genus 21. **Baculum.** (*Type* no. 14.)

Sauss. Mém. Soc. Genève, xx. p. 292 (1870).
Clitumnus, Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. pp. 9, 66 (1875). (*Type* no. 4.)
Entoria, Stål, Rec. Orth. iii. p. 15 (1875). (*Type* no. 8.)

1. **B. Stilpnus, Westw. (*Lonchodes S.*) Cat. Phasm. p. 39. n. 107, pl. 25. f. 8 (1859).	N. India, Java.
2. **B. Stilpnoides, Kirb. (*Clitumnus S.*) Proc. Zool. Soc. Lond. 1888, p. 547 (1889); Mon. Christmas I. p. 147, pl. 12. f. 1 (1900).	Christmas I
3. **B. Russellii, Bates,** (*Lonchodes R.*) Trans. Linn. Soc. Lond. xxv. p. 339 (1865).	Darjiling.

*4. **B. Nematodes, Haan,** (*Phasma* (*Bacteria*) *N.*, ♂) Temminck, Verhandel., Orth. p. 132. pl. 11. f. 6 (1842). (?) *Lonchodes Nematodes*, ♂, *Westw.* l. c. p. 42. n. 112, pl. 5. f. 7 (1859) ; Sharp, Cambridge Nat. Hist., Ins. i. p. 261, f. 148 (1895).	Sumatra, Singapore (eadem ?).
5. **B. Subnematodes, Gieb.** (*Bacteria S.*) Zeitschr. ges. Naturw. xviii. p. 113 (1861).	Java.
6. **B. Phalangodes, Bates,** (*Lonchodes P.*) l. c. p. 337 (1865).	Batchian.
7. **B. Regulus, Westw.** (*Bacillus R.*) l. c. p. 8. n. 19, pl. 22. f. 5 (1859).	India.
8. **B. Denticorne, Stal,** (*Entoria Denticornis*) Rec. Orth. iii. p. 72 (1875).	Philippines.
9. **B. Westwoodii, Wood-Mason,** (*Bacillus W.*) Journ. Asiatic Soc. Bengal, xlii. p. 50, pl. 6. f. 3 (1873). *Lonchodes Westwoodii, Wood-Mason*, l. c. xliv. p. 215 (1875), xlvi. p. 342 (1877). *Entoria Spinicornis, Stål*, l. c. p. 72 (1875).	India, Andamans, Nicobar.
10. **B. Bilobatum, Brunn.** (*Entoria* (?) *Bilobata*) Ann. Mus. Genova, xxxiii. p. 90, pl. 3. f. 30* (1893).	Bhamo.
11. **B. Grallator, Bates,** (*Lonchodes G.*) Trans. Linn. Soc. Lond. xxv. p. 334 (1865).	Ceylon.
12. **B. Pseudoporus, Westw. (*Lonchodes P.*) l. c. p. 42. n. 114, pl. 4. f. 6 (1859) ; Sauss. Mém. Soc. Genève, xx. p. 300 (?) ♀, p. 301, pl. 2. f. 30 (1870). *Clitumnus Pseudoporus, Brunn.* Ann. Mus. Genova. xxxiii. p. 89 (1893). *Bacillus* (*Ramulus*) *Humberti, Sauss.* Ann. Soc. Ent. France, (4) i. p. 472 (1861).	id., Tenasserim.
13. **B. Rusticus, Stål,** (*Clitumnus R.*) Œfv. Vet.-Akad. Förh. xxxiv. p. 40 (1877).	Philippines.
14. **B. Cuniculus, Westw. (*Bacillus C.*) l. c. p. 9. n. 21, pl. 6. f. 2 (1859) ; Sauss. Mém. Soc. Genève, xx. pl. 2. ff. 2, 2 *a* (1870). *Bacillus Cunicularis, Sauss.* l. c. p. 292 (1870).	Ceylon, India, Java (eadem ?).
15. **B. Amathia, Westw. (*Bacillus A.*) l. c. p. 11. n. 25, pl. 23. f. 9 (1859).	N. India.

16. **B. Scytale, Bates,** (*Bacillus S.*) l. c. p. 328, pl. 44. f. 9 (1865).	Ceylon.
17. **B. Artemis, Westw.** (*Bacillus* (?) *A.*) l. c. p. 10. n. 24, pl. 26. f. 9 (1859). *Bacillus Patellifer, Bates,* l. c. p. 328 (1865). *Bacillus* (*Baculum*) *Artemis, Wood-Mason,* Journ. Asiatic Soc. Bengal, xlii. p. 51, pl. 6. ff. 1, 2 (1873).	N. India.
18. **B. Insignis, Wood-Mason,** (*Bacillus* (*Baculum*) *I.*) l. c. p. 51, pl. 5. ff. 1, 2 (1873). *Lonchodes Insignis, Wood-Mason,* Ann. Nat. Hist. (4) xii. p. 348 (1873); Proc. Asiatic Soc. Bengal, 1873. p. 149.	id.
19. **B. Penthesilea, Wood-Mason,** (*Bacillus* (*Baculum*) *P.*) Journ. Asiatic Soc. Bengal, xlii. p. 52, pl. 5. f. 5 (1873).	Bhutan.
20. **B. Furcillatus, Wood-Mason,** (*Bacillus* (*Baculum*) *F.*) l. c. p. 54, pl. 5. f. 6 (1873).	id.
21. **B. Lævigatus, Wood-Mason,** (*Bacillus L.*) l. c. p. 49, pl. 5. f. 4 (1873).	Assam.
22. **B. Oxytenes, Wood-Mason,** (*Bacillus O.*) l. c. p. 48, pl. 5. f. 3 (1873).	Pegu.
23. **B. Ramosum, Sauss.** Rev. Zool. (2) xiii. p. 127 (1861). *Bacillus* (*Baculum*) *Ramosus, Sauss.* Ann. Mus. Genova, xx. p. 294 (1870).	Brazil (?).

Genus 22. **Ramulus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 291 (1870).

1. **R. Carinulatus, Sauss.** (*Bacillus C.*) Rev. Zool. (2) xx. p. 33 (1868); Mém. Soc. Genève, xx. p. 291, pl. 2. f. 1 (1870).	Ceylon (?).
2. **R. Ceylonicus, Sauss.** (*Lonchodes C.*) ll. cc. p. 66 (1868); p. 301 (1870).	Ceylon.
3. **R. Humilis, Westw. (*Bacillus H.*) Cat. Phasm. p. 7. n. 14, pl. 2. f. 7 (1859).	id.
4. **R. Viridis, Gray, (*Bacteria V.*) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 32. n. 91 (1859).	Sandwich Isl. (?).

Genus 23. **Gratidia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 14 (1875); Brunn. Ann. Mus. Genova xxxiii. p. 88 (1893); Karsch, Ent. Nachr. xviii. pp. 365, 370 (1898).

1. **G. Sansibara, Stål,** l. c. p. 70 (1875); Karsch, l. c. pp. 372–375 (1898). *G. Sansibarica, Schulth.* Ann. Mus. Genova, xxxix. p. 182 (1898).	E. Africa.
2. **G. Brunneri, Kirb.** (n. n.). ‖*G. Sansibarica, Brunn.* l. c. p. 93, pl. 4. f. 33 *a–c* (1893).	Pegu.
3. **G. Verruculosa, Brunn.** l. c. p. 94 (1893).	Rangoon.
4. **G. Bituberculata, Redt.** Wien. Ent. Zeit. viii. p. 26 (1889).	Turcomania.
5. **G. Hyphereon, Westw. (*Bacillus H.*) l. c. p. 9. n. 22, pl. 6. f. 1 (1859).	Ceylon.

Genus 24. **Paraclitumnus.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 91 (1893).

1. **P. Lineatus, Brunn.** l. c. p. 91, pl. 4. f. 31 *a–c* (1893).	Burma, Ceylon.
2. **P. Concisus, Brunn.** l. c. p. 92 (1893).	Tenasserim.
3. **P. Productus, Brunn.** l. c. (1893).	Pegu.
4. **P. Alauna, Westw. (*Bacillus A.*) Cat. Phasm. p. 10. n. 23, pl. 23. f. 6 (1859).	N. India.
*5. **P. Filiformis, Herbst,** (*Mantis F.*) Fuessly, Arch. Ent. p. 187, pl. 51. ff. 2, 3 (1786).	id.
6. **P. Indica, Gray, (*Bacteria I.*) Syn. Phasm. p. 17 (1835). *Bacillus Indicus, Westw.* Cat. Phasm. p. 7. n. 16, pl. 22. f. 1 (1859).	India.
7. **P. Fuscilineatus, Wood-Mason,** (*Bacillus F.*) Journ. Asiatic Soc. Bengal, xlii. p. 46, pl. 5. f. 7 (1873).	Punjab.
8. **P. Hispidulus, Wood-Mason,** (*Bacillus H.*) l. c. p. 47, pl. 7. ff. 2, 3 (1873).	Andamans.
9. **P. Beroe, Westw.** (*Bacillus B.*) l. c. p. 8. n. 18, pl. 22. f. 2 (1859).	India.

10. **P. (?) Javanus, Haan,** (*Phasma (Bacillus) Javanum*) Temminck, Verhandel., Orth. p. 138, pl. 15. f. 8 (1842). *Bacillus Javanus, Westw.* Cat. Phasm. p. 7. n. 17 (1859).	Java.

Genus 25. **Hyrtacus.** (*Type* no. 5.)

Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. p. 10 (1875).
Candoria, Stål, Rec. Orth. iii. p. 12 (1875). (*Type* no. 1.)

*1. **H. Cœnosa, Gray,** (*Bacteria C.*) Ent. Austral. p. 17, pl. 2. f. 2 (1833); Syn. Phasm. p. 18 (1835); Westw. Cat. Phasm. p. 33. n. 93, pl. 27. f. 2 (1859). *Bacteria Fragilis, Gray,* ll. cc. p. 22, pl. 7. f. 1 (1833); p. 18 (1835).	Australia.
2. **H. Frenchi, Wood-Mason,** (*Bacteria F.*) Ann. Nat. Hist. (4) xx. p. 74 (1877).	id.
*3. **H. Eutrachelia, Westw.** (*Bacteria E.*) l. c. p. 32. n. 92, pl. 24. f. 11 (1859).	id.
4. **H. Peridromes, Westw. (*Bacillus P.*) l. c. p. 13. n. 33, pl. 8. f. 2 *b*, *c* (1859).	id.
5. **H. Tuberculatus, Stal,** Rec. Orth. iii. p. 67 (1875).	id.
6. **H. Carinatus, Kirb.** Distant, Ins. Transvaal. p. 46, pl. 2. ff. 3, 4 (1900).	Transvaal.
7. **H. Lancettifer, Brancs.** Jahresh. Trencsin. Com. xv. p. 179, pl. 9. f. 2 (1893).	Madagascar

Genus 26. **Brachyrtacus.**

Sharp, Willey, Zool. Results, p. 84 (1898).

1. **B. Celatus, Sharp,** l. c. pl. 7. f. 4 (1898).	New Britain.

Genus 27. **Rhamphophasma.**

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 92 (1893).

1. **R. Modestum, Brunn.** l. c. p. 93, pl. 4. f. 32 (1893).	Burma.

Genus 28. **Macynia.**

Stål, Rec. Orth. iii. pp. 62, 102 (1875);
Karsch, Ent. Nachr. xxiv. p. 366 (1898).

1.	**M. Labiata, Thunb.** (*Mantis L.*) Nov. Spec. Ins. iii. p. 61 (1784); Oliv. Enc. Méth., Ins. vii. p. 634. n. 45 (1792). *Phasma Labiata, Thunb.* Mém. Acad. Pétersb. v. p. 299 (1815); Westw. Cat. Phasm. p. 183. n. 7 (1859). *M. Labiata, Stål*, l. c. p. 103. n. 3 (1875).	Africa (?).

Genus 29. **Macella.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 13 (1875).

**1.	**M. Souchongia, Westw.** (*Bacillus S.*) Cat. Phasm. p. 11. n. 26, pl. 7. f. 8 (1859).	China.
2.	**M. Dentata, Stål,** l. c. p. 70 (1875).	Cochin Ch.
3.	**M. Caulodes, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 80.	Siam.

Genus 30. **Phthoa.** (*Type* no. 2.)

Karsch, Ent. Nachr. xxiv. pp. 365, 368 (1898).

**1.	**P. Stellenboschus, Westw.** (*Bacillus S.*) Cat. Phasm. p. 5. n. 11, pl. 2. f. 4 (1859).	Cape.
*2.	**P. Prolixa, Karsch,** l. c. p. 369, fig. (1898).	E. Africa.
**3.	**P. Annulata, Westw.** (*Bacillus Annulatus*) l. c. p. 14. n. 36, pl. 7. f. 6 (1859).	Cape.
4.	**P. Graminea, Bates,** (*Bacillus Gramineus*) Trans. Linn. Soc. Lond. xxv. p. 326, pl. 44. f. 4 (1866). *Macynia Graminea, Stål*, Rec. Orth. iii. p. 103 (1875).	Natal.
5.	**P. Hispanicus, Bol.** An. Soc. Españ. vii. p. 423, pl. 4. ff. 2, 2 *a* (1878); Brunn. Prodr. Eur. Orth. p. 77 (1882). ‖*Bacillus Gallicus*, pt., *Bol.* Sin. Ortópt. Españ. pp. 68, 295, pl. 2. f. 1 (1876).	Spain.

6. **P. Angolensis, Bol.** (*Bacillus A.*) Jorn. Sci. Lisboa, (2) i. p. 89 (1889).	Angola.
7. **P. Ægyptiaca, Gray, (*Bacteria Æ.*) Syn. Phasm. p. 18 (1835). *Bacillus Ægyptiacus, Westw.* l. c. p. 4. n. 7 (1859).	Egypt.

Genus 31. **Parabacillus.** (*Type* no. 1.)

Caud. Ent. News, xiv. p. 314 (1903);
Proc. U. S. Nat. Mus. xxvi. p. 865 (1903).

1. **P. Coloradus, Scudd.** (*Bacillus C.*) Proc. Davenport Acad. Sci. ix. p. 21, pl. 1. f. 4 (1902); Psyche, vi. p. 372 (1903). *Bacillus Carinatus, Scudd.* Psyche, vi. p. 372 (1903). *P. Coloradus, Caud.* ll. cc. p. 314 (1903); p. 865, pl. 57. f. 1, pl. 58. f. 1 (1903).	Western United States.
2. **P. Palmeri, Caud.** (*Bacillus C.*) Ent. News, xiii. p. 274 (1902).	Mexico.

Genus 32. **Bacillus.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 446 (1825); Serv. Ann. Sci. Nat. xxii. p. 64 (1831); Ins. Orth. p. 255 (1839); Gray, Syn. Phasm. p. 20 (1835); Burm. Handb. Ent. ii. p. 561 (1838); Fisch. Orth. Eur. p. 139 (1853); Sauss. Mém. Soc. Genève, xx. p. 290 (1870); Stål, Bihang Svenska Akad. ii. (17) pp. 5, 15 (1875), iii. (14) p. 21 (1875); Rec. Orth. iii. p. 61 (1875); Bol. Sin. Ortópt. Españ. p. 68 (1876); Brunn. Prodr. Eur. Orth. p. 73 (1882); Fin. Faune France, Orth. p. 93 (1889); Tümp. Geradfl. Mitteleurop. p. 236 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 160 (1902).

Phasma, Ill. Käf. Preuss. p. 499 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 272 (1802); Cuv. Règne Anim. iii. p. 374 (1817).

1. **B. Redtenbacheri, Padew.** Glasnik Narav. Društ. xi. p. 20 (1899); Tümp. l. c. p. 236 (1900); Jacobs. & Bianki, l. c. p. 160 (1902).	Croatia.
*2. **B. Rossia, Rossi,** (*Mantis R.*) Faun. Etr. i. p. 259, ii. pl. 8. f. 1 (1790), (ed. 2) p. 447, pl. 8. f. 1 (1795); Mant. Ins. i. p. 102 (1792); Fabr. Ent. Syst. ii. p. 13. n. 4 (1793).	S. Europe, Algeria.

Phasma Rossia, Fabr. Suppl. Ent. Syst. p. 187 (1798).	
B. Rossia, Gray, Syn. Phasm. p. 20 (1835); Serv. Ins. Orth. p. 256 (1839).	
Phasma Rossium, Charp. Hor. Ent. p. 93 (1825).	
B. Rossii, Serr. Ann. Sci. Nat. xxii. p. 65 (1831); Burm. l. c. p. 561. n. 1 (1838); Fisch. l. c. p. 139, pl. 8. ff. 9, 9 *a, b*, ff. 10, 10 *a–c* (1853); Westw. Cat. Phasm. p. 3. n. 1 (1859); Brunn. l. c. p. 74, pl. 3. f. 20 A, B (1882); Finot, l. c. p. 93, pl. 3. ff. 54–56 (1889); Azam, Bull. Soc. Ent. France, 1898, p. 60; Tümp. l. c. p. 236, pl. 15 (1900).	
‖ *Mantis Filiformis, Cyr.* Ent. Neap. pl. 5. f. 1, pl. 7. f. 1 (1787); Petagn. Inst. Ent. i. p. 307 (1792).	
‖ *B. Filiformis, Jacobs. & Bianki,* l. c. p. 160, pl. 3 (1902).	
3. **B. Lobipes, Luc.** Expl. Alg., Ins. p. 12, pl. 1. f. 5 (1849); Westw. l. c. p. 4. n. 4 (1859).	Algeria.
*4. **B. Tripolitanus, Haan,** (*Phasma* (*Bacillus*) *Tripolitanum*) Temminck, Verhandel., Orth. p. 101 note, pl. 15. f. 3 (1842).	Tripoli, Sicily.
B. Tripolitanus, Westw. l. c. p. 4. n. 2 (1859).	
*5. **B. Atticus, Brunn.** l. c. p. 75 (1882); Jacobs. & Bianki, l. c. p. 161 (1902).	Athens.
*6. **B. Gallicus, Charp.** (*Phasma Gallicum*) Hor. Ent. p. 94 (1825).	S. Europe.
B. Gallicus, Serr. Ann. Sci. Nat. xxii. p. 65 (1831); Gray, l. c. p. 20 (1835); Burm. l. c. p. 561. n. 2 (1838); Fisch. l. c. p. 141, pl. 8. ff. 11, 11 *a, b* (1853); Bol. l. c. p. 68 (1876); Brunn. l. c. p. 76. n. 3 (1882); Fin. l. c. p. 94, pl. 3. ff. 57, 58 (1889); Jacobs. & Bianki, l. c. p. 161 (1902).	
B. Granulatus, Brullé, Expéd. Morée, Ent. p. 84, pl. 29. f. 6 (1832); Hist. Nat. Ins. ix. p. 110, pl. 9. f. 1 (1835); Gray, l. c. p. 20 (1835); Serv. Ins. Orth. p. 258 (1839); Westw. l. c. p. 4. n. 3 (1859).	
B. Rossius, Ramb. Faune Andal. ii. p. 24 (1842).	

7. **B. Algericus, Pant.** An. Soc. Españ. xix. p. 394 (1890).	Oran.
8. **B. (?) Tranquebaricus, Westw.** l. c. p. 7. n. 15 (1859). *Phasma Nympha, Stoll*, Spectres, Phasmes, p. 33, pl. 10. f. 39 (1813).	Tranquebar.
9. **B. (?) Inermis, Thunb.** (*Phasma I.*) Mém. Soc. Pétersb. v. p. 300 (1815); Westw. l. c. p. 183. n. 6 (1859).	Hab. —— ?

Genus 33. **Linocerus.**

Gray, Syn. Phasm. p. 19 (1835).

1. **L. Gracilis, Gray,** l. c. p. 20 (1835); Burm. Handb. Ent. ii. p. 562 (1838). *Bacillus (Linocerus) Gracilis, Westw.* Cat. Phasm. p. 12. n. 27 (1859).	China.

Genus 34. **Bathycharax.**

Kirb. Ann. Nat. Hist. (6) xviii. p. 259 (1896).
Batycharax, Karsch, Ent. Nachr. xxiv. p. 366 (1898).

1. **B. Granulatus, Kirb. l. c. pl. 12. f. 9 (1896).	W. Africa, Ogowe.

Genus 35. **Leptynia.** (*Type* no. 1.)

Pant. An. Soc. Españ. xix. p. 385 (1890); Caud. Ent. News, xiv. p. 314 (1903).

1. **L. Attenuata, Pant.** l. c. p. 402 (1890).	Spain.
2. **L. Kœnigi, Krauss,** Wien. Ent. Zeit. xi. p. 147 (1892).	Tunis.

Genus 36. **Paraclonaria.** (*Type* no. 3.)

Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893).

1. **P. Longelaminata, Schulth.** Ann. Mus. Genova, xxxix. p. 182. pl. 2. ff. 5. 5*a* (1898).	Somali Land.

2. **P. Affinis, Schulth.** l. c. p. 183, pl. 2. ff. 6, 6 *a* (1898).	Somali Land.
3. **P. Hamuligera, Schulth.** l. c. p. 184. pl. 2. ff. 7, 7 *a* (1898).	id.
4. **P. Postrostrata, Karsch,** (*Gratidia P.*) Ent. Nachr. xxiv. p. 378 (1893). *P. Postrostrata, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904. p. 83.	Mombasa.

Genus 37. **Phalces.**

Stål, Rec. Orth. iii. pp. 62, 102 (1875).

*1. **P. Longiscaphum, Haan,** (*Phasma* (*Bacillus*) *L.*) Temminck, Verhandel., Orth. p. 101 note (1842). *Bacillus Longiscaphum, Westw.* Cat. Phasm. p. 5. n. 8 (1859). *Bacillus Coccyx, Westw.* l. c. p. 6. n. 12, pl. 7. f. 5 (1859).	S. Africa.

Genus 38. **Burria.** (*Type* no. 1.)

Brunn. Proc. Zool. Soc. Lond. 1900, p. 37.

1. **B. Longixipha, Brunn.** l. c. p. 38, pl. 2. f. 6 (1900).	Somali Land.
2. **B. Farinosa, Brunn.** l. c. p. 38 (1900).	id.

Genus 39. **Camax.**

Karsch, Ent. Nachr. xxiv. p. 380 (1898).

1. **C. Acutus, Karsch,** l. c. (1898).	Mombasa.

Genus 40. **Maransis.** (*Type* no. 1.)

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

1. **M. Mozambicus, Westw.** (*Bacillus M.*) Cat. Phasm. p. 179. n. 464 (1859).	Mozambique.
2. **M. Trilineata, Stål,** (*Macynia T.*) Rec. Orth. iii. p. 103 (1875).	Transvaal.

*3. **M. Aspericollis, Bates,** (*Bacillus A.*) Trans. Linn. Soc. Lond. xxv. p. 327 (1866). *M. Aspericollis, Kirb.* Distant, Ins. Transvaal. p. 48 (1902).	Natal.
4. **M. Rufolineatus, Schulth.** Bull. Soc. Vaud. xxxv. p. 200, pl. 7. f. 4 (1899).	Delagoa Bay.

Genus 41. **Clonaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 5, 13 (1875), iii. (14) p. 9 (1875); Rec. Orth. iii. pp. 14, 71 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893).

1. **C. Natalis, Westw. (*Bacillus N.*) Cat. Phasm. p. 6. n. 13, pl. 23. ff. 7, 8 (1859).	Natal.
2. **C. Abdul, Westw.** (*Bacillus A.*) l. c. p. 4. n. 6 (1859). ‖ *Bacillus Gracilis, Burm.* Handb. Ent. ii. p. 561. n. 3 (1838).	Nubia, Arabia.
3. **C. Gracilipes, Westw. (*Bacillus G.*) l. c. p. 5. n. 9, pl. 8. f. 5 (1859).	Sierra Leone.
4. **C. Gueinzii, Bates,** (*Bacillus G.*) Trans. Linn. Soc. Lond. xxv. p. 327, pl. 44. f. 14 *a* (1865).	Natal.
5. **C. Arcuata, Karsch,** (*Gratidia A.*) Ent. Nachr. xxiv. pp. 372, 375 (1898).	E. Africa.
*6. **C. Inclinata, Karsch,** (*Gratidia I.*) l. c. pp. 372, 375 (1898).	id. (Usambara).
7. **C. Fissa, Karsch,** (*Gratidia F.*) l. c. pp. 372, 375 (1898).	E. Africa. (Burungi).
8. **C. Bifurcata, Karsch,** (*Gratidia B.*) l. c. pp. 373, 378 (1898).	Nyasa.
9. **C. Forcipata, Karsch,** (*Gratidia F.*) l. c. pp. 373, 378 (1898).	Victoria Nyanza.
*10. **C. Schaumi, Karsch,** (*Gratidia S.*) l. c. pp. 373, 378 (1898). ‖ *Bacillus Gracilis, Schaum,* Peters' Reise Mossamb. v. p. 114 (1862).	Mozambique.
11. **C. Arida, Karsch,** (*Gratidia A.*) l. c. pp. 374, 378 (1898).	E. Africa.
12. **C. Talea, Karsch,** (*Gratidia T.*) l. c. pp. 374, 378 (1898).	id.
13. **C. Evanescens, Karsch,** (*Gratidia E.*) l. c. pp. 374, 378 (1898).	id.

14. **C. Prodigiosa, Karsch,** (*Gratidia P.*) l. c. pp. 374, 378 (1898).	Mombasa, Kilimanjaro
15. **C. Leprosus, Gerst.** (*Bacillus L.*) Arch. Naturg. xxxv. p. 211 (1870); Von der Decken, Reisen in Ost-Afrika, Ins. p. 19 (1873). *Gratidia Leprosa, Karsch,* l. c. pp. 375, 380 (1898).	Mombasa, Usambara.
16. **C. Prolata, Karsch,** (*Gratidia P.*) l. c. pp. 375, 380 (1898).	Usambara.
17. **C. Capensis, Serv.** (*Bacillus C.*) Ins. Orth. p. 257 (1839); Westw. l. c. p. 5. n. 10 (1859). *Phasma* (*Bacillus*) *Capense, Haan,* Temminck, Verhandel., Orth. p. 137 (1842).	Cape.
18. **C. Trivittata, Gerst.** (*Bacillus Trivittatus*) Mitth. Ver. Vorpomm. xiv. p. 98 (1883).	Gold Coast.
19. **C. Buchholzi, Gerst.** (*Bacillus B.*) l. c. p. 99 (1883).	Cameroons.
20. **C. Æstuans, Sauss.** (*Bacteria* (*Bacunculus*) *Æ.*) Ann. Soc. Ent. France, (4) i. p. 474, pl. 11. f. 2 (1861).	Old Calabar.
21. **C.** (?) **Lineata, Gray,** (*Bacteria L.*) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 30. n. 86 (1859).	Sierra Leone.

Genus 42. **Arphax.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iii. (14) p. 14 (1875): Rec. Orth. iii. pp. 37, 84 (1875).

*1. **A. Australis, Charp.** (*Bacillus A.*) Orth. pl. 57 (1845); Westw. Cat. Phasm. p. 12. n. 30 (1859).	Australia.
2. **A. Dolomedes, Westw. (*Bacillus D.*) l. c. p. 13. n. 31, pl. 5. f. 4 (1859).	id.
3. **A. (?) **Brunneus, Gray,** (*Bacillus B.*) Ent. Austral. p. 22, pl. 7. f. 3 (1833); Syn. Phasm. p. 21 (1835); Burm. Handb. Ent. ii. p. 562. n. 5 (1838); Westw. Cat. Phasm. p. 12. n. 29 (1859). *Phasma* (*Bacillus*) *Brunneum, Gray,* Ent. Austral. p. 28 (1833).	id., Swan River.

Genus 43. **Echetlus.**

Stål, Bihang Svenska Akad. ii. (17) p. 6 (1875).

1. **E. Peristhenes, Westw. (*Bacillus P.*) Cat. Phasm. p. 13. n. 32, pl. 7. f. 1, pl. 8. f. 2 (1859). Australia.

Genus 44. **Acanthoderus.**

Gray, Syn. Phasm. p. 14 (1835); Westw. Cat. Phasm. p. 48 (1859); Stål, Rec. Orth. p. 49 note (1875).

1. **A. Spinosus, Gray,** (*Phasma (Bacteria?) Spinosum*) Trans. Ent. Soc. Lond. i. p. 46 (1834). Australia (Swan River).
A. Spinosus, Gray, Syn. Phasm. p. 15 (1835); Westw. l. c. p. 48. n. 129 (1859).

Genus 45. **Clitarchus.** (*Type* no. 4.)

Stål, Rec. Orth. iii. p. 34 (1875); Bihang Svenska Akad. iii. (14) p. 13 (1875); Hutt. Trans. N. Zeal. Inst. xxx. p. 162 (1898), xxxi. p. 54 (1899).

1. **C. Hookeri, White, (*Bacillus H.*) Voy. 'Erebus' & 'Terror,' Ins. p. 24, pl. 6. f. 6 (1846); Westw. Cat. Phasm. p. 14. n. 35 (1859); Hutt. Cat. Orth. N. Zealand, p. 74 (1881). N. Zealand.
C. Hookeri, Hutt. Trans. N. Zealand Inst. xxx. p. 163 (1898), xxxi. p. 54 (1899).

*2. **C. Coloreus, Col.** (*Bacillus C.*) Trans. N. Zeal. Inst. xvii. p. 151 (1885). id.
C. Coloreus, Hutt. ll. cc. p. 163 (1898), p. 55 (1899).

3. **C. Reductus, Hutt.** l. c. xxxi. p. 55 (1899). id.

*4. **C. Læviusculus, Stål,** Rec. Orth. iii. p. 82 (1875); Hutt. l. c. xxx. p. 163 (1898), xxxi. p. 56 (1899). id.

Genus 46. **Macracantha, Kirb.** (n. n.). (*Type* no. 1.)

Clitarchus, sect. B, *Hutt.* Trans. N. Zealand Inst. xxx. p. 164 (1898).

‖ *Acanthoderus, Hutt.* l. c. xxxi. p. 56 (1899).

1. **M. Prasinus, Westw. (*Acanthoderus P.*) Cat. Phasm. p. 49. n. 132, pl. iii. f. 2 (1859); Hutt. Cat. N. Zeal. Orth. p. 77 (1881); Hutt. Trans. N. Zeal. Inst. xxxi. p. 56 (1899). — N. Zealand.

Bacillus Atroarticulus, Col. Trans. N. Zeal. Inst. xvii. p. 154 (1885).

2. **M. Suteri, Hutt.** (*Acanthoderus S.*) l. c. xxxi. p. 56 (1899). — id.

‖ *Acanthoderus Geisovii, Hutt.* l. c. xxx. p. 165 (1898).

3. **M. Geisovii, Kaup,** (*Bacillus G.*) Proc. Zool. Soc. Lond. 1866, p. 578; Hutt. Cat. N. Zeal. Orth. p. 75 (1881). — id.

4. **M. Fasciatus, Hutt.** (*Acanthoderus F.*) Trans. N. Zeal. Inst. xxxi. p. 58 (1899). — id.

Genus 47. **Argosarchus.** (*Type* no. 1.)

Hutt. Trans. N. Zeal. Inst. xxx. p. 165 (1898), xxxi. p. 58 (1899).

1. **A. Spiniger, White, (*Acanthoderus S.*) Voy. 'Erebus' & 'Terror,' Ins. p. 24 (1846); Westw. Cat. Phasm. p. 48. n. 130 (1859); Hutt. Cat. N. Zeal. Orth. p. 76 (1881). — N. Zealand.

A. Spiniger, Alfk. Abhandl. nat. Ver. Bremen, xvii. p. 143 (1901).

Bacillus Filiformis, Col. Trans. N. Zeal. Inst. xvii. p. 153 (1885).

♀. *Acanthoderus Horridus, White,* l. c. p. 24, pl. 5. f. 4 (1846); Westw. l. c. p. 49. n. 131 (1859); Hutt. l. c. p. 76 (1881); Huds. Man. N. Zeal. Ent. p. 110, pl. 19 (1892).

A. Horridus, Hutt. Trans. N. Zeal. Inst. xxx. p. 165 (1898), xxxi. p. 59 (1899).

Bacillus Gerhardii, Kaup, Proc. Zool. Soc. Lond. 1866, p. 577; Hutt. Cat. N. Zeal. Orth. p. 75 (1881).

1*a*. **A. Minimus, Col.** (*Bacillus M.*) l. c. xvii. p. 153 (1885).	N. Zealand.
2. **A. Sylvaticus, Col.** (*Bacillus S.*) l. c. xiv. p. 278 (1882). *A. Sylvaticus, Hutt.* Trans. N. Zeal. Inst. xxx. p. 166 (1898).	id.

Genus 48. **Medaura.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 69 (1875); Brunn. Ann. Mus. Genova, xxxiii. pp. 89, 94 (1893).

Menaka, Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 342 (1877). (*Type* no. 1.)

1. **M. Scabriusculus, Wood-Mason,** (*Bacillus S.*) l. c. xlii. p. 55, pl. 7. f. 1 (1873). *Menaka Scabriuscula, Wood-Mason,* l. c. xlvi. p. 342 (1877). *Sthenobœa (Medaura) Brunneri, Stål,* l. c. p. 69 (1875).	Silhet.
2. **M. Stæli, Brunn.** (*M. Ståli*) l. c. p. 94, pl. 4. f. 34 (1893).	Pegu.
3. **M. (**?**) **Darnis, Westw.** (*Bacillus D.*) Cat. Phasm. p. 8. n. 20, pl. 23. ff. 2, 3 (1859).	Sarawak.
4. **M.** (**?**) **Makassarinus, Westw.** (*Bacillus M.*) l. c. p. 179. n. 465 (1859).	Macassar.

Genus 49. **Manduria.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (10) p. 40 (1877).

1. **M. Systropedon, Westw. (*Lonchodes S.*) Cat. Phasm. p. 44. n. 119, pl. 3. f. 8 (1859).	Philippines.

Genus 50. **Hemipachymorpha, Kirb.** (n. n.).

N. g. sub *Pachymorpha*, Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893).

1. **H. Omphale, Westw. (*Pachymorpha* (?) *O.*) Cat. Phasm. p. 16. n. 40. pl. 2. f. 5 (1859).	S. Africa.

Genus 51. **Pachymorpha.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 21 (1835); Serv. Ins. Orth. p. 258 (1839); Westw. Cat. Phasm. p. 15 (1859); Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. p. 11 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893); Hutt. Trans. N. Zeal. Inst. xxx. p. 161 (1898), xxxi. p. 52 (1899).

*1. **P. Squalida, Gray,** (*Bacillus Squalidus*) Ent. Austral. p. 18, pl. 3. f. 2 (1833). *P. Squalida, Gray,* Syn. Phasm. p. 21 (1835); Burm. Handb. Ent. ii. p. 562 (1838); Westw. l. c. p. 15. n. 37 (1859).	Australia.
2. **P. Pasithoe, Westw.** (*Bacillus P.*) l. c. p. 15 (1859). *P. Squalida,* var., *Westw.* l. c. pl. 22. f. 4 (1859).	id.
3. **P. Simplicipes, Serv.** l. c. p. 259 (1839). *P.* (?) *Simplicipes, Westw.* l. c. p. 15. n. 38 (1859).	id.
4. **P. Novæ-Guineæ, Kaup,** Berlin. Ent. Zeitschr. xv. p. 26 (1871).	N. Guinea.
5. **P. Hystriculea, Westw. l. c. p. 16. n. 39, pl. 1. f. 4 (1859); Hutt. l. c. xxxi. p. 52 (1899). *Bacillus Hystriculea, Hutt.* Cat. N. Zeal. Orth. p. 75 (1881).	N. Zealand.
6. **P. Salebrosa, Hutt.** Trans. N. Zeal. Inst. xxxi. p. 52 (1899). ‖*P. Hystriculea, Hutt.* l. c. xxx. p. 162 (1898).	id.
7. **P. Annulata, Hutt.** l. c. xxx. p. 162 (1898), xxxi. p. 53 (1899).	id.
8. **P. Acornuta, Hutt.** l. c. xxxi. p. 53 (1899).	id.

Genus 52. **Parapachymorpha.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893).

1. **P. Nigra, Brunn.** l. c. p. 96, pl. 4. f. 35 *a, b* (1893).	Burma.
2. **P. Spinosa, Brunn.** l. c. f. 36 (1893).	id.

Genus 53. **Charnidas.**

Stål, Rec. Orth. iii. p. 56 note (1875).

1. **C. Cerberus, Westw. (*Anisomorpha* (?) *C.*) Cat. Phasm. p. 19. n. 50, pl. 1. f. 6 (1859).	Ceylon.

SUBFAM. IV.

DIAPHOMERINÆ.

Genus 54. **Hesperophasma.** (*Type* no. 2.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901).

‖ *Phantasis, Sauss.* (*nec Thoms.*) Miss. Mex., Orth. p. 188 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 10 (1875); Rec. Orth. iii. pp. 19, 73 (1875).

1. **H. Planulum, Westw. (*Phasma P.*) Cat. Phasm. p. 34. n. 95, pl. 1. f. 7 (1859).	S. Domingo.
2. **H. Saussurei, Bol.** (*Phantasis S.*) Mém. Soc. Zool. France, i. p. 136 (1888). *Phantasis Planula, Sauss.* l. c. p. 188 (1872).	Cuba.
3. **H. Lyratum, Bol.** (*Phasma Lyrata*) l. c. p. 137 (1888).	id.
4. **H. Vittatum, Westw. (*Anophelepis Vittata*) l. c. p. 69. n. 181 (1859). *Phantasis Vittata, Sauss.* l. c. p. 189 (1872).	Mexico.
5. **H. (?) Scythrus, Westw. (*Anophelepis S.*) l. c. p. 68. n. 180, pl. 2. f. 3 (1859). *Phantasis Scythrus, Sauss.* l. c. p. 190 (1872).	id.

Genus 55. **Lamponius.**

Stål, Rec. Orth. iii. pp. 19, 73 (1875).

1. **L. Guerini, Sauss.** (*Pygirhynchus G.*) Rev. Zool. (2) xx. p. 64 (1868); Miss. Mex., Orth. p. 169, pl. 3. ff. 13, 13 *a* (1872).	Guadeloupe

Genus 56. **Caulonia.** (*Type* no. 2.)

Stål. Bihang Svenska Akad. iii. (14) p. 10 (1875); Rec. Orth. iii. pp. 20, 74 (1875).
‖ *Ceroys, Sauss.* Miss. Mex., Orth. p. 166 (1872).

1. **C. Rhabdota, Westw.** (*Ceroys R.*) Cat. Phasm. p. 61. n. 169, pl. 22. f. 6 (1859).	Colombia.
2. **C. Bigibbus, Rehn,** (*Ceroys B.*) Proc. Acad. Nat. Sci. Philad. 1904, p. 48.	Nicaragua, Costa Rica.
3. **C. Bifolia, Stål,** Rec. Orth. iii. p. 74 (1875).	Colombia.
4. **C. Columbina, Westw.** (*Ceroys C.*) l. c. p. 62. n. 170, pl. 24. f. 1 (1859).	id.
5. **C. Thestylis, Westw.** (*Bacteria T.*) l. c. p. 29. n. 83, pl. 24. f. 2 (1859).	id.
6. **C. Molita, Westw.** (*Bacteria M.*) l. c. n. 82, pl. 24. f. 3 (1859).	id.
7. **C. Tolima, Westw.** (*Acanthoderus T.*) l. c. p. 56. n. 156, pl. 24. f. 5 (1859).	id.
8. **C. Senticosa, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 28 (1898).	Ecuador.
9. **C. Conradi, Giglio-Tos,** l. c. p. 30 (1898).	id.
10. **C. Poeyi, Bol.** Mém. Soc. Zool. France, i. p. 137 (1888).	Cuba.
11. **C. Triedrica, Bol.** l. c. p. 138 (1888).	id.
12. **C. Spinosissima, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 464, pl. 40. ff. 5, 5 *a* (1896).	Archidona.
13. **C. (?) Iphiclus, Westw. (*Pygirhynchus I.*) l. c. p. 58. n. 163, pl. 2. f. 2 (1859). *C. Iphiclus, Bol.* Ann. Soc. Ent. France, (6) x. p. 138 (1890).	Colombia, Venezuela.
14. **C. Capreolus, Kaup,** (*Ceroys C.*) Berlin. Ent. Zeitschr. xv. p. 34 (1871).	Mexico.
15. **C. (?) Quindensis, Goud.** (*Bacteria Q.*) Mag. Zool. 1843, Ins. no. 125, p. 5. *Acanthoderus Quindensis, Westw.* l. c. p. 57. n. 158, pl. 25. ff. 3, 4 (1859).	N. Granada.

Genus 57. **Parobrimus.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 205 (1896).

1. **P. Immanis, Scudd.** (*Acanthoderus I.*) l. c. xii. p. 340 (1869).	Peru.
*2. **P. (?) Laciniatus, Westw.** (*Ceroys L.*) Thes. Ent. Oxon. p. 174, pl. 32. f. 4 (1874).	Nicaragua.

Genus 58. **Libethra.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 20, 74 (1875).

1. **L. Ignavus, Westw. (*Ceroys I.*) Cat. Phasm. p. 61. n. 168, pl. 4. f. 7 (1859). Tapajos.
2. **L. Nisseri, Stal,** l. c. p. 74 (1875). Colombia.
3. **L. Ramale, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 27 (1898). Ecuador.
4. **L. (?) Palmes, Giglio-Tos,** l. c. p. 28 (1898). id.
5. **L. Strigiventris, Westw.** (*Bacteria S.*) l. c. p. 28. n. 79, pl. 24. f. 6 (1859). Colombia.
6. **L. Sutoria, Stål,** l. c. p. 75 (1875). Bogota.

Genus 59. **Sermyle.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 23, 77 (1875).

1. **S. Mexicanus, Sauss.** (*Acanthoderus M.*) Rev. Zool. (2) xx. p. 62 (1868). Mexico.
Ceroys Mexicanus, Sauss. Miss. Mex., Orth. p. 167, pl. 4. ff. 17, 17 *a* (1872).
S. Mexicana, Stål, l. c. p. 76 (1875).
2. **S. Saussurii, Stål,** l. c. p. 77 (1875). id.
3. **S. Physconia, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 51. Costa Rica.
4. **S. Azteca, Sauss.** (*Bacteria A.*) Rev. Zool. (2) xi. p. 62 (1859); Miss. Mex., Orth. p. 155, pl. 3. ff. 9, 9 *a* (1872). Mexico.
5. **S. Linearis, Sauss.** (*Ceroys L.*) Rev. Zool. (2) xx. p. 65 (1888); Miss. Mex., Orth. vi. p. 168, pl. 4. ff. 16, 16 *a* (1872). S. America.

Genus 60. **Pseudosermyle.** (*Type* no. 1.)

Caud. Proc. U. S. Nat. Mus. xxvi. p. 867 (1903).

1. **P. Arbuscula, Rehn,** (*Sermyle A.*) Canad. Ent. xxxiv. p. 273 (1902). California (San Diego).
P. Arbuscula, Caud. l. c. p. 868, pl. 57. f. 3, pl. 58. f. 4 (1903).
2. **P. Truncata, Caud.** l. c. p. 869, pl. 58. ff. 3, 3 *a*, *b* (1903). Arizona, California.
3. **P. Strigata, Scudd.** (*Sermyle S.*) Proc. Davenport Acad. viii. p. 94, pl. 1. f. 3 (1900); Caud. l. c. p. 870, pl. 56. f. 3, pl. 58. f. 8 (1903). Texas.

4. **P. Stramineus, Scudd.** (*Bacunculus S.*) l. c. ix. p. 20, pl. 1. f. 1 (1902). *P. Stramineus, Caud.* l. c. p. 871, pl. 58. f. 2 (1903).	New Mexico.
5. **P. Banksii, Caud.** l. c. p. 871 (1903).	Texas.
6. **P. Strigiceps, Kaup,** (*Diapheromera S.*) Berlin. Ent. Zeitschr. xv. p. 28 (1871).	Mexico.
*7. **P. Tridens, Burm.** (*Bacteria T.*) Handb. Ent. ii. p. 567. n. 13 (1838); Westw. Cat. Phasm. p. 27. n. 75 (1859); Sauss. Miss. Mex., Orth. p. 157 (1872); Rehn, Trans. Amer. Ent. Soc. xxvii. p. 87 (1900).	id.

Genus 61. **Pseudobacteria.** (*Type* no. 1.)

Sauss. Miss. Mex., Orth. p. 157 (1872).

1. **P. Crudelis, Westw. (*Bacteria C.*) Cat. Phasm. p. 24. n. 65 (1859). *Bacteria Antillarum, Sauss.* Rev. Zool. (2) xx. p. 65 (1868); Miss. Mex., Orth. p. 157 (1872).	Guadeloupe, Dominica.
2. **P. Yersiniana, Sauss.** (*Bacteria Y.*) ll. cc. p. 65 (1868); p. 158 (1872).	Porto Rico.
3. **P. Cubaensis, Haan,** (*Phasma (Bacteria) Cubaense*) Temminck, Verhandel., Orth. p. 101 (1842). *Bacteria Cubaense, Westw.* l. c. p. 26. n. 68 (1859). *Bacteria Cubaensis, Sauss.* Miss. Mex., Orth. p. 159 (1872). *Bacunculus Cubensis, Bol.* Mém. Soc. Zool. France, i. p. 139 (1888).	Cuba.

Genus 62. **Diapheromera.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 18 (1835); Westw. Cat. Phasm. p. 20 (1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 7, 13 (1875); Rec. Orth. iii. p. 21 (1875); Caud. Proc. U. S. Nat. Mus. xxvi. p. 873 (1903).

*1. **D. Femorata, Say,** (*Spectrum Femoratum*) Long's 2nd Exped. St. Peter's River, i. p. 297 (1824); Amer. Ent. iii. p. 37, pl. 27 (1828); Leidy, Proc. Acad. Nat. Sci. Philad. iii. p. 80 (1846). *D. Femorata, Harr.* Ins. Inj. Veget. p. 119 (1841), ed. 3, pp. 146, 147, f. 67	N. America.

(1862); Caud. l. c. p. 874, pl. 57. f. 4, pl. 58. f. 6 (1903); Howard, Insect Book, pp. 323–325 (1902); Scudd. Psyche, ix. p. 189 (1901).	
D. Sayi, Gray, l. c. p. 18 (1835); Westw. l. c. p. 20. n. 51 (1859); Sauss. Miss. Mex., Orth. p. 165 (1872).	
Bacteria Sayi, Burm. Handb. Ent. ii. p. 566. n. 10 (1838); Charp. Orth. pl. 4 (1841).	
Bacteria Linearis, Gosse, Lett. Alabama, p. 275 (1859).	
2. **D. Velii, Walsh,** Proc. Ent. Soc. Philad. iii. p. 410 (1864); Scudd. l. c. p. 189 (1901).	S. United States, Mexico.
D. Veliei, Caud. l. c. p. 876, pl. 58. f. 5 (1903).	
3. **D. Arizonensis, Caud.** l. c. p. 877 (1903).	Arizona.
4. **D. Carolina, Scudd.** l. c. p. 188 (1901); Caud. l. c. p. 877 (1903).	N. Carolina.
5. **D. Mesillana, Scudd.** l. c. p. 189 (1901); Caud. l. c. p. 878 (1903).	New Mexico.
6. **D. (?) Bidens, Kaup,** Berlin. Ent. Zeitschr. xv. p. 28 (1871).	Mexico.
7. **D. Beckeri, Kaup,** l. c. p. 27 (1871).	id.
8. **D. Calcarata, Burm.** (*Bacteria C.*) l. c. p. 566. n. 11 (1838).	id.
D. Calcarata, Westw. l. c. p. 20. n. 52 (1859); Sauss. l. c. p. 164, pl. 3. ff. 5, 5 *a* (1872); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 50.	
9. **D. Faunus, Westw.** (*Bacteria F.*) l. c. p. 28. n. 78 (1859).	S. America.
‖*Bacteria Viridis, Burm.* l. c. p. 568. n. 18 (1838).	
10. **D. (?) Saussurii, Kirb. Ann. Nat. Hist. (6) iii. p. 501 (1889).	Dominica.

Genus 63. **Megaphasma.**

Caud. Proc. U. S. Nat. Mus. xxvi. p. 878 (1903).

1. **M. Denticrus, Stål,** (*Diapheromera D.*) Rec. Orth. iii. p. 76 (1875); Scudd. Psyche, ix. p. 187 (1901); Harper's Mag. lxxxviii. p. 456, f. 1 (1894).	Southern United States.
M. Denticrus, Caud. l. c. p. 878, pl. 57. ff. 2, 2 *a*, *b* (1903).	

SUBFAM. V.

BACTERIINÆ.

Genus 64. **Heteronemia.** (*Type* no. 1.)

Gray, Syn. Phasm. pp. 13, 19 (1835).
‖*Bacunculus, Sauss.* Miss. Mex., Orth. p. 154 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 7, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 23 (1875); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872 (1903).

1. **H. Mexicana, Gray, l. c. p. 19 (1835). *Bacteria Mexicana, Westw.* Cat. Phasm. p. 25. n. 67 (1859); Sauss. Rev. Zool. (2) xx. p. 357 (1868); Miss. Mex., Orth. p. 152, pl. 3. ff. 10, 11, 11 *a* (1872). *Bacteria Tolteca, Sauss.* Rev. Zool. (2) xi. p. 62 (1859).	Mexico.
2. **H. Ignava, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 54.	Costa Rica.
*3. **H. Striata, Burm.** (*Bacteria S.*) Handb. Ent. ii. p. 567. n. 14 (1838); Westw. l. c. pp. 28, 180. n. 76 (1859); Sauss. Miss. Mex., Orth. p. 156, ff. 7, 8, 8 *a* (1872).	Mexico.
4. **H. Tenuescens, Scudd.** (*Bacunculus T.*) Proc. Davenport Acad. viii. p. 95, pl. 1. f. 1 (1900); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872, pl. 56. ff. 1, 2 (1903).	Florida.
*5. **H. Hastata, Burm.** (*Bacteria H.*) l. c. p. 567. n. 11 (1838); Westw. l. c. pp. 23, 179. n. 61 (1859).	Ega.
6. **H. Olmeca, Sauss.** (*Bacteria O.*) l. c. p. 156 (1872).	Mexico.
7. **H. Festæ, Giglio-Tos,** (*Bacunculus F.*) Boll. Mus. Torino, xiii. (311) p. 22 (1898).	Ecuador.
8. **H. Festuca, Giglio-Tos,** (*Bacunculus F.*) l. c. p. 24 (1898).	id.
*9. **H. Mimus, Giglio-Tos,** (*Bacunculus M.*) l. c. p. 25 (1898).	id.
10. **H. Sarmentum, Giglio-Tos,** (*Bacunculus S.*) l. c. (1898).	id.
11. **H. Palea, Giglio-Tos,** (*Bacunculus P.*) l. c. p. 26 (1898).	id.

12. **H. Fallax, Giglio-Tos,** (*Bacunculus F.*) l. c. p. 26 (1898).	Ecuador.
13. **H. Gramen, Giglio-Tos,** (*Bacunculus G.*) l. c. (1898).	id.
14. **H. Nodosus, Giglio-Tos,** (*Bacunculus N.*) l. c. p. 27 (1898).	id.
15. **H. Laticauda, Bates,** (*Bacteria L.*) Trans. Linn. Soc. Lond. xxv. p. 329, pl. 44. f. 11 *a* (1865).	Ega.
16. **H. Amazonica, Bates,** (*Bacteria A.*) l. c. p. 330 (1865).	id.
17. **H. Culmus, Bates,** (*Bacteria C.*) l. c. p. 331 (1865).	Brazil.
18. **H. Cacica, Kaup,** (*Bacteria C.*) Berlin. Ent. Zeitschr. xv. p. 28 (1871).	Mexico.
19. **H. Arampes, Kaup,** (*Bacteria A.*) l. c. p. 30 (1871).	Brazil.
20. **H. Samouellii, Gray, (*Bacteria S.*) l. c. p. 43 (1835); Westw. l. c. p. 33. n. 94 (1859).	Hab. —— ?
21. **H. Tenuis, Westw. (*Bacteria T.*) l. c. p. 31. n. 88, pl. 8. f. 1 (1859).	Hab. —— ?

Genus 65. **Bacunculus.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 566 (1838);
Westw. Cat. Phasm. p. 26 (1859).

*1. **B. Phyllopus, Gray,** (*Prisomera* (?) *P.*) Syn. Phasm. p. 16 (1835). *Bacteria* (*Bacunculus*) *Phyllopoda, Westw.* l. c. p. 180. n. 71 (1859). *Bacteria Spatulata, Burm.* l. c. p. 566. n. 9 (1838). *Bacteria* (*Bacunculus*) *Spatulata, Westw.* l. c. pp. 26, 179. n. 71 (1859). *B. Spatulatus, Bol.* Viaje al Pacif., Neur. y Ortópt. p. 27 (1884).	Chile.
2. **B. Foliacea, Blanch.** (*Bacteria F.*) Gay. Hist. Chile, Zool. vi. p. 26 (1852); Westw. l. c. p. 26. n. 70 (1859).	id.
3. **B. Chilensis, Westw.** l. c. p. 180. n. 466 (1859). ‖ *Bacteria Spatulata, Blanch.* l. c. p. 25, pl. 1. f. 6 (1852).	id.
4. **B. Unifoliatus, Phil.** (*Bacteria Unifoliata*) Stettin. Ent. Zeit. xxvi. p. 64 (1865).	id.. Valdivia.

Genus 66. **Oreophœtes.**

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 56.

1. **O. Peruana, Sauss.** (*Bacteria P.*) Rev. Zool. (2) xx. p. 65. n. 11 (1868); Miss. Mex., Orth. p. 160, pl. 3. ff. 12, 12 *a* (1872).	Peru.

Genus 67. **Dyme.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 24 (1875).

1. **D. Bifrons, Stål,** l. c. p. 77 (1875); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 56.	Peru.
*2. **D. Muricata, Burm.** (*Bacteria M.*) Handb. Ent. ii. p. 564. n. 2 (1838); Westw. Cat. Phasm. pp. 23, 179. n. 59 (1859).	Para.
3. **D. Emesa, Westw. (*Bacteria E.*) l. c. p. 30. n. 87, pl. 5. f. 3 (1859).	Hab. —— ?
4. **D. Serricauda, Bates,** (*Bacteria S.*) Trans. Linn. Soc. Lond. xxv. p. 331, pl. 44. f. 13 *a* (1865).	Ega.
5. **D. Sakai, Bates,** (*Bacteria S.*) l. c. p. 332, pl. 44. f. 1 (1865).	id.

Genus 68. **Bostra.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875); Rec. Orth. iii. p. 24 (1875).

1. **B. Turgida, Westw. (*Bacteria T.*) Cat. Phasm. p. 28. n. 80, pl. 8. ff. 4, 9 (1859).	Venezuela.
2. **B. Dorsuaria, Stål,** Rec. Orth. iii. p. 79 (1875).	Chiriqui.
3. **B. Exigua, Scudd.** (*Bacteria E.*) Proc. Boston Soc. Nat. Hist. xvii. p. 278 (1875).	Peruvian Andes.
4. **B. Incompta, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 57.	Costa Rica.
5. **B. Remiformis, Rehn,** l. c. p. 58 (1904).	id.

Genus 69. **Oncotophasma.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 59.

1. **O. Martini, Griff.** (*Bostra M.*) Boll. Mus. Torino, xi. (236) p. 10, fig. (1896).	Colombia, Costa Rica.
2. **O. Podagrica, Stål,** (*Bostra P.*) Rec. Orth. iii. p. 79 (1875).	Panama.

Genus 70. **Clonistria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 25 (1875).

1. **C. Bartholomæa, Stål,** ll. cc. ii. (17) p. 16 (1875), iii. p. 80 (1875).	W. Indies (St. Barth.).
*2. **C. Linearis, Dru.** (*Mantis L.*) Ill. Exot. Ent. i. pl. 50. f. 3 (1773). *Bacteria Linearis, Gray,* Syn. Phasm. p. 17 (1835); Westw. Cat. Phasm. p. 24. n. 64 (1859). (?) *C. Linearis, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 60. *Pseudobacteria Longiceps, Kirb.* Ann. Nat. Hist. (6) iii. p. 503 (1889).	Antigua, St. Lucia, Montserrat, Grenada, & St. Vincent.
3. **C. Haita, Westw. (*Bacteria H.*) l. c. p. 25. n. 66, pl. 25. ff. 5, 6 (1859). *Bacteria Dryas, Westw.* l. c. p. 27. n. 74 (1859). ‖*Bacteria Spinosa, Burm.* Handb. Ent. ii. p. 567. n. 12 (1838).	Haiti.
4. **C. Comis, Bates,** (*Bacteria C.*) Trans. Linn. Soc. Lond. xxv. p. 330, pl. 44. f. 12 *b* (1865).	Bogota.
5. **C. Gracilis, Burm.** (*Bacteria G.*) Handb. Ent. ii. p. 567. n. 15 (1838); Westw. l. c. p. 28. n. 77 (1859).	La Guayra.
*6. **C. Calamus, Fabr.** (*Mantis C.*) Ent. Syst. ii. p. 13. n. 3 (1793). *Phasma Calamus, Fabr.* l. c. Suppl. p. 187. n. 3 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 4 (1802). *Bacteria Calamus, Gray,* l. c. p. 17 (1835); Westw. Cat. Phasm. p. 20. n. 53 (1859).	S. America, W. Indies.

Genus 71. **Tersomia.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 431 (1904).

1. **T. Brasiliensis, Kirb. l. c. p. 432 (1904).	Iguarassu.

Genus 72. **Bactridium.**

Sauss. Rev. Zool. (2) xx. p. 66 (1868); Mém. Soc. Genève, xx. p. 305 (1869); Stål, Rec. Orth. iii. pp. 30, 82 (1875).

1. **B. Coulonianum, Sauss.** ll. cc. p. 66 (1868); p. 306, pl. 2. ff. 8, 8 *a*, 9, 9 *a* (1869).	Australia(?) Chili (?).

Genus 73. **Abrachia.** (*Type* no. 3.)

Kirb. Ann. Nat. Hist. (6) iii. p. 503 (1889); Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).

1. **A. Phyllocephala, Westw.** (*Acanthoderus Phyllocephalus*) Cat. Phasm. p. 58. n. 160 (1859). *Phibalosoma Phyllocephalum*, *Westw.* l. c. p. 73. n. 188, pl. 33. f. 1 (1859). ‖ *Bacteria Aurita*, *Burm.* Handb. Ent. ii. p. 565. n. 7 (1838).	Brazil.
2. **A. Extensa, Bates,** (*Phibalosoma Extensum*) Trans. Linn. Soc. Lond. xxv. p. 340 (1865).	id. (?).
3. **A. Brevicornis, Kirb. ll. cc. p. 504 (1889); p. 475 (1896).	Theresopolis
4. **A. Longimana, Sauss.** (*Bacteria L.*) Rev. Zool. (2) xi. p. 61 (1859). *Phibalosoma Longimanum*, *Sauss.* Miss. Mex., Orth. p. 177, pl. 4. f. 20 (1872).	Bahia.
5. **A. Emortualis, Sauss.** (*Bacteria E.*) Rev. Zool. (2) xi. p. 61 (1859). *Phibalosoma Emortuale*, *Sauss.* Miss. Mex., Orth. p. 175, pl. 4. ff. 21, 21 *a* (1872).	id.
6. **A. Clinteria, Westw.** (*Bacteria C.*) Cat. Phasm. p. 27. n. 73, pl. 25. f. 9 (1859); *Bactridium Clinteria*, *Giglio-Tos*, Boll. Mus. Torino, xv. (377) p. 2 (1900).	Brazil.

Genus 74. **Calynda.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 24 (1875).

1. **C. Bicuspis, Stål,** l. c. p. 78 (1875); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 57.	Chiriqui.
2. **C. Cyphus, Westw. (*Bacteria C.*) Cat. Phasm. p. 24. n. 63, pl. 7. f. 7 (1859). ‖*Phasma Cornutum, Guild.* Trans. Linn. Soc. Lond. xiv. p. 137, pl. 6 (1825).	W. Indies, St. Vincent, Grenada.
*3. **C. Ceratosceleton, Oliv.** (*Mantis Keratosqueleton*) Enc. Méth., Ins. vii. p. 639. n. 75 (1792). *Phasma Cornutum, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 16 (1796); Trans. Linn. Soc. Lond. vi. p. 10. n. 3 (1802). *Phasma Bicornis, Stoll,* Spectres, Phasmes, p. 46, pl. 15. ff. 57, 57 A (1813). *Bacteria Bicornis, Gray,* Syn. Phasm. p. 16 (1835); Burm. Handb. Ent. ii. p. 566. n. 8 (1838); Westw. l. c. p. 23. n. 62 (1859).	S. America, W. Indies.

Genus 75. **Canuleius.**

Stål, Rec. Orth. iii. p. 53 (1875).

1. **C. Euterpinus, Westw. (*Acanthoderus E.*) Cat. Phasm. p. 56. n. 155 (1859). *Bacteria Euterpina, Sauss.* Miss. Mex., Orth. p. 161 (1872). *C. Euterpinus, Stål,* l. c. p. 94 (1875). ‖*Bacteria Spinosa, Gray,* Syn. Phasm. p. 43 (1835). *Bacteria Spinigera, Sauss.* Rev. Zool. (2) xi. p. 62 (1859).	Brazil.
2. **C. (?) Bicornis, Thunb.** (*Phasma B.*) Mém. Acad. Pétersb. v. p. 298 (1815); Westw. l. c. p. 183. n. 9 (1859).	Hab. —— ?

Genus 76. **Phanocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 28, 81 (1875).

1. **P. Burkartii, Sauss.** (*Bacteria B.*) Rev. Zool. (2) xx. p. 65 (1868); Miss. Mex., Orth. p. 151, pl. 3. f. 6 (1872). ♂. ‖*Bacteria Cornuta, Sauss.* Rev. Zool. (2) xiii. p. 128 (1861).	Mexico.

2. **P. Ætolus, Westw.** (*Bacteria Æ.*) Cat. Phasm. p. 27. n. 72. pl. 22. f. 3 (1859). *Phibalosoma Ætolus, Sauss.* Miss. Mex., Orth. p. 174 (1872).	Mexico.
3. **P. Sartoriana, Kaup,** (*Bacteria S.*) Berlin. Ent. Zeitschr. xv. p. 29 (1871).	id.
4. **P. Curvipes, Redt. Proc. Zool. Soc. Lond. 1892. p. 207. pl. 15. f. 9.	W. Indies. St. Vincent.

Genus 77. **Ceroys.** (*Type* no. 4.)

Serv. Ins. Orth. p. 262 (1835); Westw. Cat. Phasm. p. 59 (1859).

Cladomorphus, pt., *Gray*, Syn. Phasm. p. 15 (1835); Stål, Bihang Svenska Akad. ii. (17) pp. 13, 94 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 53, 94 (1875), *nec sect. typ.*

1. **C. Cornutus, Burm.** (*Acanthoderus C.*) Handb. Ent. ii. p. 569. n. 4 (1838); Westw. Cat. Phasm. p. 56. n. 153 (1859). *Bacteria Cornuta, Sauss.* Rev. Zool. (2) xx. p. 65 (1868); Miss. Mex., Orth. p. 161, pl. 4. ff. 14, 14 *a* (1872).	W. Indies. St. Thomas.
2. **C. Baculus, Sauss.** (*Bacteria B.*) ll. cc. (2) xi. p. 61 (1859); p. 163, pl. 4. ff. 15, 15 *a. b* (1872).	S. America.
3. **C. Cyrtocnemis, Bates,** (*Bacteria C.*) Trans. Linn. Soc. Lond. xxv. p. 329, pl. 44. f. 10 (1865).	Ega.
4. **C. Perfoliatus, Gray, (*Cladomorphus P.*) Syn. Phasm. p. 15 (1835). *Acanthoderus Perfoliatus, Burm.* Handb. Ent. ii. p. 569. n. 1 (1838). *C. Perfoliatus, Serv.* Ins. Orth. p. 263 (1839); Westw. l. c. p. 59. n. 164 (1859).	Brazil.
5. **C. Ramulus, Giglio-Tos,** (*Bacunculus R.*) Boll. Mus. Torino, xiii. (311) p. 21 (1898).	Ecuador.
6. **C. Borellii, Giglio-Tos,** (*Bacunculus B.*) l. c. p. 22 (1898).	id.
7. **C. Multispinosus, Serv.** l. c. p. 264 (1839); Westw. l. c. p. 59. n. 165 (1859).	Brazil.

8. **C. Oryx, Westw.** (*Acanthoderus O.*) l. c. p. 56. n. 152 (1859). ‖ *Acanthoderus Scabrosus*, *Burm.* Handb. Ent. ii. p. 569. n. 3 (1838).	Brazil.
9. **C. Vigilans, Westw.** (*Acanthoderus V.*) l. c. p. 56. n. 151 (1859). ‖ *Acanthoderus Auritus*, *Burm.* l. c. p. 569. n. 2 (1838).	id.
10. **C. Scops, Kaup,** (*Acanthoderus S.*) Berlin. Ent. Zeitschr. xv. p. 32 (1871).	id.
11. **C. Coronatus, Thunb.** (*Phasma Coronata*) Mém. Soc. Pétersb. v. p. 299 (1815); Westw. l. c. p. 183. n. 8 (1859).	Hab. —— ?

Genus 78. **Bacteria.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 446 (1825); Gray, Syn. Phasm. p. 16 (1835); Burm. Handb. Ent. ii. p. 563 (1838); Serv. Ins. Orth. p. 223 (1839); Haan, Temminck, Verhandel., Orth. p. 132 (1842); Westw. Cat. Phasm. p. 20 (1859); Sauss. Miss. Mex., Orth. p. 151 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 6, 14 (1875), iii. (14) p. 11 (1875); Rec. Orth. iii. p. 29 (1875).

*1. **B. Baculus, Oliv.** (*Mantis B.*) Enc. Méth., Ins. vii. p. 138. n. 71 (1792). *Phasma Arumatia*, *Stoll*, Spectres, Phasmes, p. 41, pl. 13. f. 51 (1813). *B. Arumatia*, *Gray*, l. c. p. 16 (1835); Serv. l. c. p. 223 (1839).	Surinam, British Guiana, Cayenne.
*2. **B. Remphan, Westw.** l. c. p. 22 (1859). *B. Arumatia*, var., *Westw.* l. c. pl. 23. ff. 4, 4 *a* (1859).	Venezuela, Ecuador.
3. **B. Simplicitarsis, Gray, l. c. p. 43 (1835); Westw. l. c. p. 21. n. 55 (1859). ‖ *Phasma Filiformis*, *Stoll*, l. c. p. 64, pl. 22. f. 81 (1813). *Phasma Filiforme*, *Licht.* Trans. Linn. Soc. Lond. vi. p. 9. n. 1, pl. 1. f. 1 (1802).	Jamaica, Antigua, &c.
4. **B. Ferula, Fabr.** (*Mantis F.*) Ent. Syst. ii. p. 12. n. 2 (1793). *Phasma Ferula*, *Fabr.* Suppl. Ent. Syst.	W Indies.

p. 187. n. 2 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 2 (1802). *B. Ferula, Burm.* l. c. p. 564. n. 3 (1838). ‖ *B. Arumatia, Westw.* l. c. p. 22. n. 57 (1859).	
5. **B.** (?) **Filiformis, Fabr.** (*Mantis Filiformes*) Mant. Ins. i. p. 227. n. 1 (1787). *Mantis Filiformis, Fabr.* Ent. Syst. ii. p. 12. n. 1 (1793). *Phasma Filiformis, Fabr.* Suppl. Ent. Syst. p. 106. n. 1 (1798). *B. Filiformis, Westw.* l. c. p. 22. n. 58 (1859).	S. America
6. **B. Nigripes, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 278 (1875).	Peruvian Andes.
7. **B. Granulicollis, Blanch.** Gay, Hist. Chil., Zool. vi. p. 26 (1851); Westw. l. c. p. 26. n. 69 (1859).	Chili.

Genus 79. **Phibalosoma.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 42 (1835); Westw. Cat. Phasm. p. 71 (1859); Sauss. Miss. Mex., Orth. p. 172 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875); Rec. Orth. iii. p. 28 (1875).

Cladomorphus, pt., *Gray*, l. c. p. 15 (1835); Serv. Ins. Orth. p. 224 (1839).

*1. **P. Phyllinus, Gray,** (*Cladomorphus P.*) l. c. p. 15 (1835); Serv. l. c. p. 225 (1839). ♂. *P. Lepelletieri, Gray,* l. c. p. 42 (1835). *P. Lepeletierii, Westw.* l. c. p. 72. n. 186 (1859); Sauss. l. c. p. 180 (1872). *Cladoxerus Phyllinus, Burm.* Handb. Ent. ii. p. 571. n. 1 (1838); Charp. Orth. pls. 34, 35 (1845); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 61. (?) *Bacteria Calamus,* ♀, *Burm.* l. c. p. 564. n. 1 (1838).	Brazil.
2. **P. Rubispinosa, Serv.** (*Bacteria R.*) l. c. p. 224 (1839); Westw. l. c. p. 30. n. 84 (1859).	Cayenne.
3. **P. Dilatipes, Gray, (*Cladomorphus D.*) l. c. p. 15 (1835). *P. Lepeletieri, larva, Westw.* l. c. p. 72 (1859).	Brazil.

P. Lepeletierii, var. *Dilatipes*, *Sauss.* l. c. p. 181 (1872).	
4. **P. Rubus, Sauss.** (*Cladoxerus R.*) Rev. Zool. (2) xiii. p. 128 (1861). *P. Lepeletierii*, var. *Rubus*, *Sauss.* Miss. Mex., Orth. p. 181 (1872).	Brazil (Bahia).
5. **P. Coronata, Stål,** Rec. Orth. iii. p. 80 (1875).	Brazil.

Genus 80. **Xylodus.**

Sauss. Rev. Zool. (2) xi. p. 62 (1859); Miss. Mex., Orth. p. 182 (1872).

1. **X. Adumbratus, Sauss.** Rev. Zool. (2) xi. p. 62 (1859). *Phibalosoma Adumbratum*, *Sauss.* Miss. Mex., Orth. p. 182, pl. 4. ff. 19, 19 *a*, *b* (1872).	Porto Rico.

Genus 81. **Cladomorphus.**

Gray, Syn. Phasm. p. 15 (1835).

1. **C. Ceratocephalus, Gray,** l. c. (1835). *Phibalosoma Ceratocephalum*, *Westw.* Cat. Phasm. p. 72. n. 187, pl. 36. f. 2 (1859).	Brazil.

Genus 82. **Cladoxerus.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 445 (1825); Serv. Ann. Sci. Nat. xxii. p. 59 (1831); Ins. Orth. p. 254 (1839); Gray, Syn. Phasm. p. 42 (1835); Burm. Handb. Ent. ii. p. 571 (1838).

*1. **C. Gracilis, St.-Farg. & Serv.** l. c. p. 445 (1825); Serv. ll. cc. p. 59 (1831); p. 255, pl. 7 (1839); Gray, l. c. p. 42 (1835); Burm. l. c. p. 572. n. 2 (1838). *Phibalosoma Gracilis*, *Westw.* Cat. Phasm. p. 77. n. 200 (1859).	Brazil.
2. **C. Cryphaleus, Westw. (*Phibalosoma C.*) l. c. p. 78. n. 201, pl. 11. f. 3 (1859).	id.

3. **C. Longipes, Gray,** l. c. p. 42 (1835). *Phibalosoma Longipes, Westw.* l. c. p. 78. n. 202 (1859).	Demerara.
4. **C. Ditomus, Westw. (*Phibalosoma D.*) l. c. p. 78. n. 203, pl. 13. f. 1 (1859).	Brazil.
5. **C. Ploiaria, Westw. (*Phibalosoma P.*) l. c. p. 79. n. 204, pl. 13. f. 4 (1859).	Central America(?).
6. **C. Cubensis, Sauss.** (*Phybalosoma C.*) Rev. Zool. (2) xx. p. 67 (1868). *Phibalosoma Cubense, Sauss.* Miss. Mex., Orth. p. 179, pl. 4. ff. 22, 22 *a* (1872). *Bacteria Cubensis, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 62.	Cuba.
7. **C. Phantasma, Westw. (*Phasma P.*) l. c. p. 126. n. 331, pl. 12. f. 5 (1859).	Tapajos.
8. **C. Valgius, Westw. (*Phasma V.*) l. c. p. 126. n. 330, pl. 10. f. 3 (1859).	Hab. —— ?
9. **C. Puppeius, Westw. (*Phasma P.*) l. c. p. 125. n. 329, pl. 10. f. 1 (1859).	Tapajos.

SUBFAM. VI.

PHRYGANISTRIINÆ.

Genus 83. **Phryganistria.**

Stål, Bihang Svenska Akad. ii. (17) pp. 7, 14 (1875), iii. (14) p. 7 (1875); Rec. Orth. iii. p. 6 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 81 (1893).

*1. **P. Sarmentosa, Westw.** (*Bacteria S.*) Cab. Orient. Ent. p. 65, pl. 32. f. 1 (1848). ♂. *Bacteria Virgea, Westw.* l. c. p. 66, pl. 32. f. 2 (1848). *Lonchodes Virgeus, Westw.* Cat. Phasm. p. 46. n. 122 (1859). *P. Sarmentosa, Stål,* Rec. Orth. p. 63 (1875).	Sylhet.

Genus 84. **Sadyattes.**

Stål, Rec. Orth. iii. p. 44 (1875).

1. **S. Borrii, Stål,** l. c. p. 88 (1875).	Hab. —— ?

Genus 85. **Pharnacia.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).
Phryganistria, div. *a*, *Stål*, Rec. Orth. iii. p. 63 (1875).

1. **P. Serratipes, Gray, (*Cladoxerus S.*) Syn. Phasm. p. 42 (1835).	Malabar, Penang, Singapore, Java.
Phibalosoma Serratipes, *Westw.* Cat. Phasm. p. 75. n. 192 (1859).	
♀. *Bacteria Acanthopus*, *Burm.* Handb. Ent. ii. p. 565. n. 6 (1838).	
Phasma (*Cladoxerus*) *Acanthopus*, *Haan*, (♂; an ♀?) Temminck, Verhandel., Orth. p. 131 (1842).	
Phibalosoma Acanthopus, *Westw.* (♂; an ♀?) l. c. p. 74. n. 190 (1859).	
(?) *Phibalosoma Acanthopus*, *Wood-Mason*, Proc. Asiatic Soc. Bengal, 1877, p. 161.	
*1 *a*. **P. Maxima, Bates,** (*Phibalosoma Maximum*) Trans. Linn. Soc. Lond. xxv. p. 341 (1865).	Sumatra, Sarawak.
‖*P. Serratipes*, *Kirb.* Trans. Linn. Soc. Lond., Zool. (2) vi. p. 450 (1896).	
2. **P. Annamallayanum, Wood-Mason,** (*Phibalosoma A.*) l. c. p. 161 (1877); Journ. Asiatic Soc. Bengal, xlvi. p. 346 (1877).	S. India.
3. **P. Ponderosa, Stål,** l. c. p. 40 (1877); (?) Kirb. l. c. p. 451 (1896).	Philippines.
4. **P. Feruloides, Westw. (*Lonchodes F.*) Cat. Phasm. p. 45. n. 121, pl. 6. f. 5 (1859).	id., Java (eadem?).

Genus 86. **Tirachoidea.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

1. **T. Cantori, Westw.** (*Phibalosoma C.*) Cat. Phasm. p. 74. n. 191, pl. 37. f. 1, pl. 38. f. 1 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 70.	Malacca, Siam.
*1 *a*. **T. Tirachus, Westw.** (*Phibalosoma T.*) l. c. p. 75. n. 194, pl. 37. f. 3 (1859).	Assam.
2. **T. Westwoodi, Wood-Mason,** (*Phibalosoma W.*) Journ. Asiatic Soc. Bengal, xliv. p. 216 (1875), xlvi. p. 347, pl. 3. f. 1 (1877).	id.

3. **T. Hypharpax, Westw. (*Phibalosoma H.*) l. c. p. 75. n. 193. pl. 13. f. 6 (1859); Kaup, Berlin. Ent. Zeitschr. xv. p. 37 (1871).	Ceylon.

Genus 87. **Lopaphus.**

Westw. Cat. Phasm. p. 99 (1859); Sauss. Mém. Soc. Genève, xx. p. 312 (1870); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 347 (1877).

Phasma, group 15, *Haan*, Temminck, Verhandel., Orth. p. 125 (1842).

1. **L. Brachypterus, Haan,** (*Phasma Brachypterum*) l. c. p. 125, pl. 13. f. 2 (1842). *L. Brachypterus, Westw.* l. c. p. 99. n. 254 (1859).	Sumatra.
2. **L.** (??) **Hellotis, Westw.** l. c. p. 101. n. 259, pl. 40. f. 1 (1859).	Borneo.
3. **L.** (?) **Hadrillus, Westw.** l. c. p. 100. n. 258, pl. 28. f. 4 (1859).	Sarawak.

Genus 88. **Phænopharos.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 433 (1904).

1. **P. Struthioneus, Westw. (*Lopaphus S.*) Cat. Phasm. p. 101. n. 260, pl. 34. f. 3 (1859).	Singapore.

SUBFAM. VII.

PALOPHINÆ.

Genus 89. **Hermarchus.** (*Type* no. 3.)

Stål, Rec. Orth. iii. p. 45 (1875);
Bihang Svenska Akad. iii. (14) p. 17 (1875).

1. **H. Apollonius, Westw. (*Phibalosoma A.*) Cat. Phasm. p. 181. n. 469, pl. 40. f. 4 (1859). *Phibalosoma Pythonius*, ♂, *Westw.* l. c. p. 73. n. 189, pl. 35. f. 3 (1859).	Fiji.

2. **H. Novæ-Britanniæ, Wood-Mason,** Ann. Nat. Hist. (4) xx. p. 75 (1877).	New Britain.
3. **H. Pythonius, Westw. (*Phibalosoma P.*, ♀) l. c. p. 73. n. 189, pl. 12. f. 1 (1859); Sauss. Miss. Mex., Orth. pl. 3. ff. 1–3, details (1872).	Fiji.
4. **H.** (?) **Trigonus, Thunb.** (*Phasma Trigona*) Mém. Soc. Pétersb. v. p. 300 (1815); Westw. l. c. p. 183. n. 5 (1859).	Hab. —— ?

Genus 90. **Tæniosoma.**

Bol. Act. Soc. Esp. 1897, p. 30.

1. **T. Sanchezi, Bol.** l. c. pp. 31, 32, fig. (1897).	Philippines.

Genus 91. **Diagoras.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

1. **D. Ephialtes, Stål,** l. c. (1877).	Palau.

Genus 92. **Cranidium.**

Burm. Handb. Ent. ii. p. 574 (1838); Westw. Arc. Ent. ii. p. 49 (1845).

Diapherodes, pt., *Burm.* l. c. p. 573 (1838); Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

*1. **C. Gibbosum, Burm.** (*Diapherodes Gibbosa*) l. c. p. 575. n. 3 (1838); Sauss. Miss. Mex., Orth. p. 187 (1872). *Monandroptera* (?) *Gibbosa, Westw.* Cat. Phasm. p. 80. n. 209 (1859). *Diapherodes* (*Cranidium*) *Serricollis, Westw.* Arc. Ent. ii. p. 49, pl. 61. f. 1 (1845).	Brazil.
2. **C. (?) **Pumilio, Westw.** (*Diapherodes* (*Cranidium*) *P.*) l. c. p. 50, pl. 61. f. 2 (1845). *Monandroptera Pumilio, Westw.* Cat. Phasm. p. 80. n. 208 (1859).	Jamaica.

Genus 93. **Hirtuleius.**

Stål, Rec. Orth. iii. p. 29 (1875).

1. **H. Læviceps, Stål,** l. c. p. 81 (1875).	Brazil.

Genus 94. **Pterinoxylus.** (*Type* no. 2.)

Serv. Ins. Orth. p. 226 (1839); Westw. Cat. Phasm. p. 89 (1859); Stål, Rec. Orth. p. 29 (1875).

1. **P. Eucnemis, Burm.** (*Haplopus E.*) Handb. Ent. ii. p. 577. n. 2 (1838). — Brazil.
   P. Difformipes, Westw. l. c. p. 90. n. 231. pl. 36. f. 1 (1859).
2. **P. Difformipes, Serv.** l. c. p. 227 (1839). — id.

3. **P. Crassus, Kirb. Ann. Nat. Hist. (6) iii. p. 502 (1889). — Dominica.

Genus 95. **Diapherodes.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 33 (1835); Burm. Handb. Ent. ii. p. 573 (1838); Haan, Temminck, Verhandel., Orth. p. 109 (1842); Westw. Cat. Phasm. p. 84 (1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 11 (1875); Rec. Orth. iii. p. 31 (1875).

*1. **D. Gigantea, Gmel.** (*Mantis G.*) Syst. Nat. i. (4) p. 2055. n. 49 (1788). — St. Vincent, Guadeloupe.
   ‖*Mantis Gigas, Drury,* Ill. Exot. Ent. ii. pl. 50 (1773).
   ‖*D. Gigas, Gray,* l. c. p. 33 (1835); Westw. l. c. p. 84. n. 215 (1859).
   Mantis Angulata, Fabr. Ent. Syst. ii. p. 13. n. 5 (1793).
   Phasma Angulata, Fabr. l. c. Suppl. p. 187. n. 5 (1798).
   Phasma Angulatum, Licht. Trans. Linn. Soc. Lond. vi. p. 11. n. 8 (1802).
   D. Angulata, Burm. l. c. p. 574. n. 2 (1838).
   ‖*Cyphocrana Cornuta, St.-Farg. & Serv.* Enc. Méth., Ins. x. p. 445 (1825).

*2. **D. Christopheri, Westw.** l. c. p. 84. n. 217, pl. 33. f. 4 (1859). — St. Kitts.

3. **D.** (?) **Venustula, Serv.** (*Platycrana V.*) Ins. Orth. p. 242 (1839). — Cuba.
   D. Venustula, Westw. l. c. p. 84. n. 216 (1859); Sauss. l. c. p. 185 (1872).
   Phasma (Diapherodes) Venustulum, Haan. l. c. p. 109 (1842).
   ♀. *Phasma Havaniense, Westw.* l. c. p. 34. n. 96, pl. 22. f. 7 (1859).

4. **D. Grayi, Kaup,** (*Haplopus G.*) Berl. Ent. Zeitschr. xv. p. 36, pl. 2. f. 1 (1871). Moluccas (*an recte?*).

Genus 96. **Haplopus.** (*Type* no. 4.)

Aplopus, Gray, Syn. Phasm. p. 34 (1835).
||*Haplopus, Burm.* Handb. Ent. ii. p. 576 (1838); Haan, Temminck, Verhandel., Orth. p. 127 (1842); Westw. Cat. Phasm. p. 85 (1859); Sauss. Miss. Mex., Orth. p. 191 (1872); Stål, Rec. Orth. iii. p. 31 (1875).

1. **H. Evadne, Westw. l. c. p. 85. n. 218, pl. 18. f. 6 (1859); Caud. Proc. U.S. Nat. Mus. xxvii. pp. 249–251, ff. 1, 2 (1904). Haiti, Florida.

2. **H. Cytherea, Westw.** l. c. p. 86. n. 219, pl. 18. f. 5 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 63. Haiti.

3. **H. Achalus, Rehn,** (*Aplopus A.*) l. c. p. 68 (1904). Porto Rico.

*4. **H. Jamaicensis, Dru.** (*Mantis J.*) Ill. Exot. Ins. ii. pl. 49. f. 1 (1773); Fabr. Spec. Ins. i. p. 346. n. 6 (1781); Oliv. Enc. Méth., Ins. vii. p. 634. n. 42 (1792). Jamaica.
Phasma Jamaicensis, Fabr. Suppl. Ent. Syst. p. 188 (1798).
Platycrana Jamaicensis, Gray, l. c. p. 38 (1835).
H. Jamaicensis, Westw. l. c. p. 86. n. 220 (1859).

*5. **H. Bispinosus, Fabr.** (*Mantis Bispinosa*) Syst. Ent. p. 275. n. 4 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 41 (1792); Shaw, Nat. Misc. ix. pl. 323 (1798). Brazil.
Phasma Bispinosa, Fabr. Suppl. Ent. Syst. p. 188 (1798).
Phasma Bispinosum, Gray, Syn. Phasm. p. 24 (1835).
H. Bispinosus, Westw. l. c. p. 87. p. 221 (1859).

6. **H. Micropterus, St.-Farg. & Serv.** (*Cyphocrana Microptera*) Enc. Méth., Ins. x. p. 445 (1825). St. Thomas.
Aplopus Micropterus, Gray, l. c. p. 34 (1835).
Phasma (Haplopus) Micropterum, Haan, l. c. p. 128 (1842).

H. Micropterus, Westw. l. c. p. 87. n. 222 (1859). ‖ *Phasma Angulata, Stoll,* Spectres, Phasmes, p. 61, pl. 21. f. 77 (1813). *H. Angulatus, Burm.* l. c. p. 577. n. 1 (1838).	
7. **H. Spinipes, Gray,** (*Diapherodes S.*) l. c. p. 34 (1835). *H. Spinipes, Westw.* l. c. p. 87. n. 223 (1859). ‖ *Phasma Angulata, Beauv.* Ins. Afr. Amér. p. 166, Orth. pl. 14. f. 4 (1805).	Haiti.
7 *a*. **H. Ligia, Westw. l. c. p. 89. n. 230, pl. 11. ff. 1, 2 (1859).	id.
7 *b*. **H. Bicuspidatus, Haan,** (*Phasma* (*Haplopus*) *Bicuspidatum*) l. c. p. 128 (1842). *H. Bicuspidatus, Westw.* l. c. p. 87. n. 224 (1859).	Hab. —— ?
8. **H. Similis, Rehn,** (*Aplopus S.*) l. c. p. 65 (1904).	Swan Isl., Caribb. Sea.
9. **H. Glabricollis, Gray, (*Diapherodes G.*) l. c. p. 33 (1835); Burm. l. c. p. 575. n. 4 (1838). *H. Glabricollis, Westw.* l. c. p. 88. n. 227 (1859).	Hab. —— ?
10. **H. Bituberculatus, Haan,** (*Phasma* (*Haplopus*) *Bituberculatum*) l. c. p. 128 (1842). *H. Bituberculatus, Westw.* l. c. p. 88. n. 225 (1859).	Hab. —— ?
11. **H. Pulverulentus, Gray, (*Diapherodes P.*) l. c. p. 34 (1835). *H. Pulverulentus, Westw.* l. c. p. 88. n. 226 (1859).	Bahamas.
12. **H. Scabricollis, Gray,** (*Diapherodes S.*) l. c. p. 34 (1835). *H. Scabricollis, Westw.* l. c. p. 88. n. 228 (1859).	Hab. —— ?
13. **H. Dubius, Gray,** (*Diapherodes D.*) l. c. p. 34 (1835). *H. Dubius, Westw.* l. c. p. 89. n. 229 (1859).	Cayenne.
14. **H. Cubensis, Sauss.** Rev. Zool. (2) xx. p. 68 (1868); Miss. Mex., Orth. p. 192 (1872); Bol. Mém. Soc. Zool. France, i. p. 140 (1888).	Cuba.
15. **H. Poeyi, Sauss.** (*Creoxylus P.*) ll. cc. p. 68 (1868); p. 196 (1872).	id.

Genus 97. **Palophus.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 90 (1859); Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 193 (1892); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 465 (1896).

*1. **P. Centaurus, Westw.** l. c. p. 91. n. 233, pl. 32. ff. 1, 1 *a* (1859); Brongn. l. c. p. 195, pl. 8 : 9. ff. 1–4 (1892); Sharp, Cambridge Nat. Hist., Ins. i. pp. 260, 275, f. 162 (1895).	W. Africa; Old Calabar, Cameroons.
2. **P. Episcopalis, Kirb. (*Ischnopoda E.*) l. c. p. 466 (1896).	Tanganyika.
3. **P. (?) Hecticus, Licht.** (*Phasma Hecticum*) Cat. Mus. Zool. Hamburg, p. 78. n. 8 (1796); Trans. Linn. Soc. Lond. vi. pp. 14, 39. n. 13, pl. 1. f. 2 (1802). *Platycrana Hectica, Gray*, Syn. Phasm. p. 34 (1835). *Cyphocrania* (?) *Hectica, Westw.* l. c. p. 109. n. 278 (1859).	"China" (?).
*3 *a*. **P. (?) Haworthii, Gray,** (*Ctenomorpha H.*) l. c. p. 41 (1835). *P. Haworthii, Westw.* l. c. p. 90. n. 232, pl. 10. f. 5 (1859); Brongn. l. c. p. 202 (1892). ♀. *Haplopus Ceratophyllus, Burm.* Handb. Ent. ii. p. 577 (1838).	"Australia," S. Africa.
4. **P. (?) Moiræ, Kirb. Ann. Nat. Hist. (6) xviii. p. 463 (1896).	Br. Cent. Africa.

Genus 98. **Ischnopoda.** (*Type* no. 1.)

Grandidier, Rev. Zool. (2) xxi. p. 292 (1869); Luc. Ann. Soc. Ent. France, (4) ix. p. 430 (1870); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

*1. **I. Reyi, Grandidier,** l. c. p. 293 (1869); Luc. l. c. p. 430 (1870). *Palophus Reyi, Brongn.* Nouv. Arch. Mus. Paris, (3) iii. p. 198, pl. 9. ff. 5–8 (1892); Karsch, Werther, Mittl. Hochl. nördl. Deutsch-Ost-Afrika, p. 311, figs. (1898); Ent. Nachr. xxiv. p. 376, fig. (1898).	E. Africa.

*2. **I. Brevitarsis, Stål,** (*Bactrododema B.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 67 (1876).	E. Africa, Damara Land.
3. **I. Hippotaurus, Karsch,** (*Palophus H.*) Stett. Ent. Zeit. lvii. p. 215 (1896); Ent. Nachr. xxiv. pp. 367, 368 (1898).	E. Africa.
4. **I. Phillipsi, Kirb. l. c. p. 467, pl. 40. ff. 3, 3*a* (1896); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 69.	Somali Land.

Genus 99. **Bactrododema.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xv. p. 308 (1858); Bihang Svenska Akad. ii. (17) p. 14 (1875), iii. (14) p. 12 (1875); Rec. Orth. iii. p. 32 (1875).

*1. **B. Tiaratum, Stål,** (*B. Tiarata*) Œfv. Vet.-Akad. Förh. xv. p. 308 (1858), xxxiii. (3) p. 66 (1876); Rec. Orth. iii. p. 82 (1875). *B. Tiaratum, Kirb.* Distant, Ins. Transvaal. p. 47 (1902). *Palophus Tiaratus, Griff.* Boll. Mus. Torino. xii. (290) p. 11 (1897).	Damara Land, Transvaal.
2. **B. Aculiferum, Kirb.** l. c. p. 47, pl. 2. ff. 1, 1 *a–c*, 2, 2 *a* (1902).	Transvaal.
3. **B. Lugardi, Kirb. Ann. Nat. Hist. (7) ix. p. 448 (1902).	Lake N'Gami.
4. **B. Wayi, Kirb. l. c. p. 449 (1902).	Ft. Johnston
5. **B. Minotaurus, Gerst.** (*Palophus M.*) Mitth. Ver. Vorpomm. xiv. p. 100 (1883); Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 201 (1892).	Gold Coast.
6. **B. Æstuans, Westw. (*Cyphocrania Æ.*) Cat. Phasm. p. 109. n. 279, pl. 7. f. 4 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 266, f. 153 (1895). *Palophus Æstuans, Brongn.* l. c. p. 202 (1892).	Congo, Senegal.
*7. **B. Miliaris, Bol.** Jorn. Sci. Lisboa, (2) i. p. 87 (1889); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 70.	W. Africa; St. Thomas.
8. **B. Welwitschi, Bol.** l. c. p. 88 (1889).	Loanda.

Genus 100. **Candaules.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 43 (1875).

*1. **C. Iolas, Westw.** (*Necroscia I.*) Cat. Phasm. p. 145. n. 377, pl. 19. f. 2 (1859). *Lopaphus Iolas, Wood-Mason*, Journ. Asiatic Soc. Bengal, xliv. p. 217 (1875). xlvi. p. 347, pl 3. f. 2 (1877). ♀. *Candaules Sparnius, Stål*, l. c. p. 87 (1875).	Malacca, Johore, Sumatra.
*2. **C. Diardi, Haan,** (*Phasma* (*Cladoxerus*) *D.*) Temminck, Verhandel., Orth. p. 131, pl. 12. f. 6 (1842). *Phibalosoma Diardi, Westw.* l. c. p. 76. n. 195 (1859).	Borneo, Malacca.
3. **C. Spinosus, Sauss.** Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 312, pl. 3. ff. 15, 15 *a* (1870).	Malacca.

Genus 101. **Asprenas.**

Stål, Rec. Orth. iii. p. 45 (1875).
Neanthes, Stål, l. c. (1875).

1. **A. Femoratus, Stål,** l. c. p. 89 (1875). ♀. *Neanthes Brunneri, Stål*, l. c. p. 90 (1875).	New Caledonia.

Genus 102. **Orxines.** (*Type* no. 1.)

Stål, Rec. Orth. pp. 43, 87 (1875).

1. **O. Macklottii, Haan,** (*Phasma M.*) Temminck, Verhandel., Orth. p. 126, pl. 11. ff. 1, 2 (1842). *Lopaphus Macklottii, Westw.* Cat. Phasm. p. 100. n. 257 (1859).	Java.
2. **O. Zeuxis, Westw. (*Necroscia Z.*) l. c. p. 151. n. 401, pl. 28. ff. 5, 6 (1859).	Sarawak.
3. **O. Galacpterus, Haan,** (*Phasma Galacterum*) l. c. p. 127, pl. 13. ff. 4, 5 (1842). *Lopaphus Galacpterus, Westw.* l. c. p. 100. n. 256 (1859).	Sumatra.

4. **O. (?) **Xiphias, Westw.** (*Anophelepis X.*) l. c. p. 71. n. 185, pl. 4. ff. 4, 5 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 71.	Amboina, Obi.

Genus 103. **Lamachus.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

1. **L. Semperi, Stål,** l. c. (1877).	Philippines.

SUBFAM. VIII.

NECROSCIINÆ.

Genus 104. **Sosibia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 42 (1875).

1. **S. Nigrispina, Stål,** l. c. p. 87 (1875).	Malacca.
2. **S. Esepus, Westw.** (*Necroscia E.*) Cat. Phasm. p. 129. n. 337, pl. 16. f. 5 (1859).	id.
3. **S. Peninsularis, Kirb. Ann. Nat. Hist. (7) xiii. p. 434 (1904).	Penang.
4. **S. Curtipes, Westw.** (*Phasma* (*Necroscia C.*) Cab. Orient. Ent. p. 79, pl. 39. f. 1 (1848). *Necroscia Curtipes, Westw.* Cat. Phasm. p. 143. n. 373 (1859).	Prince of Wales I.
5. **S. Pholidotus, Westw. (*Necroscia P.*) l. c. p. 143. n. 372, pl. 17. f. 4, pl. 20. f. 6 (1859).	Silhet, Assam.
6. **S. Gadarama, Westw. (*Necroscia G.*) l. c. p. 130. n. 340, pl. 21. f. 4 (1859).	Java.
7. **S. Esacus, Westw.** (*Necroscia E.*) l. c. p. 132. n. 347, pl. 16. f. 4 (1859).	Singapore.
8. **S. Passalus, Westw. (*Necroscia P.*) l. c. p. 132. n. 348, pl. 9. f. 8 (1859).	Ceylon.
9. **S. Euryalus, Westw. (*Necroscia E.*) l. c. p. 144. n. 375, pl. 10. f. 4 (1859); (?) Sauss. Mém. Soc. Genève, xx. p. 314 (1870).	id.

10. **S. Humbertiana, Sauss.** (*Necroscia H.*) Rev. Zool. (2) xx. p. 68 (1868) ; Mém. Soc. Genève, xx. p. 315, pl. 3. f. 11 (1870).	Ceylon.
11. **S. Mancinus, Westw. (*Necroscia M.*) l. c. p. 144. n. 374, pl. 14. f. 3 (1859).	Philippines.
12. **S. Samson, Westw. (*Necroscia S.*) l. c. p. 132. n. 346. pl. 10. f. 6 (1859).	China.
13. **S. Ceramia, Westw. (*Necroscia C.*) l. c. p. 141. n. 367, pl. 12. f. 2 (1859).	Ceram.
14. **S. Scabra, Stål,** (*Necroscia S.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 43 (1877). *Sipyloidea Scabra, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 76.	Philippines.
15. **S. Vipera, Kaup,** (*Necroscia V.*) Berlin. Ent. Zeitschr. xv. p. 39 (1871).	Celebes.
16. **S. (?) Æsalus, Westw. (*Necroscia Æ.*) l. c. p. 133. n. 349, pl. 10. f. 7 (1859).	Ceylon.
*17. **S. (?) Tamyris, Westw.** (*Cyphocrania T.*) l. c. p. 110. n. 281, pl. 38. f. 2 (1859).	Penang.
18. **S. (?) Aurita, Fabr.** (*Mantis A.*) Ent. Syst. ii. p. 15. n. 13 (1793). *Phasma Aurita, Fabr.* l. c. Suppl. p. 189 (1798). *Phasma Auritum, Gray,* Syn. Phasm. p. 23 (1835). *Creoxylus Auritus, Westw.* l. c. p. 106. n. 271 (1859).	India (?).

Genus 105. **Calvisia.** (*Type* no. 10.)

Stål, Rec. Orth. iii. pp. 42, 87 (1875).

*1. **C. Maculicollis, Westw.** (*Phasma* (*Necroscia*) *M.*) Cab. Orient. Ent. p. 77, pl. 38. f. 2 (1847). *Necroscia Maculicollis, Westw.* Cat. Phasm. p. 155. n. 408 (1859). *C. Maculicollis, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 72. *C. Atrosignata, Brunn.* Ann. Mus. Genova, xxxiii. p. 85, pl. 3. f. 27 (1893) ; Sharp, Cambridge Nat. Hist., Ins. v. p. 273. n. 159 (1895).	N. India, Tenasserim, Java, Sumatra.
2. **C. Maculata, Kirb. Ann. Nat. Hist. (7 xiii. p. 135 (1904).	Penang.

3. **C. Westermanni, Westw.** (*Necroscia W.*) l. c. p. 157. n. 412, pl. 38. f. 3 (1859).	Pulo Penang.
4. **C. Viridilineata, Bates,** (*Necroscia V.*) Trans. Linn. Soc. Lond. xxv. p. 352 (1865). *C. Viridilineata, Rehn*, Proc. Acad. Nat. Sci. Philad. 1904, p. 71.	Ceram, Obi.
5. **C. Graminea, Bates,** (*Necroscia G.*) l. c. p. 356 (1865). *C. Graminea, Rehn*, l. c. p. 72 (1904). ♂. *Necroscia Smaragdula, Bates*, l. c. p. 357, pl. 45. f. 7 (1865).	Batchian, Gilolo, Obi.
*6. **C. Nigrofasciata, Haan,** (*Phasma (Necroscia) Nigrofasciatum*) Temminck, Verhandel., Orth. p. 122 (1842). *Necroscia Nigrofasciata, Westw.* l. c. p. 158. n. 415 (1859). *C. Nigrofasciata, Rehn*, l. c. p. 72 (1904).	Sumatra.
*7. **C. Medora, Westw.** (*Necroscia M.*) l. c. p. 157. n. 411, pl. 27. ff. 1, 1 *a* (1859).	Sarawak.
8. **C. Torquata, Bates,** (*Necroscia T.*) Trans. Linn. Soc. Lond. xxv. p. 359, pl. 45. f. 3 (1865).	Cambodia.
*9. **C. Biguttata, Burm.** (*Phasma 2-guttatum*) Handb. Ent. ii. p. 586. n. 11 (1838). *Necroscia Biguttata, Westw.* l. c. p. 158. n. 413 (1859).	Borneo, Singapore, Penang.
*10. **C. Sangarius, Westw.** (*Necroscia S.*) l. c. p. 155. n. 410, pl. 17. f. 6, pl. 35. ff. 4, 5 (1859).	Malacca, Borneo.
*11. **C. Hilaris, Westw.** (*Phasma (Necroscia) Hilare*) Cab. Orient. Ent. p. 77, pl. 8. f. 1 (1846). *Necroscia Hilaris, Westw.* Cat. Phasm. p. 155. n. 409 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 350 (1877). ♂. *Necroscia Virbius, Westw.* l. c. p. 154. n. 405, pl. 16. f. 2 (1859).	Assam, Sikhim, Malacca, Borneo.
*12. **C. Tages, Westw.** (*Necroscia T.*) l. c. p. 152. n. 403, pl. 18. f. 1 (1859).	India.
*13. **C. Hemus, Westw.** (*Necroscia H.*) l. c. p. 154. n. 406, pl. 16. f. 3 (1859).	Malacca.
14. **C. Hippolyte, Westw.** (*Necroscia H.*) l. c. p. 182. n. 470 (1859).	Macassar.
15. **C. Costata, Thunb.** (*Phasma C.*) Mém. Soc. Pétersb. v. p. 297 (1815); Westw. l. c. p. 183. n. 11 (1859).	Hab. ——?

Genus 106. **Marmessoidea.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 84, 85 (1893).

1. **M. Sumatrensis, Brancs.** Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 201, pl. 11. f. 11 *a* (1893).	Sumatra.
*2. **M. Rosea, Fabr.** (*Mantis R.*) Ent. Syst. ii. p. 16. n. 15 (1793). *Phasma Rosea, Fabr.* l. c. Suppl. p. 190 (1798). *Platycrana Rafflesii, Gray,* Syn. Phasm. p. 37 (1835). *Phasma (Necroscia) Rafflesii, Haan,* Temminck, Verhandel., Orth. p. 121 (1842). *Necroscia Rafflesii, Westw.* Cat. Phasm. p. 149. n. 392 (1859). *Necroscia Marmessus, Westw.* l. c. p. 149. n. 393, pl. 19. ff. 1, 7 (1859). *M. Marmessus, Rehn.* Proc. Acad. Nat. Sci. Philad. 1904, p. 73. *Phasma Roseum,* pt., *Licht.* Trans. Linn. Soc. Lond. vi. p. 14. n. 16 (1802).	Malacca, Siam, Sumatra, Java.
3. **M. Cercyon, Westw.** (*Necroscia C.*) l. c. p. 146. n. 379, pl. 34. f. 1 (1859). *M. Cercyon, Rehn,* l. c. p. 73 (1904).	Pulo Penang, Siam.
4. **M. Papuana, Brancs.** (*Necroscia P.*) l. c. xix.–xx. p. 65, pl. 2. f. 11 *a, b* (1897).	Papua.
5. **M. Bisbiguttata, Burm.** (*Phasma Bis-2-guttatum*) Handb. Ent. ii. p. 586. n. 10 (1838). *Phasma Bisbiguttatum, Charp.* Orth. pl. 11 (1841). *Necroscia Bis-2-guttata, Westw.* l. c. p. 149. n. 39 (1859).	Java, Borneo.
*6. **M. Quadriguttata, Burm.** (*Phasma-4-guttatum*) l. c. p. 586. n. 9 (1838). *Phasma Quadriguttatum, Charp.* l. c. pl. 10 (1841). *Phasma (Necroscia) 4-guttatum, Haan,* l. c. p. 121 (1842). *Necroscia Quadriguttata, Serv.* Ins. Orth. p. 253 (1839); Westw. l. c. p. 148. n. 390 (1859). *Necroscia Marmessus,* var. *Eurybates, Westw.* l. c. p. 150, pl. 29. ff. 4, 4 *a* (1859).	iid.

7. **M. Marginata, Brunn.** l. c. p. 86. pl. 3. f. 28 (1893). — Pegu.

8. **M. Annulata, Fabr.** (*Phasma A.*) Ent. Syst., Suppl. p. 189 (1798). — Tranquebar.
Phasma Annulatum, *Gray*, l. c. p. 23 (1835).
Necroscia Annulata, *Westw.* l. c. p. 147. n. 385 (1859).

9. **M. Atricoxis, Westw. (*Necroscia A.*) l. c. p. 146. n. 381, pl. 21. f. 5 (1859). — India.

*10. **M. Ismene, Westw.** (*Necroscia I.*) l. c. p. 145. n. 378. pl. 40. ff. 2, 3 (1859). — Borneo.

11. **M. Bimaculata, Oliv.** (*Mantis B.*) Enc. Méth., Ins. vii. p. 637. n. 64 (1792). — Tranquebar.
Phasma Bimaculatum, *Licht.* l. c. p. 15. n. 19 (1802); Gray, l. c. p. 22 (1835); Burm. l. c. p. 586. n. 13 (1838).
Phasma Bimaculata, *Stoll*, Spectres, Phasmes, p. 26, pl. 8. f. 29 (1813).
Necroscia Bimaculata, *Westw.* l. c. p. 141. n. 368 (1859).

Genus 107. **Trigonophasma.** (*Type* no. 3.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).

*1. **T. Vinosa, Serv.** (*Necroscia V.*) Ins. Orth. p. 253 (1839); Westw. Cat. Phasm. p. 147. n. 386 (1859). — Java, Borneo.
Phasma (Necroscia) Vinosum, *Haan*, Temminck, Verhandel., Orth. p. 120 (1842).

*2. **T. Rubicunda, Haan,** (*Phasma (Necroscia) Rubicundum*) l. c. p. 120, pl. 12. f. 2 (1842). — Borneo.
Necroscia Rubicunda, *Westw.* l. c. p. 148. n. 387 (1859).

*3. **T. Rubescens, Sauss.** (*Necroscia R.*) Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 317, pl. 3. f. 12 (1870). — Malacca, Borneo.

4. **T. Conicipennis, Bates,** (*Necroscia C.*) Trans. Linn. Soc. Lond. xxv. p. 358 (1865). — Sumatra.

5. **T. Atrophica, Pall.** (*Mantis A.*) Spicil. Zool. ix. p. 12, pl. 1. f. 7 (1772); Fabr. Spec. Ins. i. p. 345. n. 3 (1781); Oliv. Enc. Méth., Ins. vii. p. 633. n. 39 (1792). — Java.
Phasma Atrophicum, *Licht.* Trans. Linn.

Soc. Lond. vi. p. 14. n. 14 (1802); Gray, Syn. Phasm. p. 23 (1835).
Phasma (Necroscia) Atrophicum, Haan, l. c. p. 122 (1842).
Necroscia Atrophica, Westw. l. c. p. 131. n. 341 (1859).
Phasma Minans, Serv. l. c. p. 268 (1839).

6. **T. Acanthophora, Stoll,** (*Phasma A.*) Spectres, Phasmes, p. 62, pl. 21. f. 78 (1813). Amboina.
Phasma Acanthopterum, Gray, l. c. p. 23 (1835); Burm. Handb. Ent. ii. p. 586. n. 12 (1838).
Necroscia Acanthoptera, Westw. l. c. p. 147. n. 383 (1859).

7. **T. Casignetus, Westw.** (*Necroscia C.*) l. c. p. 147. n. 384, pl. 20. f. 5 (1859). Assam.

Genus 108. **Agondasoidea.** (*Type* no. 6)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

*1. **A. Acanthocephala, Haan,** (*Phasma (Necroscia) Acanthocephalum*), Temminck, Verhandel., Orth. p. 118 (1842). Borneo.
Necroscia Acanthocephala, Westw. Cat. Phasm. p. 128. n. 335, pl. 27. f. 4 (1859).

2. **A. Spiniceps, Haan,** (*Phasma (Necroscia) S.*) l. c. p. 119 (*nec fig.*). id.
Necroscia Spiniceps, Westw. l. c. p. 128. n. 334 (1859).

*3. **A. Malaccensis, Kirb.** (n. n.). Malacca.
‖ *Necroscia Diacanthos, Westw.* l. c. pp. 128, 181. n. 336, pl. 19. ff. 5, 6 (1859).

4. **A. Diacanthos, Haan,** (*Phasma (Necroscia) D.*) l. c. p. 119, pl. 15. f. 4 (1842). Borneo.

5. **A. Ceres, Stål,** (*Necroscia C.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877). Philippines.

6. **A. Agondas, Westw.** (*Necroscia A.*) l. c. p. 129. n. 338, pl. 28. f. 2 (1859). Borneo.

Genus 109. **Orthonecroscia.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).
‖ *Necroscia, Brunn.* Ann. Mus. Genova, xxxiii. p. 84 (1893), *nec Serv.*

*1. **O. Filum, Westw.** (*Phasma (Necroscia) F.*) Cab. Orient. Ent. p. 79. pl. 39. f. 1 (1847). *Phibalosoma Filum, Westw.* Cat. Phasm. p. 77. n. 198 (1859).	Malacca, Prince of Wales I.
2. **O. Longicornis, Burm.** (*Cladoxerus L.*) Handb. Ent. ii. p. 572. n. 3 (1838). *Phibalosoma Longicorne, Westw.* l. c. p. 77. n. 197 (1859).	Manilla.
3. **O. Pulcherrima, Kirb. l. c. p. 436 (1904).	Borneo.
4. **O. Ruficeps, Kirb. l. c. p. 437 (1904).	Guadalcanar

Genus 110. **Necroscia.** (*Type* no. 31.)

Serv. Ins. Orth. p. 250 (1839); Haan, Temminck, Verhandel., Orth. p. 119 (1842); Westw. Cat. Phasm. p. 128 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. pp. 41, 86 (1875); Kirb. Ann. Nat. Hist. (7) xiii. p. 437 (1904)
Sipyloidea, Brunn. Ann. Mus. Genova, xxxiii. pp. 84, 86 (1893). (*Type* no. 17.)

1. **N. Inflexipes, Oliv.** (*Mantis I.*) Enc. Méth., Ins. vii. p. 641. n. 14 (1792). *Phasma Valgum, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 14 (1796); Trans. Linn. Soc. Lond. vi. p. 16. n. 21 (1802). *Phasma Curvipes, Stoll,* Spectres, Phasmes, p. 43, pl. 13. f. 52 (1813). *Platycrana Curvipes, Gray,* Syn. Phasm. p. 37 (1835). *N. Curvipes, Westw.* l. c. p. 151. n. 400 (1859).	China.
2. **N. Flavoguttata, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877).	Philippines.
3. **N. Fasciolata, Stål,** l. c. (1877).	id.
4. **N. Nigrogranosa, Stål,** l. c. (1877).	id.
5. **N. Conspersa, Stål,** l. c. (1877).	id.

6. **N. Virens, Stål,** l. c. p. 43 (1877).	Philippines.
7. **N. Berenice, Stål,** l. c. (1877).	id.
8. **N. Calliope, Stål,** l. c. (1877).	id.
9. **N. Philippa, Stål,** l. c. (1877).	id.
10. **N. Fatua, Stål,** l. c. (1877).	id.
11. **N. Eurynome, Stål,** l. c. p. 44 (1877).	id.
12. **N. Parvipennis, Stål,** l. c. (1877).	id.
13. **N. Eucerca, Stål,** l. c. (1877).	id.
14. **N. Icaris, Stål,** l. c. (1877).	id.
*15. **N. Ceylonica, Sauss.** Rev. Zool. (2) xx. p. 69 (1868); Mém. Soc. Genève, xx. p. 316, pl. 3. f. 14 (1870).	Ceylon.
16. **N. Panætius, Westw. l. c. p. 144. n. 376, pl. 12. f. 4 (1859); Sauss. Mém. Soc. Genève, xx. p. 319 (1870).	id.
17. **N. Sipylus, Westw. l. c. p. 138. n. 362, pl. 18. f. 4 (1859).	Assam, Java.
17 *a*. **N. Warasaca, Westw.** l. c. p. 139 (1859).	Sarawak.
18. **N. Pœciloptera, Rehn,** (*Sipyloidea P.*) Proc. Acad. Nat. Sci. Philad. 1904, p. 77.	Obi.
19. **N. Tonquinensis, Kirb. Ann. Nat. Hist. (7) xiii. p. 437 (1904).	Tonkin.
20. **N. Marginata, Gray, (*Phasma Marginatum*) l. c. p. 23 (1835). *N. Marginata, Westw.* l. c. p. 148. n. 389 (1859).	Malabar.
21. **N. Acutipennis, Bates,** Trans. Linn. Soc. Lond. xxv. p. 354, pl. 45. f. 5 (1865).	Ceylon.
*22. **N. Chloris, Serv.** Ins. Orth. p. 253 (1839); Westw. l. c. p. 151. n. 398 (1859). *N. Pallescens, Kaup*, Berlin. Ent. Zeitschr. xv. p. 41 (1871).	Java, Borneo, Singapore, Ceylon.
*23. **N. Erechtheus, Westw.** l. c. p. 142. n. 369, pl. 9. f. 1, pl. 12. f. 3, pl. 14. f. 6 (1859).	Ceylon, Borneo.
24. **N. Larunda, Westw.** l. c. p. 140. n. 365, pl. 27. f. 3 (1859).	Sarawak.
25. **N. Tenebrosa, Bates,** l. c. p. 357 (1865).	Ceylon.
26. **N. Gularis, Haan,** (*Phasma (Necroscia) Gulare*) l. c. p. 122 (1842). *N. Gularis, Westw.* l. c. p. 158. n. 414 (1859).	Borneo.
*27. **N. Vittata, Serv.** l. c. p. 254 (1839); Westw. l. c. p. 150. n. 395 (1859).	Java, Malacca.

28. **N. Brunneri, Kirb.** (n. n.). ‖*Sipyloidea Vittata, Brunn.* Ann. Mus. Genova, xxxiii. p. 87, pl. 3. f. 29 (1893).	Burma.
29. **N. Pictipes, Bates,** l. c. p. 352 (1865).	Cambodia.
30. **N. Annulipes, Gray, (*Phasma Annulipes*) l. c. p. 37 (1835). *N. Annulipes, Westw.* l. c. p. 150. n. 394 (1859).	Malacca.
*31. **N. Roseipennis, Serv.** l. c. p. 252 (1839). *Phasma (Necroscia) Roseipenne, Haan,* l. c. p. 121 (1842). *N. Roseipennis, Westw.* l. c. p. 151. n. 397 (1859).	Java, Borneo, Singapore, Penang.
32. **N. Euplectes, Westw.** l. c. p. 146. n. 380, pl. 28. f. 1 (1859).	Sarawak.
33. **N. Chlorotica, Serv.** l. c. p. 252 (1839); Westw. l. c. p. 150. n. 396 (1859).	Java.
34. **N. Malaccæ, Sauss.** Rev. Zool. (2) xx. p. 69 (1868); Mém. Soc. Genève, xx. p. 318, pl. 3. f. 13 (1870).	Malacca.
*35. **N. Westwoodi, Kirb.** (n. n.). ‖*N. Punctata,* ♀, *Westw.* l. c. p. 142. n. 371, pl. 29. f. 5 (1859).	Singapore.
*36. **N. Haanii, Kirb.** (n. n.). *Phasma (Necroscia) Punctatum,* var. *a, Haan,* l. c. p. 121 (1842).	Borneo.
*37. **N. Horsfieldii, Kirb.** (n. n.). *Phasma (Necroscia) Punctatum,* var. *c, Haan,* l. c. p. 122 (1842).	Java.
*38. **N. Burmeisteri, Westw.** l. c. p. 151. n. 39 (1859). ‖*Phasma Prasinum, Burm.* Handb. Ent. ii. p. 586. n. 8 (1838).	id., Borneo.
*39. **N. Fumata, Serv.** l. c. p. 251 (1839); Westw. l. c. p. 131. n. 344 (1859).	Java.
40. **N. Fuscoannulata, Haan,** (*Phasma (Necroscia) Fuscoannulatum*) l. c. p. 119 (1842). *N. Fuscoannulata, Westw.* l. c. p. 131. n. 342 (1859).	Borneo.
41. **N. Nigroannulata, Haan,** (*Phasma (Necroscia) Nigroannulatum*) l. c. p. 119 (1842). *N. Nigroannulata, Westw.* l. c. p. 131. n. 343 (1859).	id.

42. **N. Sordida, Haan,** (*Phasma* (*Necroscia*) *Sordidum*) l. c. p. 120 (1842). *N. Sordida, Westw.* l. c. p. 132. n. 345 (1859).	Sumatra.
43. **N. Pulchella, Haan,** (*Phasma* (*Necroscia*) *Pulchellum*) l. c. p. 120, pl. 15. f. 5 (1842). *N. Pulchella, Westw.* l. c. p. 152. n. 402 (1859).	id., Sarawak.
44. **N. Janus, Bates,** l. c. p. 354, pl. 45. f. 4 (1865).	Tondano.
45. **N. Mustea, Bates,** l. c. p. 355, pl. 45. f. 8 (1865).	Sula.
46. **N. Styligera, Bates,** l. c. f. 1 (1865).	id.
47. **N. Rosenbergi, Kaup,** l. c. xv. p. 40 (1871).	Moluccas.
48. **N. Lacteipennis, Bates,** l. c. p. 353 (1865).	Gilolo.
49. **N. Davidis, Le Guill.** (*Cladoxerus D.*) Rev. Zool. 1841, p. 293. n. 9. *Phibalosoma Davidis, Westw.* l. c. p. 77. n. 199 (1859).	Salomon Isl.
50. **N. Distincta, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 66 (1897).	Papua.
51. **N. Carterus, Westw. l. c. p. 138. n. 361, pl. 15. f. 5 (1859).	Australia.
52. **N. Sarpedon, Westw. l. c. p. 139, pl. 16. f. 1, pl. 32. f. 5 (1859).	N. Austral.
53. **N. Sparaxes, Westw. l. c. p. 153. n. 404, pl. 9. f. 6, pl. 20. f. 4 (1859).	Ceylon.
54. **N.** (?) **Manicatus, Licht.** (*Phasma Manicatum*) Trans. Linn. Soc. Lond. vi. p. 17. n. 24 (1802). *Prisopus Manicatus, Gray.* Syn. Phasm. p. 28 (1835). *Xeroderus* (?) *Manicatus, Westw.* l. c. p. 103. n. 264 (1859). ‖*Mantis Linearis, Fabr.* Mant. Ins. i. p. 227. n. 9 (1787) ; Oliv. Enc. Méth., Ins. vii. p. 634. n. 44 (1792). *Phasma Linearis, Fabr.* Suppl. Ent. Syst. p. 189 (1798) ; Haan, Temminck, Verhandel., Orth. p. 112 (1842).	India.
55. **N.** (?) **Lampethusa, Westw.** l. c. p. 136. n. 357, pl. 34. f. 2 (1859).	Sarawak.
56. **N.** (?) **Lampetia, Westw.** l. c. p. 137. n. 359. pl. 38. f. 5 (1859).	id.

57. **N. (?) Lysippus, Westw.** l. c. p. 136. n. 358, pl. 39. f. 3 (1859).	Borneo.
58. **N. (?) Viridis, Montr.** (*Tropidoderus V.*) Ann. Soc. Linn. Lyon. (2) vii. p. 80 (1855); Westw. l. c. p. 166. n. 436 (1859).	Woodlark I
59. **N. Meneptolemus, Westw.** l. c. p. 141. n. 366, pl. 19. f. 4 (1859).	Singapore.

Genus 111. **Aruanoidea.** (*Type* no. 5.)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

1. **A. Salmanazar, Westw. (*Necroscia S.*) Cat. Phasm. p. 133. n. 350, pl. 16. f. 6 (1859).	Philippines.
2. **A. Maculiceps, Stål,** (*Necroscia M.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877).	id.
3. **A. Thisbe, Stål,** (*Necroscia T.*) l. c. (1877).	id.
4. **A. Menaka, Wood-Mason,** (*Necroscia M.*) Ann. Nat. Hist. (4) xx. p. 130 (1877); Journ. Asiatic Soc. Bengal, xlvi. p. 350 (1877).	Khasia Hills, Borneo.
5. **A. Aruana, Westw.** (*Necroscia A.*) l. c. p. 134. n. 352, pl. 39. f. 4 (1859). *A. Aruana, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 78.	Aru.
6. **A. Ophidiiderma, Griff.** Ann. Mus. Torino, xii. (307) p. 1 (1897).	Perak.
7. **A. Pirithous, Westw. (*Necroscia P.*) l. c. p. 134. n. 351 (1859).	Java.
8. **A. Osmylus, Westw.** (*Necroscia O.*) l. c. p. 135. n. 353, pl. 37. f. 4 (1859).	Sarawak.
9. **A. Frondosa, Bates,** (*Necroscia F.*) Trans. Linn. Soc. Lond. xxv. p. 353 (1865).	Celebes (Menado).
10. **A. Agrionina, Bates,** (*Necroscia A.*) l. c. p. 356, pl. 45. f. 9 (1865).	id.
11. **A. (?) Gargantua, Westw. (*Necroscia G.*) l. c. p. 130. n. 339, pl. 29. f. 3 (1859). *Necroscia Phœtusa, Westw.* l. c. p. 137. n. 360, pl. 38. f. 4 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 349 (1877).	Sarawak.

12. **A. Affinis, Gray, (*Platycrana A.*) Syn. Phasm. p. 37 (1835). *Necroscia Affinis*, *Westw.* l. c. p. 142. n. 370 (1859).	India.
13. **A. Punctata, Gray, (*Platycrana P.*) l. c. p. 37 (1835). *Phasma* (*Necroscia*) *Punctatum*, var. *b*, *Haan*, Temminck, Verhandel., Orth. pp. 121, 122 (1842). *Necroscia Punctata*, ♂, *Westw.* l. c. p. 142. n. 371 (1859).	id., Siam.

SUBFAM. IX.

ACROPHYLLINÆ.

Genus 112. **Podacanthus.** (*Type* no. 1.)

Gray, Ent. Austral. p. 17 (1833); Syn. Phasm. p. 32 (1835); Burm. Handb. Ent. ii. p. 581 (1838); Serv. Ins. Orth. p. 229 (1839); Haan, Temminck, Verhandel., Orth. p. 124 (1842); Westw. Cat. Phasm. p. 116 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875); Rec. Orth. iii. p. 38 (1878).

1. **P. Typhon, Gray, ll. cc. p. 17, pl. 2 (1833); p. 32 (1835); Burm. l. c. p. 581 (1838); Serv. l. c. p. 230 (1839); Westw. l. c. p. 117. n. 299 (1859); McCoy, Prodr. Zool. Vict. viii. pl. 80 (1883).	Australia.
2. **P. Unicolor, Charp.** Orth. pl. 56 (1845).	id.
*3. **P. Viridiroseus, Gray,** Syn. Phasm. p. 43 (1835); Westw. l. c. p. 117. n. 300 (1859); Bates, Trans. Linn. Soc. Lond. xxv. p. 348 (1865).	id.
4. **P. Wilkinsoni, Macl.** Proc. Linn. Soc. N. S. Wales, vi. p. 538 (1882).	N. S. Wales.

Genus 113. **Tropidoderus.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 31 (1835); Burm. Handb. Ent. ii. p. 589 (1838); Haan, Temminck, Verhandel., Orth. p. 125 (1842); Westw. Cat. Phasm. p. 165 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875); Rec. Orth. iii. p. 38 (1875).

‖ *Trigonoderus, Gray*, Ent. Austral. p. 18 (1833).

1. **T. Childrenii, Gray, (*Trigonoderus C.*) l. c. p. 18, pl. 3. f. 1 (1833). *T. Childreni, Gray*, Syn. Phasm. p. 31 (1835); Burm. l. c. p. 589 (1838); Westw. l. c. p. 165. n. 435 (1859); Brunn. Obs. Color. Ins. p. 12. pl. 9. f. 103 (1897). ♂. *Diura Typhurus, Gray*, Ent. Austral. p. 21. pl. 6. f. 2 (1833).	Australia.
2. **T. Iodomus, McCoy,** Prodr. Zool. Vict. vii. pls. 69 & 70. ff. 2, 3 (1882).	Melbourne, &c.
*3. **T. Rhodomus, McCoy,** l. c. ff. 1, 1 *a–c* (1882). *T. Childrenii*, var., *Westw.* l. c. p. 166 (1859).	iid.
4. **T. Decipiens, Rainb.** Rec. Austral. Mus. iii. p. 36, pl. 10 (1897).	Australia.

Genus 114. **Extatosoma.** (*Type* no. 1.)

Gray, Ent. Austr. p. 26 (1833); Haan, Temminck, Verhandel., Orth. p. 110 (1842); Westw. Cat. Phasm. p. 170 (1859); Stål, Bihang Svenska Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 38 (1875).

Ectatosoma, Gray, Syn. Phasm. p. 29 (1835); Burm. Handb. Ent. ii. p. 575 (1838); Serv. Ins. Orth. p. 285 (1839).

*1. **E. Tiaratum, Macl.** (*Phasma T.*) King, Surv. Coasts Austral. ii. p. 455. n. 113, pl. B. ff. 3, 4 (1827). *E. Tiaratum, Gray*, Ent. Austral. pp. 23, 29, pl. 8. f. 2 (1833); Westw. l. c. p. 170. n. 448 (1859). *Ectatosoma Tiaratum, Gray*, Syn. Phasm. p. 29 (1835); Burm. l. c. p. 576 (1838); Serv. l. c. p. 286 (1839). ♂. *E. Hopei, Gray*, Ent. Austr. pp. 23, 25, pl. 8. f. 1 (1833).	Australia.

Ectatosoma Hopei, Gray. Syn. Phasm. p. 29 (1835); Serv. l. c. p. 285 (1839).

1 *a*. **E. Popa, Stål,** Rec. Orth. iii. p. 84 (1875). N. Guinea.

‖ *Phasma* (*Ectatosoma*) *Tiaratum*, *Haan*, l. c. p. 110, pl. 10. f. 2 (1842).

2. **E.** (?) **Bufonium, Westw.** Thes. Ent. Oxon. p. 174, pl. 32. f. 2 (1874). Australia.

Genus 115. **Lysicles.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxiv (1877).

1. **L. Hippolytus, Stål,** l. c. p. lxv (1877). Peak Downs

2. **L.** (?) **Insignis, Kaup,** (*Cladoxerus I.*) Berlin. Ent. Zeitschr. xv. p. 39 (1871). Australia.

Genus 116. **Didymuria, Kirb.** (n. n.). (*Type* no. 1.)

‖ *Diura*, *Gray*. Ent. Austr. p. 26 (1833): Stål, Bihang Svenska Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 37 (1875).

*1. **D. Violescens, Leach,** (*Phasma V.*) Zool. Misc. i. p. 26, pl. 9 (1814). Australia.

Diura Violascens, *Gray*, l. c. pp. 21, 27, pl. 6. f. 1 (1833).

Acrophylla Violascens, *Gray*. Syn. Phasm. p. 40 (1835); Westw. Cat. Phasm. p. 116. n. 298 (1859); McCoy, Prodr. Zool. Vict. viii. pl. 79 (1883).

Cyphocrania Violascens, *Burm*. Handb. Ent. ii. p. 580. n. 10 (1838).

♀. *Diura Roseipennis*, *Gray*, Ent. Austr. p. 22, pl. 7. f. 2 (1833).

Diura Roseipenne, *Gray*, l. c. p. 27 (1833).

Acrophylla Roseipennis, *Gray*, Syn. Phasm. p. 41 (1835).

*2. **D. Virginea, Stal,** (*Diura V.*) Rec. Orth. iii. p. 84 (1875). Queensland.

Genus 117. **Vasilissa.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

1. **V. Walkeri, Kirb. l. c. (1896).	N.W.Austr. (Queen's I.)

Genus 118. **Anophelepis.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 68 (1859); Sauss. Mém. Soc. Genève, xx. p. 296 (1870); Miss. Mex., Orth. p. 17 (1872).

1. **A. Telesphorus, Westw. l. c. p. 69. n. 182, pl. 8. ff. 3, 7 (1859).	Australia.
2. **A. Periphanes, Westw. l. c. p. 70. n. 183, pl. 8. f. 2 (1859).	id.

Genus 119. **Rhaphiderus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 245 (1839); Westw. Cat. Phasm. p. 62 (1859); Stål, Rec. Orth. iii. p. 39 (1875).

*1. **R. Scabrosus, Perch.** (*Bacteria Scabrosa*) Guér. Icon. R. Anim., Ins. pl. 53. f. 4 (1829); Gray, Griffith, Anim. Kingd. xv. p. 783, pl. 110. f. 4 (1832). *R. Scabrosus, Serv.* l. c. p. 246 (1839); Guér. l. c. iii. p. 328 (1844); Westw. l. c. p. 62. n. 171 (1859). *Raphiderus Scabrosus, Coq.* Ann. Soc. Ent. France, (4) i. p. 498 (1861). *Acanthoderus Scabrosus, Gray,* Syn. Phasm. p. 14 (1835).	Mauritius.
*2. **R. Dumerilii, Gray,** (*Acanthoderus D.*) l. c. (1835). *R. Dumerilii, Westw.* l. c. p. 62. n. 172 (1859). "Phasme géant," Duméril, Consid. Gén. Ins. p. 200, pl. 23. f. 3 (1823). (?) *Monandroptera Inuncans,* ♀ (*nec* ♂) *Serv.* l. c. p. 244 (1839).	id.
3. **R. Spinigera, Luc.** (*Monandroptera S.*) Maillard, Notes sur l'île de Réunion, ii. Orth. p. 22, pl. 21. f. 2 (1862). ‖ *R. Scabrosus,* ♀, *Westw.* Ann. Soc. Ent. France, (4) iv. p. 204 (1864).	Bourbon.

4. **R. (?) Delicatulus, Brancs.** (*Canuleius D.*) Jahresh. Ver. Trencsin. xix.–xx. p. 66 pl. 2. f. 12 *a–d* (1897).	Madagascar
5. **R. (?) Alliaceus, Stål,** l. c. p. 85 (1875).	India.

Genus 120. **Xenomaches.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896).

1. **X. Incommodus, Butl. (*Bacillus I.*) Ann. Nat. Hist. (4) xvii. p. 410 (1878); Phil. Trans. clxviii. p. 148, pl. 54. ff. 4, 4 *a–e* (1879).	Rodriguez.

Genus 121. **Xeroderus.**

Gray, Syn. Phasm. p. 32 (1835); Burm. Handb. Ent. ii. p. 582 note (1838); Haan, Temminck, Verhandel., Orth. p. 116 (1842); Westw. Cat. Phasm. p. 102 (1859).

*1. **X. Kirbii, Gray,** l. c. p. 32 (1835); Westw. l. c. p. 102. n. 262, pl. 31. ff. 6, 7 (1859).	Australia.

Genus 122. **Acanthomima.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 438 (1904).

1. **A. Rhipheus, Westw. (*Anophelepis R.*) Cat. Phasm. p. 184, pl. 8. f. 10 (1859).	Australia (Swan R.).

Genus 123. **Acanthodyta.**

Sharp, Willey, Zool. Results, p. 85 (1898).

*1. **A. Spiniventris, Sharp,** l. c. p. 86, pl. 8. f. 11, pl. 9. f. 40 (ovum) (1898).	Lifu.

Genus 121. **Arrhidæus.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (11) p. 16 (1875); Rec. Orth. iii. p. 40 (1875).
Arrhidaeus, Brunn. Ann. Mus. Genova, xxxiii. p. 97 (1893),

1. **A. Capito, Westw.** (*Necroscia C.*) Cat. Phasm. p. 135. n. 354, pl. 32. f. 4 (1859). — Sarawak.

2. **A. Stygius, Westw. (*Necroscia S.*) l. c. p. 192 (errata), pl. 9. f. 3 (1859). — Philippines.
Necroscia Styxius, Westw. l. c. p. 136. n. 356 (1859).
A. Ståli, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 471 (1896).

3. **A. Vittipennis, Stål,** Rec. Orth. iii. p. 85 (1875). — id.

4. **A. Viridinervis, Stål,** l. c. p. 86 (1875). — id.

5. **A. Nigricornis, Stål,** Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877). — id.

6. **A. Palinurus, Westw. (*Necroscia P.*) l. c. p. 135. n. 355, pl. 11. f. 6 (1859). — id.

*7. **A. Erythroptera, Oliv.** (*Mantis E.*) Enc. Méth., Ins. vii. p. 636. n. 58 (1792). — Amboina, Ceram.
‖ *Phasma Rosea, Stoll,* Spectres, Phasmes, p. 13, pl. 5. f. 17 (1813).
‖ *Necroscia Rosea, Westw.* l. c. p. 148. n. 388 (1859).

8. **A. Moderata, Kirb. (*Necroscia M.*) Ann. Nat. Hist. (5) xiii. p. 477, fig. (1884). — Amboina.

9. **A. Bojei, Haan,** (*Phasma B.*) Temminck, Verhandel., Orth. p. 125, pl. 13. f. 3 (1842). — Celebes, Macassar.
Lopaphus Bojei, Westw. l. c. p. 99. n. 253 (1859).

10. **A. Apalanurus, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 85. — Obi.

11. **A. Longiceps, Bates,** (*Necroscia L.*) Trans. Linn. Soc. Lond. xxv. p. 350, pl. 45. f. 6 (1865). — Kaioa.

12. **A. Cephalotes, Bates,** (*Necroscia C.*) l. c. p. 351 (1865). — N. Guinea.

*13. **A. Phlyctænoides, Rehn,** (*Marmessoidea Phluctainoides*) l. c. p. 73 (1904). — Japan.
A. Phlyctænoides, Kirb. l. c. (7) xiii. p. 438 (1904).

Genus 125. **Platycrania.**

Platycrana, *Gray*, Syn. Phasm. p. 36 (1835); Serv. Ins. Orth. p. 240 (1839).

Platycrania, *Westw.* Cat. Phasm. p. 112 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. pp. 40, 85 (1875).

*1. **P. Viridana, Oliv.** (*Mantis V.*) Enc. Méth., Ins. vii. p. 636. n. 60 (1792). *Platycrana Viridana*, *Gray*, l. c. p. 36 (1835); Serv. l. c. p. 241 (1839). *Phasma* (*Cyphocrania*) *Viridanum*, *Haan*, Temminck, Verhandel., Orth. p. 130 (1842). *Mantis Viridis*, *Don.* Ins. India, pl. 10 (1800). *Phasma Edule*, *Licht.* Cat. Mus. Zool. Hamb. iii. p. 77. n. 5 (1796); Trans. Linn. Soc. Lond. vi. p. 13. n. 12 (1802). *Platycrania Edulis*, *Westw.* l. c. p. 112. n. 286 (1859). ‖*Mantis Gigas*, *Houtt.* Nat. Hist. i. (10) p. 136, pl. 79. f. 1 (1766). *Phasma Grandis*, *Thunb.* Mém. Acad. Pétersb. v. p. 295 (1815); Westw. l. c. p. 183. n. 13 (1859). ‖*Phasma Jamaicensis*, *Stoll*, Spectres, Phasmes, p. 17, pl. 6. ff. 20, 21 (1813).	Moluccas, Philippines, Celebes, Aru, Ceram.

Genus 126. **Megacrania.** (*Type* no. 1.)

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

1. **M. Phelaus, Westw. (*Platycrania P.*) Cat. Phasm. p. 113. n. 288, pl. 27. f. 5 (1859). *M. Phelaus*, *Kirb.* Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896).	Fiji, Salomon Isl.
2. **M. Alpheus, Westw. (*Platycrania A.*) l. c. p. 112. n. 287, pl. 4. f. 2 (1859); Bates, Trans. Linn. Soc. Lond. xxv. p. 347 (1865).	Ceylon.
3. **M. Batesii, Kirb. l. c. p. 471 (1896). *Platycrania Alpheus*, var., *Bates*, l. c. p. 347 (1865).	Salomon I., Amboina, Papua, &c.

Genus 127. **Ophicrania.**

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

*1. **O. Striatocollis, Kaup,** l. c. (1871).	Bouru.

Genus 128. **Graeffea.** (*Type* no. 1.)

Brunn. Graeffe, Reisen in Viti-Levu, p. 46 (1868); Stål, Rec. Orth. iii. pp. 40, 85 (1875).

*1. **G. Crouanii, Le Guill.** (*Bacillus C.*) Rev. Zool. 1841, p. 293; Westw. Cat. Phasm. p. 14. n. 34 (1859). *Alopus Cocophages, Newp.* Phil. Trans. Roy. Soc. 1844, p. 288, pl. 14. f. 4. *G. Cocophages, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 85. *Lopaphus Coccophagus, Westw.* Cat. Phasm. p. 99. n. 255 (1859). *Anophelepis Fulvescens,* ♂, *Sauss.* Mém. Soc. Genève, xx. p. 298, pl. 2. ff. 4, 4 *a* (1870). *G. Purpuripennis, Brunn.* l. c. p. 46, plate, ff. 1, 1 *a*, 2, 2 *a* (1868).	Samoa, Navigators' I.
2. **G. Fulvescens, Sauss.** (*Anophelepis F.*) Rev. Zool. (2) xx. p. 67 (1868); Mém. Soc. Genève, xx. p. 297, pl. 2. ff. 3, 3 *a* (1870).	Marquesas Isl.
3. **G. Minor, Brunn.** l. c. p. 47 (1868).	Fiji.
4. **G. Lifuensis, Sharp,** Willey, Zool. Results, p. 86 (1898).	Lifu.

Genus 129. **Gigantophasma.** (*Type* no. 1.)

Sharp, Willey, Zool. Results, p. 87 (1898).

1. **G. Bicolor, Sharp,** l. c. pl. 7. f. 6, pl. 9. f. 35 (ovum) (1898). *G. Bicolor,* var. *Depictus, Sharp,* l. c. p. 88 (1898).	Lifu.
2. **G. Pallipes, Sharp,** l. c. p. 88, (?) pl. 7. f. 5, pl. 9. f. 22 (1898).	id.

Genus 130. **Monandroptera.** (*Type* no. 1.)

Serv. Ins. Orth. p. 242 (1839); Westw. Cat. Phasm. p. 79 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 39 (1875).
Craspedonia, *Westw.* Arc. Ent. i. p. 25 (1841). (*Type* no. 2.)

*1. **M. Acanthomera, Burm.** (*Cyphocrania A.*) Handb. Ent. ii. p. 579. n. 2 (1838). *M. Inuncans*, *Serv.* l. c. p. 244 (1839); Westw. Cat. Phasm. p. 79. n. 205 (1859); Ann. Soc. Ent. France, (4) iv. p. 201, pl. 6. f. 2 (1864); Coq. Bull. Soc. Ent. France, (4) vi. p. xxiii (1866). *M. Inuncanus*, *Coq.* Ann. Soc. Ent. France, (4) i. p. 496 (1861); Luc. Maillard, Notes sur l'île de Réunion, ii. Orth. p. 22 (1862).	Mauritius.
2. **M. Undulata, Westw.** (*Diapherodes* (*Craspedonia*) *Undulata*) Arc. Ent. ii. p. 49 (1843). *M. Undulata*, *Westw.* Cat. Phasm. p. 80. n. 206 (1859); Ann. Soc. Ent. France, (4) iv. p. 203, pl. 6. f. 3 (1864); Sauss. Mém. Soc. Genève, xx. p. 308 (1870). ‖*Phasma* (*Craspedonia*) *Gibbosa*, *Westw.* Arc. Ent. i. p. 26, pl. 8 (1841).	Bourbon.
3. **M. Parallela, Westw.** Cat. Phasm. p. 80. n. 207, pl. 36. f. 3 (1859).	Africa (?).
4. **M. Jumnos, Westw.** (*Cyphocrania J.*) l. c. p. 111. n. 285, pl. 30. f. 1 (1859).	id. (?).

Genus 131. **Dimorphodes.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 80 (1859).

*1. **D. Prostasis, Westw.** l. c. p. 81. n. 210, pl. 34. ff. 4, 5 (1859).	Aru.
2. **D. Mancus, Bates,** Trans. Linn. Soc. Lond. xxv. p. 345, pl. 44. ff. 3, 8 (1865); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 84.	Batchian, Ternate.

Genus 132. **Acrophylla.**

Gray, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 231 (1839); Westw. Cat. Phasm. p 113 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 34 (1875).

*1. **A. Titan, Macl.** (*Phasma T.*) King, Survey Coasts Austral. ii. p. 454. n. 112 (1827). *Diura Titan, Gray*, Ent. Austral. pp. 19, 26, pl. 4 (1833). *Acrophylla Titan, Gray*, Syn. Phasm. p. 39 (1835); Westw. l. c. p. 114. n. 289 (1859); Sauss. Miss. Mex., Orth. pl. 4. f. 25 (wing) (1872). *Phasma (Cyphocrania) Titan, Haan*, Temminck, Verhandel., Orth. p. 129 (1842). *Cyphocrania Titan, Burm.* Handb. Ent. ii. p. 579. n. 7 (1838); D'Orbigny, Dict. d'Hist. Nat., Atlas, Zool. ii. Orth. pl. 2. f. 1 (1861). *A. Titanus, Serv.* l. c. p. 231 (1839).	Australia.

Genus 133. **Ctenomorpha.** (*Type* no. 1.)

Gray, Ent. Austral. pp. 16, 27 (1833); Syn. Phasm. p. 41 (1835); Stål, Bihang Svenska Akad. iii. (14) p. 13 (1875); Rec. Orth. iii. p. 35 (1875).

*1. **C. Marginipennis, Gray,** ll. cc. p. 16, pl. 1. f. 2 (1833); p. 41 (1835). *C. Marginipenne, Gray*, Ent. Austr. p. 27 (1833). ♀. *Diura Chronus, Gray*, l. c. pp. 20, 26, pl. 5. f. 2 (1833). *Acrophylla Chronus, Gray*, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 232 (1839); Westw. Cat. Phasm. p. 114. n. 291 (1859). *Cyphocrania Chronus, Burm.* Handb. Ent. ii. p. 580. n. 8 (1838). Var. *Diura Saturnus, Westw.* l. c. (1859).	Australia, Tasmania.

2. **C. Osiris, Gray,** (*Phasma (Diura) O.*) Trans. Ent. Soc. Lond. i. p. 46 (1834). *Acrophylla Osiris, Gray,* Syn. Phasm. p. 40 (1835); Westw. l. c. p. 115. n. 293 (1859).	Australia.
3. **C. Acheron, Gray,** (*Phasma (Diura) A.*) Trans. Ent. Soc. Lond. i. p. 46 (1834). *Acrophylla Acheron, Gray,* Syn. Phasm. p. 40 (1835); Westw. l. c. p. 115. n. 294 (1859).	id.
4. **C. Macleayi, Gray,** l. c. p. 41 (1835). *Acrophylla Macleaii, Westw.* l. c. p. 115. n. 295 (1859).	id.
5. **C. Tessellata, Gray, (*C. Tessulata*) l. c. p. 44 (1835). *Acrophylla Tessellata, Westw.* l. c. p. 115. n. 296, pl. 35. ff. 1, 2 (1859); Bates, Trans. Linn. Soc. Lond. xxv. p. 347 (1865).	Moreton Bay.
6. **C. Nigrovaria, Stål,** Rec. Orth. iii. p. 83 (1875).	Cape York.
7. **C. Briareus, Gray,** (*Phasma (Diura) B.*) Trans. Ent. Soc. Lond. i. p. 45 (1834). *Acrophylla Briareus, Gray,* Syn. Phasm. p. 40 (1835); Westw. l. c. p. 114. n. 290 (1859).	Australia.
8. **C. Albopunctatum, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 472 (1896).	Queensland.
9. **C. Salmacis, Westw. (*Acrophylla S.*) l. c. p. 116. n. 297, pl. 37. f. 2 (1859).	N.Australia.
10. **C. Caprella, Westw.** (*Phibalosoma C.*) l. c. p. 76. n. 196, pl. 21. f. 3 (1859).	Australia (?).
11. **C. Macrotegmus, Tepp.** (*Lopaphus M.*) Trans. Roy. Soc. S. Australia, ix. p. 112, pl. 6 (1887).	S. Australia (Mt. Lofty).

Genus 134. **Clemacantha.**

Rainb. Rec. Austral. Mus. iii. p. 34 (1897).

*1. **C. Regale, Rainb.** l. c. p. 34, pl. 9 (1897).	Australia.

Genus 135. **Phasma.** (*Type* no. 2.)

Licht. Cat. Mus. Zool. Hamb. iii. p. 77 (1796); Trans. Linn. Soc. Lond. vi. p. 9 (1802); Illiger, Käf. Preuss. p. 499 (1798); Fabr. Suppl. Ent. Syst. p. 186 (1798); Kirb. Ann. Nat. Hist. (7) xiii. p. 439 (1904).

Cyphocrana, St.-Farg. & Serv. Enc. Méth., Ins. x. p. 445 (1825); Serv. Ann. Sci. Nat. xxii. p. 60 (1831); Ins. Orth. pp. 233, 237 (1839); Gray, Syn. Phasm. p. 35 (1835). (*Type* no. 1.)

Cyphocrania, Burm. Handb. Ent. ii. p. 578 (1838); Haan, Temminck, Verhandel., Orth. p. 128 (1842); Westw. Cat. Phasm. p. 106 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 14 (1875); Rec. Orth. iii. pp. 35, 83 (1875).

*1. **P. Gigas, Linn.** (*Gryllus Mantis G.*) Syst. Nat. (ed. x.) i. p. 425. n. 1 (1758). *Gryllus Gigas, Linn.* Mus. Ludov. Ulr. p. 109 (1764). *Mantis Gigas, Fabr.* Syst. Ent. p. 274. n. 1 (1775); Oliv. Enc. Méth., Ins. vii. p. 625. n. 2 (1792); Don. Ins. Ind. pl. 9 (1800). *Phasma Gigas, Fabr.* Suppl. Ent. Syst. p. 187. n. 5 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 11. n. 9 (1802); Stoll, Spectres, Phasmes, p. 6, pl. 2. f. 5 (1813). *Cyphocrana Gigas, St.-Farg. & Serv.* l. c. p. 445 (1825); Serv. ll. cc. p. 60 (1831); p. 237 (1839); Gray, l. c. p. 35 (1835). *Cyphocrania Gigas, Burm.* l. c. p. 579. n. 3 (1838); Westw. l. c. p. 106. n. 272 (1859). *Phasma (Cyphocrania) Gigas, Haan,* l. c. p. 129, pl. 14. f. 3 (1842). ‖*Phasma Necydaloides, Thunb.* Mém. Acad. Pétersb. v. p. 296 (1815).	Amboina, &c.
*2. **P. Empusa, Licht.** Cat. Mus. Zool. Hamb. iii. p. 77. n. 2 (1796); Trans. Linn. Soc. Lond. vi. p. 12. n. 10 (1802). *Cyphocrana Empusa, Gray,* l. c. p. 35 (1835); Serv. Ins. Orth. p. 237 (1839). *Cyphocrania Empusa, Burm.* l. c. p. 579. n. 4 (1838).	Amboina.

‖*Phasma Gigas, Stoll*, Spectres, Phasmes, p. 1, pl. 1. f. 1 (1813). ‖*Cyphocrania Gigas*, var., *Westw.* l. c. p. 107 (1859).	
3. **P. Reinwardtii, Haan,** (*Phasma* (*Cyphocrania*) *R.*) Temminck, Verhandel., Orth. p. 130, pl. 10. f. 1 (1842). *Cyphocrania Reinwardtii, Westw.* l. c. p. 107. n. 273 (1859).	N. Guinea.
4. **P. Macleayi, Macleay,** (*Cyphocrania M.*) Proc. Linn. Soc. N. S. Wales, ix. p. 710 (1884).	id.
5. **P. Lobiceps, Macl.** (*Cyphocrania L.*) l. c. p. 711 (1884).	id.

Genus 136. **Eurycnema.** (*Type* no. 2.)

Serv. Ins. Orth. p. 235 (1839).

1. **E. Magnifica, Kirb. Ann. Nat. Hist. (7) xiii. p. 439 (1904).	New Guinea (?).
*2. **E. Versirubra, Serv.** (*Cyphocrana V.*) l. c. p. 235 (1839). *Cyphocrania Herculeana, Charp.* Orth. pl. 1 (1841). *Cyphocrania Goliath*, var., *Westw.* Cat. Phasm. p. 107 (1859). *E. Herculeana, Brunn.* Mitth. Mus. Hamburg, xv. (2 Beiheft) pp. 147–160 (1898). *Cyphocrania Hanitschi, Sharp*, Willey, Zool. Results, p. 89, pl. 9. ff. 39, 39 *a* (ovum) (1898).	Java.
3. **E. Viridissima, Kirb. l. c. p. 440 (1904).	Moreton B., N. Austral.
*4. **E. Versifasciata, Serv.** (*Cyphocrana V.*) l. c. p. 235 (1839). *Cyphocrania Goliath*, var., *Westw.* l. c. p. 107 (1859).	N. Austral.
*5. **E. Goliath, Gray,** (*Phasma* (*Diura*) *G.*) Trans. Ent. Soc. Lond. i. p. 45 (1834); Syn. Phasm. p. 39 (1835). (?) *Phasma* (*Cyphocrania*) *Goliath, Brullé*, Hist. Ins. ix. p. 105, pl. 7 (1835); Haan, Temminck, Verhandel., Orth. p. 128 (1842). *Cyphocrania Goliath, Westw.* l. c. p. 107. n. 274 (1859).	Moreton Bay.

6. **E. (?) B[e]auvoisi, Serv.** (*Cyphocrana B.*) Ann. Sci. Nat. xxii. p. 60 (1831); Gray, Syn. Phasm. p. 35 (1835). *Cyphocrania Beauvoisii, Burm.* Handb. Ent. ii. p. 579. n. 5 (1838); Westw. l. c. p. 108. n. 275 (1859). ‖*Phasma Gigas, Beauv.* Ins. Afr. Amér. p. 109, Orth. pl. 13. f. 1 (1805).	Java.

Genus 137. **Anchiale.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 36 (1875).

1. **A. (?) Cylindrica, Gmel.** (*Mantis C.*) Syst. Nat. i. (5) p. 2048. n. 54 (1788); Oliv. Enc. Méth., Ins. vii. p. 626. n. 4 (1792). *Mantis* ——, *Zschach.* Mus. Lesk., Ins. p. 46. n. 12 (1789).	Hab. —— ?
*2. **A. Maculata, Oliv.** (*Mantis M.*) l. c. p. 636. n. 56 (1792). *Platycrana Maculata, Gray.* Syn. Phasm. p. 36 (1835); Serv. Ins. Orth. p. 240 (1839). *Phasma (Cyphocrania) Maculatum, Haan,* Temminck, Verhandel., Orth. p. 129 (1842). *Cyphocrania Maculata, Westw.* Cat. Phasm. p. 111. n. 283 (1859). *Phasma Nævium, Licht.* Trans. Linn. Soc. Lond. vi. p. 13. n. 11 (1802). *A. Nævia, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 88. ‖*Phasma Necydaloides, Stoll,* Spectres, Phasmes, p. 8, pl. 3. f. 8; p. 10, pl. 4. f. 11 (1813). ‖*Cyphocrania Necydaloides, Burm.* Handb. Ent. ii. p. 579. n. 6 (1838).	Amboina, Ternate, Salomon I., Thursday I.
3. **A. Stolli, Sharp,** Willey, Zool. Results, p. 89, pl. 9. ff. 16, 19, 27 (app. anal. et ovum) (1898).	New Britain.
*4. **A. Confusa, Sharp,** l. c. p. 90, pl. 9. ff. 17, 18, 29 (app. anal. et ovum) (1898). *Cyphocrania Maculata,* pt., *Westw.* l. c. p. 111. n. 283 (1859).	id., Amboina, Kei I.

5. **A. Insularis, Kirb.** (n. n.). ‖ *Cyphocrana Necydaloides, Blanch.* Voy. Pôle Sud, Zool. iv. p. 358 (1853).	Ceram.
6. **A. (?) Spinicollis, Gray,** (*Ctenomorpha S.*) Ent. Austral. p. 16, pl. 1. f. 1 (1833); Syn. Phasm. p. 41 (1835). *Phasma (Ctenomorpha) Spinicolle, Gray,* Ent. Austral. p. 27 (1833). ♀. *Diura Japetus, Gray,* l. c. p. 20, pl. 5. f. 1 (1833). *Phasma (Diura) Japetus, Gray,* l. c. p. 26 (1833). *Acrophylla Japetus, Gray,* Syn. Phasm. p. 40 (1835); Westw. l. c. p. 114. n. 292 (1859). *Cyphocrania Japetus, Burm.* l. c. p. 580. n. 9 (1838).	Melville Island.
7. **A. (?) Reticulata, Beauv.** (*Phasma R.*) Ins. Afr. Amér. p. 166, Orth. pl. 14. f. 5 (1805). *Platycrana Reticulata, Gray,* Syn. Phasm. p. 38 (1835). *Cyphocrania Reticulata, Westw.* l. c. p. 108. n. 277 (1859).	Haiti (?).
8. **A. Grayi, Montr.** (*Pachymorpha G.*) Ann. Sci. Nat. Lyon. (2) vii. p. 80 (1855); Westw. l. c. p. 182. n. 3 (1859).	Woodlark I.
9. **A. Longipennis, Montr.** (*Pachymorpha L.*) l. c. p. 81 (1855); Westw. l. c. p. 182. n. 2 (1859).	id.
10. **A. (?) Tessulata, Goeze,** (*Mantis T.*) Ent. Beytr. ii. p. 37. n. 40 (1778); Oliv. l. c. p. 642. n. 34 (1792); (Seba, Thes. iv. pl. 78. ff. 1–4).	Hab. —— ?

Genus 138. **Vetilia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 36, 84 (1875).

*1. **V. Enceladus, Gray,** (*Acrophylla E.*) Syn. Phasm. p. 39 (1835). *Cyphocrania Enceladus, Westw.* Cat. Phasm. p. 108. n. 276, pl. 39. ff. 1, 2 (1859).	Australia.
*2. **V. Eurymedon, Stål,** C.R. Soc. Ent. Belg. xx. p. lxiii (1877).	Queensland.
*3. **V. Thoon, Stål,** l. c. (1877).	id.

Genus 139. **Onchestus.** (*Type* no. 2.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxiii (1877).

1. **O. Pasimachus, Westw. (*Cyphocrania P.*) Cat. Phasm. p. 109. n. 280, pl. 9. f. 5 (1859).	Australia.
2. **O. Gorgus, Westw. (*Lopaphus G.*) l. c. p. 102. n. 261, pl. 11. f. 4 (1859).	id.
3. **O.** (?) **Lugens, Thunb.** (*Phasma L.*) Mém. Acad. Pétersb. v. p. 297 (1815); Westw. l. c. p. 183. n. 12 (1859).	Hab. —— ?
4. **O.** (?) **Bidentatus, Thunb.** (*Phasma Bidentata*) l. c. p. 298 (1815); Westw. l. c. p. 183. n. 10 (1859).	Hab. —— ?

Genus 140. **Achrioptera.**

Coq. Ann. Soc. Ent. France, (4) i. p. 495 (1861).

1. **A. Fallax, Coq.** l. c. pl. 9. f. 1 (1861).	Madagascar
2. **A.** (?) **Punctipes, Serv.** (*Cyphocrana* (?) *P.*) Ins. Orth. p. 239 (1839). *Cyphocrania* (?) *Punctipes*, *Westw.* Cat. Phasm. p. 110. n. 282 (1859).	Africa.

Genus 141. **Enetia.**

Kirb. Ann. Nat. Hist. (5) viii. p. 151 (1891).

1. **E. Spinosissima, Kirb. l. c. (1891).	Madagascar

SUBFAM. X.

EURYCANTHINÆ.

Genus 142. **Karabidion.**

Montr. Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 81 (1855); Stål, Rec. Orth. iii. pp. 46, 90 (1875).

*1. **K. Australe, Montr.** l. c. p. 86 (1855). *Eurycantha Australis, Westw.* Cat. Phasm. p. 65. n. 177, pl. 1. ff. 1, 2 (1859). *Eurycantha* (*Karabidion*) *Australis, Sharp*, Cambridge Nat. Hist., Ins. i. p. 274, f. 160 (1895).	Lord Howe's I.

Genus 143. **Eubulides.** (*Type* no. 1.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxviii (1877).

1. **E. Alutaceus, Stål,** l. c. (1877).	Philippines.
2. **E. Spuria, Kirb. Ann. Nat. Hist. (7) xiii. p. 441 (1904).	Australia.

Genus 144. **Eurycantha.** (*Type* no. 1.)

Boisd. Voy. Astrolabe, Ent. ii. p. 647 (1835); Gray, Syn. Phasm. p. 14 (1835); Burm. Handb. Ent. ii. p. 569 note (1838); Serv. Ins. Orth. p. 277 (1839); Haan, Temminck, Verhandel., Orth. p. 136 (1842); Westw. Cat. Phasm. p. 62 (1859): Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 17 (1875); Rec. Orth. iii. p. 46 (1875).

*1. **E. Horrida, Boisd.** l. c. p. 647. pl. 11. f. 2 (1835); Gray, l. c. p. 14 (1835); Burm. l. c. pp. 569, 570 (1838); Serv. l. c. p. 279 (1839); Brullé, Hist. Nat. Ins. ix. pl. 10 (1835); Westw. l. c. p. 63. n. 173 (1859). *Phasma* (*Eurycantha*) *Horrida, Haan,* l. c. p. 136, pl. 14. f. 8 (1842). *Karabidion Horridum, Montr.* Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 82 (1855).	N. Guinea, N. Ireland, Woodlark I. (eadem ?).

*2. **E. Calcarata, Luc.** Bull. Soc. Ent. France, (4) ix. p. xxv (1870).	Salomon I., Brit. N. Guinea.
*3. **E. Willeyi, Kirb.** Ann. Nat. Hist. (7) xiii. p. 442 (1904).	New Britain.
‖ *E. Horrida, Sharp*, Willey, Zool. Results, p. 85, pl. 8. ff. 7–9, pl. 9. ff. 46, 46 *a*, *b* (ovum) (1898).	
*4. **E. Rosenbergi, Kaup,** Berlin. Ent. Zeitschr. xv. p. 34 (1871).	N. Guinea.
5. **E. Portentosa, Kirb. l. c. p. 442 (1904).	Rossel I.
6. **E. Tyrrhæus, Westw. l. c. p. 64. n. 174, pl. 2. f. 1 (1859).	N.Hebrides, Loyalty I.
*7. **E. Insularis, Luc.** l. c. (4) ix. p. xxv (1870).	Salomon I., N. Guinea.
8. **E. Micrantha, Montr.** (*Karabidion Micranthum*) l. c. p. 85 (1855).	Woodlark I.
E. Micrantha, Westw. l. c. p. 64. n. 175 (1859).	
9. **E. Echinata, Luc.** l. c. (5) viii. p. clxiii (1878).	N. Guinea.
10. **E.** (?) **Scorpionides, Montr.** (*Karabidion S.*) l. c. p. 64. n. 176 (1855).	Woodlark I.
11. **E. Sifia, Kirb. l. c. p. 443 (1904).	Thursday I.

Genus 145. **Canachus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 47 (1875).

1. **C. Crocodilus, Stål,** l. c. p. 90 (1875).	N. Caledonia.
2. **C. Salamandra, Stål,** l. c. p. 91 (1875).	id.

SUBFAM. XI.

HETEROPTERYGINÆ.

Genus 146. **Heteropteryx.**

Gray, Syn. Phasm. pp. 13, 32 (1835); Westw. Cat. Phasm. p. 81 (1859); Brunn. Ann. Mus. Genova, xxxiii. p. 98 (1893).

Leocrates, Stål, Rec. Orth. iii. p. 48 note (1875).

*1. **H. Dilatata, Park.** (*Phasma D.*) Trans. Linn. Soc. Lond. iv. p. 190, pl. 18. ff. 2–5 (1798); Shaw, Nat. Misc. ix. pls. 347, 348 (1800?); Zool. vi. (1) p. 124, pls. 45, 46 (1806); Serv. Ins. Orth. p. 281 (1839). Malacca, Prince of Wales I.

H. Dilatata, *Gray*, l. c. p. 32 (1835); Westw. Cat. Phasm. p. 82. n. 211 (1859); Thes. Ent. Oxon. p. 173, pl. 32. f. 1 (1874); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 89.

Diapherodes Dilatata, *Burm.* Handb. Ent. ii. p. 574. n. 1 (1838).

H. Hopei, *Westw.* Proc. Ent. Soc. Lond. 1864, p. 16.

H. Rollandi, *Luc.* Bull. Soc. Ent. France, (6) ii. p. xxxii (1882).

♂. *Phasma* (*Eurycantha*) *Graciosa*, *Westw.* Cab. Orient. Ent. p. 16, pl. 7. f. 3 (1846).

Cyphocrania Graciosa, *Westw.* Cat. Phasm. p. 111. n. 284 (1859).

Genus 147. **Haaniella.** (*Type* no. 2.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 444 (1904).

‖*Heteropteryx*, *Haan*, Temminck. Verhandel., Orth. p. 108 (1842); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 18 (1875); Rec. Orth. p. 48 (1875) (*nec* Gray).

*1. **H. Rosenbergi, Kaup,** (*Heteropteryx R.*) Berlin. Ent. Zeitschr. xv. p. 35, pl. 2. f. 2 (1871). Java, Sumatra.

2. **H. Muelleri, Haan,** (*Phasma* (*Heteropteryx*) *Mülleri*) Temminck. Verhandel., Orth. p. 108, pl. 11. ff. 4, 5 (1842). Sumatra.

Heteropteryx Mülleri, *Westw.* Cat. Phasm. p. 82. n. 212 (1859).

3. **H. Grayii, Westw. (*Heteropteryx G.*) l. c. p. 82. n. 213, pl. 30. f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 262, f. 149 (1895). Borneo.

4. **H. Saussurei, Kirb.** (n. n.). Sunda Isl. (?).

‖*Heteropteryx Grayi*, var., *Sauss.* Ann. Mus. Genève, xx. p. 310 (1870).

5. **H. Dehaanii, Westw. (*Heteropteryx D.*) l. c. p. 83. n. 214, pl. 3. f. 7 (1859).	Borneo.
6. **H. Westwoodii, Bates,** (*Heteropteryx W.*) Trans. Linn. Soc. Lond. xxv. p. 345 (1865).	Celebes, Menado.
7. **H. Australis, Kirb. (*Heteropteryx A.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 172 (1896). ‖*Heteropteryx Grayii*, ♂, *Westw.* l. c. p. 82. n. 213, pl. 30. f. 2 (1859).	Australia.
8. **H. (?) Castelnaudi, Westw.** (*Heteropteryx C.*) Thes. Ent. Oxon. p. 174, pl. 32. f. 3 (1874).	Malacca, Tringany.

Genus 148. **Parectatosoma.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, xlviii. p. 117 (1879).

*1. **P. Hystrix, Wood-Mason,** l. c. (1879).	Madagascar
*2. **P. Echinus, Wood-Mason,** l. c. p. 118 (1879).	id.
*3. **P. Mocquerysi, Finot,** Ann. Soc. Ent. France, lxvi. p. 585 (1898).	id.

Genus 149. **Obrimus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 49, 92 (1875).

1. **O. Bufo, Westw. (*Acanthoderus B.*) Cat. Phasm. p. 51. n. 140, pl. 2. f. 6 (1859).	Philippines.
2. **O. Cavernosus, Stål,** C.R. Soc. Ent. Belg. xx. p. lxviii (1877).	id.
3. **O. Echinatus, Stål,** l. c. (1877).	id.
4. **O. Mesoplatus, Westw. (*Phasma (Acanthoderus) M.*) Cab. Orient. Ent. p. 37, pl. 38. f. 4 (1847). *Acanthoderus Mesoplatus, Westw.* Cat. Phasm. p. 51. n. 141 (1859).	id.
5. **O. Quadratipes, Bol.** An. Soc. Españ. xix. p. 307 (1890).	id.

Genus 150. **Hoploclonia.**

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 50, 92 (1875).

1. **H. Gecko, Westw. (*Acanthoderus G.*) Cat. Phasm. p. 52. n. 143, pl. 26. ff. 6, 7 (1859).	Borneo.

Genus 151. **Tisamenus.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 50, 92 (1875).

1. **T. Deplanatus, Westw. (*Phasma* (*Pachymorpha*) *Deplanatum*) Cab. Orient. Ent. p. 78, pl. 38. f. 6 (1847). *Acanthoderus Deplanatus, Westw.* Cat. Phasm. p. 52. n. 144 (1859).	Philippines.
2. **T. Serratorius, Stål,** l. c. p. 92 (1875).	id.
*3. **T. Draconinus, Westw.** (*Phasma* (*Pachymorpha*) *Draconinum*) Cab. Orient. Ent. p. 78, pl. 36. f. 4 (1847). *Acanthoderus Draconinus, Westw.* Cat. Phasm. p. 51. n. 142 (1859).	id.
4. **T. Cervicornis, Bol.** An. Soc. Españ. xix. p. 307, pl. 1. ff. 5, 5 *a* (1890).	id.
5. **T. Asper, Bol.** l. c. p. 308 (1890).	id.
*6. **T. Nolimetangere, Haan,** (*Phasma* (*Acanthoderus*) *N.*) Temminck, Verhandel., Orth. p. 135, pl. 14. ff. 6, 7 (1842). *Acanthoderus Nolimetangere, Westw.* l. c. p. 50. n. 138 (1859).	Borneo.
7. **T. (?) **Ranarius, Westw.** (*Acanthoderus R.*) l. c. p. 53. n. 145, pl. 4. f. 3 (1859).	

Genus 152. **Theramenes.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 46 note (1875).

1. **T. Olivacea, Westw. (*Eurycantha O.*) Cat. Phasm. p. 65. n. 178 (1859).	Ceylon.
2. **T. Dromedarius, Stål,** C.R. Soc. Ent. Belg. xx. p. lxviii (1877).	Philippines.

Genus 153. **Pylæmenes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

*1. **P. Coronatus, Haan,** (*Phasma* (*Pachymorpha*) *Coronatum*) Temminck, Verhandel., Orth. p. 137. pl. 14. ff. 4, 5 (1842). *Acanthoderus Coronatus, Westw.* Cat. Phasm. p. 51. n. 139 (1859).	Java, Borneo, Amboina, Ceram.
*2. **P. Spiniventris, Bates,** (*Acanthoderus S.*) Trans. Linn. Soc. Lond. xxv. p. 343, pl. 44. f. 2 *a, b* (1865).	Timor, Bouru.
3. **P. Occipitalis, Kaup,** (*Acanthoderus O.*) Berlin. Ent. Zeitschr. xv. p. 31 (1871).	Celebes, N. Guinea.
4. **P. Gravidus, Bates,** (*Acanthoderus G.*) l. c. p. 343 (1865).	Gilolo.

Genus 154. **Datames.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

1. **D. Oileus, Westw. (*Acanthoderus O.*) Cat. Phasm. p. 53. n. 146, pl. 26. f. 4 (1859).	Java, Malacca.
2. **D. Mouhotii, Bates,** (*Acanthoderus M.*) Trans. Linn. Soc. Lond. xxv. p. 342 (1865).	Cambogia, Chantabun.
3. **D. Æqualis, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 89.	Obi.
4. **D.** (?) **Guttigerus, Westw.** (*Phasma Guttigerum*) l. c. p. 35. n. 98, pl. 27. f. 6 (1859).	Sarawak.

Genus 155. **Dares.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

1. **D. Otys, Westw.** (*Acanthoderus O.*) Cat. Phasm. p. 54. n. 148, pl. 26. f. 2 (1859).	Borneo.
2. **D. Validispinus, Stål,** l. c. p. 93 (1875).	id.
3. **D. Ulula, Westw.** (*Acanthoderus U.*) l. c. p. 53. n. 147. pl. 26. f. 1 (1859).	id.

SUBFAM. XII.

ANISOMORPHINÆ.

Genus 156. **Anisomorpha.** (*Type* no. 2.)

Gray, Syn. Phasm. p. 18 (1835); Burm. Handb. Ent. ii. p. 570 (1838); Westw. Cat. Phasm. p. 16 (1859); Sauss. Miss. Mex., Orth. p. 148 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 19 (1875); Rec. Orth. iii. p. 56 (1875).

1. **A. Ferruginea, Beauv.** (*Phasma F.*) Ins. Afr. Amér. p. 167, Orth. pl. 14. ff. 6, 7 (1805). *A. Ferruginea, Gray,* l. c. p. 18 (1835); Burm. l. c. p. 570. n. 1 (1838); Westw. l. c. p. 16. n. 41 (1859).	Carolina, Florida, Virginia.
*2. **A. Buprestoides, Stoll,** (*Phasma B.*) Spectres, Phasmes, p. 68, pl. 23. f. 87 (1813). *A. Buprestoides, Gray,* l. c. p. 19 (1835); Burm. l. c. p. 570. n. 2 (1838); Westw. l. c. p. 17. n. 42 (1859). *Spectrum Bivittatum, Say,* Amer. Ent. iii. pl. 38 (1828). ♂. *Phasma Vermicularis, Stoll,* l. c. p. 68, pl. 23. f. 88 (1813). ‖*Bacteria Calamus,* ♂, *Burm.* l. c. p. 564. n. 1 (1838).	Georgia.
3. **A. Paromalus, Westw. l. c. p. 17. n. 45, pl. 3. f. 5, pl. 4. f. 1 (1859).	Venezuela.
4. **A. (?) Dentata, Stål,** Rec. Orth. iii. p. 95 (1875).	Brazil, S. Catharina.
5. **A. Flavomaculata, Blanch.** D'Orbigny, Voy. Amér. Mér. vi. (2) p. 215, pl. 26. f. 6 (1846); Westw. l. c. p. 19. n. 48 (1859).	Bolivia.

Genus 157. **Timema.**

Scudd. Canad. Ent. xxvii. p. 30 (1895).

1. **T. Californicum, Scudd.** l. c. (1895); Caud. Ent. News, xiv. p. 316 (1903).	California.

Genus 158. **Agathemera.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

1. **A. Pardalina, Westw. (*Anisomorpha P.*) Cat. Phasm. p. 18. n. 46, pl. 5. ff. 1, 2 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 274, f. 161 (1895). *A. Pardalina, Berg*, Com. Mus. B. Aires, i. p. 185 (1899). *Anisomorpha Variegata, Phil.* Zeitschr. ges. Naturw. xxi. p. 230 (1863).	Chile.
*2. **A. Claraziana, Sauss.** (*Anisomorpha C.*) Rev. Zool. (2) xx. p. 64 (1868); Miss. Mex., Orth. p. 149, pl. 3. f. 4 (1872).	La Plata.
3. **A. (?) Poeyi, Sauss.** (*Anophelepis P.*) ll. cc. p. 67 (1868); p. 171, pl. 4. ff. 18, 18 *a* (1872).	Cuba.

Genus 159. **Autolyca.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

1. **A. Semele, Westw. (*Anisomorpha S.*) Cat. Phasm. p. 19. n. 49, pl. 25. f. 7 (1859).	Peru.
*2. **A. Unicolor, Haan,** (*Phasma* (*Anisomorpha*) *U.*) Temminck, Verhandel., Orth. p. 102 note (1842). *Bacteria Bogotensis, Goud.* Mag. Zool. 1843, Ins. p. 2, pl. 125. *Anisomorpha Bogotensis, Westw.* l. c. p. 17. n. 43 (1859).	La Guayra, Bogota.
3. **A. Roulinii, Goud.** (*Bacteria R.*) l. c. p. 4 (1843). *Anisomorpha Roulinii, Westw.* l. c. p. 17. n. 44, pl. 25. ff. 10, 11 (1859).	N. Granada.
4. **A. Pallidicornis, Stål,** l. c. p. 95 (1875).	Guatemala.

Genus 160. **Decidia.**

Stål, Rec. Orth. iii. pp. 57, 96 (1875).

1. **D. Soranus, Westw.** (*Phasma S.*) Cat. Phasm. p. 127. n. 333, pl. 17. f. 3 (1859). *D. Soranus, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 91.	N. Granada, Bolivia (eadem?).

Genus 161. **Paradoxomorpha.** (*Type* no. 1.)

Brancs. Jahresh. Ver. Trencsin. Com. xix.–xx. p. 67 (1898).
‖ *Anisomorpha, Blanch.* Gay, Hist. Chile, Zool. vi. p. 27 (1851).

1. **P. Crassa, Blanch.** (*Anisomorpha C.*) l. c. p. 28, pl. 1. f. 7 (1852); Westw. Cat. Phasm. p. 18. n. 47 (1859). *Agathemera Crassa, Berg,* Com. Mus. B. Aires, i. p. 183 (1899). *P. Bruchi, Brancs.* l. c. p. 68, pl. 2. f. 13 (1898).	Chile, Patagonia.
2. **P. Borellii, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 16 (1897), xv. (377) p. 2 (1900).	Paraguay.
3. **P. (?) Grylloides, Westw.** (*Anisomorpha G.*) l. c. p. 19 (1859).	Chile.
4. **P. (?) Elegans, Phil.** (*Anisomorpha E.*) Zeitschr. ges. Naturw. xxi. p. 231 (1863).	id.

SUBFAM. XIII.

PRISOPINÆ.

Genus 162. **Xerantherix.**

Brancs. Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 182 (1893).

1. **X. Nossibianus, Brancs.** l. c. p. 183, pl. 4. f. 1 (1893).	Madagascar

Genus 163. **Xylica.**

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

1. **X. Œdematosa, Karsch,** l. c. p. 382 (1898).	Usambara.

Genus 164. **Damasippoides.**

Brancs. Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 181 (1893).

1. **D. Xanthostictus, Brancs.** l. c. p. 182, pl. 4. f. 5 (1893).	Nossi Bé.

Genus 165. **Epicharmus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 60 note (1875).

1. **E. Marchali, Serv.** (*Prisopus M.*) Ins. Orth. p. 284 (1839). *Xeroderus* (?) *Marchali, Westw.* Cat. Phasm. p. 103. n. 263, pl. 36. f. 4 (1859).	Mauritius.
2. **E. Guerinii, Westw.** (*Prisopus G.*) l. c. p. 170. n. 447, pl. 21. f. 1 (1859).	id.

Genus 166. **Neocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 59 note (1875).

1. **N. Simyra, Westw.** (*Creoxylus S.*) Cat. Phasm. p. 105. n. 268, pl. 32. f. 3 (1859).	Sarawak.
2. **N. Diacis, Haan,** (*Phasma* (*Xeroderus*) *D.*) Temminck, Verhandel., Orth. p. 117, pl. 15. f. 2 (1842). *Creoxylus Diacis, Westw.* l. c. p. 105. n. 269 (1859).	Sumatra.
3. **N. Laceratus, Westw. (*Creoxylus L.*) l. c. p. 270, pl. 29. f. 1 (1859).	id.

Genus 167. **Prisopus.** (*Type* no. 4.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 444 (1825); Serv. Ann. Sci. Nat. xx. p. 62 (1831); Ins. Orth. p. 282 (1839); Gray, Syn. Phasm. pp. 13, 27 (1835); Burm. Handb. Ent. ii. p. 587 (1838); Haan, Temminck, Verhandel., Orth. p. 112 (1842); Westw. Cat. Phasm. p. 166 (1859); Sauss. Miss. Mex., Orth. p. 199 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 20 (1875); Rec. Orth. iii. p. 60 (1875).

Platytelus, *Gray*, l. c. pp. 13, 28 (1835); Burm. l. c. p. 588 (1838). (*Type* no. 12.)

*1. **P. Horstokkii, Haan,** (*Phasma (Prisopus) H.*) l. c. p. 113, pl. 12. f. 1 (1842). *P. Horstokkii*, *Westw.* l. c. p. 168. n. 441 (1859).	Cape; S. Leone (eadem?).
2. **P. (?) Cornutus, Gray,** l. c. p. 43 (1835); Westw. l. c. p. 169. n. 445 (1859). *Gryllus Locusta* ——, *Stoll*, Saut. Pass. p. 88, pl. 206. f. 79 (1813).	India (?).
3. **P. Draco, Oliv.** (*Mantis D.*) Enc. Méth., Ins. vii. p. 636. n. 59 (1792). *Phasma Dracunculus*, pupa, *Licht.* Cat. Mus. Hamburg, iii. p. 78. n. 13 (1796); Trans. Linn. Soc. Lond. vi. p. 16. n. 22 (1802). *Phasma Nympha*, *Stoll*, Spectres, Phasmes, p. 14, pl. 5. f. 18 (1813). *P. Nympha*, *Gray*, l. c. p. 28 (1835). *P. Incertus*, *Westw.* l. c. p. 169. n. 444 (1859).	Java.
4. **P. Sacrata, Oliv.** (*Mantis S.*) l. c. p. 639. n. 76 (1792). *Phasma Dracunculus*, *Licht.* ll. cc. p. 78. n. 13 (1796); p. 16. n. 22 (1802). *Phasma Flabelliformis*, *Stoll*, Spectres, Phasmes, p. 53, pl. 18. ff. 65, 65 *a* (1813). *P. Flabelliformis*, *Gray*, l. c. p. 27 (1835); Burm. l. c. p. 588. n. 4 (1838).	Amboina.
5. **P. (?) Ohrtmanni, Licht.** (*Phasma O.*) Trans. Linn. Soc. Lond. vi. p. 17. n. 23, pl. 2. f. 1 (1802). *P. Ohrtmanni*, *Westw.* l. c. p. 167. n. 439 (1859). *P. Orhtmanni*, *Gray*, l. c. p. 28 (1835).	India (?).
6. **P. Mexicanus, Sauss.** Rev. Zool. (2) xi. p. 61 (1859); Miss. Mex., Orth. p. 200 (1872).	Mexico.

7. **P. Cepus, Westw.** l. c. p. 169. n. 446, pl. 20. f. 1 (1859).	Bolivia.
8. **P. Berosus, Westw. l. c. p. 168. n. 442, pl. 20, f. 7 (1859).	Panama.
9. **P. Phacellus, Westw. l. c. p. 169. n. 443 (1859).	Ega.
10. **P. Spiniceps, Burm.** l. c. p. 588. n. 1 (1838); Westw. l. c. p. 167. n. 438 (1859). ‖*P. Flabelliformis, Serv.* Ins. Orth. p. 283 (1839).	Brazil.
*11. **P. Spinicollis, Burm.** l. c. p. 588. n. 2 (1838). ‖*P. Flabelliformis, Westw.* l. c. p. 166. n. 437 (1859).	id.
12. **P. Horridus, Gray,** (*Platytelus H.*) l. c. p. 28 (1835); Westw. Brit. Cycl. Nat. Hist. iii. p. 359, pl. Orth. f. 1 (1837); Cat. Phasm. p. 168. n. 440 (1859).	Colombia.

Genus 168. **Loxopsis.**

Westw. Cat. Phasm. p. 117 (1859).

1. **L. Conocephala, Haan,** (*Phasma Conocephalum*) Temminck, Verhandel., Orth. p. 124, pl. 12. f. 3 (1842). *L. Conocephala, Westw.* l. c. p. 117. n. 301 (1859).	Sumatra.
2. **L. (?) **Hipponoe, Westw.** (*Necroscia H.*) l. c. p. 140. n. 364, pl. 29. f. 2 (1859).	Sarawak.

Genus 169. **Cacomorpha.**

Sharp, Willey, Zool. Results, p. 91 (1898).

1. **C. Aberrans, Sharp,** l. c. pl. 8. f. 12 (1898).	Lifu.

Genus 170. **Leosthenes.**

Stål, Rec. Orth. iii. p. 60 (1875).

1. **L. Aquatilis, Stål,** l. c. p. 102 (1875).	N.Caledonia

Genus 171. **Nisyrus.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

*1. **N. Spinulosus, Stål,** l. c. p. lxvii (1877).	Fiji.

Genus 172. **Cotylosoma.** (*Type* no. 2.)

Wood-Mason, Ann. Nat. Hist. (5) i. p. 102 (1878).

1. **C. Amphibium, Stål,** (*Nisyrus Amphibius*) C.R. Soc. Ent. Belg. xx. p. lxvii (1877).	Tonga.
*2. **C. Dipneusticum, Wood-Mason,** l. c. p. 102 (1878); Waterh. Ann. Nat. Hist. (6) xv. p. 498, fig. (1895).	Fiji (nec Borneo).
3. **C. Carlottæ, Macgill. (*Prisopus C.*) Zoologist, xviii. p. 7141 (1860).	N.Hebrides, Aneiteum.

Genus 173. **Damasippus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 60 (1875).

1. **D. Westwoodii, Stål,** l. c. p. 101 (1875).	Panama.
*2. **D. Zymbræus, Westw.** (*Dinelytron Z.*) Cat. Phasm. p. 163. n. 432, pl. 15. f. 3 (1859).	N. Granada.
3. **D. Batesianus, Westw.** (*Dinelytron Batesianum*) l. c. p. 184. n. 471 (1859).	Upper Amazons.

Genus 174. **Acanthoclonia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875).

1. **A. Tisiphone, Westw.** (*Acanthoderus T.*) Cat. Phasm. p. 54. n. 149, pl. 26. ff. 10, 11 (1859).	Colombia.
2. **A. Sævissimus, Westw. (*Ceroys S.*) l. c. p. 60. n. 167, pl. 26. f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 264. n. 151 (1895).	Brazil.
3. **A. Histrinus, Westw. (*Ceroys H.*) l. c. p. 60. n. 166, pl. 1. f. 5 (1859).	Venezuela.
4. **A. Arispa, Westw.** (*Acanthoderus A.*) l. c. p. 57. n. 157, pl. 26. f. 5 (1859).	Colombia.
5. **A. (?) Paradoxa, Kirb. Ann. Nat. Hist. (7) xiii. p. 444 (1904).	Santarem.

Genus 175. **Pygirhynchus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 260 (1839); Westw. Cat. Phasm. p. 58 (1859); Sauss. Miss. Mex., Orth. p. 169 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875); Rec. Orth. iii. pp. 53, 94 (1875).

1. **P. Subfoliatus, Serv.** l. c. p. 261 (1839); Westw. l. c. p. 58. n. 161 (1859).	Brazil.
2. **P. Coronatus, Serv.** l. c. p. 261 (1839); Westw. l. c. p. 58. n. 162 (1859).	id. (?).
3. **P. Thomæ, Sauss.** Rev. Zool. (2) xx. p. 64 (1868); Miss. Mex., Orth. p. 170 (1872).	St. Thomas.

Genus 176. **Dinelytron.** (*Type* no. 1.)

Gray, Syn. Phasm. pp. 13, 27 (1835); Westw. Cat. Phasm. p. 163 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. p. 60 (1875).

1. **D. Grylloides, Gray,** l. c. pp. 27, 43 (1835); Westw. l. c. p. 163. n. 429 (1859). *Platycrania Grylloides, Burm.* Handb. Ent. ii. p. 582. n. 2 (1838).	Brazil.
2. **D. Hipponax, Gray,** l. c. p. 27 (1835); Westw. l. c. p. 163. n. 430 (1859).	id.
3. **D. Shuckardi, Gray,** l. c. p. 43 (1835); Westw. l. c. p. 163. n. 431 (1859).	id.
4. **D. (?) Agrion, Westw. l. c. p. 164. n. 433, pl. 21. f. 6 (1859).	Villa Nova.
5. **D. Merismus, Westw. l. c. p. 164. n. 434, pl. 13. f. 5 (1859).	Venezuela.

SUBFAM. XIV.

PSEUDOPHASMINÆ.

Genus 177. **Dajaca.**

Brunn. Ann. Mus. Genova, xxxiii. p. 99 (1893).

*1. *Sp. non descr.*	Borneo.

Genus 178. **Donusa.**

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. p. 54 (1875).

1. **D. Prolixa, Stål,** ll. cc. p. 18 (1875); p. 94 (1875). ?? *Bactridium Coulonianum, Sauss.* (*anteà*, p. 352).	Valparaiso.

Genus 179. **Orobia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 54, 95 (1875).

*1. **O. Nigrolineata, Stål,** Bihang Svenska Akad. ii. (17) p. 17 (1875).	Madagascar
*2. **O. Lucubensis, Brancs.** Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 180, pl. 4. f. 2 (1893).	id.
3. **O. Sohri, Brancs.** l. c. xix.–xx. p. 69, pl. 2. f. 14 (1898).	id.

Genus 180. **Stratocles.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 57, 96 (1875).

1. **S. Stabilinus, Westw.** (*Phasma S.*) Cat. Phasm. p. 124. n. 326, pl. 17. f. 5 (1859).	Amazons.
2. **S. Cinctipes, Stål,** l. c. p. 96 (1875).	Panama.
3. **S. Bogotensis, Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 474 (1896).	Bogota.
4. **S. Bennettii, Gray,** (*Phasma B.*) Syn. Phasm. p. 25 (1835); Westw. l. c. p. 124. n. 325 (1859).	Colombia.
5. **S. Forcipatus, Bol.** Actas Soc. Españ. xxv. p. 11 (1896).	Peru.
6. **S. Multilineatus, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 91.	Costa Rica.
7. **S. Costaricensis, Rehn,** l. c. p. 93 (1904).	id.
*8. **S. Perspicillaris, Stoll,** (*Phasma P.*) Spectres, Phasmes, p. 67, pl. 23. f. 86 (1813). *Phasma Perspicillare, Gray,* Syn. Phasm. p. 24 (1835); Westw. l. c. p. 117. n. 303 (1859).	Surinam, N. Granada.

9. **S. (?) Tessellatus, Oliv.** (*Mantis Tessulata*) Enc. Méth., Ins. vii. p. 637. n. 63 (1792). — Surinam.
Phasma Variegatum, *Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 20 (1796); Trans. Linn. Soc. Lond. vi. p. 15. n. 18 (1802); Gray, Syn. Phasm. p. 24 (1835); Serv. Ins. Orth. p. 271 (1839); Westw. l. c. p. 121. n. 314 (1859).
Phasma Variegata, *Fabr.* Suppl. Ent. Syst. p. 189. n. 16 (1798); Stoll, Spectres. Phasmes, p. 24, pl. 8. f. 26 (1813).

Genus 181. **Olcyphides.** (*Type* no. 1.)

Griff. Zool. Anz. xxii. p. 90 (1899).
‖*Phocylides*, *Stål*, Rec. Orth. iii. pp. 57, 96 (1875), *nec Pascoe.*

1. **O. Bicarinatus, Stål,** (*Phocylides B.*) l. c. p. 96 (1875). — Colombia.

2. **O. Hopii, Gray, (*Phasma H.*) Syn. Phasm. p. 25 (1835). — Brazil.
Phasma Hopei, *Westw.* Cat. Phasm. p. 117. n. 302 (1859).
Phasma Lineolatum, *Serv.* Ins. Orth. p. 273 (1839); Westw. l. c. p. 120. n. 310 (1859).

2 *a*. **O. Fasciatus, Gray,** (*Phasma Fasciatum*) l. c. p. 24 (1835); Burm. Handb. Ent. ii. p. 585. n. 7 (1838); Westw. l. c. p. 120. n. 311 (1859). — id.

3. **O. Tithonus, Gray, (*Phasma T.*) l. c. p. 23 (1835); Westw. l. c. p. 119. n. 308 (1859). — id.
Phasma Tithonius, *Serv.* l. c. p. 272 (1839).
Phocylides Tithonus, *Bol.* Viaje al Pacifico, Ins. p. 27 (1884).
Phasma Ornatum, *Burm.* Handb. Ent. ii. p. 585. n. 6 (1838); Charp. Orth. pl. 42 (1845).
Phasma Lineatum, *Fisch.* Bull. Mosc. vii. p. 327 (1834).

4. **O. Jurinii, Sauss.** (*Metriotes J.*) Rev. Zool. (2) xx. p. 69 (1868); Miss. Mex., Orth. p. 137, pl. 4. f. 24 (1872). — S. America.

5. **O. Venilia, Westw. (*Phasma V.*) l. c. p. 118. n. 305, pl. 33. f. 5 (1859).	Bogota.
6. **O. Gambrisius, Westw. (*Phasma G.*) l. c. p. 118. n. 304, pl. 14. f. 2 (1859).	Venezuela.
7. **O. Cryptochloros, Rehn,** (*Pseudophasma (Cryptochlore)* Proc. Acad. Nat. Sci. Philad. 1904, p. 98.	Costa Rica.
8. **O. Cneius, Westw. (*Phasma C.*) l. c. p. 124. n. 324, pl. 21. f. 2 (1859).	Villa Nova.
9. **O. Iridescens, Kirb. Ann. Nat. Hist. (7) xiii. p. 445 (1904).	Trinidad.

Genus 182. **Ignacia.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 95 note.
‖*Pseudophasma, Bol.* Actas Soc. Españ. xxv. p. 13 (Sept. 1896).

1. **I. Auriculata, Bol.** (*Pseudophasma Auriculatum*) l. c. p 12 (1896).	Amazons.
2. **I. Appendiculata, Kirb. Ann. Nat. Hist. (7) xiii. p. 446 (1904).	E. Peru.

Genus 183. **Pseudophasma.** (*Type* no. 8.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 474 (July, 1896).
‖*Phasma, Fabr.* Suppl. Ent. Syst. p. 183 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 272 (1802); Gray, Syn. Phasm. p. 22 (1835); Burm. Handb. Ent. ii. p. 583 (1838); Serv. Ins. Orth. p. 266 (1839); Westw. Cat. Phasm. p. 117 (1859); Sauss. Miss. Mex., Orth. p. 193 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 19 (1875); Rec. Orth. iii. p. 57 (1875).

1. **P. Cyllarus, Westw. (*Necroscia C.*) Cat. Phasm. p. 155. n. 407, pl. 13. f. 2, pl. 14. f. 5 (1859).	Jamaica.
2. **P. Unicolor, Gray,** (*Phasma U.*) Syn. Phasm. p. 25 (1835); Westw. l. c. p. 125. n. 327 (1859).	Colombia.
3. **P. Menius, Westw.** (*Phasma M.*) l. c. p. 118. n. 306, pl. 17. f. 2 (1859). *P. Menius, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 97.	id., Chiriqui, Costa Rica.
4. **P. Phaeton, Rehn,** l. c. p. 95 (1904).	Costa Rica.

5. **P. Perezii, Bol.** (*Phasma P.*) An. Soc. Españ. x. p. 479 (1881); Viaje al Pacifico, Ins. p. 28 (1884).	Ecuador.
6. **P. Spinicolle, Burm.** (*Phasma S.*) Handb. Ent. ii. p. 585. n. 5 (1838); Westw. l. c. p. 123. n. 321 (1859).	Haiti.
*7. **P. Castaneum, Bates,** (*Phasma C.*) Trans. Linn. Soc. Lond. xxv. p. 348 (1865).	Para.
*8. **P. Phthisicum, Linn.** (*Gryllus* (*Mantis*) *Phthisicus*) Syst. Nat. (ed. x.) i. p. 425. n. 2 (1758); Mus. Ludov. Ulric. p. 110 (1764).	S. America.
Mantis Phthisica, Linn. Syst. Nat. (ed. xii.) i. (2) p. 689. n. 2 (1767); De Geer, Mém. Ins. iii. pp. 403, 404. n. 1, pl. 36. f. 1 (1773); Oliv. Enc. Méth., Ins. vii. p. 626. n. 5 (1792).	
P. Phthisicum, Rehn, l. c. p. 97 (1904).	
Gryllus Necydaloides, Joh. Amœn. Acad. vi. p. 397. n. 32 (1763).	
Mantis Necydaloides, Linn. Syst. Nat. (ed. xii.) i. (2) p. 691. n. 14 (1767); Fabr. Syst. Ent. p. 274. n. 2 (1775); Oliv. l. c. p. 625. n. 3 (1792).	
Phasma Necydaloides, Fabr. Suppl. Ent. Syst. p. 188. n. 7 (1798); Serv. Ins. Orth. p. 270 (1839); Westw. Cat. Phasm. p. 120. n. 313 (1859).	
Phasma Bioculata, Stoll, Spectres, Phasmes, p. 61, pl. 20. f. 76 (1813).	
Phasma Bioculatum, Gray, Syn. Phasm. p. 24 (1835).	
9. **P. Urazi, Bol.** (*Phasma U.*) Actas Soc. Españ. xxv. p. 13 (1896).	Amazons.
*10. **P. Putidum, Bates,** (*Phasma P.*) l. c. p. 349, pl. 45. f. 2 (1865).	Santarem, Peru.
11. **P. Cambridgei, Kirb. Ann. Nat. Hist. (7) xiii. p. 448 (1904).	Santarem.
12. **P. Inca, Kirb. l. c. p. 447 (1904).	Peru.
13. **P. Phlegyas, Westw.** (*Phasma P.*) l. c. p. 125. n. 328, pl. xvii. f. 1 (1859).	Brazil, Mte. Video.
14. **P. Blanchardi, Westw.** (*Metriotes B.*) l. c. p. 159. n. 417 (1859).	Bolivia, Chiquitos.
‖ *Phasma Reticulatum, Blanch.* D'Orbigny, Voy. Amér. Mér., Ins. p. 215, pl. 26. f. 5 (1843).	

15. **P. Salpingus, Westw. (*Phasma S.*) l. c. p. 119. n. 307, pl. 33. f. 3 (1859).	Bogota.
16. **P. Armatum, Gray, (*Phasma A.*) l. c. p. 26 (1835); Westw. l. c. p. 123. n. 322 (1859).	Demerara.
17. **P. Rugicolle, Gray,** (*Platycrana Rugicollis*) l. c. p. 38 (1835). *Metriotes Rugicollis, Westw.* l. c. p. 162. n. 428 (1859). *Phasma Lichenale, Burm.* Handb. Ent. ii. p. 584. n. 2 (1838).	Brazil.
18. **P. Xanthomela, Oliv.** (*Phasma X.*) l. c. p. 638. n. 67 (1792). ‖*Mantis Lateralis, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 12 (1796). ‖*Phasma Laterale, Licht.* Trans. Linn. Soc. Lond. vi. p. 15. n. 17 (1802); Gray, l. c. p. 22 (1835); Westw. l. c. p. 122. n. 317 (1859). ‖*Phasma Lateralis, Stoll,* l. c. pp. 31, 32, pl. 10. ff. 36, 37 (1813).	Surinam.
19. **P. Radiatum, Scudd.** (*Phasma R.*) Proc. Boston Soc. N. H. xvii. p. 279 (1875).	E. Peru.
20. **P. Helvolum, Serv.** (*Phasma H.*) Ins. Orth. p. 273 (1839); Westw. l. c. p. 119. n. 309 (1859).	Brazil.
21. **P. Cubense, Sauss.** (*Phasma Cubensis*) Rev. Zool. (2) xx. p. 69 (1868). *Phasma Cubense, Sauss.* Miss. Mex., Orth. p. 195, pl. 4. f. 23 (1872).	Cuba.
22. **P. Kheili, Bol.** (*Phasma K.*) Actas Soc. Españ. xxv. p. 13 (1896).	Amazons.
23. **P. Prasinum, Serv.** (*Phasma P.*) l. c. p. 272 (1839); Westw. l. c. p. 121. n. 315 (1859).	Hab. —— ?

Genus 184. **Prexaspes.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).
‖*Metriotes, Sauss.* Miss. Mex., Orth. p. 197 (1872).

1. **P. Acuticornis, Gray, (*Phasma Acuticorne*) Syn. Phasm. p. 26 (1835). *Metriotes Acuticornis, Westw.* Cat. Phasm. p. 162. n. 425 (1859). ‖*Metriotes Servillii, Sauss.* l. c. p. 198 (1872).	S. America.

2. **P. Servillii, Gray,** (*Phasma S.*) l. c. p. 26 (1835); Serv. Ins. Orth. p. 267 (1839); Guér. Icon. R. Anim., Ins. texte, p. 328 (1844). ‖ *Phasma Annulata, Serv.* Ann. Sci. Nat. xxii. p. 58 (1831); Guér. l. c. Ins. pl. 53. f. 1 (1832); Gray, Griffith. Anim. Kingd. xv. p. 792, pl. 110. f. 1 (1832). *Metriotes Servillii, Westw.* l. c. p. 162. n. 426 (1859). (?) *P. Servillii, Stål,* l. c. p. 98 (1875).	Brazil.
3. **P. Venosus, Burm.** (*Phasma Venosum*) Handb. Ent. ii. p. 585. n. 4 (1838). *Metriotes Venosa, Westw.* l. c. p. 161. n. 424 (1859).	id.
4. **P. Dictys, Westw.** (*Metriotes D.*) l. c. p. 160. n. 421, pl. 15. f. 7 (1859). *P. Dictys, Stål,* l. c. p. 98 (1875).	id.
*5. **P. Ambiguus, Stoll,** (*Phasma Ambigua*) Spectres, Phasmes, p. 74, pl. 25. f. 98 (1813). *Phasma Ambiguum, Gray,* l. c. p. 26 (1835); Serv. Ins. Orth. p. 269 (1839); Westw. l. c. p. 123. n. 320, pl. 13. f. 3 (1859). *P. Ambiguus, Stål,* l. c. p. 98 (1875).	id., Surinam, Cayenne.
6. **P. Pholcus, Westw. (*Phasma P.*) l. c. pp. 122, 181. n. 318, pl. 10. f. 2 (1859).	Santarem.
7. **P. Lateralis, Fabr. (*Mantis L.*) Syst. Ent. p. 275. n. 5 (1775); Ent. Syst. ii. p. 15. n. 12 (1793); Oliv. Enc. Méth., Ins. vii. p. 634. n. 43 (1792). *Phasma Lateralis, Fabr.* Suppl. Ent. Syst. p. 188. n. 12 (1798).	Brazil.
8. **P. Maculatus, Gray, (*Phasma Maculatum*) l. c. p. 26 (1835); Serv. l. c. p. 269 (1839); Westw. l. c. p. 122. n. 319 (1859).	Amazons.
9. **P. Neptunus, Kaup,** (*Dinelytron N.*) Berlin. Ent. Zeitschr. xv. p. 41 (1871).	Brazil.
10. **P. Umbretta, Licht.** (*Phasma U.*) Cat. Mus. Zool. Hamburg, iii. p. 78. n. 10 (1796); Trans. Linn. Soc. Lond. vi. p. 14. n. 15 (1802). *Necroscia Umbretta, Westw.* l. c. p. 147. n. 382 (1859).	Surinam.

‖*Phasma Linearis*, *Stoll*, l. c. p. 24, pl. 8. f. 27 (1813).	
11. **P. Quadratus, Bates,** (*Phasma Quadratum*) Trans. Linn. Soc. Lond. xxv. p. 350 (1865).	Santarem.
12. **P. Janus, Kirb.** (n. n.). ‖*Phasma Acanthopterum*, *Serv.* Ins. Orth. p. 268 (1839) (*nec Stoll*).	Cayenne.

Genus 185. **Isagoras.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).

1. **I. Bubastes, Westw. (*Metriotes B.*) Cat. Phasm. p. 159. n. 419, pl. 14. f. 1 (1859). (?)‖*I. Obscurus*, *Stål*, l. c. p. 98 (1875) (*nec Guér.*).	Tapajos.
2. **I. Santara, Westw. (*Metriotes S.*) l. c. p. 159. n. 418, pl. 14. f. 4 (1859).	Santarem.
3. **I. Quitensis, Sauss.** (*Phasma Q.*) Rev. Zool. (2) xx. p. 69 (1868). *Phasma Quitense*, *Sauss.* Miss. Mex., Orth. p. 194 (1872).	Quito.

Genus 186. **Metriotes.** (*Type* no. 3.)

Westw. Cat. Phasm. p. 158 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. pp. 60, 100 (1875).

1. **M. Stollii, Gray,** (*Platycrana S.*) Syn. Phasm. p. 38 (1835); Burm. Handb. Ent. ii. p. 582. n. 1 (1838). *M. Stollii*, *Westw.* l. c. p. 159. n. 416 (1859). ‖*Phasma Reticulata*, *Stoll*, Spectres, Phasmes, p. 67, pl. 23. f. 85 (1813) (*nec Beauv.*).	S. America.
*2. **M. Obscurus, Guér.** (*Phasma Obscurum*) Mag. Zool., Ins. 1838, p. 72, pl. 235; Voy. Favorite, v. Ins. p. 152, pl. 43 (1839). *M. Obscura*, *Westw.* l. c. p. 160. n. 420 (1859).	Brazil (Bahia,&c.).

*3. **M. Diocles, Westw.** l. c. p. 161. n. 423, pl. 15. f. 1 (1859) ; Stål, l. c. p. 100 (1875).	Colombia, Ecuador, Chiriqui.
4. **M. Agathocles, Stål,** l. c. (1875).	S. Amer. (?).
*5. **M. Myrsilus, Westw.** l. c. p. 160. n. 422, pl. 15. f. 6 (1859).	Colombia, Ecuador.
6. **M. Festæ, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 34 (1898).	Ecuador.
7. **M. Baculus, Geer,** (*Mantis B.*) Mém. Ins. iii. p. 405. n. 2, pl. 36. ff. 2, 3 (1773). *M. Baculus, Stål,* l. c. p. 101 (1875).	Surinam.
8. **M. Cinerea, Oliv.** (*Mantis Cirenea*) Enc. Méth., Ins. vii. p. 641. n. 15 (1792). *Phasma Cinereum, Licht.* Trans. Linn. Soc. Lond. vi. p. 16. n. 20 (1802) ; Gray, l. c. p. 25 (1835) ; Burm. Handb. Ent. ii. p. 584. n. 3 (1839) ; Westw. l. c. p. 121. n. 316 (1859). *Phasma Cinerea, Stoll,* l. c. p. 45, pl. 14. f. 56 (1813).	id., Bahia.
9. **M. Ega, Westw. (*Phasma E.*) l. c. p. 120. n. 312, pl. 32. f. 2 (1859).	Ega.

Genus 187. **Xerosoma** (*inc. sed.*).

Serv. Ann. Sci. Nat. xxii. p. 61 (1831) ; Ins. Orth. p. 274 (1839) ; Gray, Syn. Phasm. p. 26 (1835) ; Westw. Cat. Phasm. p. 103 (1859) ; Stål, Rec. Orth. iii. pp. 59, 99 (1875).

1. **X. Canaliculatum, Serv.** ll. cc. p. 61 (1831) ; p. 275, pl. 6. f. 3 (1839) ; Gray, l. c. p. 27 (1835) ; Westw. l. c. p. 104. n. 265 (1859).	Brazil.
2. **X.** (?) **Senticosa, Stål,** l. c. p. 99 (1875).	id. (Bahia).
3. **X.** (?) **Glyptomerion, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 101.	Costa Rica.

Genus 188. **Creoxylus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 265 (1839); Westw. Cat. Phasm. p. 104 (1859); Sauss. Miss. Mex., Orth. p. 195 (1872).
Xerosoma, sect. a, *Stål*, Rec. Orth. iii. pp. 59, 99 (1875).

1. **C. Corniger, Serv.** l. c. p. 265 (1839); Westw. l. c. p. 104. n. 266 (1859).	Hab. —— ?
*2. **C. Spinosus, Fabr.** (*Mantis Spinosa*) Syst. Ent. p. 274. n. 3 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 40 (1792). *Phasma Spinosa, Fabr.* Suppl. Ent. Syst. p. 188. n. 9 (1798). *Phasma Spinosum, Gray,* Syn. Phasm. p. 22 (1835). *Xerosoma Spinosa, Stål,* l. c. p. 99 (1875). *C. Spinosus, Westw.* l. c. p. 104. n. 267 (1859). *Phasma Corniceps, Gray,* l. c. p. 25 (1835).	Demerara.
3. **C. (?) Poeyi, Sauss.** Rev. Zool. (2) xx. p. 68 (1868); Miss. Mex., Orth. p. 196 (1872).	Cuba.

Genus 189. **Planudes.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).

1. **P. Brevipennis, Burm.** (*Phasma Brevipenne*) Handb. Ent. ii. p. 584. n. 1 (1838). *Metriotes Brevipennis, Westw.* Cat. Phasm. p. 162. n. 427 (1859).	Brazil.
2. **P. Paxillus, Westw. (*Phasma P.*) l. c. p. 127. n. 332, pl. 11. f. 5 (1859).	id.
3. **P. Crenulipes, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 100.	Costa Rica.
4. **P. Perillus, Stal,** l. c. p. 98 (1875).	Hab. —— ?
5. **P. Molorcha, Westw.** (*Bacteria M.*) l. c. p. 29. n. 81, pl. 24. f. 4 (1859).	N. Granada.
6. **P. (?) Flavomaculatus, Gray, (*Phasma Flavomaculatum*) Syn. Phasm. p. 25 (1835); Westw. l. c. p. 123. n. 323 (1859).	Brazil.

SUBFAM. XV.

ASCHIPASMINÆ.

Genus 190. **Aschipasma.**

Westw. Cat. Phasm. p. 92 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 19 (1875); Rec. Orth. iii. p. 55 (1875).

Aschiphasma, Westw. Zool. Journ. v. p. 442 (1834).

Ascephasma (A), *Haan*, Temminck, Verhandel., Orth. pp. 113, 114 (1842).

Perlamorpha, *Gray*, Syn. Phasm. p. 13 (1835); Serv. Ins. Orth. p. 275 (1839); Blanch. Hist. Nat. Ins. iii. p. 19 (1840); Brunn. Ann. Mus. Genova, xxxiii. p. 100 (1893).

Perlamorphus, *Gray*, l. c. p. 21 (1835); Burm. Handb. Ent. ii. p. 583 & note (1838).

*1. **A. Annulipes, Westw.** (*Aschiphasma A.*) Zool. Journ. v. p. 442 (1834). *A. Annulipes*, *Westw.* Cat. Phasm. p. 92. n. 234, pl. 15. f. 2 (1859). *Phasma* (*Ascephasma*) *Annulipes*, *Haan*, l. c. p. 114 (1842). *Perlamorphus Hieroglyphicus*, *Gray*, l. c. p. 21 (1835); Burm. l. c. p. 583 note (1838); Blanch. l. c. p. 19 (1840). *Perlamorpha Hieroglyphica*, *Serv.* l. c. p. 276 (1839).	Java, Sumatra, Borneo, N. India, Malacca (eadem ?).

Genus 191. **Presbistus.** (*Type* no. 2.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).

‖*Aschipasma*, *Brunn.* Ann. Mus. Genova, xxxiii. p. 100 (1893).

Ascephasma (C), *Haan*, Temminck, Verhandel., Orth. pp. 113, 114 (1842).

1. **P. Crudelis, Westw. (*Aschipasma Crudele*) Cat. Phasm. p. 96. n. 246, pl. 9. f. 7 (1859).	Ceylon.

2. **P. Peleus, Gray, (*Perlamorphus P.*) Syn. Phasm. p. 22 (1835); Burm. Handb. Ent. ii. p. 583 note (1838). *Aschipasma Peleus, Westw.* l. c. p. 96. n. 245, pl. 15. f. 4 (1859).	Malabar, Malacca.
*3. **P. Ridleyi, Kirb.** (n. n.). ‖*Phasma* (*Ascephasma*) *Peleus, Haan,* Temminck, Verhandel., Orth. p. 115 (1842).	Malacca, Java, Sumatra.
4. **P. Eryx, Westw.** (*Aschipasma E.*) l. c. p. 96. n. 248, pl. 19. f. 3 (1859).	Malacca.
*5. **P. Nebulosus, Westw.** (*Aschipasma Nebulosum*) l. c. p. 93. n. 235, pl. 9. f. 4 (1859).	Ceylon.
6. **P. Flavicornis, Haan,** (*Phasma* (*Ascephasma*) *Flavicorne*) l. c. p. 114 (1842). *Aschipasma Flavicorne, Westw.* l. c. p. 95. n. 241 (1859).	Borneo.
7. **P. Affinis, Haan,** (*Phasma* (*Ascephasma*) *Affine*) l. c. p. 115 (1842). *Aschipasma Affine, Westw.* l. c. p. 95. n. 240 (1859).	Java.
8. **P. Viridimarginatus, Haan,** (*Phasma* (*Ascephasma*) *Viridimarginatum*) l. c. p. 115 (1842). *Aschipasma Viridimarginatum, Westw.* l. c. p. 95. n. 242 (1859).	id.
9. **P. Pilosipes, Haan,** (*Phasma* (*Ascephasma*) *P.*) l. c. p. 115 (1842). *Aschipasma Pilosipes, Westw.* l. c. p. 95. n. 243 (1859).	Borneo.
10. **P. Iridescens, Haan,** (*Phasma* (*Ascephasma*) *I.*) l. c. p. 116 (1842). *Aschipasma Iridescens, Westw.* l. c. p. 95. n. 244 (1859).	Sumatra.
*11. **P. Infumatus, Charp.** (*Ascepasma Infumatum*) Orth. pl. 41 (1845). *Aschipasma Infumatum, Westw.* l. c. p. 98. n. 251 (1859).	Java, Borneo.
12. **P. Daunus, Westw. (*Aschipasma D.*) l. c. p. 98. n. 250, pl. 18. f. 2, pl. 20. f. 2 (1859).	Java.
13. **P. Dulichia, Westw.** (*Aschipasma D.*) l. c. p. 97. n. 247, pl. 33. f. 2 (1859).	Sarawak.

Genus 192. **Orthomeria, Kirb.** (n. n.). (*Type* no. 5.)

Ascephasma (B). *Haan*. Temminck. Verhandel., Orth. pp. 113, 114 (1842).

1. **O. Catadromus, Westw. (*Aschipasma C.*) Cat. Phasm. p. 94. n. 238, pl. 18. f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 263, f. 150 (1895).	Sumatra.
2. **O. Darnis, Westw. (*Aschipasma D.*) l. c. p. 97. n. 249, pl. 20. f. 3 (1859).	Java.
3. **O. Servilleana, Westw. (*Aschipasma Servilleanum*) l. c. p. 98. n. 252 (1859). ‖*Perlamorpha Peleus*, *Serv.* Ins. Orth. p. 277, pl. 8. f. 1 (1839) (*nec Gray*).	id.
4. **O. Pandora, Westw. (*Aschipasma P.*) l. c. p. 93. n. 237, pl. 9. f. 2 (1859).	Philippines, Ceram.
*5. **O. Forstenii, Haan,** (*Phasma* (*Ascephasma*) *F.*) l. c. p. 114 (1842). *Aschipasma Forstenii*, *Westw.* l. c. p. 93. n. 236 (1859).	Celebes.
6. **O. Alexis, Westw. (*Aschipasma A.*) l. c. p. 94. n. 239, pl. 28. f. 3 (1859).	Borneo.

SUBFAM. XVI.

PHYLLIINÆ.

Genus 193. **Chitoniscus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 62, 104 (1875).

*1. **C. Lobiventris, Blanch.** (*Phyllium Lobiventre*) Voy. Pôle Sud, Zool. iv. p. 359, Orth. pl. 1. f. 9 (1853); Westw. Cat. Phasm. p. 174. n. 454, pl. 39. f. 5 (1859).	Fiji.
*2. **C. Feejeeanus, Westw.** (*Phyllium Feejeeanum*) Proc. Ent. Soc. Lond. (3) ii. p. 17 (1864).	id.

3. **C. (?) Novæ-Britanniæ, Wood-Mason,** (*Phyllium N.*) Ann. Nat. Hist. (4) xx. p. 75 (1877).	New Britain.
4. **C. (?) Brachysoma, Sharp,** (*Phyllium B.*) Willey, Zool. Results, p. 92, pl. 8. f. 13 (1898).	Lifu.

Genus 194. **Pulchriphyllium.** (*Type* no. 7.)

Griff. Boll. Mus. Torino, xiii. (312) p. 2 (1898);
Misc. Ent. vi. p. 3 (1898).

1. **P. Bioculatum, Gray,** (*Phyllium B.*) Griffith, Anim. Kingd. xv. p. 191, pl. 163. f. 3 (1832); Syn. Phasm. p. 30 (1835); Burm. Handb. Ent. ii. p. 590. n. 3 (1838); Westw. Cat. Phasm. p. 175. n. 455 (1859).	Mauritius.
2. **P. Gelonus, Gray, (*Phyllium G.*) Zoologist, i. p. 121, f. *d* (1843); Westw. l. c. p. 175. n. 456 (1859).	Seychelles.
Phyllium Crurifolium, ♂, *Serv.* Ins. Orth. p. 291 (1839).	
*3. **P. Dardanus, Westw.** (*Phyllium D.*) l. c. p. 176. n. 461, pl. 40. f. 5 (1859).	id.
4. **P. Agathyrsus, Gray, (*Phyllium A.*) l. c. pp. 121, 122, f. *h* (1843); Westw. l. c. p. 176. n. 458 (1859).	Ceylon.
*5. **P. Crurifolium, Serv.** (*Phyllium C.*, ♀) l. c. p. 291 (1839); Gray, l. c. p. 120 (1843); Westw. l. c. p. 176. n. 460 (1859).	id., Borneo. Seychelles.
Phasma (Phyllium) Crurifolium, Haan, Temminck, Verhandel., Orth. p. 112 (1842).	
‖*Phyllium Bioculatum, Gray*, l. c. pp. 121, 122, f. *f* (1843); Bol. Ann. Soc. Ent. France, 1895, p. 395.	
*6. **P. Pulchrifolium, Serv.** (*Phyllium P.*) l. c. p. 292 (1839); Gray, l. c. pp. 121, 122, f. *g* (1843); Westw. l. c. p. 177. n. 462 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 106.	Java, Borneo.
Phasma (Phyllium) Pulchrifolium, Haan, l. c. p. 112, pl. 15. f. 6 (1842).	

*7. **P. Scythe, Gray,** (*Phyllium S.*) l. c. pp. 121, 122, f. *i* (1843); Murray, Edinb. New Philos. Journ. (2) iii. p. 96, pls. 6, 7 (1856); Westw. l. c. p. 177. n. 463 (1859); Sharp, Cambridge Nat. Hist. i. pp. 267–272, figs. 154, 155, 157, 158 (1895); Rehn, l. c. p. 106 (1904). — N. India.

Genus 195. **Phyllium.** (*Type* no. 1.)

Illiger, Käf. Preuss. p. 499 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 271 (1802); St.-Farg. & Serv. Enc. Méth., Ins. x. p. 115 (1825); Serv. Ann. Sci. Nat. xxii. p. 63 (1831); Ins. Orth. p. 287 (1839); Gray, Syn. Phasm. pp. 13, 29 (1835); Zoologist, i. p. 117 (1843); Burm. Handb. Ent. ii. p. 589 (1838); Blanch. Hist. Nat. Ins. iii. p. 18 (1840); Haan, Temminck, Verhandel., Orth. p. 111 (1842); Westw. Cat. Phasm. p. 171 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 12, 15 (1875), iii. (14) p. 21 (1875); Rec. Orth. iii. pp. 62, 104 (1875).

‖*Pteropus, Thunb.* Mém. Acad. Pétersb. v. p. 219 (1815).

*1. **P. Siccifolium, Linn.** (*Gryllus* (*Mantis*) *Siccifolius*) Syst. Nat. (ed. x.) i. p. 425. n. 3 (1758); Mus. Lud. Ulr. p. 111 (1764). — Amboina.

(Rösel, Ins. Belust. ii. Locusta Indica, pl. 17.)

Mantis Siccifolia, Fabr. Syst. Ent. p. 276 n. 11 (1775); Oliv. Enc. Méth., Ins. vii. p. 626. n. 6 (1792); Don. Ins. Ind. pl. 11 (1800).

Phasma Siccifolia, Stoll, Spectres, Phasmes, pp. 21–23, pl. 7. ff. 24–26 (1813).

P. Siccifolium, St.-Farg. & Serv. l. c. p. 115 (1825); Serv. Ins. Orth. p. 289 (1839); Gray, ll. cc. p. 30 (1835); pp. 118, 121, f. *b* (1843); Burm. l. c. p. 590. n. 1 (1838); Blanch. l. c. p. 18, pl. 5 (1840); Westw. Cat. Phasm. p. 172. n. 449 (1859).

Pteropus Siccifolius, Thunb. l. c. p. 286 (1815).

P. Brevicorne, Latr. l. c. p. 272 (1802).

Phasma Citrifolium, Licht. Cat. Mus. Zool.

Hamburg, iii. p. 78. nn. 21–23 (1796); Trans. Linn. Soc. Lond. vi. p. 17. n. 25 (1802). *Mantis Foliatus*, *Perry*, Arcana, pl. 24 (1811). *P. Gorgon*, *Gray*, ll. cc. p. 31 (1835); p. 119 (1843).	
*2. **P. Westwoodii, Wood-Mason,** Journ. Asiatic Soc. Bengal, xliv. p. 218, pl. 17 (1875); xlvi. p. 351, pl. 3. f. 3 (1877).	S. Andamans, Moulmein.
3. **P. Geryon, Gray, Zoologist, i. pp. 118, 121, f. *a* (1843); Westw. l. c. p. 174. n. 453 (1859); Griff. Boll. Mus. Torino, xiii. (312) pp. 2, 3, figs. A, B (1898). *Phasma (Phyllium) Siccifolium* (nymph), Haan, l. c. p. 111, pl. 15. f. 7 (1842).	Philippines.
*4. **P. Chlorophyllum, Stoll,** (*Phasma Chlorophylla*) l. c. p. 69, pl. 23. f. 89 (1813). *P. Chlorophyllum*, *Burm.* l. c. p. 590. n. 2 (1838); Westw. l. c. p. 173. n. 450 (1859). *P. Chlorophyllium*, *Gray*, Syn. Phasm. p. 31 (1835); Zoologist, i. p. 119 (1843). *P. Stollii*, *St.-Farg. & Serv.* l. c. p. 115 (1825).	Hab. —— ?
*5. **P. Celebicum, Haan,** l. c. p. 111 (1842); Gray, Zoologist, i. p. 121 (1843); Westw. l. c. p. 173, pl. 40. f. 6 (1859); Wood-Mason, l. c. xliv. p. 218, pl. 16 (1875).	Celebes, Philippines, Burmah.
6. **P. Athanysus, Westw. l. c. p. 174. n. 452. pl. 31. f. 3 (1859).	Ceylon.
7. **P. Bilobatum, Gray, l. c. p. 120 fig., p. 121, f. *c* (1843); Westw. l. c. p. 175. n. 457 (1859).	Philippines.
8. **P. Donovani, Gray,** Syn. Phasm. p. 31 (1835); Zoologist, i. p. 120 (1843); Westw. l. c. p. 176. n. 459 (1859). *Mantis* sp., *Don.* l. c. pl. 11. fig. sup. (1800).	Hab. —— ?

INDEX.

The names of Families and Subfamilies are printed in Capitals, and those of Genera are either printed in Capitals or enclosed in parentheses. Those of species are printed in Roman, and those of varieties and synonyms in Italics. In case of an accidental duplication of entry of a species, the page indicating the reference to be erased is enclosed in square brackets.

Abbreviata (Allacta), 100.
Abbreviata (Blatta), 104.
Abbreviata (Mantis), 231.
Abbreviata (Temnelytra), 137.
Abbreviata (Temnopteryx), 104.
Abbreviata (Zonioploca), 137.
Abdominalis (Hedaia), 123.
Abdominalis (Mantis), 301.
Abdominalis (Stagmatoptera), 301.
Abdul (Bacillus), 337.
Abdul (Clonaria), 337.
Aberrans (Cacomorpha), 406.
Aberrans (Tribonidium), 158.
Abjecta (Ameles), 229.
Abjecta (Mantis), 229.
Abnormis (Cylindrogaster), 5.
Abnormis (Pygidicrana), 5, 6.
ABRACHIA, 352.
ABRODIÆTA, 99.
Abscissa (Hostilia), 192.
Abscissa (Zetobora), 192.
Abyssinica (Derocalymma), 188.
Abyssinica (Homalodemas), 188.
Abyssinica (Temnopteryx), 103.
Abyssinica (Temnopteryx), 103.
Acanthocephala (Agondasoidea), 373.
Acanthocephala (Necroscia), 373.
Acanthocephalum (Necroscia), 373.
Acanthocephalum (Phasma), 373.
ACANTHOCLONIA, 407.
ACANTHODERUS, 339.
ACANTHODERUS, 340.
ACANTHODYTA, 383.
ACANTHOMANTIS, 296.
Acanthomera (Cyphocrania), 387.
Acanthomera (Monandroptera), 387.
ACANTHOMIMA, 383.
Acanthophora (Phasma), 373.
Acanthophora (Trigonophasma), 373.
ACANTHOPS, 282.
Acanthoptera (Necroscia), 373.
Acanthopterum (Phasma), 373, 415.
Acanthopus (Bacteria), 359.
Acanthopus (Cladoxerus), 359.
Acanthopus (Phasma), 359.
Acanthopus (Phibalosoma), 359.
Acanthopygia (Chelidurella), 43.
Acanthopygia (Forficula), 43.
Achalus (Aplopus), 363.
Achalus (Haplopus), 363.
Acheron (Acrophylla), 389.
Acheron (Ctenomorpha), 389.
Acheron (Diura), 389.
Acheron (Phasma), 389.
ACHLÆNA, 216.
ACHRIOPTERA, 394.
ACHROBLATTA, 155.
Acolhua (Blatta), 95.
Acolhua (Panchlora), 153.
Acolhua (Phyllodromia), 95.
Acolhua var. Minor (Panchlora), 153.
ACONTISTA, 232.
ACONTISTES, 232.
Acornuta (Pachymorpha), 342.
ACROMANTIS, 280.
ACROPHYLLA, 388.
ACROPHYLLINÆ, 379.
Aculeata (Forficula), 47.
Aculeata (Labia), 27.
Aculeata (Sphingolabis), 47.
Aculiferum (Bactrododema), 366.

Acuticorne (*Phasma*), 413.
Acuticornis (*Metriotes*), 413.
Acuticornis (Prexaspes), 413.
Acutipennis(Derocardia), 119.
Acutipennis (*Hedaia*), 119.
Acutipennis (*Hierodula*), 301.
Acutipennis (Necroscia), 375.
Acutipennis (Oxyops), 298.
Acutipennis (Stagmatoptera), 301.
Acutus (Camax), 336.
Adelpha (*Labidura*), 12.
Adelphus (*Demogorgon*), 12.
Adimonialis (Lupparia), 65.
Adjuncta (Epilampra), 126.
Adjuncta (*Nauphœta*), 180.
Adspersa (*Aphlebia*), 69.
Adspersa (Hololampra), 69.
Adspersa (*Mantis*), 239.
Adspersicollis (*Blatta*), 94.
Adspersicollis (Phyllodromia), 94.
Adspersipennis (Melastora), 167.
Adumbratum (*Phibalosoma*), 357.
Adumbratus (Xylodus), 357.
Adusta (Acanthops), 283.
Adusta (*Aphlebia*), 69.
Adusta (*Epilampra*), 115.
Adusta (Hololampra), 69.
Adusta (Homalopteryx), 115.
Adusta (*Panchlora*), 150.
Adusta (*Phyllodromia*), 69.
Adusta (Rhyparobia), 150.
Advena (Anisolabis), 20.
Advena (Hormetica), 197.
Advena (*Labidura*), 20.
Advena (Phyllodromia), 91.
Ægrota (Phyllodromia), 90.
Ægyptiaca (*Bacteria*), 333.
Ægyptiaca (*Blatta*), 107, 171.
Ægyptiaca (*Heterogamia*), 171.
Ægyptiaca (Phthoa), 333.
Ægyptiaca (Polyphaga), 171.
Ægyptiaca (*Polyphaga*), 172.
Ægyptiaca (*Polyzosteria*), 114.
Ægyptiacus (*Bacillus*), 333.
Ægyptiacus (Heteronutarsus), 212.
Ægyptiacus (*Heteronychotarsus*), 212.
ÆLUROPODA, 199.
Ænea (Corydia), 167.
Ænea (*Derocalymma*), 190.
Ænea (Ellipsica), 183.
Ænea (Perisphæria), 190.
Ænea (Polyzosteria), 128.
Æqua (Pellita), 189.
Æqua (*Perisphæria*), 189.
Æqualis (Blabera), 165.
Æqualis (*Blatta*), 103.
Æqualis (Datames), 400.
Æqualis (*Libisoca*), 165.
Æqualis (Loboptera), 103.
Æqualis (*Perisphæria*), 191.
Æqualis (*Polyphaga*), 174.
Æquatorialis(*Paratropa*), 110.
Æquatorialis (Paratropes), 109.
Æquatoriana (*Blabera*), 164.
Æruginosa (*Mantis*), 240.
Æruginosa (*Polyspilota*), 240.
Æruginosa var. Fuscoirrorata (*Polyspilota*), 240.
Æruginosa var. Prasina (*Polyspilota*), 240.
Æruginosa var. Viridis (*Polyspilota*), 240.
Æsalus (*Necroscia*), 369.
Æsalus (Sosibia), 369.
Æstuans (*Bactricia*), 338.
Æstuans(Bactrododema), 366.
Æstuans (*Bacunculus*), 338.
Æstuans (Clonaria), 338.
Æstuans (*Cyphocrania*), 366.
Æstuans (Gyna), 149.
Æstuans (*Palophus*), 366.
Æstuans (*Panchlora*), 149.
Æstuans (Tarachodes), 215.
ÆTHALOCHROA, 308.
Æthiopica (Blatta), 139.
Æthiopica (*Periplaneta*), 139.
Æthiopica (Theganopteryx), 64.
Æthiopis (*Blatta*), 202.
Æthiopis (Panesthia), 202.
Æthiops (*Panesthia*), 202.
Ætolica (Forficula), 52.
Ætolus (*Bacteria*), 354.
Ætolus (Phanocles), 354.
Ætolus (*Phibalosoma*), 354.
Affine (*Ascephasma*), 419.
Affine (*Aschiphasma*), 419.
Affine (*Phasma*), 419.
Affinis (Æthalochroa), 308.
Affinis (Aruanoidea), 379.
Affinis (*Blatta*), 93.
Affinis (*Derocalymma*), 192.
Affinis (*Forficesila*), 11.
Affinis (*Forficula*), 11.
Affinis (Methana), 136.
Affinis (*Necroscia*), 379.
Affinis (*Panesthia*), 202.
Affinis (Paraclonaria), 336.
Affinis (*Periplaneta*), 136.
Affinis (*Perisphæria*), 192.
Affinis (Phyllodromia), 93.
Affinis (*Platycrania*), 379.
Affinis (Pœciloblatta), 192.
Affinis (Presbistus), 419.
Affinis (Pseudomops), 76.
Affinis (*Thyrsocera*), 76.
Afra (*Forficula*), 8.
Africana (*Acanthomantis*), 296.
Africana (Anaplecta), 66.
Africana (*Blatta*), 172.
Africana (Bormansia), 13.

Africana (Ectobia), 63.
Africana (*Forficula*), 49.
Africana (*Gyna*), 150.
Africana (*Heterogamia*), 172.
Africana (Oxyhaloa), 175.
Africana (*Panchlora*), 150.
Africana (Polyphaga), 172.
Africana (Sphingolabis), 49.
Africanus (Iapyx), 56.
Africanus (*Japyx*), 56.
Afrum (Echinosoma), 8.
Afzelii (*Chiropacha*), 215.
Afzelii (Tarachodes), 215.
Agaboides (Methana), 135.
Agaboides (*Periplaneta*). 135.
AGATHEMERA, 402.
Agathina (*Epilampra*). 126.
Agathocles (Metriotes), 416.
Agathyrsus (*Phyllium*). 421.
Agathyrsus (Pulchriphyllium), 421.
Agilis (Condylopalama), 58.
Agondas (Agondasoidea), 373.
Agondas (*Necroscia*), 373.
AGONDASOIDEA, 373.
Agrion (Dinelytron). 408.
Agrionina (Aruanoidea), 378.
Agrionina (*Mantis*), 263.
Agrionina (*Necroscia*), 378.
Agrionina (*Plotina*), 263.
Agrionina (Solygia), 263.
Ahrimanes (Anechura), 41.
Alaris (Anaplecta), 67.
Alaris (Biolleya), 171.
Alaris (*Blatta*), 94.
Alaris (Fulcinea), 257.
Alaris (*Nanomantis*), 257.
Alaris (Pelmatosilpha), 142.
Alaris (*Periplaneta*), 142.
Alaris (Phyllodromia), 94.
Alata (*Ameles*), 225.
Alata (Armene), 225.
Alata (Mesopteryx), 237.
Alauna (*Bacillus*), 330.
Alauna (Parachtumnus), 330.
Albella (*Mantis*), 255.
Albella (*Miopteryx*), 255.
Albella (Nanomantis), 255.
Albertisii (*Forficula*), 47.
Albertisii (Sphingolabis), 47.
Albicincta (*Blatta*), 62.
Albicincta (Ectobia), 62.
Albicollis (Phoraspis), 112.
Albida (*Blatta*), 94.
Albida (Phyllodromia), 94.
Albilatera (Deropeltis), 146.
Albilatera (*Periplaneta*), 146.
Albimacula (*Mantis*), 254.
Albimacula (Stagmomantis), 254.
Albina (Hedaia), 123.
Albinervis (Pseudophyllodromia), 98.
Albipennis (Apterygida), 44.
Albipennis (*Chelidura*), 44.
Albipennis (*Forficula*), 44.
Albipes (*Apterygida*), 48.
Albipes (*Forficula*), 48.
Albipes (Sphingolabis), 48.
Albofimbriata (*Mantis*), 235.
Albofimbriata (Pseudomantis), 235.
Albomarginata (Anaplecta). 67.
Albomarginata (Cosmozosteria), 132.
Albomarginata (*Forficula*), 34.
Albomarginata (*Lobophora*), 34.
Albomarginata (*Platyzosteria*), 133.
Albomarginata (*Polyzosteria*), 132.
Albomarginata (*Psalidophora*), 34.
Albomarginata var. Brunnea (*Platyzosteria*), 133.
Albomarginatus (Chelisoches), 34.
Albopunctatum (Ctenomorpha), 389.
Albovittata (*Blatta*), 79.
Albovittata (*Phyllodromia*), 79.
Albovittatum (Ellipsidion), 79.
Alca (Temnopteryx), 104.
Alcarazzas (*Blatta*), 154.
Alcarazzas (Panchlora), 154.
Alexis (*Aschipasma*), 420.
Alexis (Orthomeria), 420.
Algerica (*Aphlebia*), 69.
Algerica (*Heterogamia*), 173.
Algerica (Hololampra), 69.
Algerica (Polyphaga), 173.
Algericus (Bacillus), 335.
Aliena (Phyllodromia), 91.
ALLACTA, 99.
Alliaceus (Rhaphiderus), 383.
Alliberti (Ameles), 230.
Alliberti (*Perlamantis*), 230.
Alligata (*Epilampra*), 120.
Alligata (Heterolampra), 120.
ALLODAHLIA, 41.
Alluaudi (*Blatta*), 89.
Alluaudi (Desmosia), 97.
Alluaudi (*Lonchodes*), 318.
Alluaudi (Phyllodromia), 89.
Alluaudi (Stælonchodes), 318.
Alpheus (Megacrania), 385.
Alpheus (*Platycrania*), 385.
Alpina (*Chelidura*), 42.
Alpina (*Forficula*), 42.
Alta (Perisphæria), 190.
Alternans (*Blatta*), 97.
Alternans (*Phyllodromia*), 97.
Alternans (Pseudophyllodromia), 97.
Alticeps (*Cardioptera*), 226.
Alticeps (Dystacta), 226, 227.
Alticeps (*Mantis*), 226.

Alutacea (Zonioploca), 137.
Alutaceus (Eubulides), 395.
Amarœ (Pseudocreobotra), 293.
Amathia (*Bacillus*), 328.
Amathia (Baculum), 328.
Amaurops (*Lonchodes*), 323.
Amaurops (Sthenobœa), 323.
Amazonensis (Opisthocosmia), 40.
Amazonica (*Bacteria*), 349.
Amazonica (Heteronemia), 349.
Amazonica (*Vates*), 306.
Amazonicus (*Theoclytes*), 306.
Amazonicus (Vates), 306.
Ambigua (*Phasma*), 414.
Ambiguum (*Phasma*), 414.
Ambiguus (Prexaspes), 414.
AMBIVIA, 280.
Amboinica (Salganea), 200.
AMELES, 229.
AMELES, 228, 229.
Americana (*Blatta*), 140.
Americana (Forcipula), 9.
Americana (*Forficesila*), 14.
Americana (*Forficula*), 14.
Americana (*Kakerlac*), 140.
Americana (*Labidura*), 14.
Americana (Loboptera), 103.
Americana (Opisthocosmia), 40.
Americana (Periplaneta), 140.
Americana (Psalis), 14.
Americana (Pseudomops), 76.
Americana (*Thyrsocera*), 76.
Americana Colorata (*Periplaneta*), 141.
Americanus (Japyx), 57.
Amœna (*Blatta*), 89.
Amœna (Calhypnorna), 179.
Amœna (Compsoblatta), 180.
Amœna (*Eustegasta*), 180.
Amœna (*Forficula*), 26.
Amœna (Galinthias), 296.
Amœna (*Harpax*), 296.
Amœna (*Hypnorna*), 179.
Amœna (Junodia), 286.
Amœna (Labia), 26.
Amœna (*Nauphœta*), 180.
Amœna (Nisibis), 78.
Amœna (Pachymantis), 288.
Amœna (Phyllodromia), 89.
Amœna (*Thyrsocera*), 78.
Amœnula (Acontista), 234.
AMORPHOSCELINÆ, 207.
AMORPHOSCELIS, 207.
Amphibium (Cotylosoma), 407.
Amphibius (*Nisyrus*), 407.
Ampla (*Blatta*), 194.
Ampla (Melanosilpha), 194.
Ampla (*Phyllodromia*), 194.
Amplectens (*Blatta*), 93.
Amplectens (Phyllodromia), 93.
Amplicollis (Phyllodromia), 90.
Amplipennis(*Epilampra*), 114.
Amplipennis (Molytria), 114.
Amplipennis (Photina), 273.
AMPUSA, 311.
Analis (*Chelidura*), 54.
Analis (*Derocalymma*), 188.
Analis (*Forficula*), 54.
Analis (Homalodemas), 188.
Analis (Platyzosteria), 130.
Analis (*Polyzosteria*), 130.
Analis(Pseudochelidura), 54.
ANAMESIA, 129.
ANAPLECTA, 66.
ANAPTYCTA, 74.
ANASTIRA, 294.
Anastomosa (Ischnoptera), 82.
ANATELIA, 7.
ANAXARCHA (ANAXANDRA, *err. impr.*), 223.
ANCHIALE, 392.
ANCISTROGASTER, 36.
Ancylura (Anechura), 41.
Ancylura (*Forficula*), 41.
Androgyna (Stagmomantis), 254.
ANECHURA, 40.
ANGELA, 264.
Angolensis (Apotrogia), 175.
Angolensis (*Bacillus*), 333.
Angolensis (Phthoa), 333.
Angulata (*Diapherodes*), 362.
Angulata (*Epilampra*), 123.
Angulata (Hedaia), 123.
Angulata (*Mantis*), 284, 362.
Angulata (Monastria), 161.
Angulata (*Phasma*), 362, 364.
Angulata (Pseudocanthops), 284.
Angulatum (*Phasma*), 362.
Angulatus (*Haplopus*), 364.
Angulifera (*Acanthops*), 283.
Angulifera (Anisolabis), 19.
Angulifera (*Brachylabis*), 19.
Angusta (Pœciloblatta), 192.
Angusta (Pseudomops), 74.
Angustata (*Blatta*), 97.
Angustata (Deroplatys), 281.
Angustata (Pseudophyllodromia), 97.
Angustata (Pygidicrana), 5.
Angustata var. Venosa (*Pseudophyllodromia*), 97.
Angusticollis (*Psalidophora*), 23.
Angusticollis (Sparatta), 23.

Angusticollis (Theopompa), 213.
Angustipennis (*Blatta*), 202.
Angustipennis (Panesthia), 202.
Angustipennis (*Tenodera*), 239.
Anisitsi (Blabera), 165.
Anisitsi (Euryderes), 272.
ANISOGAMIA, 173.
ANISOLABIS, 17.
ANISOMORPHA, 401.
ANISOMORPHA, 403.
ANISOMORPHINÆ, 401.
ANISOPYGIA, 101.
Annamallayanum (Pharnacia), 359.
Annamallayanum (*Phibalosoma*), 359.
Annectens (Vates), 306.
ANNIA, 209.
Annulata (*Forficula*), 27.
Annulata (Ischnoptera), 82.
Annulata (Labia), 27.
Annulata (*Mantis*), 301.
Annulata (Marmessoidea), 372.
Annulata (*Necroscia*), 372.
Annulata (*Oxypila*), 285.
Annulata (Pachymorpha), 342.
Annulata (*Phasma*), 372, 414.
Annulata (Phthoa), 332.
Annulata (*Stagmatoptera*), 301.
Annulata (*Phasma*), 372.
Annulatus (*Bacillus*), 332.
Annulatus (Oxypilus), 285.
Annulatus (*Oxypilus*), 286.
Annulicornis (Amorphoscelis), 208.
Annulicornis (Anisolabis), 21.
Annulicornis (*Blatta*), 76.
Annulicornis (*Forcinella*), 21.
Annulicornis (Ischnoptera), 85.
Annulicornis (Loboptera), 103.
Annulicornis (Pseudomops), 76.
Annulicornis (*Thyrsocera*), 76.
Annulifera (*Blatta*), 91.
Annulifera (Phyllodromia), 91.
Annulipes (Amorphoscelis), 207.
Annulipes (Anisolabis), 18.
Annulipes (*Ascephasma*), 418.
Annulipes (Aschipasma), 418.
Annulipes (*Aschiphasma*), 418.
Annulipes (*Forcinella*), 18.
Annulipes (*Forficula*), 18.
Annulipes (*Labidura*), 18.
Annulipes (Liturgousa), 271.
Annulipes (*Mantis*), 271.
Annulipes (Necroscia), 376.
Annulipes (*Phasma*), 376, 418.
Anodus (Japyx), 57.
Anomala (*Blatta*), 90.
Anomala (Chorisoneura), 71.
Anomala (Compsothespis), 208.
Anomala (*Paraphoraspis*), 110.
Anomala (Phlebonotus), 110.
Anomala (*Phoraspis*), 110.
Anomala (Phyllodromia), 90.
ANOPHELEPIS, 382.
ANTEMNA, 284.
Antennata (Anisolabis), 20.
Antennata (*Deropeltis*), 147.
Antennata (Elliptoblatta), 183.
Antennata (Panesthia), 202.
Antennata (Pseudoderopeltis), 147.
Antennata (Pseudoglomeris), 191.
Anthracina (Blatta), 139.
Anthracina (*Chelidura*), 40.
Anthracina (Cutilia), 134.
Anthracina (*Periplaneta*), 139.
Anthracina (*Stylopyga*), 134.
Antica (Calolampra), 117.
Antica (*Polyzosteria*), 117.
Antica (*Zetobora*), 160.
Antiguensis (Pseudectobia), 66.
Antiguensis (*Theganopteryx*), 66.
Antillarum (*Bacteria*), 346.
Antillarum (Blatta), 140.
Antillarum (Callimantis), 251.
Antillarum (*Iris*), 251.
Antillarum (*Mantis*), 251.
Antillarum (Panchlora), 152.
Antillarum (*Stylopyga*), 140.
Antipoda (Cutilia), 134.
Antipoda (Pelmatosilpha), 143.
Antipodum (*Methana*), 134.
ANTISSA, 222.
ANTISTIA, 228.
Antonii (Anisolabis), 20.
Antonii (*Forcinella*), 20.
Anubis (Eremiaphila), 212.
Apacha (Homœogamia), 174.
APACHYA, 3.
APACHYS, 3.
APACHYUS, 3.
Apalanurus (Arrhidæus), 384.
Apennina (Apterygia), 50.
Apennina (Forficula), 50.
APHLEBIA, 68.
APHLEBIDEA, 71.
Apicalis (Creobotra), 291.
Apicalis (*Mantis*), 235.
Apicalis (*Periplaneta*), 81.
Apicalis (Pseudomantis), 235.
Apicalis (Sparatta), 23.
Apicifera (*Blatta*), 80.
Apicifera (*Ectobia*), 63.
Apicifera (Ellipsidion), 80.
Apicigera (*Blatta*), 91.
Apicigera (Phyllodromia), 91.
APLOPUS, 363.
Apollonius (Hermarchus), 360.
Apollonius (*Phibalosoma*), 360.

APOLYTA, 79.
APOTROGIA, 175.
Appendiculata (Ignacia), 411.
APSIDOPIS, 119.
APTERA, 182.
Aptera (*Ameles*), 231.
Aptera (Calolampra), 117.
Aptera (Chelidura), 42.
Aptera (*Chelidura*), 43.
Aptera (Cosmiella), 38.
Aptera (Forficula), 42.
Aptera (*Forficula*), 42, 43.
Aptera (*Nympha*), 114.
Aptera (Pseudoyersinia), 231.
Aptera var. Alpina (*Chelidura*), 42.
Aptera var. Simplex (*Chelidura*), 42.
APTERYGIDA, 44.
Aquatilis (Leosthenes), 406.
Arabica (Eremiaphila), 211.
Arabica (*Hierodula*), 243.
Arabica (Sphodromantis), 243.
Arachidis (Apterygida), 44, 45.
Arachidis (*Chelidura*), 44.
Arachidis (*Forficula*), 44.
Arampes (*Bacteria*), 349.
Arampes (Heteronemia), 349.
Aranea (*Planetica*), 148.
Araucana (Loboptera), 103.
Arborifera (Allacta), 100.
Arborifera (*Blatta*), 100.
Arbuscula (Pseudosermyle), 345.
Arbuscula (*Sermyle*), 345.
ARCHIBLATTA, 148.
ARCHIBLATTINÆ, 148.
ARCHIMANDRITA, 163.
ARCHIMANTIS, 234.
Arcta (Ischnoptera), 81.
Arctata (Epilampra), 125.
Arcuata (Clonaria), 337.
Arcuata (*Gratidia*), 337.
Arcuata (Labia), 28.
ARDESCA, 274.
Ardrossanensis (Cosmozosteria), 133.
Ardrossanensis (*Platyzosteria*), 133.
Ardua (Temnopteryx), 106.
Arenicola (*Blatta*), 62.
AREOLARIA, 177.
Ares (Forficula), 53.
Argentina (Chorisoneura), 72.
Argentina (Coptopteryx), 272.
Argentina (*Mantis*), 272.
Argentina (Miopteryx), 275.
ARGOSARCHUS, 340.
Arida (Clonaria), 337.
Arida (*Deroplatys*), 281.
Arida (*Gratidia*), 337.
Aridifolia (*Mantis*), 239.
Aridifolia(Tenodera),239.
Aridifolia var. Sinensis (*Tenodera*), 239.
Arispa (Acanthoclonia), 407.
Arispa (*Acanthoderus*), 407.
Aristidis (Eremiaphila), 212.
ARIUSIA, 215.
Arizonensis (Diapheromera), 347.
Armadillo (Perisphæria), 190.
Armata (*Corydia*), 167.
Armata (Eremoplana), 266.
Armata (*Forficula*), 39.
Armata (*Mantis*), 266.
Armata (Opisthocosmia), 39.
Armata (Platyzosteria), 130.
Armata (*Sparatta*), 24.
Armata (Sparattina), 24.
Armata (*Thespis*), 266.
Armatum (*Phasma*), 413.
Armatum (Pseudophasma), 413.
Armatus (Archimantis), 235.
ARMENE, 225.
Armicollis (Calidomantis), 257.
Armicollis(*Micromantis*), 257.
Armigera (Blabera), 164.
ARPHAX, 338.
ARRHIDACUS, 384.
ARRHIDÆUS, 384.
ARRIA, 244.
ARSACIA, 308.
Artemis (*Bacillus*), 329.
Artemis (Baculum), 329.
ARTERIA, 308.
Arthritica (Ancistrogaster), 36.
Aruana (Acromantis), 280.
Aruana (Aruanoidea), 378.
Aruana (Hierodula), 247.
Aruana (*Necroscia*), 378.
ARUANOIDEA, 378.
Arumatia (*Bacteria*), 355, 356.
Arumatia (*Phasma*), 355.
ASCEPHASMA, 418, 420.
ASCHIPASMA, 418.
ASCHIPASMA, 418.
ASCHIPASMINÆ, 418.
ASCHIPHASMA, 418.
Aschmoliana (*Popa*), 308.
Ashmeadi (Myronides), 321.
Ashmoliana (Æthalochroa), 308.
Ashmoliana var. Insignis (*Æthalochroa*), 308.
Ashmoliana var. Simplicipes (*Æthalochroa*), 308.
Ashmolianus (*Vates*), 308.
Asiatica (*Blatta*), 90.
Asiatica (Neolobophora), 29.
Asiatica (Phyllodromia), 90.
Asper (Tisamenus), 399.
Aspera (Calolampra), 118.
Aspera (*Epilampra*), 118.
Aspera (*Forficula*), 7.
Aspera (*Gonypeta*), 224.
Aspera (Pellita), 189.
Aspera (*Zetobora*), 189.
Asperatus (*Lonchodes*), 318.
Asperatus(Stælonchodes), 318.
Aspericollis (*Bacillus*), 337.
Aspericollis (Maransis), 337.
Aspersata (Nauphœta), 156.
Asperulus (Mithrenes), 319.
ASPRENAS, 367.
Assimilata (Humbertiella), 214.
Assimilata (*Theopompa*), 214.
Assiniensis (Blatta), 139.
Assiniensis (*Periplaneta*), 139.

Assiniensis (Spongiphora), 30.
Assoi (*Mantis*), 231.
Assoi (Parameles), 231.
ASTAPE, 276.
Astuta (*Mantis*), 253.
ASTOLLIA, 231.
ATAXIGAMIA, 174.
ATELOBLATTA, 198.
Ater (Chelisoches), 35.
Aterrima (*Blatta*), 129, 190.
Aterrima (Melanozosteria), 129.
Aterrima (*Periplaneta*), 108, 131.
Aterrima (Platyzosteria), 131.
Aterrima (*Polyzosteria*), 131.
Aterrima (Pseudoglomeris), 190.
Aterrimus (Ancistrogaster), 37.
Athanysus (Phyllium), 423.
Athenarum (Japyx), 56.
Atomaria (Phoraspis), 112.
Atomifera (*Epilampra*), 118.
Atopogamia (Melliera), 254.
Atra (Calolampra), 118.
Atra (*Derocalymma*), 190.
Atra (*Deropeltis*), 145.
Atra (*Epilampra*), 118.
Atrata (*Periplaneta*), 130.
Atrata (Platyzosteria), 130, 131.
Atrata (*Polyzosteria*), 131.
Atriceps (Pygidicrana), 6.
Atricollis (Periplaneta), 142.
Atricoxis (*Hierodula*), 249.
Atricoxis (Marmessoidea), 372.
Atricoxis (*Necroscia*), 372.
Atricoxis (Rhombodera), 249.
Atricoxis var. Grandis (*Mantis*), 249.
Atricoxis var. Grandis (*Rhombodera*), 249.
Atriventris (Epilampra), 127.
Atroarticulatus (*Bacillus*), 340.
Atrocoxata (Hierodula), 247.
Atrophica (*Mantis*), 372.
Atrophica (*Necroscia*), 373.
Atrophica (Trigonophasma), 372.
Atrophicum (*Necroscia*), 373.
Atrophicum (*Phasma*), 372, 373.
Atropos (Blabera), 164.
Atropos (*Blatta*), 164.
Atrosignata (*Calvisia*), 369.
ATTAPHILA, 173.
Attenuata (Leptynia), 335.
Attenuata (*Mantis*), 238.
Atticus (Bacillus), 334.
AUCHENOMUS, 29.
Auditor (Labidura), 11.
Audouini (Eremiaphila), 210.
Audouini (*Eremophila*), 210.
Aurantia (*Apolyta*), 80.
Aurantiaca (*Blatta*), 141.
Aurantiaca (*Mantis*), 233.
Aurantiaca (*Thyrsocera*), 76.
Aurantium (Ellipsidion), 80.
Aurelianensis (*Blatta*), 141.
Auricularia (Forficula), 49.
Auricularia (*Forficula*), 50.
Auricularia var. Cyclolabia (*Forficula*), 50.
Auricularia var. Macrolabia (*Forficula*), 50.
Auriculata (*Epilampra*), 115.
Auriculata (Ignacia), 411.
Auriculata (Molytria), 115.
Auriculatum (*Pseudophasma*), 411.
Aurita (*Acanthomantis*), 296.
Aurita (*Bacteria*), 352.
Aurita (Hoplocorypha), 257.
Aurita (*Mantis*), 369.
Aurita (Otomantis), 296.
Aurita (*Phasma*), 369.
Aurita (Sosibia), 369.
Auritum (*Phasma*), 369.
Auritus (*Acanthoderus*), 355.
Auritus (*Creoxylus*), 369.
Aurivillii (Theopompa), 213.
Auscultator (*Lonchodes*), 323.
Auscultator (Sthenobœa), 323.
Austeni (*Lonchodes*), 326.
Austeni (Promachus), 326.
Australasiæ (*Blatta*), 141.
Australasiæ (*Mantis*), 239.
Australasiæ (Periplaneta), 141.
Australasiæ (Tenodera), 239.
Australe (Ellipsidion), 80.
Australe (Karabidion), 395.
Australiæ (Phyllodromia), 93.
Australica (Chelisoches), 35.
Australica (*Forficesila*), 35.
Australica (*Forficula*), 35.
Australica (*Ischnoptera*), 81.
Australica (*Lobophora*), 35.
Australica (*Pellita*), 128.
Australica (Polyzosteria), 128.
Australica (Sparatta), 23.
Australica (Spongiphora), 30.
Australicus (*Chelisoches*), 35.
Australiensis (Compsothespis), 208.
Australis (Acromantis), 280.
Australis (Arphax), 338.
Australis (*Bacillus*), 338.
Australis (*Blatta*), 142.
Australis (*Eurycantha*), 395.
Australis (Eurycotis), 143.
Australis (Haaniella), 398.
Australis (Hemithyrsocera), 78.
Australis (*Heteropteryx*), 398.
Australis (Ischnoptera), 81.
Australis (*Karabidion*), 395.

Australis (Nanomantis), 255.
Australis (*Opisthoplatia*), 143.
Australis (Panesthia), 204.
Australis (*Panesthia*), 204.
Australis (Paratemnopteryx), 106.
Australis (Periplaneta), 142.
Australis (*Polyzosteria*), 143.
Australis (*Thyrsocera*), 78, 80.
Australis (Tropidomantis), 227.
AUSTRALOMANTIS, 295.
Authæmon (Gonypeta), 224.
AUTOLYCA, 402.
Autraniana (Deropeltis), 146.
Aversa (*Polyzosteria*), 193.
Avocaensis (Platyzosteria), 131.
Azteca (Anaplecta), 67.
Azteca (Anisolabis), 20.
Azteca (*Bacteria*), 345.
Azteca (*Corydia*), 170.
Azteca (Epilampra), 125.
Azteca (*Forcinella*), 20.
Azteca (Holocompsa), 170.
Azteca (*Homœogamia*), 174.
Azteca (Ischnoptera), 84.
Azteca (*Latindia*), 169.
Azteca (Nyctobora), 107.
Azteca (Panchlora), 154.
Azteca (Paralatindia), 169.
Azteca (Phyllodromia), 94.
Azteca (*Polyzosteria*), 144.
Azteca (Sermyle), 345.
Azteca (*Theoclytes*), 303.
Aztecus (*Acanthops*), 229.

BACILLINÆ, 327.
BACILLUS, 333.
BACTERIA, 355.
BACTERIINÆ, 348.
BACTRICIA, 327.
BACTRICIINÆ, 327.
BACTRIDIUM, 352.
BACTRODODEMA, 366.
BACTROMANTIS, 278.
BACULUM, 327.
Baculus (Bacteria), 355.
Baculus (*Bacteria*), 354.
Baculus (Ceroys), 354.
Baculus (*Mantis*), 355. 416.
Baculus (*Metriotes*), 416.
BACUNCULUS, 349.
BACUNCULUS, 348.
Badia (*Blatta*), 138.
Badia (*Epilampra*), 114.
Badia (Molytria), 114.
Bætica (*Aphlebia*), 70.
Bætica (*Fischeria*), 267, 268.
Bætica (*Forficula*), 51.
Bætica (Hololampra), 70.
Bætica (*Iris*), 268.
Bætica (*Mantis*), 267.
Bagoti (Polyzosteria), 128.
BALTA, 106.
Balteata (Cutilia), 134.
Balteata (*Platyzosteria*), 134.
Bankæ (Hierodula), 247.
Bankæ (*Mantis*), 247.
Banksii (Pseudosermyle), 346.
BANTIA, 275.
Barbara (Eremiaphila), 212.
Barbeyana (Deropeltis), 146.
Barroisi (Forficula), 52.
Barroisi (*Forficula*), 52.
Bartholomæa (Clonistria), 351.
Basalis (*Blatta*), 179.
Basalis (Eremoplana), 266.
Basalis (*Hierodula*), 248.
Basalis (*Mantis*), 248.
Basalis (Nauphœta), 156.
Basalis (*Nauphœta*), 179.
Basalis (Paranauphœta), 179.
Basalis (*Phasmomantis*), 266.
Basalis (Phyllodromia), 89.
Basalis (*Rhombodera*), 248.
Basifera (*Epilampra*), 115.
Basifera (Homalopteryx), 115.
Basilaris (*Epaphrodita*), 270.
Basilaris (Majanga), 270.
Basilaris (*Pantelica*), 270.
Basistriga (Calolampra), 117.
Basistriga (*Epilampra*), 117.
Batesianum (*Dinelytron*), 407.
Batesianus (Damasippus), 407.
Batesii (Demogorgon), 12.
Batesii (*Labidura*), 12.
Batesii (*Lonchodes*), 318.
Batesii (Megacrania), 385.
Batesii (Popa), 309.
Batesii (Stælonchodes), 318.
BATHYCHARAX, 335.
BATYCHARAX, 335.
Baucis (*Bacteria*), 318.
Baucis (*Lonchodes*), 318.
Baucis (Stælonchodes), 318.
Bauvoisi (*Cyphocrana*), 392.
Beauvoisii (*Blatta*), 89.
Beauvoisii (*Cyphocrania*), 392.
Beauvoisii (Eurycnema), 392.
Beauvoisii (Phyllodromia), 89.
Beccarii (*Apachys*), 3.
Beccarii (Apachyus), 3.
Beccarii (Opisthocosmia), 39.
Beckeri (Diapheromera), 347.
Beecheyi (*Bacillus*), 322.
Beecheyi (Lonchodes), 322.
Beelzebub (Chelisoches), 33.
Bella (*Epilampra*), 119.
Bella (*Mantis*), 260.
Bengalensis (Labidura), 9.
Bengalensis (*Parahormetica*), 191.
Bengalensis (Stilpnoblatta), 191.
Bengalica (*Panesthia*), 203.
Benguelæ (Gonypeta), 224.
Bennettii (*Phasma*), 409.
Bennettii (Stratocles), 409.

Berenice (Necroscia), 375.
Bergi (Attaphila), 173.
Bergrothi (*Epilampra*), 83.
Bergrothi (Ischnoptera), 83.
Beroe (*Bacillus*) 330.
Beroe (Paraclitummus), 330.
Berosus (Prisopus), 406.
Betanimena (*Hierodula*), 241.
Betanimena (Tarachomantis), 241.
Betsileo (*Hierodula*), 241.
Betsileo (Tarachomantis), 241.
Bettoni (Pygidicrana), 4.
Biangulata (Pachymantis), 287.
Bicarinata (*Hierodula*), 243.
Bicarinata (*Sphodromantis*), 243.
Bicarinatus (Olcyphides), 410.
Bicarinatus (*Phocylides*), 410.
Bicincta (*Blatta*), 90.
Bicincta (Phyllodromia), 90.
Bicingulata (*Mantis*), 287.
Bicingulata (*Oxypilus*), 287.
Bicingulata (Pachymantis), 287.
Bicingulatus (*Oxypilus*), 287.
Bicolor (*Aphlebia*), 103.
Bicolor (*Apolyta*), 80.
Bicolor (*Blatta*), 84.
Bicolor (Caloblatta), 86.
Bicolor (Cosmozosteria), 132.
Bicolor (Dasyposoma), 198.
Bicolor (Demogorgon), 12.
Bicolor (Ellipsidion), 80.
Bicolor (*Forficula*), 10.
Bicolor (Gigantophasma), 386.
Bicolor (Ischnoptera), 84.
Bicolor (Labia), 25.
Bicolor (Labidura), 10.
Bicolor (*Labidura*), 12.
Bicolor (Melanozosteria), 129.
Bicolor (Phoraspis), 112.
Bicolor (Pœciloblatta), 192.
Bicolor (*Polyzosteria*), 132.
Bicolor (Promachus), 326.
Bicolor (Temnopteryx), 104.
Bicolor var. Depictus (*Gigantophasma*), 386.
Bicornis (*Bacteria*), 353.
Bicornis (Canuleius), 353.
Bicornis (*Gryllus*), 262.
Bicornis (*Hymenopus*), 294.
Bicornis (*Mantis*), 262, 294.
Bicornis (*Oligonyx*), 279.
Bicornis (*Phasma*), 353.
Bicornis (Schizocephala), 262.
Bicornis (Spanionyx), 279.
Bicoronata (*Acanthodera*), 325.
Bicoronata (*Phasma*), 325.
Bicoronatus (*Acanthoderus*), 325.
Bicoronatus (Menexenus), 325.
Bicuspidatum (*Haplopus*), 364.
Bicuspidatum (*Phasma*), 364.
Bicuspidatus (Haplopus), 364.
Bicuspis (*Apterygida*), 46.
Bicuspis (Calynda), 353.
Bicuspis (*Forficula*), 46.
Bicuspis (Sphingolabis), 46.
Bidens (Diapheromera), 347.
Bidens (*Forficula*), 11.
Bidens (Japyx), 57.
Bidens (Labidura), 11.
Bidens (*Mantis*), 303, 304.
Bidens (Pseudovates), 304.
Bidens (Spanionyx), 279.
Bidens (*Vates*), 304.
Bidentata (*Phasma*), 394.
Bidentata (Theganopteryx), 64.
Bidentatus (Japyx), 57.
Bidentatus (Onchestus), 394.
Bifasciata (*Blatta*), 113.
Bifasciata (*Epilampra*), 113.
Bifasciata (*Mantis*), 270.
Bifasciata (*Phyllodromia*), 113.
Bifasciata (Pinaconota), 113.
Bifida (Platyzosteria), 130.
Bifida (*Polyzosteria*), 130.
Bifolia (Caulonia), 344.
Bifoliata (Sthenoboea), 323.
Bifoliatum (*Acanthoderus*), 323.
Bifoliatum (*Phasma*), 323.
Bifoliatum (*Prisomera*), 323.
Bifoveolata (Brachylabis), 16.
Bifrons (Dyme), 350.
Bifurcata (Clonaria), 337.
Bifurcata (*Gratidia*), 337.
Bigibbosa (Miopanesthia), 205.
Bigibbus (Caulonia), 344.
Bigibbus (*Ceroys*), 344.
Biglumis (Panesthia), 203.
Biglumis (Platyzosteria), 131.
Biglumis (*Polyzosteria*), 131.
Biguttata (*Blatta*), 161.
Biguttata (Calvisia), 370.
Biguttata (*Corydia*), 168.
Biguttata (*Forficula*), 40, 51.
Biguttata (Glyptopeltis), 182.
Biguttata (*Monachoda*), 161.
Biguttata (Monastria), 161.
Biguttata (*Necroscia*), 370.
Biguttatum (*Phasma*), 370.
Biligata (*Blatta*), 91.
Biligata (*Ischnoptera*), 91.
Biligata (Phyllodromia), 91.
Bilineata (*Forficula*), 10.

Bilineata (Labia), 28.
Bilineata (*Musonia*), 256.
Bilineata (Nanomantis), 256.
Biloba (Cutilia), 134.
Biloba (*Polyzosteria*), 134.
Bilobata (*Brachycolla*), 198.
Bilobata (*Entoria*), 328.
Bilobata (Parahormetica), 198.
Bilobatum (*Baculum*), 328.
Bilobatum (*Phyllium*), 423.
Bilunata (*Blatta*), 180.
Bilunata (Ischnoptera), 84.
Bilunata (*Nauphata*), 180.
Bilunata (Paranauphœta), 180.
Bilunata (*Paratropa*), 109.
Bilunata (Paratropes), 109.
Bimaculata (Acontista), 234.
Bimaculata (*Apterygida*), 48.
Bimaculata (Blatta), 139.
Bimaculata (*Forficula*), 48.
Bimaculata (*Mantis*), 243, 372.
Bimaculata (Marmessoidea), 372.
Bimaculata (*Necroscia*), 372.
Bimaculata (*Periplaneta*), 139.
Bimaculata (*Phasma*), 372.
Bimaculata (Phyllodromia), 87.
Bimaculata (Sphingolabis), 48.
Bimaculatum (*Phasma*), 372.
Binodis (Myronides), 321.
Binotata (*Apterygida*), 48.
Binotata (Empusa), 313.
Binotata (Holocompsa), 170.
Binotata (Sphingolabis), 48.
Binotata (Stagmatoptera), 300.
Biocellata (Stagmatoptera), 299.
Bioculata (*Hierodula*), 243.
Bioculata (*Mantis*), 243.
Bioculata (*Phasma*), 412.
Bioculata (*Sphodromantis*), 243.
Bioculatum (*Phasma*), 412, 421.
Bioculatum (*Phyllium*), 421.
Bioculatum (Pulchriphyllium), 421.
BIOLLEYA, 171.
Biolleyi (Calolampra), 117.
Biolleyi (*Paratropa*), 109.
Biolleyi (Paratropes), 109.
Bipapilla (*Derocalymma*), 188.
Bipapilla (Hierodula), 245.
Bipapilla (*Hierodula*), 245.
Bipapilla (Homalodemas), 188.
Bipapilla (*Mantis*), 245.
Bipartita (Apterygida), 46.
Bipartita (*Sphingolabis*), 46.
Biplagiata (Homalopteryx), 115.
Bipunctata (Anechura), 40.
Bipunctata (Areolaria), 177.
Bipunctata (*Blatta*), 177.
Bipunctata (*Forficula*), 40, 50.
Bipunctata (Prosoplecta), 177.
Bipunctata (*Psalidophora*), 48.
Bipunctata (*Spongophora*), 48.
Bipunctata Orientalis (*Anechura*), 40.
Bipunctulata (Anaptycta), 74.
Bipustulata (Blaptica), 162.
Bipustulata (*Blatta*), 162.
Biquadrata (*Periplaneta*), 136.
Biramosa (Metriomantis), 273.
Birivia (*Hierodula*), 246.
Birivia (*Mantis*), 301.
Birivia (*Stagmatoptera*), 246, 301.
Birmanica (Panesthia), 204.
Birmanica (Phyllodromia), 92.
Birmanus (*Auchenomus*), 33.
Birmanus (Chelisoches), 33.
Biroi (Hierodula), 245.
Biroi (Opisthocosmia), 40.
BISANTHE, 267.
Bisbiguttata (Marmessoidea), 371.
Bisbiguttata (*Necroscia*), 371.
Bisbiguttatum (*Phasma*), 371.
Biseriata (*Nanomantis*), 256.
Biseriata (Stenomantis), 256.
Bisignata (*Blatta*), 90.
Bisignata (Elliptoblatta), 183.
Bisignata (Phyllodromia), 90.
Bispina (Hoplocorypha), 257.
Bispinosa (Calolampra), 117.
Bispinosa (*Mantis*), 363.
Bispinosa (*Phasma*), 363.
Bispinosum (*Phasma*), 363.
Bispinosus (Haplopus), 363.
Bitæniata (*Blatta*), 79, 87.
Bitæniata (Ellipsidion), 79.
Bitæniata (Phyllodromia), 87.
Bituber (Myronides), 321.
Bituberculata (*Bacteria*), 327.
Bituberculata (Gratidia), 330.
Bituberculatum (*Haplopus*), 364.
Bituberculatum (*Phasma*), 364.
Bituberculatus (Haplopus), 364.
Bivitta (*Paratropes*), 109.
Bivittata (Anaplecta), 66.

Bivittata (*Blatta*), 69, 87.
Bivittata (*Deropeltis*), 147.
Bivittata (*Epilampra*), 119.
Bivittata (*Forficula*), 11.
Bivittata (Hololampra), 69.
Bivittata (Ischnoptera), 84.
Bivittata (*Nauphœta*), 156.
Bivittata (Phyllodromia), 87.
Bivittata (*Phyllodromia*), 87.
Bivittata (Pœciloderrhis), 119.
Bivittata (Pygidicrana), 6.
Bivittatum (*Spectrum*), 401.
BLABERA, 163.
BLABERINÆ, 160.
Blaberoides (*Epilampra*), 108.
Blaberoides (Megaloblatta), 108.
BLABERUS, 163.
Blanchardi (Anisolabis), 19.
Blanchardi (*Forficula*), 19.
Blanchardi (*Metriotes*), 412.
Blanchardi (Pseudophasma), 412.
Blanchardi (Theopompa), 213.
Blanda (Compsoblatta), 181.
Blanda (*Eustegasta*), 181.
Blanda (Hypnorna), 178.
BLAPTICA, 162.
BLATTA, 137.
BLATTA, 61, 87.
BLATTELLA, 87.
BLATTIDÆ, 61.
BLATTINÆ, 127.
Blattoides (*Epilampra*), 82.
Blattoides (*Ischnoptera*), 82.
Blattoides (Paratemnopteryx), 106.
BLEPHARIS, 315.
BLEPHARODERA, 194.
BLEPHARODES, 315.
BLEPHAROPSIS, 315.
Bocagei (Ischnoptera), 81.
Bodegetica (*Mantis*), 372.
Bogotensis (*Anisomorpha*), 402.
Bogotensis (*Bacteria*), 402.
Bogotensis (Neolobophora), 29.
Bogotensis (Pseudomiopteryx), 275.
Bogotensis (Stratocles), 409.
Bohlsii (Nyctibora), 108.
Bojei (Arrhidæus), 384.
Bojei (*Lopaphus*), 384.
Bojei (*Phasma*), 384.
Bolauana (*Danuria*), 309.
Bolauana (Macrodanuria), 309.
BOLBE, 226.
BOLIDENA, 218.
Bolivari (*Chelidura*), 43.
Bolivari (Echinosoma), 8.
Bolivari (Mesochelidura), 43.
Bolivari (Sparatta), 24.
BOLIVARIA, 268.
Bolliana (Homœogamia), 174.
Bolliana (Ischnoptera), 85.
Bollianus (Oligonyx), 278.
BOMISTRIA, 292.
Bootanicus (*Lonchodes*), 320.
Bootanicus (*Lopaphus*), 320.
Bootanicus (Myronides), 320.
Borealis (*Blatta*), 93.
Borealis (Brunneria), 264.
Borealis (*Forficula*), 50.
Borealis (Ischnoptera), 84.
Borealis (Litaneutria), 232.
Borealis (Phyllodromia), 93.
Borellii (*Bacunculus*), 354.
Borellii (Ceroys), 354.
Borellii (Loboptera), 103.
Borellii (Nyctibora), 108.
Borellii (Oxyops), 298.
Borellii (Paradoxomorpha), 403.
Borellii (Phyllodromia), 97.
Bormansi (Anisolabis) 21.
Bormansi (Diplatys), 1.
Bormansi (Sparatta), 24.
Bormansi (Spongiphora), 32.
BORMANSIA, 13.
Bormantiella (Solygia), 263.
Bormantiella (*Thespis*), 263.
Borneensis (Acromantis), 280.
Borneensis (*Apterygida*), 46.
Borneensis (*Forficula*), 46.
Borneensis (*Mantis*), 280.
Borneensis (Psalis), 13.
Borneensis (Sphingolabis), 46.
Boromensis (Hoplocorypha), 257.
Borrei (*Epilampra*), 124.
Borrei (*Periplaneta*), 136.
Borrii (Sadyattes), 358.
BOSTRA, 350.
Bottegi (Hoplocorypha), 257.
Bottegoiana (*Derocalymma*), 188.
Bottegoiana (Homalodemas), 188.
Bovei (Eremiaphila), 211.
Bovei (*Eremophila*), 212.
Bracatus (Carausius), 320.
BRACHYCOLA, 196.
BRACHYCOLA, 197.
BRACHYLABIS, 16.
BRACHYLABIS, 17.
Brachynota (*Forficula*), 42.
Brachyptera (Allacta), 100.
Brachyptera (*Angela*), 265.
Brachyptera (Bolivaria), 268, 269.
Brachyptera (Cardioptera), 297.
Brachyptera (*Empusa*), 312.
Brachyptera (*Fischeria*), 269.
Brachyptera (*Iris*), 268.
Brachyptera (*Mantis*), 265, 268, 297.
Brachyptera (Pseudomantis), 235.
Brachyptera (Temnopteryx), 103.

INDEX.

Brachyptera (*Thespis*), 265.
Brachypterum (*Phasma*), 360.
Brachypterus (Lopaphus), 260.
BRACHYRTACUS, 331.
Brachysoma (Chitoniscus), 421.
Brachysoma (*Phyllium*), 421.
Bramina (Panesthia), 204.
BRANCSIKIA, 282.
Brasiliana (Blabera), 164.
Brasiliana (Homœogamia), 174.
Brasiliana (*Polyphaga*), 174.
Brasiliensis (*Blatta*), 126.
Brasiliensis (Brunneria), 264.
Brasiliensis (Epilampra), 126.
Brasiliensis (*Epilampra*), 125.
Brasiliensis (*Forficula*), 7.
Brasiliensis (Ischnoptera), 83.
Brasiliensis (Pyragra), 7.
Brasiliensis (Tersomia), 352.
Brasiliensis (*Thermastris*), 7.
Braueri (Isolabis), 21.
Brazzæ (Nauphœta), 155.
Brazzæ (*Panchlora*), 155.
Breviceps (Photina), 274.
Brevicollis (Deropeltis), 146.
Brevicollis (*Kakerlac*), 146.
Brevicollis (Ligaria), 226.
Brevicorne (*Phyllium*), 422.
Brevicornis (Abrachia), 352.
Brevicornis (Phyllovates), 303.
Brevicornis (*Pseudovates*), 303.
Brevipenne (*Phasma*), 417.
Brevipennis (Acontista), 234.
Brevipennis (*Ameles*), 231.
Brevipennis (*Aphlebia*), 70.
Brevipennis (*Blatta*), 70.
Brevipennis (Calidomantis), 258.
Brevipennis (*Dysaules*), 262.
Brevipennis (*Ectobia*), 63.
Brevipennis (Eremiaphila), 212.
Brevipennis (*Hierodula*), 242.
Brevipennis (Hololampra), 70.
Brevipennis (*Ischnoptera*), 106.
Brevipennis (*Mantis*), 231.
Brevipennis (*Metriotes*), 417.
Brevipennis (*Miomantis*), 258.
Brevipennis (Panesthia), 203.
Brevipennis (Planudes), 417.
Brevipennis (Pseudoyersinia), 231.
Brevipennis (Temnopteryx), 106.
Brevipennis (Tenodera), 238.
Brevipes (*Blatta*), 91.
Brevipes (Blatta), 139.
Brevipes (*Kakerlac*), 139.
Brevipes (Lonchodes), 321.
Brevipes (*Periplaneta*), 139.
Brevipes (Phyllodromia), 91.
Brevis (Epilampra), 127.
Brevis (*Forficula*), 52.
Brevis (*Mantis*), 230, 231.
Brevis (Parameles), 231.
Brevitarsis (*Bactrododema*), 366.
Brevitarsis (Calolampra), 117.
Brevitarsis (Ischnopoda), 366.
Briareus (*Acrophylla*), 389.
Briareus (Ctenomorpha), 389.
Briareus (*Diura*), 389.
Briareus (*Phasma*), 389.
Bruchi (*Paradoxomorpha*), 403.
Brunnea (Cosmozosteria), 133.
Brunnea (Labia), 28.
Brunnea (Mecomera), 23.
Brunnea (Periplaneta), 142.
Brunnea (*Platyzosteria*), 133.
Brunneipennis (*Psalidophora*), 30.
Brunneipennis (Spongiphora), 30.
Brunneipennis (*Spongophora*), 30.
Brunneonigra (Ischnoptera), 82.
Brunneri (Acanthops), 283.
Brunneri (Anisolabis), 20.
Brunneri (Aphlebidea), 71.
Brunneri (*Blabera*), 166.
Brunneri (Blatta), 139.
Brunneri (Chœradodis), 220.
Brunneri (Creoboter), 291.
Brunneri (Dasyposoma), 198.
Brunneri (Deroplatys), 281.
Brunneri (Dorylæa), 135.
Brunneri (Ectobia), 63.
Brunneri (*Fischeria*), 269.
Brunneri (*Forcinella*), 20.
Brunneri (Gratidia), 330.
Brunneri (Gromphadorhina), 199.
Brunneri (Hemiblabera), 166.
Brunneri (Humbertiella), 214.
Brunneri (*Iris*), 269.
Brunneri (*Medaura*), 341.
Brunneri (Miopteryx), 275.
Brunneri (Necroscia), 376.
Brunneri (Oligonyx), 278.
Brunneri (*Pellita*), 189.
Brunneri (Perisphæria), 189.
Brunneri (Pseudopanchlora), 189.
Brunneri (Sparatta), 23.
Brunneri (Sphendale), 269.
Brunneri (*Sthenoboea*), 341.

Brunneri (Tarachomantis), 241.
Brunneri (*Thyrsocera*), 75.
BRUNNERIA, 264.
Brunneriana (Archimantis), 235.
Brunneriana (*Blatta*), 94.
Brunneriana (*Chæteessa*), 210.
Brunneriana (Derocalymma), 187.
Brunneriana (Elliptoblatta), 183.
Brunneriana (Heminauphœta), 156.
Brunneriana (*Hestias*), 288.
Brunneriana (Hestiasula), 288.
Brunneriana (Mantoida), 210.
Brunneriana (Periplaneta), 142.
Brunneriana (Phyllodromia), 94.
Brunneriana (Polyspilota), 241.
Brunnerianus (Oxypilus), 286.
Brunneum (*Bacillus*), 338.
Brunneum (*Phasma*), 338.
Brunneus (*Arphax*), 338.
Brunneus (*Bacillus*), 338.
Brunni (*Platyzosteria*), 137.
Brunni (Zonioploca), 137.
Bubastes (Isagoras), 415.
Bubastes (*Metriotes*), 415.
Buchholzi (*Bacillus*), 338.
Buchholzi (Clonaria), 338.
Buchholzi (Danuria), 309.
Buchholzi (Gyna), 149.
Bueana (Deropeltis), 146.
Buettneri (Karschiella), 13.
Buettneri (*Pygidicrana*), 13.
Bufo (*Acanthoderus*), 398.
Bufo (Obrimus), 398.
Bufonium (Extatosoma), 381.
Buprestoides (Anisomorpha), 401.
Buprestoides (*Blatta*), 176.
Buprestoides (*Epilampra*), 181.
Buprestoides (Eustegasta), 181.
Buprestoides (*Ischnoptera*), 176.
Buprestoides (Labia), 28.
Buprestoides (Oxyhaloa), 176.
Buprestoides (*Phasma*), 401.
Buqueti (*Blatta*), 123.
Buqueti ([illegible]), 123.
Burgessi (Labia), 27.
Burkartii (*Bacteria*), 353.
Burkartii (Phanocles), 353.
Burmeisteri (*Annia*), 210.
Burmeisteri (*Blatta*), 125.
Burmeisteri (*Cardioptera*), 273.
Burmeisteri (*Chæteessa*), 210.
Burmeisteri (*Deropeltis*), 145.
Burmeisteri (Epilampra), 126.
Burmeisteri (Eremiaphila), 211.
Burmeisteri (*Mantis*), 213.
Burmeisteri (Mantoida), 210.
Burmeisteri (Monachoda), 160.
Burmeisteri (Necroscia), 376.
Burmeisteri (Orthodera), 218.
Burmeisteri (*Phyllodromia*), 126.
Burmeisteri (Theopompa), 213.
Burri (Ancistrogaster), 36.
BURRIA, 336.
Butleri (*Hierodula*), 248.
Butleri (Rhombodera), 248.
BYRSOTRIA, 162.

Cabreræ (Forficula), 53.
Cabreræ (*Polyzosteria*), 144.
CACEBLATTA, 140.
Cacica (*Bacteria*), 349.
Cacica (Heteronemia), 349.
CACOBLATTA, 166.
CACOMORPHA, 406.
Cæca (Anisolabis), 21.
Cæca (Nocticola), 106.
Cælebs (Elliptoblatta), 184.
Cælebs (*Hymenopus*), 283.
Cælebs (Pseudocanthops), 283.
CÆPARIA, 201.
Cærulans (Stagmomantis), 253.
Cæruleipennis (*Carcinophora*), 15.
Caffra (Calidomantis), 258.
Caffra (*Danuria*), 309.
Caffra (Deropeltis), 145.
Caffra (*Miomantis*), 258.
Caffra (*Periplaneta*), 145.
Caffra (*Polyspilota*), 240.
Caffra (Pygidicrana), 4.
Caffra (Temnopteryx), 104.
Caffrana (*Mantis*), 222.
Caffrorum (Gyna), 149.
Caffrorum (*Panchlora*), 149.
Caizana (Epilampra), 127.
Calabarica (Polyspilota), 241.
Calametum (Bacteria), 327.
Calametum (*Phibalosoma*), 327.
Calanus (*Bacteria*), 351, 356, 401.
Calanus (Clonistria), 351.
Calanus (*Mantis*), 351.
Calanus (*Phasma*), 351.
Calcarata (*Bacteria*), 347.
Calcarata (Diapheromera), 347.
Calcarata (Eurycantha), 396.
Caldwelli (*Hierodula*), 241.
Caldwelli (*Mantis*), 241.
Caldwelli (Tarachomantis), 241.
CALHYPNORNA, 179.
CALIDOMANTIS, 257.
Californianum (Timema), 401.
Californica (*Apterygida*), 47.
Californica (*Forficula*), 47.
Californica (Sphingolabis), 47.
Caliginosa (Epilampra), 126.
Caliginosa (*Epilampra*), 121.

Caliginosa (Heterolampra), 121.
CALLIBIA, 294.
Callifera (*Mantis*), 251.
CALLIMANTIS, 251.
Calliope (Necroscia), 375.
Callipyga (Pygidicrana), 5.
CALOBLATTA, 86.
Calogramma (*Blatta*), 73.
Calogramma (Chorisoneura), 73.
CALOLAMPRA, 117.
CALVISIA, 369.
CALYNDA, 353.
CAMAX, 336.
Cambodjensis (Theopompa), 213.
Cambouei (*Ateloblatta*), 198.
Cambouini (Ateloblatta), 198.
Cambridgei (Pseudophasma), 412.
Camelorum (Polyphaga), 172.
Camerunensis (Karschiella), 13.
CANACHUS, 396.
Canaliculatum (Xerosoma), 416.
Canariensis (Anatælia), 7.
Cancellata (Chœradodis), 220.
Cancellata (*Chœradodis*), 219.
Cancellata (*Mantis*), 219, 220.
CANDAULES, 367.
Candelarius (Blepharodes), 315.
CANDOVIA, 331.
Canna (*Bacteria*), 324.
Canna (*Phasma*), 324.
Canna (Sthenobœa), 324.
Cantori (*Phibalosoma*), 359.
Cantori (Tirachoidea), 359.
CANULEIUS, 353.
Capelloi (*Panchlora*), 150.
Capelloi (Rhyparobia), 150.
Capense (*Bacillus*), 338.
Capense (*Phasma*), 338.
Capensis (*Bacillus*), 338.
Capensis (*Blatta*), 88, 145.
Capensis (Clonaria), 338.
Capensis (Dyscologamia), 174.
Capensis (*Empusa*), 313.
Capensis (Forficula), 53.
Capensis (*Hemiempusa*), 314.
Capensis (*Idolomorpha*), 314.
Capensis (*Mantis*), 217, 251.
Capensis (Melanosilpha), 193.
Capensis (*Oxypilus*), 286.
Capensis (*Polyzosteria*), 147.
Capensis (*Temnopteryx*), 104.
Capitata (*Blatta*), 82.
Capitata (*Chiropacha*), 216.
Capitata (*Ischnoptera*), 82.
Capitata (*Lygdamia*), 216, 217.
Capitata (Tenodera), 238.
Capitatus (Galepsus), 216.
Capito (Arrhidæus), 384.
Capito (*Necroscia*), 384.
Caprella (Ctenomorpha), 389.
Caprella (*Phibalosoma*), 389.
Capreolus (Caulonia), 344.
Capreolus (*Ceroys*), 344.
Capreolus (Mnesilochus), 320.
CAPUCINA, 159.
Capucina (*Blabera*), 166.
Capucina (*Derocalymma*), 186.
Capucina (Dyscologamia), 174.
Capucina (Gyna), 149.
Capucina (Hemiblabera), 166.
Capucina (Homalopteryx), 116.
Capucina (*Homœogamia*), 174.
Capucina (Stenopilema), 186.
Carabidina (*Epilampra*), 181.
Carabidina (Eustegasta), 181.
Caraibea (Epilampra), 125.
Caraibea (Eurycotis), 144.
Caraibea (*Polyzosteria*), 144.
CARAUSIUS, 320.
Carbonaria (*Deropeltis*), 147.
Carbonaria (Pseudoderopeltis), 147.
CARCINOPHORA, 15.
Cardinalis (Helvia), 292.
CARDIOPTERA, 297.
Carinata (*Derocalymma*), 192.
Carinata (Hostilia), 192.
Carinatus (*Bacillus*), 333.
Carinatus (Hyrtacus), 331.
Cariniceps (Homalopteryx), 115.
Carinulata (Calolampra), 117.
Carinulatus (Bacillus), 329.
Carinulatus (Ramulus), 329.
Carlottæ (Cotylosoma), 407.
Carlottæ (Harpagonyx), 279.
Carlottæ (*Prisopus*), 407.
Carolina (Diapheromera), 347.
Carolina (*Mantis*), 252, 253.
Carolina (*Phasmomantis*), 252.
Carolina (Stagmomantis), 252.
Carolina var. Tolteca (*Stagmomantis*), 252.
Carolinus (*Gryllus*), 252.
Carpetana (*Aphlebia*), 70.
Carpetana (Hololampra), 70.
Carsiphila (Phyllodromia), 89.
Carterus (Necroscia), 377.
Carunculigera (*Corydia*), 173.
Carunculigera (Dyscologamia), 173.
CARVILIA, 266.
Casignetus (*Necroscia*), 373.
Casignetus (Trigonophasma), 373.
Cassidea (*Blatta*), 112, 162.
Cassidea (Monastria), 162.
Cassidea (Notolampra), 111.
Cassidea (Phoraspis), 112.
Cassidea (*Phoraspis*), 111.
CASSIDODES, 177.
Casta (*Euchomena*), 237.
Casta (Stenopyga), 237.

Castanea (Blatta), 138.
Castanea (Ceratinoptera), 99.
Castanea (Dasyposoma), 198.
Castanea (Epilampra), 126.
Castanea (*Forficesila*), 12.
Castanea (Ischnoptera), 84.
Castanea (*Kakerlac*), 106, 138.
Castanea (Labidura), 12.
Castanea (Latindia), 168.
Castanea (Methana), 136.
Castanea (*Oniscosoma*), 150.
Castanea (*Paraphoraspis*), 136.
Castanea (Parasphæria), 195.
Castanea (Phyllodromia), 93.
Castanea (Platyzosteria), 131.
Castanea (*Polyzosteria*), 131.
Castanea (Temnopteryx), 106.
Castanea (*Zetobora*), 158.
Castaneum (*Phasma*), 412.
Castaneum (Pseudophasma), 412.
Castelnaudi (Haaniella), 398.
Castelnaudi (*Heteropteryx*), 398.
Castetsi (Carcinophora), 15.
Castetsi (Pachymantis), 288.
Catadromus (*Aschipasma*), 420.
Catadromus (Orthomeria), 420.
CATARA, 148.
Catenata (*Mantis*), 240.
Catori (*Lonchodes*), 318.
Catori (Stælonchodes), 318.
Cattulus (Creoboter), 291.
Caucasica (Fischeria), 268.
Caucasica (*Iris*), 268.
Caudata (Brunneria), 264.
Caudata (Chæteessa), 209.
Caudata (*Thespis*), 264.
Caulodes (Macella), 332.
CAULONIA, 344.
Cavernosus (Obrimus), 398.
Cavicola (Japyx), 56.
Cayennensis (Acontista), 234.
Cayennensis (Liturgousa), 271.
Cayennensis var. Maya (*Liturgousa*), 271.
Cazurroi (*Aphlebia*), 71.
Cazurroi (Hololampra), 71.
Cecconii (*Aphlebia*), 70.
Cecconii (Hololampra), 70.
Celatus (Brachypterus), 331.
Celebesa (*Panchlora*), 151.
Celebica (Panesthia), 204.
Celebicum (Phyllium), 423.
Cellularis (*Mantis*), 253.
Centaurus (Palophus), 365.
Centralis (Ischnoptera), 82.
Centralis (Japyx), 57.
Centralis (Phyllodromia), 88.
Centurio (Gyna), 150.
Centurio (Opisthocosmia), 39.
Cephalotes (Arrhidæus), 384.
Cephalotes (Calidomantis), 257.
Cephalotes (*Miomantis*), 257.
Cephalotes (*Necroscia*), 384.
Cepus (Prisopus), 406.
Ceramia (Necroscia), 369.
Ceramia (*Sosibia*), 369.
CERATINOPTERA, 98.
Ceratocephalum (*Phibalosoma*), 357.
Ceratocephalus (Cladomorphus), 357.
CERATOCRANIA, 289.
CERATOMANTIS, 287.
Ceratophyllus (*Haplopus*), 365.
Ceratosceleton (Calynda), 353.
Cerberus (*Anisomorpha*), 343.
Cerberus (Charnidas), 343.
Cercalis (*Blatta*), 96.
Cercalis (Phyllodromia), 96.
Cercyon (Marmessoidea), 371.
Cercyon (*Necroscia*), 371.
Ceres (Agondasoidea), 373.
Ceres (*Necroscia*), 373.
Cerisyi (Eremiaphila), 211.
CEROYS, 354.
CEROYS, 344.
Cerveræ (Polyphaga), 173.
Cervicornis (Tisamenus), 399.
Cervina (*Zetobora*), 192.
Cervipyga (Opisthocosmia), 39.
Cesticulata (Dyscologamia), 173.
Ceylonica (Allacta), 100.
Ceylonica (*Anophelepis*), 325.
Ceylonica (*Blatta*), 100.
Ceylonica (Humbertiella), 214.
Ceylonica (*Labia*), 38.
Ceylonicus (*Lonchodes*), 329.
Ceylonicus (Necroscia), 375.
Ceylonicus (Opisthocosmia), 38.
Ceylonicus (Oxyartes), 325
Ceylonicus (Ramulus), 329.
Ceylonicus (*Salganea*), 201.
CHÆTEESSA, 209.
CHÆTESSA, 209.
CHÆTOSPANIA, 22.
CHALCOLAMPRA, 127.
Chalybea (Labia), 28.
Chalybea (*Mantis*), 209.
Chalybea (*Oxyophthalma*), 261.
Chalybea (*Schizocephala*), 261.
Chalybeus (*Episcopus*), 261.
Championi (Acontista), 233.
Championi (Ancistrogaster), 37.
Championi (*Angela*), 265.
Championi (Labia), 27.
Championi (Phasmomantis), 255.
Championi (Thespis), 265.
Characterosa (Calolampra), 117.
Characterosa (*Epilampra*), 117.
CHARIEIS, 210.

CHARNIDAS, 343.
Chartacea (*Apachya*), 3.
Chartacea (*Apachys*), 3.
Chartacea (*Forficula*), 3.
Chartaceus (Apachyus), 3.
Chavesi (*Aphlebia*), 71.
Chavesi (Hololampra), 71.
CHELIDOURA, 42.
CHELIDURA, 42.
CHELIDURA, 44.
CHELIDURELLA, 43.
Chelidurοides (Labia), 27.
CHELISOCHELLA, 35.
CHELISOCHES, 32.
Chichimeca (*Blatta*), 95.
Chichimeca (Phyllodromia), 95.
Childreni (*Trigonoderus*), 380.
Childreni (*Tropidoderus*), 380.
Childrenii (Tropidoderus), 380.
Chilensis (*Anisolabis*), 17.
Chilensis (Bacunculus), 349.
Chilensis (*Brachycolla*), 195.
Chilensis (Brachylabis), 17.
Chilensis (*Forficula*), 17.
Chilensis (*Hormetica*), 195.
CHIROPACHA, 216.
CHIROPUS, 215.
CHITONISCUS, 420.
Chitonoides (Blabera), 165.
Chitonoides (*Laxta*), 165.
CHLIDONOPTERA, 292.
Chloroudeta (*Mantis*), 239.
Chloris (Astollia), 231.
Chloris (*Mantis*), 231.
Chloris (Necroscia), 375.
Chlorophæa (*Mantis*), 303.
Chlorophæa (Phyllovates), 303.
Chlorophæa (*Theoclytes*), 303.
Chlorophæa var. Cornuta (*Theoclytes*), 303.
Chlorophylla (*Phasma*), 423.
Chlorophyllum (*Phyllium*), 423.
Chlorophyllum (Phyllium), 423.
Chlorotica (*Blatta*), 153.
Chlorotica (Necroscia), 376.
CHŒRADODINÆ, 219.
CHŒRADODIS, 219.
CHONDROSTETHUS, 319.
Chontalia (Pyragra), 7.
Chontalia (*Thermastris*), 7.
CHORISONEURA, 71.
CHORISONEURINÆ, 71.
CHORISTIMA, 73.
CHRASTOBLATTA, 86.
Christina (Sphodromantis), 244.
Christopheri (Diapherodes), 362.
CHROICOPTERA, 227.
Chronus (*Acrophylla*), 388.
Chronus (*Cyphocrania*), 388.
Chronus (*Diura*), 388.
Cicatricosa (Parahormetica), 198.
Cicatricosa (Zetobora), 158.
Ciliata (Blepharodera), 194.
Ciliata (*Mantis*), 274, 298.
Ciliata (Miopteryx), 274.
Ciliata (Parastagmatoptera), 298.
Ciliata (*Perisphæria*), 194.
CILNIA, 242.
Cincta (Anaplecta), 66.
Cincta (*Blatta*), 85.
Cincta (*Epilampra*), 123.
Cincta (Heterolampra), 123.
Cincta (Ischnoptera), 85.
Cincta (Pseudomops), 74.
Cincta (*Thyroscera*), 74.
Cincticollis (Anisolabis), 19.
Cincticollis (*Aphlebia*), 69.
Cincticollis (*Blatta*), 69.
Cincticollis (*Brachylabis*), 19.
Cincticornis (Chelisoches), 33.
Cincticornis (*Lobophora*), 33.
Cinctipes (Arria), 244.
Cinctipes (Stratocles), 409.
Cinerascens (Epilampra), 126.
Cinerea (*Blatta*), 156.
Cinerea (*Epilampra*), 156.
Cinerea (Metriotes), 416.
Cinerea (Nauphœta), 156.
Cinerea (*Phasma*), 416.
Cinereum (*Phasma*), 416.
Cingalensis (*Apterygida*), 47.
Cingalensis (*Forficula*), 46.
Cingalensis (Sphingolabis), 46.
Cingulata (Aptera), 182.
Cingulata (*Mantis*), 303.
Cingulata (*Perisphæria*), 182.
Cingulata (Phyllovates), 303.
Cingulata (*Theoclytes*), 303.
Cinnamomea (Phyllodromia), 89.
Circinata (Forficula), 50.
Circulata (*Apterygida*), 44.
Circulata (*Forficula*), 44.
Circulata (Pterygida), 44.
Circumcincta (*Blatta*), 89.
Circumcincta (Lobeptera), 102.
Circumcincta (Phyllodromia), 89.
Circumcincta (Plectoptera), 178.
Circumcincta (*Polyzosteria*), 132.
Circumcincta (Pseudolampra), 132.
Circumcincta (*Thyrsocera*), 77.
Circumclusa (Hemithyrsocera), 77.
Circumclusa (*Thyrsocera*), 77.
Circumdata (*Blatta*), 180.
Circumdata (*Nauphœta*), 180.
Circumdata (Paranauphœta), 180.
Circumdata (Plectoptera), 178.
Circumducta (*Blatta*), 93.

Circumducta (Cutilia), 134.
Circumducta (Ischnoptera), 93.
Circumducta (Periplaneta), 134.
Circumducta (Phyllodromia), 93.
Circumvagans (Nauphœta), 116.
Circumvagans (Phœtalia), 116.
Cirenea (Mantis), 416.
CIRPHIS, 176.
Cistelina (Blatta), 73.
Cistelina (Chorisoneura), 73.
Citrifolium (Phasma), 422.
CLADOMORPHUS, 357.
CLADOMORPHUS, 354, 356.
CLADOXERUS, 357.
Clara (Calidomantis), 259.
Clara (Ischnoptera), 83.
Clara (Mantis), 259.
Claraziana (Agathemera), 402.
Claraziana (Anisomorpha), 402.
Claraziana (Blabera), 162.
Claraziana (Blaptica), 162.
Claraziana (Coptopteryx), 272.
Clarki (Labidura), 12.
Clarki (Sparatta), 24.
Clavata (Mantis), 312.
Clavigera (Derocalymma), 188.
Clavigera (Homalodemas), 188.
CLEMACANTHA, 389.
Clinteria (Abrachia), 352.
Clinteria (Bacteria), 352.
Clinteria (Bactridium), 352.
CLITARCHUS, 339.
CLITARCHUS, 340.
CLITUMNUS, 327.
CLONARIA, 337.
CLONISTRIA, 351.
Clypeata (Derocalymma), 184.
Clypeata (Pronaonota), 184.
Cneius (Olcyphides), 411.
Cneius (Phasma), 411.
Cnemidatus (Vates), 305.
Coarctata (Hierodula), 245.
Coccinella (Prosoplecta), 177.
Coccinelloides (Areolaria), 177.
Coccinelloides (Prosoplecta), 177.
Coccophagus (Lopaphus), 386.
Coccyx (Bacillus), 336.
Cocophages (Alopus), 386.
Cocophages (Graeffea), 386.
Cœnosa (Bacteria), 331.
Cœnosa (Hyrtacus), 331.
Cognata (Blatta), 90.
Cognata (Phyllodromia), 90.
Coleoptratum (Ipisoma), 169.
Colini (Gyna), 149.
Collaris (Blatta), 170.
Collaris (Corydia), 169.
Collaris (Holocompsa), 170, 171.
Collaris (Oxyophthalmus), 261.
Collaris (Paroxyophthalmus), 261.
Collaris (Periplaneta), 147.
Colligata (Blatta), 90.
Colligata (Phyllodromia), 90.
Coloradus (Bacillus), 333.
Coloradus (Parabacillus), 333.
Colorata (Periplaneta), 241.
Coloreus (Bacillus), 339.
Coloreus (Clitarchus), 339.
Colossea (Anisolabis), 19.
Colossea (Anisolabis), 20.
Colossea (Archimandrita), 163.
Colossea (Blatta), 163.
Colossea (Forficula), 19.
Colossea var. Minor (Anisolabis), 20.
Columbiana (Epilampra), 125.
Columbiana (Psalis), 15.
Columbiana (Sparatta), 23.
Columbina (Caulonia), 344.
Columbina (Ceroys), 344.
Comis (Bacteria), 351.
Comis (Clonistria), 351.
Communis (Cutilia), 134.
Communis (Drymoplaneta), 134.
Communis (Hemithyrsocera), 77.
Commutata (Mantis), 268.
Complanata (Blatta), 195.
Complanata (Proscratea), 195.
Compressicollis (Mystipola), 292.
Comprimens (Chelisoches), 32.
COMPSOBLATTA, 180.
COMPSOLAMPRA, 116.
COMPSOMANTIS, 222.
COMPSOTHESPIS, 208.
COMPTOLAMPRA, 116.
Concinna (Acontista), 233.
Concinna (Acontista), 233.
Concinna (Blatta), 136.
Concinna (Mantis), 233.
Concinna (Methana), 136.
Concinna (Periplaneta), 136, 139.
Concinna (Pseudomops), 175.
Concinnula (Epilampra), 122.
Concinnula (Heterolampra), 122.
Concisa (Allacta), 99.
Concisa (Blatta), 99.
Concisus (Paraclitumnus), 330.
Concolor (Blatta), 62, 63.
Concolor (Periplaneta), 141.
CONDYLOPALAMA, 58.
Conferta (Calolampra), 117.
Conferta (Epilampra), 117.
Conferta (Ischnoptera), 151.

Conferta (Leucophæa), 151.
Configurata (Dorylæa), 135.
Configurata (*Periplaneta*), 135.
Conformis (*Epilampra*), 120.
Conformis (Ischnoptera), 83.
Conformis (Pseudophoraspis), 120.
Confucius (*Lonchodes*), 318.
Confucius (Stælonochodes), 318.
Confusa (Anchiale), 392.
Confusa (*Euchomena*), 237.
Confusa (Nyctibora), 108.
Confusus (*Haania*), 288.
Confusus (Parairidopteryx), 288.
Congo (Forcipula), 8.
Congrua (Calolampra), 118.
Congrua (*Epilampra*), 120.
Congrua (Hostilia), 192.
Congrua (*Polyzosteria*), 118.
Congrua (Pseudophoraspis), 120.
Congrua (*Zetobora*), 192.
Conica (Panesthia), 204.
Conicipennis (*Necroscia*), 372.
Conicipennis (Trigonophasma), 372.
Conjuncta (Allacta), 100.
Conjuncta (*Blatta*), 100.
Conocephala (Loxopsis), 406.
Conocephalum (*Phasma*), 406.
Conradi (Caulonia), 344.
Consobrina (Elæa), 214.
Consobrina (Elliptoblatta), 183.
Consobrina (*Humbertiella*), 214.
Consobrina (Ischnoptera), 83.
Consobrina (Platyzosteria), 130.
Consobrina (*Polyzosteria*), 130.
Consobrina (*Pseudovates*), 304.
Consocia (Areolaria), 177.
Consocia (*Blatta*), 177.
Conspersa (*Ariusia*), 215.
Conspersa (*Blatta*), 157.
Conspersa (Epilampra), 126.
Conspersa (*Epilampra*), 126.
Conspersa (*Mantis*), 254.
Conspersa (Musonia), 276.
Conspersa (Necroscia), 374.
Conspersa (*Philobora*), 157.
Conspersa (Phoraspis), 112.
Conspersa (*Phoraspis*), 112.
Conspersa (*Phthersigena*), 207.
Conspersa (Phyllodromia), 94.
Conspersa (*Proscratea*), 157.
Conspersa (Stagmomantis), 254.
Conspersa (Tarachodes), 215.
Conspersa (Theganopteryx), 64.
Conspersa (*Thespis*), 276.
Conspersa (*Zetobora*), 157.
Conspersus (Paraoxypilus), 207.
Conspicienda (*Mareta*), 97.
Conspurcata (*Mantis*), 246, 252.
Conspurcata (*Philobora*), 157.
Conspurcata (Tribonium), 157.
Conspurcata (*Zetobora*), 157.
Constricta (*Blatta*), 88.
Constricta (Phyllodromia), 88.
Contigua (*Blatta*), 93.
Contigua (*Derocalymma*), 160.
Contigua (Oniscosoma), 160.
Contigua (Phyllodromia), 93.
Contingens (*Blatta*), 92.
Contingens (Phyllodromia), 92.
Continua (*Blatta*), 81.
Continua (*Ischnoptera*), 81.
Continua (*Temnopteryx*), 106.
Contorta (Acanthops), 283.
Contorta (*Acanthops*), 283.
Contraria (Homalosilpha), 143.
Contraria (Ischnoptera), 82.
Contraria (*Periplaneta*), 143.
Contusa (Blepharodera), 194.
Contusa (*Panchlora*), 194.
Convexa (Cyrtilia), 113.
Convexa (Methana), 136.
Convexa (*Periplaneta*), 136.
Coolgardiensis (Cosmozosteria), 133.
Coolgardiensis (*Platyzosteria*), 133.
COPISCELIS, 25.
COPTOPTERYX, 271.
Coquereliana (*Brachycola*), 199.
Coquereliana (Gromphadorhima), 199.
Coquereliana (*Hormetica*), 199.
Cordata (Deroplatys), 281.
Cordata (*Mantis*), 281.
Cordilleræ (Acontista), 234.
Cordilleræ (*Acontista*), 233.
Cordofana (Phyllodromia), 89.
Coriacea (Anechura), 41.
Coriacea (Diplatys), 1.
Coriacea (*Forficula*), 1.
Cormantiella (*Thespis*), 263.
Corniceps (*Phasma*), 419.
Cornicollis (Paratoxodera), 285.
Corniger (Creoxylus), 417.
Cornigera (Stenophylla), 306.
Cornuta (*Bacteria*), 353, 354.
Cornuta (*Blepharis*), 315.
Cornuta (Blepharodes), 315.
Cornuta (*Cyphocrania*), 362.

Cornuta (*Harpax*), 295.
Cornuta (*Mantis*), 295.
Cornuta (Phyllovates), 303.
Cornuta (*Theoclytes*), 303.
Cornutum (*Phasma*), 353.
Cornutus (*Acanthoderus*), 353.
Cornutus (Ceroys), 354.
Cornutus (*Dixippus*), 322.
Cornutus (Lonchodes), 322.
Cornutus (Prisopus), 405.
Corommensis (Phyllodromia), 89.
Coronata (*Harpax*), 295.
Coronata (*Hymenopa*), 294.
Coronata (*Mantis*), 294.
Coronata (*Phasma*), 355.
Coronata (Phibalosoma), 357.
Coronatum (*Pachymorpha*), 400.
Coronatum (*Phasma*), 353, 400.
Coronatus (*Acanthoderus*), 400.
Coronatus (Ceroys), 355.
Coronatus (Hymenopus), 294.
Coronatus (Pygirhynchus), 408.
Coronatus (Pylæmenes), 400.
Corticum (*Blatta*), 151.
CORYDIA, 166.
CORYDIINÆ, 166.
COSMIELLA, 38.
COSMOZOSTERIA, 132.
Costalis (Amorphoscelis), 208.
Costalis (Carvilia), 267.
Costalis (Gyna), 149.
Costalis (*Mantis*), 238, 301.
Costalis (*Panchlora*), 149.
Costalis (Stagmatoptera), 301.
Costalis (Tenodera), 238.
Costaricensis (Stratocles), 409.
Costata (Calvisia), 370.
Costata (*Phasma*), 370.
Cotesiana (Perisphæria), 189.
Cothurnata (Euryeotis), 144.
COTYLOSOMA, 407.
Couloniana (*Blatta*), 104.
Couloniana (Glyptopeltis), 182.
Couloniana (Ischnoptera), 85.
Couloniana (Temnopteryx), 104.
Coulonianum (Bactridium), 352.
Coxalis (Blatta), 139.
Coxalis (Calidomantis), 258.
Coxalis (Cutilia), 134.
Coxalis (*Hierodula*), 244.
Coxalis (*Miomantis*), 258.
Coxalis (*Periplaneta*), 139.
Coxalis (*Polyzosteria*), 134.
Coxalis (*Sphodromantis*), 244.
CRANIDIUM, 361.
Craniifera (*Blabera*), 164.
CRASPEDONIA, 387.
Crassa (*Agathemera*), 403.
Crassa (*Anisomorpha*), 403.
Crassa (Epilampra), 125.
Crassa (Paradoxomorpha), 403.
Crassa (*Perisphæria*), 182.
Crassiceps (Compsomantis), 222.
Crassiceps (*Mantis*), 222.
Crassiceps (*Oxypilus*), 222.
Crassicornis (Nyctibora), 107.
Crassimargo (*Monachoda*), 160.
Crassipes(*Compsomantis*), 222.
Crassipes (*Gonypeta*), 222.
Crassipes (*Micromantis*), 222.
Crassipes (Parasphæria), 196.
Crassipes (*Polyzosteria*), 196.
Crassivenosa (Allacta), 99.
Crassivenosa (*Ceratinoptera*), 99.
Crassus (Pterinoxylus), 362.
CRAURUSA, 219.
Crawangense (*Phasma*), 324.
Crawangensis (Phasgania), 324.
Crenata (*Forficula*), 11.
Crenata (Labidura), 11.
Crenaticollis (Coptopteryx), 271.
Crenaticollis (*Mantis*), 271.
Crenulipes (Planudes), 417.
CREOBOTER, 290.
CREOBOTRA, 290.
CREOBOTRINÆ, 280.
CREOXYLUS, 417.
Cresphontes (*Anophelepis*), 324.
Creticus (Japyx), 56.
Cribata (*Panesthia*), 202.
Cribellata (*Epilampra*), 121.
Cribellata (Heterolampra), 121.
Cribrata (*Epilampra*), 111.
Cribrata (Panesthia), 202.
Cribrata (Planes), 111.
Cribricollis (*Blatta*), 122.
Cribricollis (*Epilampra*), 115.
Cribrosa (Ellipsica), 183.
Cribrosa (Epilampra), 126.
Cribrosa (Panchlora), 154.
Cribrosa (Pronaonota), 184.
Crinicornis (Pseudomops), 75.
Crinicornis (*Thyrsocera*), 75, 76.
Crinicornis var. Fulva (*Thyrsocera*), 75.
Crishna (*Lonchodes*), 320.
Crishna (Myronides), 320.
Cristatus (Hermagoras), 322.
Crocea (*Epilampra*), 126.
Croceipennis (*Forficula*), 31.
Croceipennis (*Psalidophora*), 32.
Croceipennis (Spongiphora), 31.

Crocipennis (*Spongiphora*), 31.
Crocipennis Lherminieri (*Spongiphora*), 31.
Crocodilus (Canachus), 396.
Crossea (Epilampra), 126.
Crouanii (*Bacillus*), 386.
Crouanii (Graeffea), 386.
Crudelis (*Aschipasma*), 418.
Crudelis (*Bacteria*), 346.
Crudelis (Presbistus), 418.
Crudelis (Pseudobacteria), 346.
Cruralis (*Perisphæra*), 187.
Cruralis (*Perisphæria*), 187.
Cruralis (Pollusca), 187.
Crurifolium (*Phasma*), 421.
Crurifolium (*Phyllium*), 421.
Crurifolium (Pulchriphyllium), 421.
Cryphaleus (Cladoxerus), 357.
Cryphaleus (*Phibalosoma*), 357.
CRYPTOCERUS, 200.
Cryptochlore (*Pseudophasma*), 411.
Cryptochloros (Olcyphides), 411.
Cryptochroma (Achlæna), 216.
Cryptospila (Gynopeltis), 182.
Cryptospila (*Polyphaga*), 182.
CTENISOLABIS, 23.
CTENOMORPHA, 388.
Cubaense (*Bacteria*), 346.
Cubaense (*Phasma*), 346.
Cubaensis (*Bacteria*), 346.
Cubaensis (*Mantis*), 254.
Cubaensis (Pseudobacteria), 346.
Cubense (*Phasma*), 413.
Cubense (*Phibalosoma*), 358.
Cubense (Pseudophasma), 413.
Cubensis (*Bacteria*), 358.
Cubensis (*Bacunculus*), 346.
Cubensis (Blabera), 164.
Cubensis (*Blatta*), 88, 153.
Cubensis (Cladoxerus), 358.
Cubensis (Epilampra), 126.
Cubensis (*Gonatista*), 270.
Cubensis (Haplopus), 364.
Cubensis (Musonia), 276.
Cubensis (*Phasma*), 413.
Cubensis (*Phybalosoma*), 358.
Cubensis (*Phyllodromia*), 88.
Cubensis (*Thespis*), 276.
Cubitata (*Mantis*), 300.
Cucujoides (Hypnorna), 178.
Cucullata (*Capucina*), 159.
Cucullata (Latindia), 168.
CULAMA, 175.
Culinaris (*Blatta*), 138.
Culmus (*Bacteria*), 349.
Culmus (Heteronemia), 349.
Cumingi (Pygidicrana), 5.
Cunicularis (*Bacillus*), 328.
Cuniculus (Baculum), 328.
Cupido (*Cardioptera*), 273.
Cupido (Metriomantis), 273.
Cuprea (Polyzosteria), 128.
Curta (Blatta), 140.
Curta (*Blatta*), 89.
Curta (*Chelidura*), 44.
Curta (*Epilampra*), 121.
Curta (Heterolampra), 121.
Curta (*Periplaneta*), 140.
Curta (Phyllodromia), 89.
Curtipes (*Necroscia*), 368.
Curtipes (*Paradanuria*), 285.
Curtipes (*Phasma*), 368.
Curtipes (Sosibia), 368.
Curtipes (*Toxodera*), 285.
Curtipes (Toxoderopsis), 285.
Curvicauda (*Forfiscelia*), 26.
Curvicauda (Labia), 26.
Curvigera (*Periplaneta*), 137.
Curvigera (Zonioploca), 137.
Curvinervis (*Blatta*), 91.
Curvinervis (Phyllodromia) 91.
Curvipes (*Necroscia*), 374.
Curvipes (Phanocles), 354.
Curvipes (*Phasma*), 374.
Curvipes (*Platycrana*), 374.
Cuticularis (*Mantis*), 253.
CUTILIA. 134.
Cyanea (*Corydia*), 169.
Cyanea (Holocompsa), 169.
Cyclolabia (*Forficula*), 50, 52, 54.
Cyclolabia (*Labia*), 26.
Cyclops (Apsidopis), 119.
Cylindrica (Anchiale), 392.
Cylindrica (*Mantis*) 392.
Cylindrica (*Perisphæria*), 186.
Cylindrica (Stenopilema), 186.
CYLINDROGASTER, 2.
Cyllabacus (*Lonchodes*), 323.
Cyllabacus (Sthenobœa), 323.
Cyllarus (*Necroscia*), 411.
Cyllarus (Pseudophasma), 411.
Cynipsoidea (*Hypercompsa*), 170.
CYPHOCRANA, 390.
CYPHOCRANIA, 390.
Cyphus (*Bacteria*), 353.
Cyphus (Calynda), 353.
CYRTILIA, 113.
Cyrtocnemis (*Bacteria*), 254.
Cyrtocnemis (Ceroys), 254.
Cyrtophthalma (*Epilampra*), 121.
Cyrtophthalma (Heterolampra), 121.
CYRTOTRIA, 187.
Cytherea (Haplopus), 363.

DACTYLOPTERYX, 267.
Daemeli (Pygidicrana), 6.
DAJACA, 408.
DAMASIPPOIDES, 404.
DAMASIPPUS, 407.
DANIURA, 309.
DANURIA, 309.
DANURIELLA, 310.
Daphne (Hierodula), 247.

Darchi (*Mantis*), 239.
Dardanus (*Phyllium*), 421.
Dardanus (Pulchriphyllium), 421.
DARES, 400.
Darius (*Aschipasma*), 420.
Darius (*Bacillus*), 341.
Darius (Medaura), 341.
Darius (Orthoneuria), 420
DASYPOSOMA, 198.
Dasytoides (Corydia), 167.
Dasytoides (*Euthyrrapha*), 167.
DATAMES, 400.
Daunus (*Aschipasma*), 419.
Daunus (Presbistus), 419.
Davidis (*Cladoxerus*), 377.
Davidis (Necroscia). 377.
Davidis (*Phibalosoma*), 377.
Davisoni (Parymenopus), 294.
Debilis (Holocompsa), 170.
Debilitata (*Gonypeta*), 226.
Debilitata (Hapalomantis), 226.
Deceptura (Pseudemops), 76.
DECIDIA, 403.
DECIMIA, 283.
Decipiens (Anaplecta), 68.
Decipiens (*Blatta*), 101.
Decipiens (Forficula), 51.
Decipiens (*Labidura*), 15.
Decipiens (Labidurodes), 15.
Decipiens (Loboptera), 101, 102.
Decipiens (Pelmatosilpha), 143.
Decipiens (*Polyzosteria*), 102.
Decipiens (Tropidoderus), 380.
Decipiens var. Cyclolabia (*Forficula*), 52.
Decipiens var. Macrolabia (*Forficula*), 52.
Decisa (*Blabera*), 164.
Decolor (Ameles), 230.
Decolor (*Harpax*), 230.
Decolor (*Mantis*), 230.
Decolyi (Forcipula), 9.
Decolyi (Molytria), 114.
Decorata (*Apolyta*), 79.
Decorata (*Periplaneta*), 135, 147.
Decorata (*Stylopyga*), 135.
Decoratum (Ellipsidion), 79.
Deflexa (*Epilampra*), 122.
Deflexa (Heterolampra), 122.
Deflexa (*Hierodula*), 248.
Deflexa (Rhombodera), 248.
Defoliata (*Empusa*), 314.
Defoliata (Idolomorpha), 314.
Dehaanii (Haaniella), 398.
Dehaanii (*Heteropteryx*), 398.
DEIPHOBE, 266.
Delalandii (Entella), 225.
Delalandii (*Euryzosteria*), 145.
Delalandii (*Gonypeta*), 225.
Delicatula (*Blatta*), 94.
Delicatula (Latindia), 168.
Delicatula (Phyllodromia), 94.
Delicatulus (*Canuleius*), 383.
Delicatulus (Rhaphiderus), 383.
Delta (Phyllodromia), 89.
DEMOGORGON, 12.
Dentata (Anisomorpha), 401.
Dentata (Eremiaphila), 212.
Dentata (Forficula), 52.
Dentata (Macella) 332.
Dentata (Pilema), 185.
Denticauda (*Lonchodes*), 318.
Denticauda (Staelonchodes), 318.
Denticollis (Astape), 276.
Denticollis(Eremiaphila), 211.
Denticorne (Baculum), 328.
Denticornis (*Entoria*), 328.
Denticrus (*Diapheromera*), 347.
Denticrus(Megaphasma), 347.
Denticulata (Toxodera), 285.
Denticulata (Vates), 305.
Dentifera (Sparatta), 23.
Dentifrons (Epaphrodita), 284.
Dentifrons (*Hierodula*), 242.
Dentifrons (Idolomorpha), 315.
Dentifrons (Sphodropoda), 242.
Dentricus (*Megaphasma*), 347.
Depictus (*Gigantophasma*), 386.
Deplanata (Archimandrita), 163.
Deplanata (*Blabera*), 163.
Deplanata (*Epilampra*), 120.
Deplanata (Pseudophoraspis), 120.
Deplanatum (*Pachymorpha*), 399.
Deplanatum (*Phasma*), 399.
Deplanatus (*Acanthoderus*), 399.
Deplanatus (Tisamenus), 399.
Depolita (Calolampra), 118.
Depressa (*Apachya*), 3.
Depressa (*Blatta*), 79.
Depressa (*Forficula*), 3.
Depressum (Ellipsidion), 79.
Depressus (Apachyus), 3.
Deprivata (*Blatta*), 85.
Deprivata (Ischnoptera), 85.
Dermestoides (*Blatta*), 177.
DEROCALYMMA, 187.
DEROCALYMMA, 188.
DEROCARDIA, 119.
Deropeltiformis (Temnopteryx), 105.
DEROPELTIS, 145.
DEROPLATYS, 281.
Desiccata (Deroplatys), 281.
Desiccata (*Mantis*), 281.
DESMOSIA, 97.
Desperata ([illegible]), 321.

Despecta var. Cresphontes (*Anophelepis*), 324.
Despectum (*Acanthoderus*), 324.
Despectum (*Phasma*), 324.
Despectus (Oxyartes), 324.
Detersa (*Blatta*), 94.
Detersa (Phyllodromia), 94.
Deusta (*Blatta*), 175.
Deusta (Oxyhaloa), 175.
Deusta (*Proscratea*), 175.
Devians (Ancistrogaster), 37.
Devians (*Opisthocosmia*), 37.
Diabolicum (Idolum), 316.
Diabolus (Brachycola), 197.
Diabolus (*Hormetica*), 197.
Diabroticum (*Idolum*), 316.
Diacanthos (Agondasoidea), 373.
Diacanthos (*Necroscia*), 373.
Diacanthos (*Phasma*), 373.
Diacis (*Creoxylus*), 404.
Diacis (Neocles), 404.
Diacis (*Phasma*), 404.
Diacis (*Xeroderus*), 404.
DIAGORAS, 361.
Diana (*Anastira*), 293.
Diana (Callibia), 293.
Diana (*Mantis*), 293.
DIAPHANA, 170.
Diaphana (*Blatta*), 98.
Diaphana (Ceratinoptera), 98.
DIAPHERODES, 362.
DIAPHERODES, 361.
DIAPHEROMERA, 346.
DIAPHEROMERINÆ (*errore* Diaphomerinæ), 343.
Diardi (Candaules), 367.
Diardi (*Cladoxerus*), 367.
Diardi (*Phasma*), 367.
Diardi (*Phibalosoma*), 367.
DICELLONOTUS, 201.
DICELLURA, 55.
Dichroa (Deropeltis), 147.
Dichroa (*Forficula*). 47.
DICRANOPYGIA, 4.
Dictys (*Metriotes*), 414.
Dictys (Prexaspes), 414.
DIDYMOCORYPHA, 218.
DIDYMURIA, 381.
Difficilis (*Blatta*), 88.
Difficilis (Phyllodromia), 88.
Difformipes (Pterinoxylus), 362.
Difformipes (*Pterinoxylus*), 362.
Dilatata (*Blatta*), 95.
Dilatata (*Chelidura*), 43.
Dilatata (*Diapherodes*), 397.
Dilatata (*Epilampra*), 122.
Dilatata (*Forficula*), 43.
Dilatata (Heterolampra), 122.
Dilatata (Heteropteryx), 397.
Dilatata (*Panesthia*), 205.
Dilatata (*Phasma*), 397.
Dilatata (Phyllodromia), 95.
Dilatata (*Plana*), 205.
Dilatatus (Geoscapheus), 205.
Dilaticauda (*Forfiscelia*), 6.
Dilaticauda (*Platylabia*), 6.
Dilaticauda (Pygidicrana), 6.
Dilatipes (*Cladomorphus*), 356.
Dilatipes (Phibalosoma), 356.
Dilatipes (*Phibalosoma*), 357.
Diluta (*Blatta*), 91.
Diluta (*Mantis*), 299.
Diluta (Parastagmatoptera), 299.
Diluta (*Periplaneta*), 147.
Diluta (Phyllodromia), 91.
Diluta (Pseudoderopeltis), 147.
Diluta (*Stagmatoptera*), 298, 299.
Dimidiata (Ceratinoptera), 98.
Dimidiata (Chrastoblatta), 86.
Dimidiata (Eurycotis), 144.
Dimidiata (*Ischnoptera*), 146.
Dimidiata (*Mantis*), 253.
Dimidiata (Platylabia), 22.
Dimidiata (*Polyzosteria*), 144.
Dimidiata (*Proscratea*), 86.
Dimidiata (Stagmomantis), 253.
Dimidiata (*Stagmomantis*), 253.
Dimidiata var. Ferox (*Stagmomantis*), 253.
Dimidiata var. Stollii (*Stagmomantis*), 253.
Dimidiaticornis (Chorisoneura), 72.
Dimidiatipes (Temnopteryx), 104.
Dimorpha (Temnopteryx), 105.
DIMORPHODES, 387.
DINELYTRON, 408.
Diocles (Metriotes), 416.
Dioscoris (Teddia), 264.
DIPLATYS, 1.
DIPLOPTERA, 176.
Dipneusticum (Cotylosoma), 407.
Discalis (*Balta*), 105.
Discalis (*Blatta*), 105.
Discalis (Temnopteryx), 105.
Discicollis (*Blatta*), 75, 76.
Discicollis (Pseudomops), 75.
Discicollis (*Thyrsocera*), 76.
Discifera (Creoboter), 291.
Discifera (*Mantis*), 291.
Discoidalis (Archimandrita), 163.
Discoidalis (*Blabera*), 163.
Discoidalis (*Blatta*), 73, 76.
Discoidalis (Chorisoneura), 73.
Discoidalis (Gynopeltis), 182.
Discoidalis (Miopanesthia), 205.
Discoidalis (*Nauphœta*), 155, 180.
Discoidalis (Paranauphœta), 180.
Discoidalis (*Perisphæria*), 182.
Discolor (Harpagomantis), 296.
Discolor (*Harpax*), 296.
DISCOTHERA, 207.

Dispar (*Cyrtotria*), 187.
Dispar (Derocalymma), 187.
Dispar (Hierodula), 245.
Dispar (*Lonchodes*), 318.
Dispar (*Perisphæria*), 187.
Dispar (Stælonchodes), 318.
Disparilis (*Theopompa*), 214.
Dissimulator (Tarachodes), 215.
Distanti (Blabera), 165.
Distanti (Deropeltis), 147.
Distanti (Solygia), 263.
Distincta (*Forficesila*), 14.
Distincta (*Forficula*), 14.
Distincta (Labidura), 10.
Distincta (Necroscia), 377.
Ditomus (Cladoxerus), 358.
Ditomus (*Phibalosoma*), 358.
DIURA, 281.
Divergens (*Forficula*), 32.
Divergens (Spongiphora), 32.
Dives (*Chiropus*), 215.
Dives (Tarachodes), 215.
Divisa (Ischnoptera), 85.
DIXIPPUS, 321.
Dohertyi (Chelisoches), 35.
Dohertyi (Triænocorypha), 287.
Dohrni (Carcinophora), 15.
Dohrni (*Nannopygia*), 15.
Dohrni (Pyragra), 7.
Dohrni (Sparatta), 24.
Dohrni (*Thermastris*), 7.
Dohrniana (Anaplecta), 68.
Dohrniana (*Heterogamia*), 172.
Dohrniana (Latindia), 168.
Dohrniana (*Mionyx*), 277.
Dohrniana (Paraceratinoptera), 101.
Dohrnianus (Harpagonyx), 279.
Dohrnianus (Mionyx), 277.
Doleschali (*Epilampra*), 122.
Doleschali (Heterolampra), 122.
Dolicha (Labia), 26.
Dolichoptera (Bolivaria), 269.
Dolomedes (Arphax), 338.
Dolomedes (*Bacillus*), 338.
Dolosa (Empusa), 313.
Domestica (Anaplecta), 67.
Domingensis (*Blatta*), 141.
Domingensis (*Mantis*), 254.
Domingensis (Stagmomantis), 254.
Dominicana(*Monachoda*), 161.
Dominicana (Petasodes), 161.
Donovani (Phyllium), 423.
DONUSA, 409.
Doreyanus (*Lonchodes*), 326.
Doreyanus (Promachus), 326.
Doriæ (*Apterygida*), 46.
Doriæ (Chelisochella), 35.
Doriæ (*Forficula*), 46.
Doriæ (Sphingolabis), 46.
Doriana (Hemilatindia), 169.
Dorsalis (Anaplecta), 66.
Dorsalis (*Forficula*), 28.
Dorsalis (Labia), 28.
Dorsuaria (Bostra), 350.
DORYLÆA, 135.
Dotata (*Epilampra*), 114.
Dommerci (Forficula), 53.
Draco (*Mantis*), 405.
Draco (Prisopus), 405.
Draconinum (*Pachymorpha*), 399.
Draconinum (*Phasma*), 399.
Draconinus (*Acanthoderus*), 399.
Draconinus (Tisamenus), 399.
Dracunculus (*Phasma*), 405.
Dromedarius (Theramenes), 399.
Druryi (*Blatta*), 108.
Dryas (*Bacteria*), 351.
DRYMAPLANETA, 134.
Dubia (*Blabera*), 162.
Dubia (Blaptica), 162.
Dubia (Cosmiella), 38.
Dubia (*Opisthocosmia*), 38.
Dubia (Pilema), 185.
Dubia (Pseudomops), 75.
Dubia (*Thyrsocera*), 75.
Dubiosa (Oxyops), 298.
Dubius (*Diapherodes*), 364.
Dubius (Haplopus), 364.
Dubronii (Anisolabis), 19.
Dufourii (*Chelidura*), 54.
Dufourii (*Forficula*), 54.
Dufourii (*Labidura*), 12.
Duivenbodei (*Lonchodes*), 320.
Duivenbodei(Periphetes), 320.
Dulichia (*Aschipasma*), 419.
Dulichia (Presbistus), 419.
Dumerilii(*Acanthoderus*), 382.
Dumerilii (Rhaphiderus), 382.
Duodecimsignata (Loboptera), 102.
Duplex (Panurgica), 286.
Duplovittata (Loboptera), 102.
DURYODANA, 101.
Dux (Japyx), 56.
Dux (Opisthocosmia), 39.
Dux (Salganea), 200.
Dyaka (Hierodula), 247.
DYME, 350.
DYSAULES, 262.
DYSCOLOGAMIA, 173.
DYSCRITINA, 1.
Dysoni (Spongiphora), 31.
DYSTACTA, 226.
Dytiscoides (*Blatta*), 176.
Dytiscoides (Diploptera), 176.
Dytiscoides (*Eleutheroda*), 176.

Eastii (Anamesia), 129.
ECHETLUS, 339.
Echinata (Eurycantha), 396.
Echinatus (Obrimus), 398.
ECHINOPSALIS, 7.
ECHINOSOMA, 8.
Echinus (Parectatosoma), 398.
ECTATOSOMA, 380.
ECTOBIA, 61.

ECTOBIINÆ, 61.
Ectobioides (Ischnoptera), 81.
ECTOBIUS, 61.
Edentata (*Chelidura*), 54.
Edentata (*Forficula*), 54.
Edule (*Phasma*), 385.
Edulis (*Platycrania*), 385.
Ega (Metriotes), 416.
Ega (*Phasma*), 416.
Egena (Empusa), 311.
Egregia (Pygidicrana), 6.
Ehrenbergii (*Eremophila*), 210.
ELÆA, 214.
Elateroides (*Derocalymma*), 186.
Elateroides (*Perisphæria*), 186.
Elateroides (Stenopilema), 186.
Elegans (*Acontista*), 232.
Elegans (*Anisomorpha*), 403.
Elegans (*Blatta*), 92, 121.
Elegans (*Blepharis*), 293.
Elegans (Chelisoches), 34.
Elegans (*Corydia*), 167.
Elegans (*Creobotra*), 293.
Elegans (*Forficesila*), 14.
Elegans (*Forficula*), 48.
Elegans (Heterolampra), 121.
Elegans (Paradoxomorpha), 403.
Elegans (*Paratropa*), 109.
Elegans (Paratropes), 109.
Elegans (*Philobora*), 157.
Elegans (*Phoraspis*), 109, 110.
Elegans (Phyllodromia), 92.
Elegans (Theopropus), 293.
Elegans (Tribonium), 157.
ELEUTHERODA, 176.
Elizabethæ (Temnopteryx), 103.
ELLIPSICA, 183.
ELLIPSIDION, 79.
ELLIPSIDIUM, 79.
Elliptica (Anaplecta), 68.
ELLIPTOBLATTA, 183.
Elongata (Anechura), 41.
Elongata (*Blatta*), 83.
Elongata (*Danuria*), 309.
Elongata (*Forficula*), 32, 52.
Elongata (Ischnoptera), 83.
Elongata (Macrodanuria), 309.
Elongata (*Phasma*), 319.
Elongata (Phraortes), 319.
Elongata (Spongiphora), 32.
Elongatus (*Phraortes*), 319.
Emarginata (Zetobora), 158.
EMBIIDÆ, 58.
Emesa (*Bacteria*), 350.
Emesa (Dyme), 350
Emittens (*Periplaneta*), 142.
Emortuale (*Phibalosoma*), 352.
Emortualis (Abrachia), 352.
Emortualis (*Bacteria*), 352.
Emortualis (*Mantis*), 251.
Emortualis (*Perisphæria*), 191.
Emortualis (Trichoblatta), 191.
EMPUSA, 311.
Empusa (*Cyphocrana*), 390.
Empusa (*Cyphocrania*), 390.
Empusa (Phasma), 390.
EMPUSINÆ, 310.
Enceladus (*Acrophylla*), 393.
Enceladus (*Cyphocrania*), 393.
Enceladus (Vetilia), 393.
ENETIA, 394.
Engæus (*Oxyophthalmus*), 261.
ENICOPHLEBIA, 228.
Ensifera (*Didymocorypha*), 218.
ENTELLA, 225.
ENTORIA, 327.
Eoa (Anechura), 40.
EPAPHRODITA, 284.
Ephialtes (Diagoras), 361.
EPICHARMUS, 404.
EPILAMPRA, 125.
EPILAMPRA, 117, 120.
EPILAMPRINÆ, 109.
Epilamproides (Balta), 106.
Episcopalis (Creoboter), 291.
Episcopalis (*Ischnopoda*), 365.
Episcopalis (Palophus), 365.
EPISCOPUS, 261.
Equatoria (Labia), 28.
Erechtheus (Necroscia), 375.
EREMIAPHILA, 210.
EREMIAPHILINÆ, 208.
EREMOPHILA, 210.
EREMOPLANA, 265.
ERGAULA, 173.
Ericetorum (*Blatta*), 62, 69.
Ericetorum (*Ectobia*), 62.
Erichsoni (*Apterygida*), 45.
Erichsoni (Sphingolabis), 45.
Erosa (Acanthops), 283.
Erosula (Acanthops), 283.
Erronea (Panchlora), 154.
Erubescens (*Epilampra*), 123.
Erubescens (Heterolampra), 123.
Erythreina (*Derocalymma*), 188.
Erythreina (Homalodemas), 188.
Erythrina (*Blatta*), 127.
Erythrina (Epilampra), 127.
Erythrocephala (*Apterygida*), 49.
Erythrocephala (*Blatta*), 145.
Erythrocephala (Deropeltis), 145.
Erythrocephala (Forficula), 52.
Erythrocephala (*Ischnoptera*), 145.
Erythrocephala (Labidura), 11.
Erythrocephala (*Perisphæria*), 145.
Erythronota (*Aphlebia*), 68.
Erythronota (Salganea), 200.
Erythroptera (Arrhidæus), 384.
Erythroptera (*Mantis*), 384.
Eryx (*Aschipasma*), 419.
Eryx (Presbistus), 419.
Esacus (*Necroscia*), 368.
Esacus (Sosibia), 368.

Escherichi (Forficula), 52.
Esepus (*Necroscia*), 368.
Esepus (Sosibia), 368.
EUBULIDES, 395.
Eucerca (Necrosia), 375.
EUCHOMENA, 236.
Eucnemis (*Haplopus*), 362.
Eucnemis (Pterinoxylus), 362.
Euphrosyne (Odontomantis), 233.
Euplectes (Necroscia), 376.
Europæa (*Empusa*), 312.
Euryalus (*Necroscia*), 368.
Euryalus (Sosibia), 368.
Eurybates (*Necroscia*), 371.
EURYCANTHA, 395.
EURYCANTHINÆ, 395.
EURYCNEMA, 391.
EURYCOTIS, 143.
EURYDERES, 272.
Eurymedon (Vetilia), 393.
Eurynome (Necroscia), 375.
EURYZOSTERIA, 148.
EUSTEGASTA, 181.
Euterpina (*Bacteria*), 353.
Euterpinus (*Acanthoderes*), 353.
Euterpinus (Canuleius), 353.
EUTHYPHLEPS, 307.
EUTHYRRHAPHA, 168.
Eutrachelia (*Bacteria*), 331.
Eutrachelia (Hyrtacus), 331.
Evadne (Haplopus), 363.
Evanescens (Clonaria), 337.
Evanescens (*Gratidia*), 337.
Everetti (Hierodula), 247.
Everetti (Phasgania), 324.
Exarata (Homalodemas), 188.
Exaratum (*Homalodemus*), 188.
Exaspera (Platyzosteria), 131.
Excisa (Ischnoptera), 82.
EXEDRA, 198.
Exigua (*Bacteria*), 350.
Exigua (Bostra), 350.
Exilis (*Apterygida*), 47.
Exilis (*Forficula*), 47.
Exilis (Sphingolabis), 47.
Eximia (Acontista), 233.
Eximia (*Callimantis*), 233.
Eximia (Pygidicrana), 5.
Exoleta (Panchlora), 152.
Exsiccata (*Mantis*), 238.
EXTATOSOMA, 380.
Extensa (Abrachia), 352.
Extensicollis (*Mantis*), 249.
Extensicollis (Rhombodera), 249.
Extensum (*Phibalosoma*), 352.
Extenuata (*Blatta*), 88.
Extenuata (Phyllodromia), 88.
Extera (Stenopyga), 237.
Extranea (Loboptera), 103.

Fabricii (*Forficula*), 40.
Facies (*Blatta*), 99.
Facies (Ceratinoptera), 99.
Falcata (Acanthops), 283.
Falcatoria (Acanthops), 282.
Falcatoria (*Mantis*), 282.
Falcifera (Compsothespis), 208.
Fallax (Achrioptera), 394.
Fallax (Anaplecta), 67.
Fallax (*Bacunculus*), 349.
Fallax (*Ectobia*), 65.
Fallax (Epilampra), 126.
Fallax (Heteronemia), 349.
Fallax (*Perisphæria*), 191.
Fallax (Platylabia), 22.
Fallax (Pseudoglomeris), 191.
Fallax (Theganopteryx), 65.
Farinosa (Burria), 336.
Fasciata (Empusa), 312.
Fasciata (Forficula), 53.
Fasciata (Iris), 260.
Fasciata (Labia), 25.
Fasciata (*Mantis*), 236, 238, 260.
Fasciata (Mesopteryx), 238.
Fasciata (Omomantis), 236.
Fasciata (Phyllodromia), 94.
Fasciatella (Pseudophyllodromia), 98.
Fasciatum (*Phasma*), 410.
Fasciatus (*Acanthoderus*), 340.
Fasciatus (Macracantha), 340.
Fasciatus (Olcyphides), 410.
Fasciceps (*Blatta*), 91.
Fasciceps(Phyllodromia), 91.
Fasciolata (Necroscia), 374.
Fastuosa (Phoraspis), 112.
Fastuosa (*Phoraspis*), 112.
Fatiloqua(Ischnomantis), 266.
Fatiloqua (*Mantis*), 266.
Fatua (Necroscia), 375.
Faunus (*Bacteria*), 347.
Faunus (Diapheromera), 347.
Feæ (Anechura), 41.
Feæ (*Apachya*), 3.
Feæ (Apachyus), 3.
Feæ (Chaetospania), 22.
Feæ (Chelisoches), 33.
Feæ (Labia), 27.
Fedtschenkoi(Anechura), 41.
Fedtschenkoi (*Forficula*), 41.
Feejeeanum (*Phyllium*), 420.
Feejeeanus (Chitoniscus), 420.
Femoralis (*Labidura*), 13, 15.
Femoralis (Polyzosteria), 128.
Femoralis (Psalis), 13.
Femoralis (Pseudomops), 75.
Femoralis (Stagmatoptera), 301.
Femorata (*Bacteria*), 322.
Femorata (Blabera), 165.
Femorata (Diapheromera), 346.
Femorata (*Gonypeta*), 224.
Femorata (Musonia), 276.
Femorata (*Phasma*). 322.
Femorata (Phyllodromia), [93].

Femorata (*Phyllodromia*), 79.
Femoratum (Ellipsidion), 79.
Femoratum (*Prisomera*), 322.
Femoratum (*Spectrum*), 346.
Femoratus (Asprenas), 367.
Fenestrata (Calidomantis), 258.
Fenestrata (*Mantis*), 256, 258, 259, 260.
Fenestrata (*Miomantis*), 258.
Fenestrina (Hypercompsa), 170.
Fera (*Mionyx*), 277.
Ferox (*Mantis*), 253.
Ferox (Stagmomantis), 253.
Ferrea (*Blatta*), 88.
Ferrea (Phyllodromia), 88.
Ferreti (*Blatta*), 175.
Ferreti (Oxyhaloa), 175.
Ferruginea (Anisomorpha), 401.
Ferruginea (Blabera), 165.
Ferruginea (*Blatta*), 165.
Ferruginea (Cosmozosteria), 132.
Ferruginea (Epilampra), 126.
Ferruginea (Hemithyrsocera), 77.
Ferruginea (*Phasma*), 401.
Ferruginea (Phyllodromia), 91.
Ferruginea (*Platyzosteria*), 132.
Ferruginea (*Polyzosteria*), 132.
Ferruginea (Temnopteryx), 104.
Ferruginea (*Temnopteryx*), 103.
Ferruginea (*Thyrsocera*), 77.
Ferrugineipes (Panesthia), 202.
Ferrugineofusca (*Blatta*), 138.
Ferruginosa (*Epilampra*), 121.
Ferruginosa (Heterolampra), 121.
Ferula (Bacteria), 355, 356.
Ferula (*Mantis*), 355.
Ferula (*Phasma*), 355.
Feruloides (*Lonchodes*), 359.
Feruloides (Pharnacia), 359.
Ferus (Mionyx), 277.
Fervida (*Epilampra*), 122.
Fervida (Gyna), 149.
Fervida (*Gyna*), 149.
Fervida (Heterolampra), 122.
Fervida (*Panchlora*), 149.
Festæ (*Bacunculus*), 348.
Festæ (*Blatta*), 94.
Festæ (*Epilampra*), 83.
Festæ (Heteronemia), 348.
Festæ (Ischnoptera), 83.
Festæ (Metriotes), 416.
Festæ (Myrcinellus), 228.
Festæ (Panchlora), 154.
Festæ (Phyllodromia), 94.
Festuca (*Bacunculus*), 348.
Festuca (Heteronemia), 348.
Fieberi (Areolaria), 177.
Fieberi (*Diaphana*), 170.
Fieberi (Hypercompsa), 170.
Figurata (*Blatta*), 91.
Figurata (Phyllodromia), 91.
Figurata (Polyzosteria), 128.
Filata (Chæteessa), 209.
Filiforme (*Phasma*), 355.
Filiformes (*Mantis*), 356.
Filiformis (*Bacillus*), 334, 340.
Filiformis (Bacteria), 356.
Filiformis (*Mantis*), 330, 334, 356.
Filiformis (*Oligonyx*), 277.
Filiformis (Paraclitumnus), 330.
Filiformis (*Phasma*), 355, 356.
Filiformis (Thesprotia), 277.
Filum (*Mantis*), 279.
Filum (Myronides), 321.
Filum (*Necroscia*), 374.
Filum (*Oligonyx*), 279.
Filum (Orthonecroscia), 374.
Filum (*Phasma*), 374.
Filum (*Phibalosoma*), 374.
Filum (Spanionyx), 279.
Finschi (Pygidicrana), 6.
Finschiana (Eurycotis), 144.
Fischeri (*Forficesila*), 12.
Fischeri (Labidura), 12.
FISCHERIA, 267.
Fissa (*Blatta*), 88.
Fissa (Clonaria), 337.
Fissa (*Gratidia*), 337.
Fissa (Phyllodromia), 88.
Fissa (*Pseudomops*), 78.
Fissa (Temnopteryx), 105.
Fissa (Thyrsocera), 78.
Fissicollis (*Blatta*), 159.
Fissicollis (Schizopilia), 159.
Fissicollis (*Zetobora*), 159.
Fissispinis (Heterochætula), 307.
Flabellata (Anaplecta), 68.
Flabellicornis (*Mantis*), 311.
Flabelliformis (*Phasma*), 405.
Flabelliformis (*Prisopus*), 405, 406.
Flava (*Hierodula*), 249.
Flava (*Mantis*), 249.
Flava (*Rhombodera*), 249.
Flavescens (Pseudoderopeltis), 147.
Flavicincta (*Blatta*), 136.
Flavicincta (*Mantis*), 222.
Flavicincta (Methana), 136.
Flavicincta (*Methana*), 136.
Flavicincta (*Periplaneta*), 136.
Flavicollis (Ischnoptera), 81.
Flavicollis (*Kakerlac*), 81.
Flavicollis (Sparattina), 24.
Flavicorne (*Ascephasma*), 419.
Flavicorne (*Aschipasma*), 419.
Flavicorne (*Phasma*), 419.
Flavicornis (*Derocalymma*), 190.
Flavicornis (*Lonchodes*), 323.
Flavicornis (*Perisphæria*), 190.

Flavicornis (Presbistus), 419.
Flavicornis (Pseudoglomeris), 190.
Flavicornis (Sthenobœa), 323.
Flavilatera (Dorylæa), 135.
Flavilatera (*Stylopyga*), 135.
Flavipennis (Chorisoneura), 72.
Flavipennis (Eurycotis), 144.
Flavipennis (*Forficula*), 32, 46.
Flavipennis (*Mantis*), 299.
Flavipennis (Panesthia), 203.
Flavipennis (Polyspilota), 241.
Flavipennis (Sphingolabis), 46.
Flavipennis (*Stagmatoptera*), 300.
Flavipes (*Perisphæria*), 190.
Flavipes (Phoraspis), 112.
Flavipes (Pseudomops), 75.
Flavipes (*Pseudomops*), 75.
Flavipes (*Thyrsocera*), 75.
Flavoantennata (*Chorisoneura*), 72.
Flavocincta (Ectobia), [64].
Flavocincta (*Ectobia*), 93.
Flavoguttata (*Mantis*), 298.
Flavoguttata (Necroscia), 374.
Flavoguttata (*Parastagmatoptera*), 299.
Flavoguttata (*Stagmatoptera*), 298.
Flavomaculata (Anisomorpha), 401.
Flavomaculatum (*Phasma*), 417.
Flavomaculatus (Planudes), 417.
Flavomarginata (Deropeltis), 147.
Flexicollis (Pseudoglomeris), 191.
Flexicollis (*Zetobora*), 191.
Flexivitta (*Blatta*), 96.
Flexivitta (Nauphoeta), 155.
Flexivitta (*Periplaneta*), 155.
Flexivitta (Phyllodromia), 96.
Flexuosa (Dactylopteryx), 267.
Flexuosa (*Forficula*), 48.
Flexuosa (Sphingolabis), 48.
Floridana (Callimantis), 251.
Floridana (Pelmatosilpha), 143.
Floridana (*Periplaneta*), 143.
Foliacea (*Bacteria*), 349.
Foliacea (Bacunculus), 349.
Foliata (*Mantis*), 305.
Foliata (*Theoclytes*), 305.
Foliata (Vates), 305.
Foliatus (*Mantis*), 423.
Foliopeda (Hermagoras), 322.
Foliopeda (*Mantis*), 322.
Forbesi (Echinosoma), 8.
Forceps (Microdina), 201.
Forceps (*Panesthia*), 201.
Forceps (*Salganea*), 201.
FORCINELLA, 17.
Forcipata (Clonaria), 337.
Forcipata (*Forficula*), 39, 44, 50.
Forcipata (*Gratidia*), 337.
Forcipata (Opisthocosmia), 39.
Forcipata (Pygidicrana), 6.
Forcipatus (*Lonchodes*), 317.
Forcipatus (Stælonchodes), 317.
Forcipatus (Stratocles), 409.
FORCIPULA, 8.
Forfex (Spongiphora), 31.
Forficata (*Mantis*), 258.
Forficata (Mioblatta), 196.
FORFICESILA, 9.
FORFICULA, 49.
Forficularius (Japyx), 56.
FORFICULIDÆ, 1.
Formosa (*Acromantis*), 280.
Fornicata (Calolampra), 118.
Fornicata (*Epilampra*), 118.
Fornicata (Perisphæria), 189.
Fornicata (*Perisphæria*), 189.
Fornicata (Pronaonota), 184.
Fornicata (*Pseudoglomeris*), 189.
Fornicata (*Zetobora*), 189.
Forstenii (*Ascephasma*), 420.
Forstenii (*Aschipasma*), 420.
Forstenii (Orthomeria), 420.
Forstenii (*Phasma*), 420.
Fortipes (*Periplaneta*), 129.
Fortnumi (Paradanuria), 307.
Fortnumi (*Toxodera*), 307.
Fortunata (Loboptera), 102.
Foveolata (*Nauphoeta*), 147.
Foveolata (Pseudoderopeltis), 147.
Foveolata (Salganea), 200.
Fragilis (*Bacteria*), 331.
Fragilis (*Blatta*), 73.
Fragilis (Chorisoneura), 73.
Fragilis (*Musonia*), 256.
Fragilis (Nanomantis), 256.
Franciscana (*Monachoda*), 161.
Fraserensis (Calolampra), 118.
Fraserensis (*Epilampra*), 118.
Fraterna (Acontista), 234.
Fraterna (Blabera), 165.
Fraterna (Fischeria), 268.
Fraterna (*Iris*), 268.
Fraterna (Panchlora), 153.
Fraterna (Phyllodromia), 95.
Fraterna (Stagmomantis), 253.
Fratricida (*Hierodula*), 248.
Fratricida (Rhombodera), 248.
Frenata (Nauphoeta), 155.
Frenchii (Anamesia), 129.

Frenchii (*Bacteria*), 331.
Frenchii (Hyrtacus), 331.
Frenchii (Polyzosteria), 128.
Freyi (Branesikia), 282.
Freyi (*Deroplatys*), 282.
Freyi (*Forficula*), 44.
Freyi (*Hierodula*), 301.
Freyi (*Sphodromantis*), 301.
Freyi (Stagmatoptera), 301.
Frondosa (Aruanoidea), 378.
Frondosa (*Necroscia*), 378.
Frontalis (*Psalidophora*), 31.
Frontalis (Pygidicrana), 4.
Frontalis (Spongiphora), 31.
Fronticornis (*Empusa*), 313.
Fronticornis (Hemiempusa), 313.
Fronticornis (*Mantis*), 313.
Fruhstorferi (Labia), 26.
Fruhstorferi (Nesogaster), 35.
FULCINEA, 257.
Fulgida (Anaplecta), 68.
Fulgida (*Angela*), 265.
Fulgida (Thespis), 265.
Fulgidipennis (Mantoida), 210.
Fuliginosa (Gonypeta), 224.
Fuliginosa (*Hapalomantis*), 214.
Fuliginosa (Humbertiella), 214.
Fuliginosa (*Kakerlac*), 142.
Fuliginosa (*Mantis*), 224.
Fuliginosa (Periplaneta), 142.
Fuliginosa (Phyllodromia), 92.
Fulva (Anaplecta), 66.
Fulva (*Corydia*), 170.
Fulva (Holocompsa), 170.
Fulva (Ischnoptera), 81.
Fulva (Temnopteryx), 104.
Fulva (*Thyrsocera*), 75.
Fulvescens (Anophelepis), 386.
Fulvescens (*Anophelepis*), 386.
Fulvescens (Graeffea), 386.
Fulviceps (*Oxyhaloa*), 176.
Fulviceps (*Proscratea*), 175.
Fulvipes (*Blatta*), 89.
Fulvipes (Phyllodromia), 89.
Fulvornata (Anamesia), 129.
Fumata (Ischnoptera), 85.
Fumata (Necroscia), 376.
Fumigata (*Blabera*), 162.
Fumigata (*Blatta*), 162.
Fumigata (Byrsotria), 162.
Fumosus (Thrinaconyx), 279.
Funebris (Allacta), 99.
Funebris (*Blatta*), 99.
Funebris (Proscratea), 195.
Fungicola (Attaphila), 173.
Furcata (Greenia), 319.
Furcatus (*Lonchodes*), 319.
Furcifera (*Apterygida*), 46.
Furcifera (Sphingolabis), 46.
Furcillatus (*Bacillus*), 329.
Furcillatus (Baculum), 329.
Fusata (*Periplaneta*), 175.
Fusca (Aptera), 182.
Fusca (Blabera), 164.
Fusca (*Blatta*), 96, 182.
Fusca (*Derocalymma*), 186.
Fusca (*Epilampra*), 125.
Fusca (Ischnoptera), 81.
Fusca (*Mantis*), 232, 238.
Fusca (*Perisphæria*), 186.
Fusca (Phyllodromia), 96.
Fusca (Stenopilema), 186.
Fuscata (Acontista), 233.
Fuscata (*Mantis*), 233, 252.
Fuscata (Pyragra), 7.
Fuscella (Melestora), 167.
Fuscescens (Hierodula), 247.
Fuscescens (*Mantis*), 247.
Fuscifolia (*Mantis*), 282.
Fuscifolius (*Acanthops*), 282.
Fuscilineatus (*Bacillus*), 330.
Fuscilineatus (Paraclitumnus), 330.
Fuscipennis (Chelisoches), 34.
Fuscipennis (*Forficula*), 34.
Fuscipennis (*Lobophora*), 34.
Fuscipennis (*Psalidophora*), 34.
Fuscipennis (Thesprotia), 277.
Fuscoannulata (Necroscia), 376.
Fuscoannulatum (*Necroscia*), 376.
Fuscoannulatum (*Phasma*), 376.
Fuscoareata (Creoboter), 291.
Fuscoelytris (*Mantis*), 235.
Fuscoirrorata (*Polyspilota*), 240.
Fuscosparsa (*Sibylla*), 287.
Fusiformis (Blabera), 165.

Gadarama (*Necroscia*), 368.
Gadarama (Sosibia), 368.
Gagathina (*Forficula*), 14.
Gagathina (Psalis), 14.
Gagatina (*Labidura*), 14.
Gagatina (*Psalis*), 14.
Galacpterum (*Phasma*), 367.
Galacpterus (*Lopaphus*), 367.
Galacpterus (Orxines), 367.
GALAPAGIA, 276.
Galeata (*Danuria*), 256.
Galeata (Hoplocorypha), 256.
Galeata (*Mantis*), 256.
Galeata (*Parathespis*), 257.
GALEPSUS, 216.
Galerucoides (Choristima), 73.
Galerucoides (*Diploptera*), 73.
Galerucoides (*Eleutheroda*), 73.

GALINTHIAS, 296.
Gallica (*Blatta*), 156.
Gallicum (*Phasma*), 334.
Gallicus (Bacillus), 334.
Gallicus (*Bacillus*), 332.
Gambrisius (Olcyphides), 411.
Gambrisius (*Phasma*), 411.
Gargantua (Aruanoidea), 378.
Gargantua (*Necroscia*), 378.
Gariazzi (Forcipula), 9.
Gasconi (Polyspilota), 239.
Gastrica (*Hierodula*), 243.
Gastrica (*Mantis*), 243.
Gastrica (Sphodromantis), 243.
Gayi (Coptopteryx), 272.
Gayi (*Mantis*), 272.
Gecko (*Acanthoderus*), 399.
Gecko (Hoploclonia), 399.
Geisovii (*Acanthoderus*), 340.
Geisovii (*Bacillus*), 340.
Geisovii (Macracantha), 340.
Geissei (*Polyzosteria*), 195.
Gelonus (*Phyllium*), 421.
Gelonus (Pulchriphyllium), 421.
Geminata (Creoboter), 291.
Geminata (*Epilampra*), 122.
Geminata (Heterolampra), 122.
Geminata (*Mantis*), 291.
Genei (Eremiaphila), 211.
Genei (*Eremophila*), 211.
Geniculata (Brachylabis), 16.
Geniculata (*Chelidura*), 16.
Geniculata (*Forficula*), 13.
Geniculatus (*Lonchodes*), 317.
Geniculatus (Stælonchodes), 317.
Geniculosum (*Bacteria*), 317.
Geniculosum (*Phasma*), 317.
Geochroma (Homalopteryx), 116.
Geochroma (Polyzosteria), 116.
GEOMANTIS, 224.
GEOSCAPHEUS, 205.
Gerhardii (*Bacillus*), 340.
Germanica (*Blatta*), 62, 87.
Germanica (Phyllodromia), 87.
Germanicus (*Ectobius*), 87.
Gerstæckeri (Diplatys), 2.
Gerstæckeri (*Diplatys*), 2.
Gerstæckeri (*Nannopygia*), 2.
Geryon (Phyllium), 423.
Gestriana (Nauphoeta), 155.
Gestroi (Platylabia), 22.
Gestroi (Spelæoblatta), 106.
Gestroiana (*Heterogamia*), 173.
Gestroiana (Polyphaga), 173.
Ghilianii (Labia), 28.
Gibbicollis (*Cyrtotria*), 187.
Gibbicollis (Derocalymma), 187.
Gibbicollis (*Deropeltis*), 187.
Gibbicollis (*Ischnoptera*), 187.
Gibbosa (*Craspedonia*), 387.
Gibbosa (*Diapherodes*), 361.
Gibbosa (*Monandroptera*), 361.
Gibbosa (*Phasma*), 387.
Gibbosum (Cranidium), 361.
Giebeliana (Hyposphæria), 193.
Giebeliana (*Lioblatta*), 193.
Gigantea (*Æluropoda*), 199.
Gigantea (Blabera), 163.
Gigantea (*Blatta*), 163, 164.
Gigantea (Diapherodes), 362.
Gigantea (*Forficesila*), 10, 11.
Gigantea (*Forficula*), 10, 11.
Gigantea (*Labidura*), 10, 11.
Gigantea (*Mantis*), 362.
Gigantea var. Japonica (*Forficesila*), 11.
Gigantea var. Japonica (*Forficula*), 11.
Giganteus (Geoscapheus), 205.
GIGANTOPHASMA, 386.
Gigas (*Brunneria*), 265.
Gigas (*Cyphocrana*), 390.
Gigas (*Cyphocrania*), 390, 391.
Gigas (*Diapherodes*), 362.
Gigas (Eremoplana), 265.
Gigas (*Fischeria*), 265.
Gigas (*Gryllus*), 390.
Gigas (*Iris*), 265.
Gigas (Japyx), [illegible]6.
Gigas (*Mantis*), 362, 385, 390.
Gigas (Phasma), 390.
Gigas (*Phasma*), 385, 391, 392.
Gilolæ (*Musonia*), 256.
Gilolæ (Nanomantis), 256.
Gilva (Chiropacha), 216.
Giraffa (Leptocola), 263.
Glabra (Melanozosteria), 129.
Glabra (Nyctibora), 108.
Glabra (*Periplaneta*), 129, 130.
Glabricollis (*Diapherodes*), 364.
Glabricollis (Haplopus), 364.
Glabricula (*Blatta*), 73.
Glabricula (Chorisoneura), 73.
Glabricula (Labia), 28.
Glauca (*Iridopteryx*), 222.
Glauca (Micromantis), 222.
Glauca (Panchlora), 152.
Glaucopterus (Chelisoches), 33.
Glomeriformis (Perisphæria), 190.
Glomeris (*Perisphæria*), 190.
Glomeris (Pseudoglomeris), 190.
Gloriosa (*Blatta*), 150.
Gloriosa (Gyna), 150.
Glyptomerium (Xerosoma), 416.
GLYPTOPELTIS, 182.

Godama (Lonchodes), 322.
Godmani (Acanthops), 282.
Goeldiana (Hicetia), 274.
Goliath (*Cyphocrania*), 391.
Goliath (*Dinara*), 391.
Goliath (Eurycnema), 391.
Goliath (Japyx), 57.
Goliath (*Phasma*), 391.
GONATISTA, 269.
Gongylodes (*Empusa*), 311.
Gongylodes (Gongylus), 310, 311.
Gongylodes (*Gryllus*), 310.
Gongylodes (*Mantis*), 310.
GONGYLUS, 310.
GONOLABINA, 16.
GONOLABIS, 15.
GONYPETA, 224.
GONYPETYLLIS, 288.
Gorgon (*Phyllium*), 413.
Gorgus (*Lopaphus*), 394.
Gorgus (Onchestus), 394.
Gracile (Ellipsidion), 80.
Gracilicollis (*Hierodula*), 247.
Gracilipes (*Ameles*), 225.
Gracilipes (*Bacillus*), 337.
Gracilipes (Clonaria), 337.
Gracilipes (Entella), 225.
Gracilipes (Photina), 274.
Gracilipes (*Pyrgocotis*), 218.
Gracilis (Ameles), 230.
Gracilis (*Bacillus*), 335, 337.
Gracilis (*Bacteria*), 351.
Gracilis (*Blatta*), 72.
Gracilis (Calidomantis), 259.
Gracilis (Chorisoneura), 72.
Gracilis (Cladoxerus), 357.
Gracilis (Clonistria), 351.
Gracilis (Cylindrogaster), 2.
Gracilis (Danuria), 310.
Gracilis (*Derocalymma*), 186.
Gracilis (Deropeltis), 146.
Gracilis (*Diplatys*), 2.
Gracilis (*Empusa*), 314.
Gracilis (*Epilampra*), 118.
Gracilis (*Forficula*), 24, 47.
Gracilis (Idolomorpha), 314.
Gracilis (*Ischnoptera*), 146.
Gracilis (Linocerus), 335.
Gracilis (*Mantis*), 230.
Gracilis (*Miomantis*), 259.
Gracilis (Oxyophthalmus), 261.
Gracilis (Periplaneta), 141.
Gracilis (*Perisphæria*), 186.
Gracilis (*Phibalosoma*), 357.
Gracilis (*Popa*), 310.
Gracilis (Sparatta), 24.
Gracilis (Sphingolabis), 47.
Gracilis (Stenopilema), 186.
Gracillima (Leptocola), 263.
Gracillima (*Leptocola*), 263.
Gracillimus (Stælonchodes), 318.
Graciosa (*Cyphocrania*), 397.
Graciosa (*Eurycantha*), 397.
Graciosa (*Phasma*), 397.
Græca (*Aphlebia*), 70.
Græca (Hololampra), 70.
Græca (Isolabella), 43.
GRAEFFEA, 386.
Grallator (Baculum), 328.
Grallator (*Lonchodes*), 328.
Gramen (*Bacunculus*), 349.
Gramen (Heteronemia), 349.
Graminea (Calvisia), 370.
Graminea (*Macynia*), 332.
Graminea (*Necroscia*), 370.
Graminea (Phthoa), 332.
Gramineus (*Bacillus*), 332.
Graminis (Oligonyx), 278.
Grammica (Anaxarcha), 223.
Granadensis (Miopteryx), 275.
Grandidieri (Gromphadorhina), 199.
Grandidieri (Gymnonyx), 184.
Grandidieri (*Stagmatoptera*), 301.
Grandipennis (Anaplecta), 67.
Grandis (*Fischeria*), 266.
Grandis (*Forficula*), 47.
Grandis (Hierodula), 246.
Grandis (Hoplocorypha), 257.
Grandis (Ischnomantis), 266.
Grandis (Labia), 27.
Grandis (*Mantis*), 249.
Grandis (Miopteryx), 275.
Grandis (*Panchlora*), 150.
Grandis (Phasma), 385.
Grandis (*Phasmomantis*), 266.
Grandis (Platyzosteria), 130.
Grandis (*Polyzosteria*), 130.
Grandis (*Rhombodera*), 249.
Grandis (Rhyparobia), 150.
Grandiventris (*Forficula*), 4.
Grandiventris (Tagalina), 4.
Granicollis (Oniscosoma), 159.
Granicollis (*Perisphæria*), 192.
Granicollis (Pœciloblatta), 192.
Granicollis (*Zetobora*), 159.
Graniferum (Periphetes), 320.
Graniferun (*Phasma*), 320.
Graniger (Stenopilema), 186.
Granosa (*Monachoda*), 162.
Granosa (Monastria), 162.
Granulata (*Ateloblatta*), 199.

Granulata (*Derocalymma*), 188.
Granulata (Hemiblabera), 166.
Granulata (Homalodemas), 188.
Granulata (Oxyothespis), 255.
Granulatus (*Bacillus*), 334.
Granulatus (Bathycharax), 335.
Granulatus (Carausius), 320.
Granulicollis (Bacteria), 356.
Granulicollis (Creoboter), 291.
Granulifera (Pseudoderopeltis), 147.
Granulosa (Labidura), 11.
GRATIDIA, 330.
Gravidula (Apterygida), 45.
Gravidula (*Forficula*), 45.
Gravidula (*Labia*), 45.
Gravidus (*Acanthoderus*), 400.
Gravidus (Pylaemenes), 400.
Grayi (Anchiale), 393.
Grayi (Diapherodes), 363.
Grayi (Haaniella), 397.
Grayi (*Haplopus*), 363.
Grayi (*Heteropteryx*), 397.
Grayi (*Pachymorpha*), 393.
Grayii (*Heteropteryx*), 397, 398.
Greeni (Anisolabis), 19.
Greeni (Diplatys), 2.
GREENIA, 319.
Grisea (*Blatta*), 125.
Grisea (Coptopteryx) 272.
Grisea (Epilampra), 125.
Grisea (Gonatista), 270.
Grisea (*Mantis*), 213, 270, 272.
Grisea (*Nauphœta*), 156.
GROMPHADORHINA, 199.
Grossa (*Blaberc*) 160.
Grossa (*Blatta*), 160.
Grossa (Monachoda), 160.
Grossa (*Monachoda*), 160.
Grylloides (*Anisomorpha*), 403.
Grylloides (Dinelytron), 408.
Grylloides (Paradoxomorpha), 403.
Grylloides (*Platycrania*), 408.
Gryps (Harpagonyx), 279.
Guatemalæ (Temnopteryx), 105.
Gueinzii (*Bacillus*), 337.
Gueinzii (Clonaria), 337.
Guerinii (Epicharmus), 404.
Guerini (Eremoplana), 265.
Guerini (*Fischeria*), 265.
Guerini (*Iris*), 265.
Guerini (Lamponius), 342.
Guerini (*Prisopus*), 404.
Guerini (*Pygirhynchus*), 343.
Guerini (*Thespis*), 265.
Guerini (Trichoblatta), 191.
Gueriniana (*Corydia*), 167.
Gueriniana (Pseudomops), 76.
Gueriniana (*Thyrsocera*), 76.
Guineensis (Nauphœta), 155.
Guineensis (Platylabia), 22.
Gulare (*Necroscia*), 375.
Gulare (*Phasma*), 375.
Gularis (Necroscia), 375.
Gulosa (Ancistrogaster), 36.
Gunnii (*Mantis*), 218.
Guttata (Dorylæa), 135.
Guttata (Echinopsalis), 7.
Guttata (Labia), 27.
Guttata (*Mantis*), 243.
Guttata (Psalis), 13.
Guttata (Pygidicrana), 6.
Guttata (Sphodromantis), 243.
Guttata (*Stylopyga*), 135.
Gutticollis (Prosoplecta), 177.
Guttifera (*Blatta*), 93.
Guttifera (Phyllodromia), 93.
Guttigerum (*Phasma*), 400.
Guttigerus (Datames), 400.
Guttipennis (Homœogamia) 174.
Guttipennis (Tropidomantis), 227.
Guttipennis (*Zetobora*), 174.
Guttiventris (Blabera), 165.
Guttiventris (*Tarraga*), 165.
Guttulata (Spongiphora), 30.
Guttulosa (*Nauphœta*), 157.
Guttulosa (Tribonium), 157.
Guttulus (Empusa), 313.
Guttulus (*Gongylus*), 313.
GYMNONYX, 184.
Gymnopyga (Coptopteryx), 272.
Gymnopyga (*Mantis*), 272.
GYNA, 149.
GYNOPELTIS, 182.
Gyrinoides (*Blatta*), 92.
Gyrinoides (Phyllodromia), 92.

HAANIA, 289.
HAANIELLA, 397.
Haanii (Necroscia), 376.
Haanii (*Pseudomantis*), 236.
Haanii (Rhombodera), 248.
Hadrillus (Lopaphus), 360.
Haeckelii (*Ectobia*), 62.
Hædulus (Mnesilochus), 320.
Hæmatomus (*Lonchodes*), 318.
Hæmatomus (Stælonchodes), 318.
HAGIOMANTIS, 270.
HAGIOTATA, 306.
Haita (*Bacteria*), 351.
Haita (Clonistria), 351.
Halmaturina (Loboptera), 102.
Hamata (Ischnoptera), 82.
Hamifera (Allacta), 100.
Hamifera (*Blatta*), 100.
Hampsoni (Parepiscopus), 261.
Hamuligera (Paraclonaria), 336.
Hanitschi (*Cyphocrania*), 391.
Hanseni (Hemimerus), 59.

HAPALOMANTIS, 223.
HAPALOPEZA, 221.
HAPLOPUS, 363.
HARPAGOMANTIS, 295.
HARPAGONYX, 279.
HARPAX, 295.
Harpuri (*Temnelytra*), 137.
Harpuri (Zonioploca), 137.
Harpyia (*Hierodula*), 244.
Harpyia (Sphodromantis), 244.
Hastata (*Bacteria*), 348.
Hastata (Heteronemia), 348.
Hastifera (*Ischnoptera*), 87.
Havaniense (*Phasma*), 362.
Havaniensis (*Apterygida*), 46.
Havaniensis (*Forficula*), 46.
Havaniensis (Sphingolabis), 46.
Haworthii (*Ctenomorpha*), 365.
Haworthii (Palophus), 365.
Hebes (Ischnoptera), 85.
Hebetata (Pilema), 185.
Hebraica (Eremiaphila), 211.
Hectica (*Cyphocrania*), 365.
Hectica (*Platycrana*), 365.
Hecticum (*Phasma*), 365.
Hecticus (Palophus), 365.
HEDAIA, 123.
Hedenborgi (Empusa), 312.
Hedenborgii (Eremiaphila), 212.
Hedenborgii (*Eremophila*), 212.
Heldreichi (*Ameles*), 231.
Heldreichi (Parameles), 231.
Hellmanni (*Forficula*), 52.
Hellotis (Lopaphus), 360.
Helvetica (*Blatta*), 62.
HELVIA, 292.
Helvolum (*Phasma*), 413.
Helvolum (Pseudophasma), 413.
Hemerobina (Phyllodromia), 88.
Hemerobius (*Mantis*), 256.
Hemerobius (Nanomantis), 256.
HEMIBLABERA, 166.
HEMIBLATTA, 194.
HEMIEMPUSA, 313.
HEMILATINDIA, 169.
HEMIMERIDÆ, 59.
HEMIMERUS, 59.
HEMINAUPHŒTA, 156.
HEMINYCTOBORA, 108.
HEMIPACHYMORPHA, 341.
HEMIPANESTHIA, 204.
Hemiptera (*Blatta*), 62.
HEMIPTEROTA, 74.
HEMITHYRSOCERA, 77.
Hemus (Calvisia), 370.
Hemus (*Necroscia*), 370.
Herbacea (*Mantis*), 238.
Herbacea (Tenodera), 238.
Herculeana (*Cyphocrania*), 391.
Herculeana (*Eurycnema*), 391.
Herculeana (*Forficula*), 11.
Herculeana (Labidura), 11.
Hercules (*Chelisochella*), 35.
HERMAGORAS, 322.
HERMARCHUS, 360.
Hermes (Anechura), 41.
Heros (*Blatta*), 142.
Heros (Periplaneta), 142.
Hesione (Acromantis), 280.
HESPEROPHASMA, 343.
HESTIAS, 288.
HESTIASULA, 288.
HETEROCHÆTA, 306.
HETEROCHÆTULA, 307.
Heterochroa (*Humbertiella*), 213.
Heterochroa (Thespompa), 213.
Heteroclyta (*Blatta*), 167.
Heterodera (Hierodula), 246.
HETEROGAMIA, 171.
Heterogamia (Stagmomantis), 252.
HETEROLAMPRA, 120.
HETERONEMIA, 348.
HETERONUTARSUS, 212.
HETERONYCHOTARSUS, 212.
HETEROPLANA, 205.
Heteroptera (Euchomena), 237.
Heteroptera (*Mantis*), 237.
HETEROPTERYGINÆ, 396.
HETEROPTERYX, 396.
HETEROPTERYX, 397.
Heterospila (*Polyzosteria*), 135.
HETEROVATES, 302.
Heusseriana (Calolampra), 117.
Heusseriana (*Epilampra*), 117.
Heydeniana (Epilampra), 126.
Heydeniana (Nauphœta), 156.
Heydeniana (*Paratropes*), 112.
Heydeniana (*Periplaneta*), 129.
Heydeniana (Phoraspis), 112.
Heydeniana (*Platyzosteria*), 129.
Heydeniana (*Polyzosteria*), 129.
Heydeniana (Pseudophyllodromia), 97.
Heydeniana (Syntomaptera), 129.
Heydenianum (*Ellipsidion*), 97.
Heydenianum (*Ellipsidium*), 97.
HICETIA, 274.
HIERODULA, 245.
Hieroglyphica (*Perlamorpha*), 418.
Hieroglyphica (*Phyllodromia*), 100.
Hieroglyphicus (*Perlamorphus*), 418.
Hilara (Enicophlebia), 228.
Hilare (*Necroscia*), 370.
Hilare (*Phasma*), 370.
Hilaris (Calvisia), 370.
Hilaris (Corydia), 167.
Hilaris (Labia), 27.
Hilaris (*Necroscia*), 371.
Hilaris (Panesthia), 204.
Hildebrandti (*Gromphadorhina*), 199.

Himalayæ (Perisphæria), 189.
Himalayanus (Dysaules), 262.
Himalayica (Ischnoptera), 81.
Hippolyte (Calvisia), 370.
Hippolyte (*Necroscia*), 370.
Hippolytus (Lysicles), 381.
Hipponax (Dinelytron), 408.
Hipponoe (Loxopsis), 406.
Hipponoe (*Necroscia*), 406.
Hippotaurus (Ischnopoda), 366.
Hippotaurus (*Palophus*), 366.
Hirsuta (Ancistrogaster), 37.
Hirsuta (*Forficula*), 37.
Hirsuta (*Heterogamia*), 173.
Hirsuta (Polyphaga), 173.
Hirticornis (Pseudomops), 76.
Hirticornis (*Thyrsocera*), 76.
HIRTULEIUS, 361.
Hispa (*Lonchodes*), 326.
Hispa (Promachus), 326.
Hispanica (*Forficula*), 18.
Hispanicus (Phthoa), 332.
Hispidulus (*Bacillus*), 330.
Hispidulus (Paraclitumnus), 330.
Histrinus (Acanthoclonia), 407.
Histrinus (*Ceroys*), 407.
Histrio (*Paratropa*), 110.
Histrio (Paratropes), 110.
Histrio (*Paratropes*), 155.
Histrio (*Periplaneta*), 135.
Histrio (Pseudophyllodromia), 98.
Histrio (Thyrsocera), 78.
Hobsonii (*Bolidena*), 218.
Hobsonii (*Mantis*), 218.
Hobsonii (Orthodera), 218.
Hoevenii (Archiblatta), 148.
Hofmanni (Hagiotata), 306.
HOLOCOMPSA, 169.
HOLOLAMPRA, 68.
HOLOLAMPRA, 177.
Holosericea (Nyctibora), 107.
HOMALOBLATTA, 194.
HOMALODEMAS, 183.
HOMALOPTERYX, 115.
HOMALOSILPHA, 143.
HOMŒOGAMIA, 174.
Hookeri (*Bacillus*), 339.
Hookeri (Clitarchus), 339.
Hopei (*Ectatosoma*), 381.
Hopei (*Extatosoma*), 380.
Hopei (*Heteropteryx*), 397.
Hopei (*Phasma*), 410.
Hopii (Olcyphides), 410.
Hopii (*Phasma*), 410.
HOPLOCLONIA, 399.
HOPLOCORYPHA, 256.
HOPLOPHORA, 209.
HORMETICA, 197.
HORMETICA, 196.
Horologica (Hedaia), 124.
Horrida (Eurycantha), 395.
Horrida (*Eurycantha*), 396.
Horrida (*Phasma*), 395.
Horridum (Echinosoma), 8.
Horridum (*Karabidion*), 395.
Horridus (*Acanthoderus*), 340.
Horridus (*Argosarchus*), 340.
Horridus (*Platytelus*), 406.
Horridus (Prisopus), 406.
Horrifica (Deroplatys), 282.
Horsfieldii (Necroscia), 376.
Horsfieldii (Pygidicrana), 6.
Horsfieldii (Sparatta), 23.
Horstokkii (*Phasma*), 405.
Horstokkii (Prisopus), 405.
Hosei (Hermagoras), 322.
Hospes (Phyllodromia), 93.
HOSTILIA, 192.
Hottentota (Dorylæa), 135.
Hottentotta (Anisolabis), 18.
Hottentotta (Ceratinoptera), 98.
Hottentotta (*Forcinella*), 18.
Hova (Blatta), 138.
Hova (Elliptoblatta), 184.
Hova (Galepsus), 217.
Hova (Heminauphoeta), 156.
Hova (*Hierodula*), 241.
Hova (Opisthocosmia), 38.
Hova (*Periplaneta*), 138.
Hova (*Stylopyga*), 138.
Hova (Tarachomantis), 241.
Hova (Theganopteryx), 64.
Hralili (Eremiaphila), 212.
Hralili (*Eremiaphila*), 212.
Hubbardi (Japyx), 57.
Huegeli (Anechura), 41.
Huegeli (*Forficula*), 41.
Hugeli (Pygidicrana), 5.
Humberti (*Bacillus*), 328.
Humberti (*Ramulus*), 328.
Humbertiana (*Blatta*), 92.
Humbertiana (*Empusa*), 313.
Humbertiana (*Gonypeta*), 224.
Humbertiana (*Necroscia*), 369.
Humbertiana (Parathespis), 256.
Humbertiana (*Perisphæria*), 190.
Humbertiana (Phyllodromia), 90.
Humbertiana (*Phyllodromia*), 92.
Humbertiana (*Polyzosteria*), 90.
Humbertiana (Pseudoglomeris), 190.
Humbertiana (Sosibia), 369.
HUMBERTIELLA, 211.

Humbertii (Iapyx), 56.
Humbertii (*Japyx*), 56.
Humerale (Ellipsidion), 79.
Humeralis (*Apolyta*), 79.
Humeralis (*Blatta*), 91.
Humeralis (*Cardioptera*), 242.
Humeralis (Cilnia), 242.
Humeralis (Nyctibora), 107.
Humeralis (Opisthocosmia), 38.
Humeralis (Phyllodromia), 91.
Humilis (*Bacillus*), 329.
Humilis (Ramulus), 329.
Hummeli (Hypnorna), 178.
Huseinæ (*Apterygida*), 12.
Huseinæ (Labidura), 12.
Hyalina (*Blatta*), 152.
Hyalina (*Chæradodis*), 220.
Hyalina (*Empusa*), 305.
Hyalina (Galinthias), 296.
Hyalina (*Ischnoptera*), 84.
Hyalina (Macromantis), 273.
Hyalina (*Mantis*), 273, 299, 303.
Hyalina (Panchlora), 152.
Hyalina (*Panchlora*), 153.
Hyaloptera (*Mantis*), 299.
Hyaloptera (Stagmatoptera), 299.
Hybrida (*Epilampra*), 123.
Hybrida (Heterolampra), 123.
Hybrida (Hierodula), 246
Hybrida (*Mantis*), 246.
Hydrophoroides (*Blatta*), 73.
Hydrophoroides (Choristima), 73.
Hygrophoroides (*Chorisoneura*), 73.
HYMENOPA, 294.
HYMENOPUS, 294.
HYPERCOMPSA, 170.
Hypharpax (*Phibalosoma*), 360.
Hypharpax (Tirachoidea), 360.
Hyphereon (*Bacillus*), 330.
Hyphereon (Gratidia), 330.
HYPNORMA, 178.
HYPNORNA, 178.
HYPOCRITA, 101.
HYPOSPHÆRIA, 193.
HYPSICORYPHA, 314.
HYRTACUS, 331.
Hystriculea (*Bacillus*), 342.
Hystriculea (Pachymorpha), 342.
Hystriculea (*Pachymorpha*), 342.
Hystrinus (Acanthoclonia), 407.
Hystrinus (*Ceroys*), 407.
Hystrix (*Acanthoderus*). 326.
Hystrix (Parectatosoma), 398.
Hystrix (Promachus), 326.

IAPYX, 55.
Icaris (Necroscia), 375.
Icterica (*Forficesila*), 11.
Icterica (Labidura), 11.
Icterica (Oxyops), 298.
IDOLOMORPHA, 314.
IDOLUM, 316.
IGNACIA, 411.
Ignava (Heteronemia), 348.
Ignavus (*Ceroys*), 345.
Ignavus (Libethra), 345.
Ignobilis (Allacta), 100.
Ignobilis (*Blatta*), 100.
Ignobilis (Ischnoptera), 83.
Iheringi (Phyllovates), 304.
Iheringi (*Theoclytes*), 304.
Illepida (*Proscratea*), 150.
Illudens (Phyllocrania), 290.
Imitans (*Epilampra*), 121.
Imitans (Heterolampra), 121.
Imitatrix (Epilampra), 125.
Immacula (Blabera), 165.
Immaculata (Hedaia), 123.
Immanis (*Acanthoderus*), 344.
Immanis (Parobrimus), 344.
Immunda (Phyllodromia), 92.
Impannosa (Danuria), 310.
Impennis (Ancistrogaster), 37.
Imperatoria (*Epilampra*), 116.
Imperatrix (Molytria), 115.
Imperatrix (Pygidicrana), 5.
Impressa (Polyzosteria), 128.
Impressa (*Zetobora*), 157.
Impressicollis (Bormansia), 13.
Inæqualis (Ischnoptera), 82.
Inæqualis (*Panchlora*), 157.
Inæqualis (Tribonium), 157.
Inca (Ischnoptera), 84.
Inca (Latindia), 168.
Inca (Pseudophasma), 412.
Inca (Strongylopsalis), 15.
Incerta (Labia), 26.
Incerta (Panesthia), 203.
Incertus (*Prisopus*), 405.
Incisa (*Blatta*), 88.
Incisa (Phyllodromia), 88.
Inclarata (*Epilampra*), 121.
Inclarata (Heterolampra), 121.
Inclinata (Clonaria), 337.
Inclinata (*Gratidia*), 337.
Inclusa (Cosmozosteria), 133.
Inclusa (*Periplaneta*), 133, 142.
Inclusa (Pseudomops), 75.
Incommoda (*Blatta*), 105.
Incommoda (Temnopteryx), 105.
Incommodus (*Bacillus*), 383.
Incommodus (Xenomaches), 383.
Incompta (Bostra), 350.
Inconspicua (*Epilampra*), 120.
Inconspicua (Heterolampra), 120.

Inconspicua (Labidura), 12.
Inconspicua (Temnopteryx), 104.
Incuriosa (Ischnoptera), 81.
Indica (*Bacteria*), 330.
Indica (*Blatta*), 151.
Indica (*Ectobia*). 64.
Indica (*Forficula*), 13.
Indica (Humbertiella), 214.
Indica (Ischnoptera), 81.
Indica (*Labidura*), 13.
Indica (Loboptera), 102.
Indica (*Panchlora*), 151.
Indica (Paraclitumnus), 330.
Indica (Paranauphœta), 179.
Indica (Polyphaga), 172.
Indica (*Polyzosteria*), 104.
Indica (Psalis), 13.
Indica (Temnopteryx), 104.
Indica (Theganopteryx), 64.
Indica var. Minor (*Psalis*), 13.
Indicator (*Mantis*), 301.
Indicator (Stagmatoptera), 301.
Indicus (*Bacillus*), 330.
Indicus (Iapyx), 57.
Indicus (*Japyx*), 57.
Indistincta (Labia), 26.
Induta (Allacta), 100.
Induta (*Ceratinoptera*), 100.
Inermis (Bacillus), 335.
Inermis (*Hestias*), 288.
Inermis (*Labidura*). 10.
Inermis (Pachymantis), 288.
Inermis (*Panesthia*), 204.
Inermis (*Phasma*), 335.
Inexacta (*Blatta*). 92.
Inexacta (Phyllodromia), 92.
Inflexipes (*Mantis*), 374.
Inflexipes (Necroscia), 374.
Infumata (*Aphlebia*), 69.
Infumata (*Forficula*), 50.
Infumata (*Gonypeta*), 223.
Infumata (Hololampra), 69.
Infumata (Iridopteryx), 223.
Infumata (*Mantis*), 276.
Infumata (Musonia), 276.
Infumata (*Oligonyx*), 276.
Infumatum (*Ascepasma*), 419.
Infumatum (*Aschipasma*), 419.
Infumatus (Presbistus), 419.
Infuscata (*Fischeria*), 269.
Infuscata (*Iris*), 269.
Infuscata (*Phasmomantis*), 269.
Infuscata (Pseudomiopteryx), 275.
Infuscata (Sphendale), 269.
Ingens (*Platyzosteria*), 143.
Innotabilis (*Blatta*), 97.
Innotabilis (Mareta), 97.
Inopinata (Ancistrogaster), 37.
Inornata (Chætospania), 22.
Inquinata (Acontista), 233.
Inquinata (*Blatta*), 79.
Inquinata (Chorisoneura), 72.
Inquinata (Ellipsidion), 79.
Inquinata (*Epilampra*), 114.
Inquinata (*Mantis*), 252.
Inquinata (Molytria), 114.
Inquinita (*Epilampra*), 114.
Insatiabilis (Stagmatoptera), 301.
Inscripta (Ceratinoptera), 98.
Inscripta (*Periplaneta*), 98.
Insculpta (Ellipsica), 183.
Insidiator (*Chiropus*), 216.
Insidiator (Tarachodes) 215.
Insignata (Trichomera), 148.
Insignis (Æluropoda), 199.
Insignis (*Æthalochroa*), 308.
Insignis (*Bacillus*), 329.
Insignis (Baculum), 329.
Insignis (*Blatta*), 142.
Insignis (*Caloxerus*), 381.
Insignis (*Forficula*), 39.
Insignis (*Kakerlac*), 142.
Insignis (*Lonchodes*), 329.
Insignis (Lysicles), 381.
Insignis (Opisthocosmia), 39.
Insignis (Periplaneta), 142.
Insignis (Phyllocrania), 290.
Insignis (*Phyllocrania*), 290.
Insignis (Polyspilota), 239.
Insignis (*Psalidophora*), 31.
Insignis (Spongiphora) 31.
Insolita (*Periplaneta*), 116.
Insueta (*Epilampra*), 121.
Insueta (Heterolampra) 121.
Insulanum (Echinosoma), 8.
Insularis (Anchiale), 393.
Insularis (*Blatta*), 95.
Insularis (Dicellonotus), 201.
Insularis (*Dixippus*), 324.
Insularis (*Ectobia*), 65
Insularis (Epilampra), 125.
Insularis (Eurycantha), 396.
Insularis (Phasgania), 324.
Insularis (Phyllodromia), 95.
Insularis (Promachus), 326.
Insularis (Pseudectobia), 65.
Insularis (Sphingolabis), 49.
Insularis (*Theganopteryx*), 65.
Intacta (*Epilampra*), 111.
Integerrima (Deropeltis), 146.
Integra (Metilia), 282.
Integra (Panesthia), 204.
Intercepta (*Blatta*), 75.

Intercepta (Pseudomops), 75.
Intermedia (Ancistrogaster), 37.
Intermedia (*Derocalymma*), 188.
Intermedia (Deropeltis), 146.
Intermedia (Homalodemas), 188.
Intermedia (Homalopteryx), 115.
Intermedia (Nyctibora), 107.
Intermedia (Pseudectobia), 66.
Intermedia (Tenodera), 239.
Intermedia (*Tenodera*), 218.
Intermedia (*Theganopteryx*), 66.
Interna (Brachycola), 197.
Inuncans (*Monandroptera*), 382, 387.
Inuncans (*Monandroptera*), 387.
Inversa (Phyllodromia), 91.
Invisa (*Periplaneta*), 130.
Invisa (Platyzosteria), 130.
Invisa (Polyzosteria), 128.
Iodonus (Tropidoderus), 380.
Iolas (Candaules), 367.
Iolas (*Lopaphus*), 367.
Iolas (*Necroscia*). 367.
Iphiclus (Caulonia), 344.
Iphiclus (*Pygirhynchus*), 344.
IPISOMA. 169.
Ipsoides (*Euthyrrhapha*), 168.
Iridescens (*Ascephasma*), 419.
Iridescens (*Aschiphasma*), 419.
Iridescens (Olcyphides), 411.
Iridescens (*Phasma*), 419.
Iridescens (Presbistus), 419.
Iridicolor (Polyzosteria), 128.
Iridipennis (Iridopteryx), 223.
Iridipennis (*Miopteryx*), 227.
Iridipennis (Tropidomantis), 227.
IRIDOPTERYX, 223.
Irina (*Gonypeta*), 223.
Irina (Iridopteryx), 223.
IRIS, 259.
Irregularis (Danuriella), 310.
Irregulariter-vittata (Phyllodromia), 90.
Irrorata (*Blatta*), 117.
Irrorata (Calolampra), 117.
Irrorata (*Mantis*), 252.
Irrorata (Tarachodes), 215.
Irroratus (*Gryllus*), 252.
Isabellæ (Japyx), 56.
ISAGORAS, 415.
ISCHNOMANTIS, 266.
ISCHNOPODA, 365.
ISCHNOPTERA, 80.
Ismene (Marmessoidea), 372.
Ismene (*Necroscia*), 372.
Isochroma (*Epilampra*), 120.
Isochroma (Heterolampra), 120.
ISOLABELLA, 43.
ISOLABIS, 21.
Isomorpha (*Blatta*), 92.
Isomorpha (Phyllodromia), 92.

Jackeryensis (Forficula), 53.
Jagori (*Apterygida*), 44.
Jagori (*Forficula*), 44.
Jagori (Pterygida), 44.
Jamaicensis (Haplopus), 363.
Jamaicensis (*Mantis*), 363.
Jamaicensis (*Phasma*), 363, 385.
Jamaicensis (*Platycrana*), 363.
Janeirensis (Anisolabis), 20.
Janeirensis (*Forcinella*), 20.
Janeri (*Aphlebia*), 71.
Janeri (Hololampra), 71.
Jansoni (Anaplecta), 68.
Jansoni (*Cylindrogaster*), 2.
Jansoni (Diplatys), 2.
Janus (Necroscia), 377.
Janus (Prexaspes), 415.
Japetus (*Acrophylla*), 393.
Japetus (*Cyphocrania*), 393.
Japetus (*Diura*), 393.
Japetus (*Phasma*), 393.
Japonica (Acromantis), 280.
Japonica (*Forficesila*), 11.
Japonica (*Forficula*), 11, 46.
Japonica (Mantis), 251.
Japonica (Sphingolabis), 46.
Japonicum (*Acanthoderus*), 325.
Japonicum (*Phasma*), 325.
Japonicus(*Acanthoderus*), 325.
Japonicus (Neohirasea), 325.
JAPYX, 55.
Jaspidea (*Blatta*), 119.
Jaspidea (*Epilampra*), 120.
Javana (*Acromantis*), 223.
Javana (*Anisolabis*), 16.
Javana (Gonolabis), 16.
Javana (*Micromantis*), 223.
Javana (Odontomantis), 223.
Javana (Platylabia), 22.
Javanica (Anaplecta), 66.
Javanica (*Epilampra*), 124.
Javanica (Hedaia), 124.
Javanica (Panesthia), 202.
Javanica(Paranauphœta), 180.
Javanicus (*Japyx*), 57.
Javanum (*Bacillus*), 331.
Javanum (*Phasma*), 331.
Javanus (Apachyus), 3.
Javanus (*Bacillus*), 331.
Javanus (Paraclitumnus), 331.
Jocosicluna (Anisopygia), 101.
Jonesi (Pyrgomantis), 217.
Josephi (Epilampra), 127.
Josephina (Ischnoptera), 83.
Jucunda (*Ectobia*), 65.
Jucunda (Entella), 225.
Jucunda (*Hemithyrsocera*), 78.
Jucunda (*Periplaneta*), 108.

Jucunda (Theganopteryx), 65.
Jucunda (Thyrsocera), 78.
Juliæ (Hypsicorypha), 314.
Jumnos (*Cyphocrania*), 387.
Jumnos (Monandroptera), 387.
Juncea (Deropeltis), 146.
Juncea (*Deropeltis*), 146.
Juncea (*Ischnoptera*), 146.
JUNODIA, 286.
Jupiter (Chætospania), 22.
Jurinii (*Metriotes*), 410.
Jurinii (Olcyphides), 410.

KAKERLAC, 137.
Kakkerlac (*Blatta*), 140.
Kallipygos (*Pygidicrana*), 5.
KARABIDION, 395.
KARSCHIELLA, 13.
Kaupiana (Temnopteryx), 105.
Kaupii (Myronides), 321.
Keratosqueleton (*Mantis*), 363.
Keraudrenii (*Blatta*), 122.
Keraudrenii (*Epilampra*), 122.
Keraudrenii (Heterolampra), 122.
Kershawi (Choristima), 73.
Kersteni (*Hierodula*), 244.
Kersteni (*Mantis*), 244.
Kersteni (*Stagmatoptera*), 244.
Khamsini (Eremiaphila), 212.
Kheili (Panesthia), 203.
Kheili (*Phasma*), 413.
Kheili (Pseudophasma), 413.
Kheychi (Eremiaphila), 212.
Kirbii (Xeroderus), 383.
Kirbyi (*Anisolabis*), 16.
Kirbyi (Gonolabis), 16.
Kirschianus (Thrinaconyx), 279.
Kitensis (Oxyhaloa), 175.
KNEPHASIA, 132.
Kœnigi (Leptynia), 335.
Komarowi (Opisthocosmia), 38.
Kotschyi (Blepharodes), 315.
Kraussiana (Hemipanesthia), 204.
Kraussiana (*Panesthia*), 204.
Kraussii (*Haania*), 207.
Kraussii (Paraoxypilus), 207.
Krugi (Plectoptera), 178.
Kudagæ (Anisolabis), 19.
Kuhlgatzi (Gonolabina), 16.
Kuhlii (*Blepharis*), 290.
Kuhlii (*Mantis*), 290.
Kuhlii (Parablepharis), 290.

LABIA, 25.
Labiata (Macynia), 332.
Labiata (*Mantis*), 332.
Labiata (*Phasma*), 332.
LABIDOPHORA, 21.
LABIDURA, 9.
LABIDURODES, 15.
Lacandon (*Panchlora*), 154.
Laceratus (*Creoxylus*), 404.
Laceratus (Neocles), 404.
Lacertinum (*Acanthoderus*), 325.
Lacertinum (*Phasma*), 325.
Lacertinus (*Acanthoderus*), 325.
Lacertinus (Menexenus), 325.
Laciniatus (*Ceroys*), 344.
Laciniatus (Parobrimus), 344.
Lacrymula (*Blatta*), 88.
Lacrymula (Phyllodromia), 88.
Lactea (*Miopteryx*), 255.
Lactea (*Panchlora*), 154.
Lacteipennis (Necroscia), 377.
Læta (Anisolabis), 19.
Læta (*Anisolabis*), 19.
Læta (*Brachylabis*), 19.
Lætior (Chelisoches), 35.
Lætior (*Lobophora*), 35.
Lætus (Promachus), 326.
Læviceps (Hirtuleius), 361.
Lævicollis (*Brachycola*), 197.
Lævicollis (Creoboter), 291.
Lævicollis (*Epilampra*), 122.
Lævicollis (Heterolampra), 122.
Lævicollis (Hierodula), 247.
Lævicollis (Panesthia), 203.
Lævigata (*Blatta*), 116, 152.
Lævigata (Gromphadorhina), 199.
Lævigata (Hormetica), 197.
Lævigata (Leucophæa), 152.
Lævigata (*Nauphœta*), 116.
Lævigata (*Panchlora*), 116.
Lævigatus (*Bacillus*), 329.
Lævigatus (Baculum), 329.
Lævis (Calolampra), 117.
Lævis (Dicellonotus), 201.
Lævis (*Epilampra*), 117.
Lævis (*Typhlolabia*), 58.
Læviusculus (Clitarchus), 339.
LAMACHUS, 368.
Lambii (Anamesia), 129.
Lamellatus (Oxyartes), 325.
Laminata (*Homalopteryx*), 124.
Laminata (*Perisphæria*), 160.
Laminata (Rhicnoda), 124.
Laminigera (*Apterygia*), 52.
Laminigera (Forficula), 52.
Lampethusa (Necroscia), 377.
Lampetia (Necroscia), 377.
LAMPONIUS, 343.
Lampyrina (*Derocalymma*), 188.
Lampyrina (Homalodemas), 188.
Lampyroides (Melanoblatta), 191.
Lampyroides (*Nauphœta*), 191.
Lancadon (Panchlora), 154.
Lanceolata (Didymocorypha), 218.
Lanceolata (*Mantis*), 218.
Lanceolatus (*Paratropes*), 110.

Lancettifer (Hyrtacus), 331.
Laponica (*Phyllodromia*), 61.
Lapponica (*Blatta*), 61.
Lapponica (Ectobia), 61.
Lapponicus (*Ectobius*), 61.
Larrinuæ (*Aphlebia*), 71.
Larrinuæ (Hololampra), 71.
Larunda (Necroscia), 375.
Larva (*Forficula*), 58.
Larva (Iapyx), 58.
Larva (*Typhlolabia*), 58.
Larvoides (Geomantis), 224.
Lata (*Blatta*), 141.
Lata (Gyna), 149.
Lata (*Ischnoptera*), 85.
Lata (*Panchlora*), 149.
Lata (Panesthia), 203.
Lata (Periplaneta), 141.
Laterale (*Ellipsidium*), 77.
Laterale (*Phasma*), 413.
Lateralis (Anaplecta), 67.
Lateralis (*Anaplecta*), 67.
Lateralis (Blatta), 138.
Lateralis (*Blatta*), 78, 108.
Lateralis(Cosmozosteria), 132.
Lateralis (*Empusa*), 314.
Lateralis (Hemithyrsocera), 77.
Lateralis (Idolomorpha), 314.
Lateralis (*Mantis*), 413, 414.
Lateralis (Nyctibora), 108.
Lateralis (*Periplaneta*), 138.
Lateralis (*Phasma*), 413, 414.
Lateralis (*Platyzosteria*), 132.
Lateralis (*Polyzosteria*), 132.
Lateralis (Prexaspes), 414.
Laterifera (*Blatta*), 92.
Laterifera (Phyllodromia), 92.
Laticaput (Phyllodromia), 93.
Laticauda (*Bacteria*), 349.
Laticauda (Heteronemia), 349.
Laticeps (*Blatta*), 91.
Laticeps (*Deiphobe*), 266.
Laticeps (Eremoplana), 266.
Laticeps (*Fischeria*), 266.
Laticeps (Phyllodromia), 91.
Laticollis (*Blabera*), 164.
Laticollis (Chæradodis), 220.
Laticollis (*Epilampra*), 122.
Laticollis (*Mantis*), 248.
Laticollis (Monachoda), 160.
Laticollis (*Orthodera*), 218.
Laticollis (Polyspilota), 241.
Laticollis (Rhombodera), 248.
Laticornis (Pseudomops), 75.
Laticornis (*Thyrsocera*), 75.
Laticosta (Gyna), 149.
Laticosta (*Panchlora*), 149.
Latifrons (Epilampra), 125.
Latimarco (*Blatta*), 94.
Latimargo (*Blatta*), 94.
LATINDIA, 168.
Latipennis (Allacta), 100.
Latipennis (*Blatta*), 90.
Latipennis (Hierodula), 245.
Latipennis (*Mantis*), 253.
Latipennis (Methana), 136.
Latipennis (*Nyctibora*), 108, 136.
Latipennis (Panchlora), 154.
Latipennis (*Phyllodromia*), 90, 100.
Latipennis (Platycalymma), 228.
Latipennis (Thysanoblatta), 185.
Latipennis (*Tropidomantis*), 228.
Latipes (*Cilnia*), 242.
Latipes (*Mantis*), 242.
Latipes (*Phasma*), 322.
Latipes (*Polyzosteria*), 106.
Latipes (Temnopteryx), 106.
Latirupta (*Blatta*), 97.
Latirupta (Ellipsidion), 79.
Latissima (Blabera), 165.
Latissima (*Blatta*), 165.
Latissima (Monachoda), 160.
Latistriga (*Blatta*), 90.
Latistylus (Archimantis), 234.
Latistylus (*Mantis*), 234.
Latiusvittata (Phyllodromia), 90.
Lativentris (*Anisolabis*), 16.
Lativentris (*Forficula*), 15.
Lativentris (Gonolabis), 15, 16.
Lativitrea (*Blatta*), 91.
Lativitrea (Phyllodromia), 91.
Latizona (Cosmozosteria), 133.
Latizona (*Platyzosteria*), 133.
Latystylus (*Archimantis*), 234.
Laubneri (*Pilema*), 184.
Laurenziana (Loboptera), 102.
Laurifolia (Phyllomantis), 284.
Laxeretis (Amorphoscelis), 208.
LAXTA, 159.
Lefebvrei (Eremiaphila), 211.
Lefebvrei (*Eremophila*), 211.
Lemoroi (*Heterochæta*), 307.
Lemoroi (Severinia), 307.
Lenticularis (Aptera), 182.
Lenticularis(*Chiropacha*), 217.
Lenticularis (*Lygdamia*), 217.
LEOCRATES, 396.
LEOSTHENES, 406.
Lepelletierii (*Phibalosoma*), 356, 357.
Lepelletieri var. Dilatipes (*Phibalosoma*), 357.
Lepelletierii var. Rubus (*Phibalosoma*), 357.
Lepida (*Blatta*), 102.
Lepida (Compsoblatta), 180.
Lepida (*Eustegasta*), 180.
Lepida (Loboptera), 102.
Lepidella (*Blatta*), 73.

Lepidella (Chorisoneura), 73.
Leprosa (*Gratidia*), 338.
Leprosus (*Bacillus*), 338.
Leprosus (Clonaria), 338.
Leptelytra (*Mantis*), 238.
LEPTISOLABIS, 21.
LEPTOCOLA, 263.
LEPTOZOSTERIA, 131.
LEPTYNIA, 335.
Lesnei (Forficula), 50.
Leucogramma (Phoraspis), 113.
Leucogramma var. (*Conspersa* (*Phoraspis*), 112.
LEUCOPHÆA, 151.
Leucophthalma, *Zetobora*), 193.
Lherminieri (*Psalidophora*), 31.
Lherminieri (Spongiphora), 31.
Liberiensis (Japyx), 56.
LIBETHRA, 345.
LIBISOCA, 163.
Lichenale (*Phasma*), 413.
Lichenalis (Liturgousa), 271.
Licoides (*Paratropa*), 110.
Lifuensis (Graeffea), 386.
LIGARIA, 226.
Ligata (*Blabera*), 162.
Ligata (*Cassidodes*), 177.
Ligata (*Periplaneta*), 136.
Ligata (*Platyzosteria*), 132.
Ligata (*Polyzosteria*), 132.
Ligata (Prosoplecta), 177.
Ligia (Haplopus), 364.
Lignaria (*Perisphæria*), 158.
Lignaria (Tribonium), 158.
Lignea (Leptocola), 263.
Limbalicollis (Tenodera), 238.
Limbalis (Epilampra), 127.
Limbata (*Blabera*), 165.
Limbata (*Blatta*), 102.
Limbata (*Loboptera*), 102.
Limbata (*Mantis*), 231, 253.
Limbata (Parameles), 231.
Limbata (Paranauphœta), 180.
Limbata (Polyphaga), 172.
Limbata (Polyzosteria), 127.
Limbata (*Polyzosteria*), 102.
Limbata (Stagmomantis), 253.
Limbata (Temnopteryx), 105.
Limbata (*Zetobora*), 158.
Limbatus (*Temnopteryx*), 105.
Limosa (Elliptoblatta), 184.
Limosa (*Polyzosteria*), 184.
Lindsayi (Anamesia), 129.
Linearis (*Bacteria*), 347, 351.
Linearis (*Blatta*), 195.
Linearis (*Ceroys*), 345.
Linearis (Clonistria), 351.
Linearis (*Forficula*), 48.
Linearis (*Mantis*), 351, 377.
Linearis (Parasphæria), 195.
Linearis (*Perisphæria*), 186, 195.
Linearis (*Phasma*), 377, 415.
Linearis (Sermyle), 345.
Linearis (Sphingolabis), 48.
Linearis (Stenopilema), 186.
Lineata (*Bacteria*), 338.
Lineata (*Blatta*), 86.
Lineata (Clonaria), 338.
Lineata (Pseudischnoptera), 86.
Lineata (*Thyrsocera*), 86.
Lineaticollis (*Epilampra*), 120.
Lineaticollis (*Heterolampra*), 120.
Lineaticollis (*Thyrsocera*), 78.
Lineativentris (Mionyx), 277.
Lineativentris (*Musonia*), 277.
Lineatum (*Phasma*), 410.
Lineatus (Paraclitumnus), 330.
Lineola (*Hierodula*), 243.
Lineola (*Mantis*), 243.
Lineola (Sphodromantis), 243.
Lineolata (Pseudophyllodromia), 98.
Lineolatum (*Phasma*), 410.
Lingua (*Apterygida*), 45.
Lingua (Sphingolabis), 45.
Lingulata (*Hierodula*), 249.
LINOCERUS, 335.
LINOBLATTA, 193.
LIOSILPHA, 87.
LITANEUTRIA, 232.
Literata (*Blatta*), 97.
Literata (Pseudophyllodromia), 97.
Lithophyla (*Ectobia*), 84.
Littorea (Anisolabis), 20.
Littorea (*Forcinella*), 20.
Littorea (*Forficula*), 20.
Litura (*Apolyta*), 79.
Litura (Ellipsidion), 79.
Liturata (Allacta), 100.
Liturata (*Blatta*), 116, 117.
Liturata (Compsolampra), 116.
Liturata (Cutilia), 134.
Liturata (*Forficesila*), 4.
Liturata (*Opisthoplatia*), 116.
Liturata (*Phyllodromia*), 100.
Liturata (*Polyzosteria*), 134.
Liturata (Pygidicrana), 4.
LITURGOUSA, 271.
Lituriceps (Achroblatta), 155.
Lituriceps (*Pseudomops*), 155.
Lituricollis (*Blatta*), 90.
Lituricollis (Phyllodromia), 90.
Liturifera (*Blatta*), 65, 98.
Liturifera (*Ectobia*), 65.
Liturifera (*Phyllodromia*), 65.
Liturifera (Pseudectobia), 65.
Liturifera (Pseudophyllodromia), 98.
Liturifera (*Theganopteryx*), 65.
Livida (*Blatta*), 63.
Livida (*Ectobia*), 63.
Livida (*Forficula*), 25.
Livida (*Heterogamia*), 173.
Livida (*Labidura*), 12.
Livida (Miopteryx), 275.
Livida (Polyphaga), 173.

Livida (*Thespis*), 275.
Livida var. Brevipennis (*Ectobia*), 63.
Lividipes (*Forficula*), 11.
Lividipes (Labidura), 11.
Lividus (Demogorgon), 12.
Lividus (*Ectobius*), 63.
Lobata (Allacta), 100.
Lobata (*Blatta*), 100.
Lobata (*Chæradodis*), 281.
Lobata (*Creoboter*), 291.
Lobata (Deroplatys), 281.
Lobata (*Harpax*), 295.
Lobata (*Mantis*), 295, 305.
Lobata (Oxypiloides), 286.
Lobata (*Phyllodromia*), 100.
Lobata (Vates), 305.
Lobiceps (*Cyphocrania*), 391.
Lobiceps (Haania), 289.
Lobiceps (*Mantis*), 288, 289.
Lobiceps (*Oxypilus*), 288, 289.
Lobiceps (Phasma), 391.
Lobifrons,(Paraoxypilus), 207.
Lobipennis (Panesthia), 203.
Lobipennis (Temnopteryx), 105.
Lobipes (Bacillus), 334.
Lobipes (*Empusa*), 302.
Lobipes (*Mantis*), 302.
Lobipes (Parastagmatoptera), 299.
Lobipes (*Theoclytes*), 302.
Lobipes (Zoolea), 302.
Lobiventre (*Phyllium*), 420.
Lobiventris (*Blatta*), 88.
Lobiventris (Chitoniscus), 420.
Lobiventris (Phyllodromia), 88.
LOBOPHORA, 32.
Lobophoroides (Forficula), 53.
LOBOPTERA, 101.
Lobulipes (Phitrus), 310.
Loftyensis (*Chorisoneura*), 73.
Loftyensis (Choristima), 73.
LONCHODES, 321.
LONCHODES, 317.
LONCHODINÆ, 317.
Longealata (Phyllodromia), 92.
Longelammata (Paraclonaria), 335.
Longiceps (Arrhidæus), 384.
Longiceps (*Necroscia*), 384.
Longiceps (*Pseudobacteria*), 351.
Longicollis (Dysaules), 262.
Longicollis (*Dysaules*), 262.
Longicollis (Orthodera), 218.
Longicollis(Pseudovates), 304.
Longicollis (*Vates*), 304.
Longicollis var. Brevipennis (*Dysaules*), 262.
Longicorne(*Phibalosoma*), 374.
Longicornis (*Cladoxerus*), 374.
Longicornis (Orthonecroscia), 374.
Longiforceps (Auchenomus), 29.
Longiforcipata (*Forficula*), 31.
Longifrons (Idolomorpha), 314.
Longimana (Abrachia), 352.
Longimana (*Bacteria*), 352.
Longimanum (*Phibalosoma*), 352.
Longipennis (Anchiale), 393.
Longipennis (*Blabera*), 109.
Longipennis (*Deropeltis*), 146.
Longipennis (*Ischnoptera*), 146.
Longipennis (Megaloblatta), 109.
Longipennis (*Pachymorpha*), 393.
Longipes (Cladoxerus), 358.
Longipes (*Forficula*), 39.
Longipes (Opisthocosmia), 39.
Longipes (*Phibalosoma*), 358.
Longiscaphum (*Bacillus*), 336.
Longiscaphum (Phalces), 336.
Longiscaphum (*Phasma*), 336.
Longisetosa (Diplatys), 2.
Longisetosa (*Diplatys*), 2.
Longisetosa (*Dyscritina*), 2.
Longissima (*Forficesila*), 31.
Longiuscula (*Blatta*), 82.
Longiuscula (Ischnoptera), 82.
Longixipha (Burria), 336.
LOPAPHUS, 360.
Loricata (Thoracopyga), 195.
LOXOPSIS, 406.
Lucanoides (Dicellonotus), 201.
Lucasi (Forficula), 51.
Lucasiana (Perisphæria), 190.
Lucida (*Blatta*), 62.
Lucida (*Ectobia*), 65.
Lucida (*Epilampra*), 111.
Lucida (Ischnoptera), 83.
Lucida (Theganopteryx), 65.
Luctuosa (*Ancistrogaster*), 36.
Luctuosa (*Blabera*), 164.
Luctuosa (*Opisthocosmia*), 36.
Luctuosa (Phoraspis), 112.
Luctuosa (*Thyrsocera*), 76.
Luctuosus (Ancistrogaster), 36.
Luctuosus (*Ancistrogaster*), 36.
Lucubensis (Orobia), 409.
Lucubrans (Achlæna), 216.
Lucubrans (*Mantis*), 216.
Lucubrans (*Tarachodes*), 216.
Ludekingi (Chelisoches), 34.
Ludekingi (*Lobophora*), 34.
Lueci (Eustegasta), 181.
Lugardi (Bactrododema), 366.
Lugens (Onchestus), 394.
Lugens (Opisthocosmia), 38.
Lugens (*Phasma*), 394.

Lugubrina (*Epilampra*), 121.
Lugubrina (Heterolampra), 121.
Lugubris (Forficula), 53.
Lugubris (Hemithyrsocera), 77.
Lugubris (Phyllodromia), 92.
Lugubris (*Thyrsocera*), 77.
Luna (*Mantis*), 300.
Luna (Stagmatoptera), 300.
Lunata (Bomistria), 292.
Lunata (*Chlidonoptera*), 292.
Lunata (Wodongia), 119.
Luneli (*Blatta*), 65
Luneli (*Ectobia*), 65.
Luneli (Pseudectobia), 65.
LUPPARIA, 65.
Lurida (*Epilampra*), 122.
Lurida (*Forcipula*), 9.
Lurida (Forficula), 51.
Lurida (Gyna), 149.
Lurida (Heterolampra), 122.
Lutea (Ceratinoptera), 99.
Lutea (Spongiphora), 30.
Luteipennis (*Apterygida*), 47.
Luteipennis (*Forficula*), 47.
Luteipes (*Forficula*), 47.
Luteipes (Sphingolabis), 47.
Luteola (Achroblatta), 155.
Luteola (*Blatta*), 155.
Luteola (*Mantoida*), 210.
Luteola (*Panchlora*), 153.
Luteola (Phoraspis), 112.
Luteoviride (*Lonchodes*), 325.
Luteoviride (*Phasma*), 325.
Luteoviridis (*Lonchodes*), 325.
Luteoviridis(Menexenus), 325.
Lutescens(Calidomantis), 258.
Lutescens (Hagiomantis), 271.
Lutescens (*Liturgousa*), 271.
Lutescens (*Mantis*), 271.
Lutescens (*Miomantis*), 258.
Luxori (Eremiaphila), 211.
Luzonica (Labia), 26.
Lycoides (*Blatta*), 62.
Lycoides (Paratropes), 110.
Lycoides (Phyllodromia), 92.
Lycus (*Paratropes*), 109, 110.
LYGDAMIA, 216.
Lyncea (*Epilampra*), 122.
Lyncea (Heterolampra), 122.
Lyrata (*Blatta*), 180.
Lyrata (*Nauphœta*), 180.
Lyrata (Paranauphœta), 180.
Lyrata (*Phasma*), 343.
Lyratum (Hesperophasma), 343.
LYSICLES, 381.
Lysippus (Necroscia), 378.

Mabillei (Forficula), 53.
Macassariensis (*Blatta*), 115.
Macassariensis (*Epilampra*), 115.
Macassariensis (Homalopteryx), 115.
MACELLA, 332.
Macer (Carausius), 320.
Macilenta (*Blatta*), 88.
Macilenta (Phyllodromia), 88.
Macilenta (Stenopilema), 186.
Macilenta (Thesprotea), 277.
Macilentus (Thrasyllus), 319.
Mackinderi (*Apterygida*), 49.
Mackinderi (Sphingolabis), 49.
Macklini (Labia), 28.
Macklottii (*Lopaphus*), 367.
Macklottii (Orxines), 367.
Macklottii (*Phasma*), 367.
Maclayi (*Cyphocrania*), 391.
Maclayi (Phasma), 391.
Macleaii (*Acrophylla*), 389.
Macleayi (Ctenomorpha), 389.
Macra (Ceratocrania), 289.
Macra (*Cyrtotria*), 185.
Macra (*Derocalymma*), 185.
Macra (*Deropeltis*), 185.
Macra (*Hoplocorypha*), 257.
Macra (*Ischnoptera*), 185.
Macra (*Mantis*), 257.
Macra (*Phyllothelys*), 289.
Macra (Thysanoblatta), 185.
MACRACANTHA, 340.
Macrocephala (Diplatys), 1.
Macrocephala (*Diplatys*), 1.
Macrocephala (*Forficula*), 1.
MACRODANURIA, 309.
Macrolabia (*Forficula*), 50, 52, 54.
MACROMANTIS, 272.
MACROPANESTHIA, 205.
Macrops (Euchomena), 237.
Macrops (*Miopteryx*), 237.
Macropsis (*Hierodula*), 249.
Macropsis (*Mantis*), 249.
Macroptera (*Blatta*), 89.
Macroptera (*Mantis*), 302.
Macroptera (Phyllodromia), 89.
Macroptera (*Zoolea*), 302.
Macropterus (*Vates*), 302.
Macropyga (Anechura), 41.
Macropyga (*Forficula*),41.
Macrotegmus (Ctenomorpha), 389.
Macrotegmus (*Lopaphus*), 389.
Macula (*Hierodula*), 242.
Macula (Tarachomantis), 242.
Macularia (*Blatta*), 196.
Maculata (Anchiale), 392.
Maculata (*Aphlebia*). 69.
Maculata (*Blatta*), 69, 196.
Maculata (Calvisia), 369.
Maculata (*Cyphocrania*), 392.

Maculata (Cyphocrania), 393.
Maculata (*Epilampra*), 114.
Maculata (Hapalopeza), 221.
Maculata (Hololampra), 69.
Maculata (*Mantis*), 236, 392.
Maculata (Molytria), 114.
Maculata (*Platycrania*), 392.
Maculata (*Polyzosteria*), 128.
Maculata (Statilia), 236.
Maculatum (*Cyphocrania*), 392.
Maculatum (*Phasma*), 392, 414.
Maculatus (Prexaspes), 414.
Maculiceps (Aruanoidea), 378.
Maculiceps (*Necroscia*), 378.
Maculicollis (*Blatta*), 125.
Maculicollis (Calvisia), 369.
Maculicollis(Epilampra), 125.
Maculicollis (*Necroscia*), 369.
Maculicollis (*Phasma*), 369.
Maculifera (Ancistrogaster), 36.
Maculifera (*Opisthocosmia*), 36.
Maculifrons(*Epilampra*), 119.
Maculifrons (Pœciloderrhis), 119.
Maculimarginata(Cosmozosteria), 132.
Maculimarginata (*Platyzosteria*), 132.
Maculipennis (*Ameles*), 228.
Maculipennis (Antistia), 228.
Maculipennis (Gyna), 149.
Maculipennis (*Gyna*), 149.
Maculipennis (*Panchlora*), 149.
Maculisternum (Tarachodes), 215.
MACYNIA, 332.
Madagascariensis (Galepsus), 217.
Madagascariensis (Idolomorpha), 315.
Madagascariensis (*Mantis*), 217.
Madagascariensis (*Miopteryx*), 227.
Madagascariensis (Platycalymma), 228.
Madagascariensis (Tenodera), 238.
Madagascariensis (Tropidomantis), 227.
Madecassa (*Aphlebia*), 71.
Madecassa (*Blatta*), 87, 156.
Madecassa (*Deropeltis*), 145.
Madecassa (Elliptoblatta), 183.
Madecassa (Euchomena), 237.
Madecassa(Hololampra), 71.
Madecassa (Nauphœta), 156.
Madecassa (Paralygdamia), 217.
Madecassa (*Perisphæria*), 183.
Madecassa (Phyllodromia), 87.
Madecassa (Temnopteryx), 104.
Maderæ (*Blatta*), 150, 156.
Maderæ (*Panchlora*), 150.
Maderæ (Rhyparobia), 150.
Maeklini (Labia), 28.
Magna (*Iapyx*), 56.
Magnifica (Eurycnema), 391.
MAJANGA, 270.
Major (*Acontista*), 254.
Major (Anaplecta), 67.
Major (Anisolabis), 18, 19.
Major (*Blatta*), 150.
Major (*Forficesila*), 18.
Major (*Forficula*), 18, 50.
Major (*Hierodula*), 249.
Major (*Homalopteryx*), 124.
Major (Iapyx), 56.
Major (*Japyx*), 56.
Major (Melliera), 254.
Major (Musonia), 276.
Major (Platylabia), 22.
Major (Rhicnoda), 124.
Major (Rhombodera), 249.
Major (Temnopteryx), 105.
Major (*Thyrsocera*), 77.
Majuscula (*Blatta*), 81.
Majuscula (Ischnoptera), 81.
Makassarinus (*Bacillus*), 341.
Makassarinus (Medaura), 341.
Malaccæ (Necroscia), 376.
Malaccensis (Agondasoidea), 373.
Malagassa (Ateloblatta), 198.
Malagassa (*Epilampra*), 123.
Malagassa (Heterolampra), 123.
Malagassa (*Hierodula*), 242.
Malagassa (Ischnoptera), 81.
Malagassa (Liturgousa), 271.
Malagassa (Tarachomantis), 242.
Malagassa (Theganopteryx), 64.
Malaya (Hierodula), 246.
Malaya (Sthenobæa), 324.
Malayana (Gonypeta), 224.
MALLATOBLATTA, 96.
Mammatus (Carausius), 320.
Manca (Blatta), 139.
Manca (Hemiblabera), 166.
Manca (*Periplaneta*), 139.
Mancella (Paralatindia), 169.
Mancinus (*Necroscia*), 369.
Mancinus (Sosibia), 369.
Mancus (Dimorphodes), 387.
Mandarinea (Mantis), 251.
Mandarinea (Panesthia), 204.
Mandarinea (*Panesthia*), 201.
MANDURIA, 341.
Manicata (Ischnoptera), 82.
Manicatum (*Phasma*), 377.
Manicatus (Necroscia), 377.

Manicatus (*Prisopus*), 377.
Manicatus (*Xeroderus*), 377.
Manillensis (*Epilampra*), 121.
Manillensis(Euchomena), 237.
Manillensis (Heterolampra), 121.
Manillensis (*Hierodula*), 245.
MANTELLIAS, 225.
MANTIDÆ, 207.
MANTILLICA, 225.
MANTINÆ, 221.
MANTIS, 249.
MANTOIDA, 209.
MARANSIS, 336.
Marchali (Epicharmus), 404.
Marchali (Eremiaphila), 210.
Marchali (*Prisopus*), 404.
Marchali (*Xeroderus*), 404.
Marcida (*Blatta*), 64.
Marcida (Ectobia), 64.
MARETA, 97.
Margarita (Ectobia), 63.
Marginalis (Anisolabis), 19.
Marginalis (*Antissa*), 222.
Marginalis (Calolampra), 118.
Marginalis (Elliptoblatta), 184.
Marginalis (*Forcinella*), 19.
Marginalis (Forficula), 25.
Marginalis (*Gonypeta*), 222.
Marginalis (*Ischnoptera*), 118.
Marginalis (Labia), 25.
Marginalis (*Mantis*), 222.
Marginalis (Methana), 136.
Marginalis (*Miomantis*), 259.
Marginalis (*Nauphœta*), 116.
Marginalis (Pelmatosilpha), 143.
Marginalis (*Periplaneta*), 136.
Marginalis (*Sisapona*), 164.
Marginata (*Aphlebia*), 68.
Marginata (*Apolyta*), 79.
Marginata (*Blatta*), 68, 92.
Marginata (Calolampra), 117.
Marginata (*Epilampra*), 117.
Marginata (Hololampra), 68.
Marginata (Ischnoptera), 85.
Marginata (*Mantis*), 240, 254.
Marginata (Marmessoidea), 372.
Marginata (Necroscia), 395.
Marginata (Orthodera), 218.
Marginata (Phyllodromia), 92.
Marginata (Polyspilota), 240.
Marginata (*Phyllodromia*), 92.
Marginata (*Proscratea*), 86.
Marginata (Stagmomantis), 254.
Marginata var. Erythronota (*Aphlebia*), 68.
Marginatum (Ellipsidion), 79.
Marginatum (*Phasma*), 375.
Marginatus (*Gongylus*), 313.
Marginella (Entella), 225.
Marginella (*Forficula*), 10.
Marginella (Labidura), 10.
Marginella (*Mantis*), 225.
Marginicollis (*Blatta*), 116.
Marginicollis (Phœtalia), 116.
Marginifera (*Blatta*), 79.
Marginifera (*Periplaneta*), 137.
Marginifera (Zonioploca), 137.
Marginiferum (Ellipsidion), 79.
Marginipenne (*Ctenomorpha*), 388.
Marginipennis (Ctenomorpha), 388.
Maris Mortui (*Heterogamia*), 172.
Maris Mortui (Polyphaga), 172.
Maritima (Anisolabis), 17.
Maritima (*Brachylabis*), 17.
Maritima (*Forficesila*), 17.
Maritima (*Forficula*), 17, 18.
Maritima (*Labidura*), 17.
MARMESSOIDEA, 371.
Marmessus (*Marmessoidea*), 371.
Marmessus (*Necroscia*), 371.
Marmessus var. Eurybates (*Necroscia*), 371.
Marmorata (Allacta), 100.
Marmorata (Archimandrita), 163.
Marmorata (Bantia), 275.
Marmorata (*Blabera*), 163.
Marmorata (*Blatta*), 100, 163.
Marmorata (Dasyposoma), 198.
Marmorata (*Epilampra*), 115.
Marmorata(Iridopteryx), 223.
Marmorata (*Mantis*), 315.
Marmorata (Molytria), 115.
Marmorata (Phyllodromia), 92.
Marmorata(Polyspilota), 241.
Marmoricrura(*Forficula*), 5.
Marmoricrura (Pygidicrana), 5.
Marmoricrura (*Pygidicrana*), 6.
Maroccana (Loboptera), 102.
Maroccana (*Mantis*), 250.
Martinezi (Zetobora), 158.
Martini (*Bostra*), 351.
Martini (Oncotophasma), 351.
Martini (Temnopteryx), 104.
Masoni (Iris), 260.
Massauæ (*Blatta*), 89.
Massauæ(Phyllodromia), 89.
Maura (*Chiropacha*), 216.
Maurella (Latindia), 168.

Mauritanica (Anisolabis), 18.
Mauritanica (*Brachylabis*), 18.
Mauritanica (*Forficesila*), 18.
Maxima (Anisolabis), 18.
Maxima (*Forcinella*), 18.
Maxima (*Forficesila*), 18.
Maxima (*Forficula*), 10, 18.
Maxima (Pharnacia), 359.
Maximiliani (Phortioeca), 159.
Maximiliani (Pseudophyllodromia), 98.
Maximiliani (*Zetobora*), 159.
Maximum (*Phibalosoma*), 359.
Maya (*Blatta*), 95.
Maya (Harpogonyx), 279.
Maya (Liturgousa), 271.
Maya (Mantoida), 209.
Maya (Phyllodromia), 95.
Maya (Phyllovates), 303.
Maya (Stagmomantis), 253.
Maya (*Theoclytes*), 303.
MECOMERA, 23.
MEDAURA, 341.
Media (*Apterygida*), 44.
Media (*Forficula*), 25, 44, 50.
Media (Ischnomantis), 266.
Media (Oxyops), 298.
Media (*Tarachodes*), 215.
Medilinea (Knephasia), 132.
Medioconstricta (Rhombodera), 248.
Medora (Calvisia), 370.
Medora (*Necroscia*), 370.
MEGACRANIA, 385.
MEGALOBLATTA, 108.
Megaloceros (Japyx), 57.
MEGAPHASMA, 347.
Megaspila (Allacta), 100.
Megaspila (*Blatta*), 100.
Megaspila (Prosoplecta), 177.
Megerlei (*Blatta*), 69.
Melana (Pseudomops), 76.
Melanaria (*Periplaneta*), 130.
Melanaria (Platyzosteria), 130.
Melanaria (*Platyzosteria*), 130.
Melanaria (*Polyzosteria*), 130.
Melanaria var. Grandis (*Polyzosteria*), 130.
Melancholica (Labia), 27.
Melandryoides (Pseudomops), 76.
MELANOBLATTA, 191.
Melanocephala (*Blatta*), 151.
Melanocephala (*Lobophora*), 33.
Melanocephalus (Chelisoches), 33.
Melanocephalus (*Chelisoches*), 34.
Melanophila (Deropeltis), 145.
Melanophila (*Ischnoptera*), 145.
MELANOSILPHA, 193.
Melanosoma (*Epilampra*), 123.
Melanosoma (Hedaia), 123.
MELANOZOSTERIA, 129.
Melasa (Ischnoptera), 83.
Meleagris (Creoboter), 291.
MELESTORA, 167.
MELLIERA, 254.
Membranacea (Hierodula), 246.
Membranacea (*Mantis*), 246.
MENAKA, 341.
Menaka (Aruanoidea), 378.
Menaka (*Necroscia*), 378.
Mendica (*Blepharis*), 315.
Mendica (Blepharopsis), 315.
Mendica (*Mantis*), 315.
Menelikii (Calidomantis), 258.
Menelikii (*Miomantis*), 258.
Meneptolemus (Necroscia), 378.
MENEXENUS, 325.
MENEXUS, 325.
Menius (*Phasma*), 411.
Menius (Pseudophasma), 411.
Menyharthi (Pseudomantis), 235.
Mercurius (Carausius), 320.
Meridionalis (*Ameles*), 226.
Meridionalis (*Apterygida*), 37, 47.
Meridionalis (*Blatta*), 147.
Meridionalis (*Chiropacha*), 217.
Meridionalis (Deropeltis), 147.
Meridionalis (*Forficesila*), 11.
Meridionalis (*Forficula*), 11.
Meridionalis (Galepsus), 217.
Meridionalis (Hapalomantis), 226.
Meridionalis (*Labidura*), 11.
Meridionalis (*Polyzosteria*), 147.
Meridionalis (*Sphingolabis*), 37, 47.
Merismus (Dinelytron), 408.
Mesillana (Diapheromera), 347.
MESOCHELIDURA, 43.
Mesomelas (*Coptopteryx*), 268.
Mesomelas (*Mantis*), 268.
Mesoplatus (*Acanthoderus*), 398.
Mesoplatus (Obrimus), 398.
Mesoplatus (*Phasma*), 398.
Mesopoda (Liturgousa), 271.
MESOPTERYX, 237.
METALLEUTICA, 208.
Metallica (Anechura), 41.
Metallica (*Compsoblatta*), 181.
Metallica (Eustegasta), 181.
Metallica (*Forficula*), 41.
Metallica (*Mantis*), 221.
Metallica (Nemotha), 221.
METALLYTICUS, 208.
METHANA, 135.
Methanoides (Periplaneta), 141.
Meticulosa (*Epilampra*), 121.
Meticulosa (Heterolampra), 121.
METILIA, 282.
METRIOMANTIS, 273.
METRIOTES, 413, 415.

Mexicana (*Acanthops*), 229.
Mexicana (Acontista), 233.
Mexicana (*Ameles*), 229.
Mexicana (Anaplecta), 66.
Mexicana (*Bacteria*), 348.
Mexicana (*Blabera*), 164.
Mexicana (Epilampra), 125.
Mexicana (Eurycotis), 144.
Mexicana (*Heterogamia*), 174.
Mexicana (Heteronemia), 348.
Mexicana (Homeogamia), 174.
Mexicana (Ischnoptera), 83.
Mexicana (Labia), 27.
Mexicana (Latindia), 168.
Mexicana (*Mantis*), 255.
Mexicana (Nyctibora), 107.
Mexicana (Panchlora), 154.
Mexicana (*Paratropa*), 109.
Mexicana (Paratropes), 109.
Mexicana (Phoraspis), 113.
Mexicana (Phyllodromia), 95.
Mexicana (*Polyphaga*), 174.
Mexicana (*Polyzosteria*), 144.
Mexicana (*Sermyle*), 345.
Mexicana (*Theoclytes*), 303.
Mexicana (Thyrsocera), 74.
Mexicana (Yersinia), 229.
Mexicana var Inquinata (*Acontista*), 233.
Mexicana var. Quadrimaculata (*Acontista*), 233.
Mexicana var. Insularis (*Epilampra*), 125.
Mexicanus (*Acanthoderus*), 345.
Mexicanus (*Ceroys*), 345.
Mexicanus (Oligonyx), 278.
Mexicanus (Prisopus), 405.
Mexicanus (Sermyle), 345.
Micans (Eustegasta), 181.
Micans (*Gonypeta*), 222.
Micans (Hyposphæria), 193.
Micans (*Iridopteryx*), 222.
Micans (*Perisphæria*), 193.
Micans (Plectoptera), 178.
Micrantha (Eurycantha), 396.
Micranthum (*Karabidion*), 396.
MICRODINA, 201.
MICROMANTIS, 222.
Microptera (*Cyphocrana*), 363.
Microptera (Eremoplana), 266.
Micropterum (*Haplopus*), 364.
Micropterum (*Phasma*), 364.
Micropterus (*Aplopus*), 363.
Micropterus (Haplopus), 363.
Micropyga (*Forficula*), 41.
Microspila (Epilampra), 125.
Mikado (Phraortes), 319.
Miliaris (Bactrododema), 366.
Mimas (*Acanthoderus*), 325.
Mimas (Menexenus), 325.
Mimica (Pseudomops), 76.
Mimus (*Bacunculus*), 348.
Mimus (Heteronemia), 348.
Minans (*Phasma*), 373.
Minima (Ameles), 230.
Minima (Ectobia), 63.
Minima (*Mantis*), 230, 260.
Minimus (Argosarchus), 341.
Minimus (*Bacillus*), 341.
Ministralis (*Mantis*), 218.
Ministralis (Orthodera), 218.
Minor (*Anisolabis*), 20.
Minor (Blabera), 165.
Minor (*Blatta*), 94.
Minor (Carvilia), 267.
Minor (Diploptera), 176.
Minor (*Forficula*), 28.
Minor (Graeffea), 386.
Minor (Labia), 25.
Minor (Litaneutria), 232.
Minor (Loboptera), 102.
Minor (*Psalis*), 13.
Minor (Oxyhaloa), 175.
Minor (*Panchlora*), 153.
Minor (*Panesthia*), 200.
Minor (*Parasphendale*), 267.
Minor (Phyllodromia), 95.
Minor (Phyllovates), 304.
Minor (*Psalis*), 13.
Minor (Stagmatoptera), 300.
Minor (*Stagmatoptera*), 232.
Minor (*Theoclytes*), 304.
Minotaurus (Bactrododema), 366.
Minotaurus (*Palophus*), 366.
Minuscula (Apterygida), 45.
Minuscula (*Forficula*), 45.
Minuscula (Opisthocosmia), 39.
Minuta (Chorisoneura), 72.
Minuta (*Labia*), 25.
Minuta (*Mantis*), 278.
Minuta (*Miopteryx*), 278.
Minutissima (Anaplecta), 67.
Minutissima (*Blatta*), 67.
MIOBLATTA, 196.
MIOMANTIS, 257.
MIONYX, 276.
MIOPANESTHIA, 205.
MIOPTERYGINÆ, 274.
MIOPTERYX, 274.
Miranda (*Angela*), 265.
Miranda (Nanomantis), 255.
Miranda (Thespis), 265.
Mirandula (*Miopteryx*), 255.
Misella (*Blatta*), 103.
Misella (*Phyllodromia*), 104.
Misella (Temnopteryx), 103.
Mitchellii (*Blatta*), 128.

Mitchellii (Polyzosteria), 128.
MITHRENES, 319.
Mira (*Labidura*), 10.
MNESILOCHUS, 320.
Mocquerysi (Parectatosoma), 398.
Moderata (Arrhidaeus), 384.
Moderata (*Necroscia*), 384.
Modesta (*Abrodiacta*), 100.
Modesta (Allacta), 100.
Modesta (*Chiropacha*), 215.
Modesta (*Forficula*), 33.
Modesta (Galepsus), 217.
Modesta (Gonypeta), 224.
Modesta (*Hierodula*), 247.
Modesta (Ischnoptera), 81.
Modesta (*Lobophora*), 33.
Modesta (Phoraspis), 113.
Modesta (Pygidicrana), 5.
Modesta (*Tarachodes*), 215, 217.
Modestior (Tarachodes), 215.
Modestum (Rhamphophasma), 331.
Modestus (Chelisoches), 33.
Modigliani (Mecomera), 23.
Mœsta (Anisolabis), 18.
Mæsta (*Brachylabis*), 18.
Mæsta (*Forficesila*), 18.
Mæsta (*Forficula*), 18.
Mœsta (Labidura), 18.
Moghrebica (*Aphlebia*), 70.
Moghrebica (Hololampra), 70.
Moiræ (Palophus), 365.
Molesta (Phyllodromia), 92.
Molesta (Theganopteryx), 64.
Molita (*Bacteria*), 344.
Molita (Caulonia), 344.
Molorcha (*Bacteria*), 417.
Molorcha (Planudes), 417.
Moluccarum (*Euchomena*), 237.
MOLYTRIA, 114.
Monacha (Calidomantis), 258.
Monacha (*Mantis*), 258.
Monacha (*Miomantis*), 258.
MONACHODA, 160.
MONANDROPTERA, 387.
Monastica (Tribonidium), 157, 158.
Monastica (*Zetobora*), 157.
MONASTRIA, 161.
Monochroa (Mantis), 251.
Monochroma (Periplaneta), 141.
Monstrosa (Archimantis), 235.
Monstrosa (Blabera), 165.
Monstruosa (*Panesthia*), 201.
Monstruosus (Dicellonotus), 201.
Montana (*Forficula*), 42.
Montana (Stagmomantis), 253.
Montezuma (Panchlora), 154.
Monticola (Heterolampra), 122.
Monticollis (*Hormetica*), 197.
Monticollis (Parahormetica), 197.
Morbida (*Psalis*), 10.
Mordelloides (*Euthyrrhapha*), 170.
Moreti (Eremaphila), 211.
Morio (Chelisoches), 33.
Morio (*Forficula*), 33.
Morio (Ischnoptera), 85.
Morio (*Lobophora*), 33.
Morio (Panesthia), [204].
Morio (*Panesthia*), 200.
Morio (Salganea), 200.
Morio var. Minor (*Panesthia*), 200.
Morosa (Forcipula), 9.
Morosa (*Labidura*), 9.
Morosa (Panesthia), 204.
Morsus (Dicellonotus), 201.
Mortuifolia (*Acanthops*), 283.
Mortuifolia (Sigerpes), 289.
Mortuifolia (*Sybilla*), 289.
Moseri (Bolivaria), 269.
Moseri (*Fischeria*), 269.
Moseri (*Iris*), 269.
Moufleti (*Blatta*), 161.
Moufleti (*Monachoda*), 161.
Mouhotii (*Acanthoderus*), 400.
Mouhotii (Datames), 400.
Moxa (Anaplecta), 67.
Moxa (Panchlora), 153.
Mozambicus (*Bacillus*), 336.
Mozambicus (Maransis), 336.
Mucronata (*Forficula*), 26.
Mucronata (Labia), 26.
Muelleri (Haaniella), 397.
Muelleri (*Heteropteryx*), 397.
Muelleri (Macropanesthia), 205.
Muelleri (*Phasma*), 397.
Multicincta (*Perisphæria*), 182.
Multicolor (Acontista), 233.
Multidens (Japyx), 57.
Multilineatus (Stratocles), 409.
Multiramosa (Ischnoptera), 81.
Multispinosus (Ceroys), 354.
Multispinulosa (Hierodula), 246.
Multistriata (*Mantis*), 233.
Multivenosa (Chorisoneura), 72.
Munda (*Epilampra*), 120.
Munda (Heterolampra), 120.
Munda (*Nauphœta*), 192.
Munda (Pœciloblatta), 192.
Mundicola (*Blatta*), 79.
Mundicola (Ellipsidion), 79.
Munzigeri (*Blatta*), 90.
Munzigeri (Phyllodromia), 90.
Muricata (*Bacteria*), 350.
Muricata (Dyme), 350.
Murina (*Perisphæria*), 187.
Murina (Pollusca), 187.

Murrayi (*Apachya*), 4.
Murrayi (Apachyus), 4.
Murrayi (Labia), 26.
Murrayi (Oxyhaloa), 175.
Musarum (Epaphrodita), 284.
Musarum (*Mantis*), 284.
MUSONIA, 276.
MUSONIA, 276.
Mustea (Necroscia), 377.
Muta (*Hierodula*), [239], 244.
Muta (Polyspilota), [239].
Muta (Sphodromantis), 244.
Muta (*Sphodromantis*), [239].
Mutica (*Chelidura*), 43.
Mutica (Chelidurella), 43.
Mutica (*Epilampra*), 121.
Mutica (Heterolampra), 121.
MYLACRINA, 205.
MYRCINELLUS, 228.
MYRCINUS, 228.
Myrina (*Lonchodes*), 318.
Myrina (Stælonchodes), 318.
MYRONIDES, 320.
Myrsilus (Metriotes), 416.
Mysteca (*Blatta*), 72.
Mysteca (Chorisoneura), 72.
Mysteca (Eurycotis), 144.
Mysteca (*Periplaneta*), 144.
Mysteca (*Polyzosteria*), 144.
MYSTIPOLA, 292.

Nævia (*Anchiale*), 392.
Nævium (*Phasma*), 392.
Nahua (Anaplecta), 66.
Nahua (*Blatta*), 94.
Nahua (Ischnoptera), 84.
Nahua (Paraceratinoptera), 101.
Nahua (Stagmomantis), 252.
Nahua var. Minor (*Blatta*), 94.
Najas (Panchlora), 154.
Nana (*Harpax*), 230.
Nana (Ischnoptera), 84.
Nana (*Mantis*), 229, 230, 258.
Nana (*Parameles*), 230.
Nana (Tenmopteryx), 104.
NANNOPYGIA, 1.
NANOMANTIS, 255.
Nasuta (*Gongylus*), 286.
Nasuta (*Mantis*), 217, 286.
Nasuta (Pyrgomantis), 217.
Nasutus (Oxypilus), 286.
Natalensis (*Ameles*), 226.
Natalensis (*Forficula*), 49.
Natalensis (Harpagomantis), 226.
Natalensis (*Ischnoptera*), 81.
Natalensis (Mantis), 251.
Natalis (*Bacillus*), 337.
Natalis (Clonaria), 337.
NAUPHŒTA, 155.
NEANTHES, 367.
Nebulosa (Entella), 225.
Nebulosa (*Epilampra*), 119.
Nebulosa (*Mantis*), 225, 252.
Nebulosa (Pseudophoraspis), 119.
Nebulosum (*Aschipasma*), 419.
Nebulosus (Presbistus), 419.
Necrophoroides (Panesthia), 204.
NECROSCIA, 374.
NECROSCIA, 374.
NECROSCIINÆ, 378.
Necydaloides (*Cyphocrana*), 393.
Necydaloides (*Cyphocrania*), 392.
Necydaloides (*Gryllus*), 412.
Necydaloides (*Mantis*), 412.
Necydaloides (*Phasma*), 390, 392, 412.
Neglecta (*Forficula*), 50.
Nematodes (*Bacteria*), 324, 328.
Nematodes (Baculum), 328.
Nematodes (*Lonchodes*), 324, 328.
Nematodes (*Phasma*), 324, 328.
Nemoralis (*Pseudomantis*), 236.
Nemoralis (Statilia), 236.
NEMOTHA, 221.
NEOCLES, 404.
NEOHIRASEA, 325.
NEOLOBOPHORA, 29.
Neolobophoroides (Cosmiella), 38.
Neolobophoroides (*Opisthocosmia*), 38.
Neotropicalis (Japyx), 57.
Nepalensis (Dyscologamia), 173.
Nepalensis (Pseudoglomeris), 191.
Neptunus (*Dinelytron*), 414.
Neptunus (Prexaspes), 414.
NESOGASTER, 35.
NESOGASTRELLA, 36.
NEUROPTERA, 58.
Neuroptera (*Mantis*), 256.
Neutra (Ischnoptera), 81.
Nicæensis (*Blatta*), 62.
Nicæensis (Ectobia), 62.
Nicaraguæ (Macromantis), 272.
Nicobarensis (Panesthia), 203.
Nietneri (Pygidicrana), 5.
Nigra (Brachylabis), 17.
Nigra (*Cylindrogaster*), 17.
Nigra (Dasyposoma), 198.
Nigra (Hemithyrsocera), 77.
Nigra (Leucophæa), 151.
Nigra (*Panchlora*), 151.
Nigra (Parapachymorpha), 342.
Nigra (Parasphæria), 196.
Nigra (Phoraspis), 113.
Nigra (*Thyrsocera*), 77.
Nigrella (Labia), 26.
Nigricans (Mantillica), 225.
Nigricans (Panesthia), 203.
Nigriceps (*Cylindrogaster*), 2.

Nigriceps (Diplatys), 2.
Nigriceps (*Diplatys*), 2.
Nigriceps (Platylabia), 22.
Nigricollis (Ischnoptera), 83.
Nigricornis (Arrhidæus), 384.
Nigricornis (Chelisoches), 34.
Nigricornis (Hapalopeza), 221.
Nigricornis (*Labidura*), 34.
Nigricornis (Panchlora), 153.
Nigrifrons (*Blatta*), 72.
Nigrifrons (Chorisoneura), 72.
Nigrifrons (Gyna), 149.
Nigrina (Sparatta), 23.
Nigripennis (*Blabera*), 161.
Nigripennis (*Forfiscelia*), 45.
Nigripennis (*Psalidophora*), 32.
Nigripennis (Spongiphora), 32.
Nigripes (Bacteria), 356.
Nigripes (*Ectobia*), 63.
Nigripes (*Ectobius*), 62.
Nigrispina (Sosibia), 368.
Nigrita (*Blatta*), 96, 202.
Nigrita (Deropeltis), 146.
Nigrita (Panesthia), 202.
Nigrita (*Panesthia*), 203.
Nigrita (Phyllodromia), 96.
Nigrita (Pseudomops), 77.
Nigrita (*Thyrsocera*), 77.
Nigroannulata (Necroscia), 376.
Nigroannulatum (*Necroscia*), 376.
Nigroannulatum (*Phasma*), 376.
Nigrofasciata (Calvisia), 370.
Nigrofasciata (*Necroscia*), 370.
Nigrofasciatum (*Necroscia*), 370.
Nigrofasciatum (*Phasma*), 370.
Nigrofusca (*Blatta*), 62.
Nigrogranosa (Necroscia), 374.
Nigrolineata (Chorisoneura), 73.
Nigrolineata (Orobia), 409.
Nigronitens (*Lobophora*), 34.
Nigropicta (Theopompa), 213.
Nigropunctatus (*Lonchodes*), 317.
Nigropunctatus (Stælonchodes), 317.
Nigrorufa (Spongiphora), 30.
Nigrovaria (Ctenomorpha), 389.
Nilgirica (Hapalopeza), 221.
Nilotica (Eremiaphila), 212.
Nimbata (Zetobora), 158.
Niponense (*Bacteria*), 319.
Niponense (*Phasma*), 319.
Niponensis (*Lonchodes*), 319.
NISIBIS, 78.
Nisseri (Libethra), 345.
NISYRUS, 407.
Nitens (*Gonypeta*), 221.
Nitens (Hapalopeza), 221.
Nitens (*Iridopteryx*), 221.
Nitens (Parasphæria), 196.
Nitens (Phyllodromia), 93.
Nitens (Polyzosteria), 127.
Nitens (*Polyzosteria*), 196.
Nitida (Blatta), 139.
Nitida (Hestiasula), 288.
Nitida (Mantoida), 210.
Nitida (Melanozosteria), 129.
Nitida (*Pachymantis*), 288.
Nitida (*Platyzosteria*), 129.
Nitida (*Stylopyga*), 139.
Nitida (Temnopteryx), 105.
Nitidipennis (Spongiphora), 30.
Nitidula (*Blatta*), 169.
Nitidula (Holocompsa), 169.
Nivea (*Blatta*), 152, 153.
Nivea (Panchlora), 153.
Nobilis (Mantis), 251.
Nobilis (Polyzosteria), 128.
NOCTICOLA, 106.
NOCTICOLINÆ, 106.
Noctivaga (Gonypeta), 224.
Nodosa (*Blatta*), 91.
Nodosa (Phyllodromia), 91.
Nodosum (*Bacteria*), 318, 321.
Nodosum (*Phasma*), 318, 321.
Nodosus (*Bacunculus*), 349.
Nodosus (Heteronemia), 349.
Nodosus (*Lonchodes*), 318, 321.
Nodosus (Stælonchodes), 318.
Nolimetangere (*Acanthoderus*), 399.
Nolimetangere (*Phasma*), 399.
Nolimetangere (Tisamenus), 399.
Nortoniana (*Ischnoptera*), 85.
Nossibei (Blatta), 138.
Nossibei (*Stylopyga*), 138.
Nossibianus (Xerantherix), 403.
Notabilis (Calolampra), 118.
Notabilis (*Epilampra*), 118.
Notata (*Hierodula*), 246, 247.
Notata (*Mantis*), 246.
Notata (*Paraphoraspis*), 111.
Notata (Phyllodromia), 94.
Notigera (*Pydicrana*), 6.
Notigera (*Pygidicrana*), 6.
NOTOLAMPRA, 111.
Notulata (Allacta), 100.
Notulata (*Blatta*), 100.
Novæ-Britanniæ (Chitoniscus), 421.
Novæ-Britanniæ (Hermarchus), 361.
Novæ-Britanniæ (*Phyllium*), 421.

Novæ-Guineæ (*Mantis*), 256.
Novæ-Guineæ (*Miomantis*), 256.
Novæ-Guineæ (*Nanomantis*), 256.
Novæ-Guineæ (Pachymorpha), 342.
Novæ-Guineæ (*Paranauphœta*), 180.
Novæ-Guineæ (Stenomantis), 256.
Novæ-Seelandiæ (*Polyzosteria*), 129.
Novæ-Seelandiæ (Syntomaptera), 129.
Novæ-Zealandiæ(*Mantis*), 218.
Novæ-Zealandiæ (Orthodera), 218.
Novemdentata (Hierodula), 246.
Nubeculosa (Hagiomantis), 271.
Nubeculosa (*Liturgusa*), 271.
Nudiventris (*Epilampra*), 114.
Numida (Eremiaphila), 211.
Nuptialis (Corydia), 167.
Nyassensis (Calidomantis), 257.
Nyassensis (*Miomantis*), 257.
NYCTIBORA, 107.
NYCTIBORINÆ, 107.
NYCTOBORA, 107.
Nympha (*Mantis*), 216, 268, 269, 314.
Nympha (*Phasma*), 335, 405.
Nympha (*Prisopus*), 405.

Oannes (Opisthocosmia), 38.
Obiensis (Carausius), 320.
Obliqua (Epilampra), 127.
Obliqua (*Ischnoptera*), 127.
Obliquus (Japyx), 56.
Oblongata (*Blatta*), 75.
Oblongata (Pseudomops), 75.
Oblongata (*Pseudomops*), 75.
Oblongata (*Thyrsocera*), 75.
OBRIMUS, 398.
Obscura (Blaptica), 162.
Obscura (Calolampra), 118.
Obscura (Carvilia), 267.
Obscura (*Epilampra*), 118.
Obscura (Ischnoptera), 82.
Obscura (Litaneutria), 232.
Obscura (*Mantis*), 267.
Obscura (*Metriotes*), 415.
Obscura (*Nyctobora*), 107.
Obscura(Parahormetica), 198.
Obscura (*Periplaneta*), 130.
Obscura (Pseudomops), 77.
Obscura (Pseudophyllodromia), 98.
Obscura (Syntomaptera), 130.
Obscura (Temnopteryx), 104.
Obscura (*Thyrsocera*), 77.
Obscurifrons (*Homalopteryx*), 124.
Obscurifrons (Rhicnoda), 124.
Obscurior (*Blatta*), 92.
Obscuripes (Cutilia), 134.
Obscuripes (*Drymaplaneta*), 134.
Obscuroviridis (Polyzosteria), 128.
Obscurum (Echinosoma), 8.
Obscurum (*Phasma*), 415.
Obscurus (*Isagoras*), 415.
Obscurus (Metriotes), 415.
Obscurus (*Pycnoscelus*), 151.
Obsecraria (*Mantis*), 300.
Obsoleta (Eustegasta), 181.
Obsoleta (Phyllodromia), 90.
Obtrita (Thliptoblatta), 194.
Obtusa (Oxyops), 298.
Obtusata (Allacta), 100.
Obtusata (Hierodula), 247.
Obtusata (*Phyllodromia*), 100.
Obtusiceps (*Chiropacha*), 215.
Obtusiceps (Tarachodes), 215.
Obtusifrons (*Blatta*), 81.
Obtusifrons (Ischnoptera), 81.
Occidentale (Echinosoma), 8.
Occidentalis (Anisolabis), 20.
Occidentalis (*Empusa*), 312.
Occidentalis (Eurycotis), 144.
Occidentalis (Ischnoptera), 83.
Occidentalis (*Opisthoplatia*), 143
Occidentalis (Pelmatosilpha), 143.
Occidentalis (*Periplaneta*), 144.
Occidentalis (*Polyzosteria*), 143.
Occidentalis (Sigerpes), 289.
Occipitalis (*Acanthoclonia*), 400.
Occipitalis (Hapalopeza), 221.
Occipitalis (*Panchlora*), 151.
Occipitalis (Pylæmenes), 400.
Oceanica (*Forficesila*), 33.
Oceanica (*Forficula*), 45.
Ocellaria (*Harpax*), 236.
Ocellaria (*Mantis*), 236.
Ocellaria (Omomantis), 236.
Ocellata (Deiphobe), 266.
Ocellata (*Empusa*), 293.
Ocellata (*Harpax*), 293.
Ocellata (*Mantis*), 266, 300.
Ocellata (Pseudocreobotra), 293.
Ocellata (*Thespis*), 266.
Ochroptera (*Mantis*), 269.
Ochropus (*Forficula*), 25.
Ochropus (*Labia*), 25.
Octospilota (Mantis), 251.
Ocularis (Humbertiella), 214.
Ocularis (Ischnoptera), 84.
Ocularis (Litaneutria), 232.
Ocularis (*Lithaneutria*), 232.
Ocularis (*Theopompa*), 214.
Oculata (*Mantis*), 262.
Oculata ([illegible]), 136.

Oculata (Polyzosteria), 128.
ODONTOMANTIS, 223.
Œdematosa (Xylica), 404.
Ohrtmanni (*Phasma*), 405.
Ohrtmanni (Prisopus), 405.
Oileus (*Acanthoderus*), 400.
Oileus (Datames), 400.
OLCYPHIDES, 410.
Oligoneura (Acromantis), 280.
Oligoneura (*Mantis*), 280.
OLIGONYX, 278.
Olivacea (*Epilampra*), 123.
Olivacea (*Eurycantha*), 399.
Olivacea (Hedaia), 123.
Olivacea (Theramenes), 399.
Olmeca (*Bacteria*), 348.
Olmeca (Ceratinoptera), 99.
Olmeca (Heteronemia), 348.
Omeca (*Blatta*), 171.
Omissa (Nyctibora), 108.
OMOMANTIS, 235.
Omphale (Hemipachymorpha), 341.
Omphale (*Pachymorpha*), 341.
ONCEROCORYPHA, 182.
ONCHESTUS, 394.
ONCOTOPHASMA, 351.
Oniscina (Melanosilpha), 194.
Oniscina (*Perisphæria*), 194.
Oniscoides (Elliptoblatta), 184.
Oniscoides (*Laxta*), 160.
Oniscoides (*Polyzosteria*), 184.
ONISCOSOMA, 159.
Oniscosoma (Apsidopis), 119.
ONYCHOSTYLUS, 96.
Opaca (*Blatta*), 156.
Opaca (*Epilampra*), 127.
Opaca (*Eurycotis*), 143.
Opaca (*Forficula*), 7.
Opaca (Nauphœta), 156.
Opaca (Pelmatosilpha), 143.
Opaca (*Polyzosteria*), 143.
OPHICRANIA, 386.
Ophidiiderma (Aruanoidea), 378.
Ophthalmica (*Humbertiella*), 213.
Ophthalmica (*Mantis*), 213.
Ophthalmica (Pygidicrana), 6.
Ophthalmica (Theopompa), 213.
Opima (Phyllodromia), 90.
OPISTHOCOSMIA, 38.
OPISTHOPLATIA, 114.
Oratoria (Iris), 260.
Oratoria (*Mantis*), 213, 233, 250.
Oratorius (*Gryllus*), 260.
Oratorius (*Mantis*), 260.
Orba (Deropeltis), 146.
Orba (Hapalomantis), 226.
Orba (*Mantis*), 226.
Orba (*Periplaneta*), 146.
Orbus (*Vates*), 302.
OREOPHŒTES, 350.
Orhtmanni (*Prisopus*), 405.
Orientalis (Anechura), 40.
Orientalis (Blatta), 137.
Orientalis (*Blatta*), 141.
Orientalis (*Empusa*), 313.
Orientalis (Forficula), 52.
Orientalis (Heterochæta), 307.
Orientalis (Iris), 260.
Orientalis (*Kakerlac*), 138.
Orientalis (*Mantis*), 236.
Orientalis (Opisthoplatia), 114.
Orientalis (Paradanuria), 307.
Orientalis (*Periplaneta*), 138.
Orientalis (*Perisphæria*), 190.
Orientalis (*Polyzosteria*), 114.
Orientalis (*Stygopyga*), 138.
Orientalis (*Toxodera*), 307.
Orizabæ (*Blatta*), 95.
Orizabæ (Phyllodromia), 95.
Ornata (*Blatta*), 180.
Ornata (Corydia), 167.
Ornata (Dorylæa), 135.
Ornata (Forficula), 53.
Ornata (*Gonatista*), 270.
Ornata (Hagiomantis), 270.
Ornata (*Mantis*), 270.
Ornata (*Melestora*), 167.
Ornata (Orthoderella), 219.
Ornata (Panesthia), 203.
Ornata (*Periplaneta*), 135.
Ornata (Pseudolampra), 132.
Ornata (Pseudophyllodromia), 97.
Ornatipennis (Bisanthe), 267,
Ornatum (*Phasma*), 410.
OROBIA, 409.
Orsinii (*Chelidura*), 55.
Orsinii (*Forficula*), 54.
Orsinii(Pseudochelidura), 54.
ORTHODERA, 218.
ORTHODERELLA, 219.
ORTHOMERIA, 420.
ORTHONECROSCIA, 374.
ORTHOPTERA, 1.
ORXINES, 367.
Oryx (*Acanthoderus*), 355.
Oryx (Ceroys), 355.
Osiris (*Acrophylla*), 389.
Osiris (Ctenomorpha), 389.
Osiris (*Diura*), 389.
Osiris (*Phasma*), 389.
Osmylus (Aruanoidea), 378.
Osmylus (*Necroscia*), 378.
OTOMANTIS, 296.
Otomia (Anaplecta), 67.
Otomia (*Blatta*), 84.
Otomia (Temnopteryx), 105.
Otomius (*Temnopteryx*), 105.
Otys (*Acanthoderus*), 400.
Otys (Dares), 400.
Oudemansi (Japyx), 57.
Ova (*Neolobophora*), 38.
Ovalifolia (*Cardioptera*), 272.
Ovalifolia (Macromantis), 272.
Ovalifolia (*Mantis*), 272.
Ovalifolia var. Nicaraguæ (*Macromantis*), 272.
Ovata (*Blatta*), 195.
Ovata (Hierodula), 247.

Ovata (Metriomantis), 273.
Ovata (Parasphæria), 195.
OXYARTES, 324.
Oxycephala (Tarachodes), 215.
OXYCERCUS, 196.
OXYHALOA, 175.
OXYHALOINÆ, 175.
OXYOPHTHALMA, 261.
OXYOPHTHALMUS, 261.
OXYOPS, 297.
OXYOTHESPIS, 255.
OXYPILOIDEA, 286.
OXYPILUS, 285.
Oxyptera (Derocardia), 119.
Oxyptera (*Epilampra*), 119.
Oxytenes (*Bacillus*), 329.
Oxytenes (*Baculum*), 329.
OXYTHESPIS, 255.

PACHNEPTERIX, 78.
PACHNEPTERYX, 78.
PACHYMANTIS, 287.
PACHYMORPHA, 542.
PACHYMORPHA, 541.
Pacifica (Anisolabis), 20.
Pacifica (*Blatta*), 168.
Pacifica (Euthyrrhapha), 168.
Pacifica (*Forficula*), 20.
Pacifica (Litaneutria), 232.
Pæderina (Forficula), 53.
Pagana (Stagmatoptera), 301.
Palea (*Bacunculus*), 348.
Palea (Heteronemia), 348.
Palinurus (Arrhidæus), 384.
Palinurus (*Necroscia*), 384.
Pallasiana (*Mantis*), 313.
Pallasii (*Iris*), 268.
Pallasii (*Mantis*), 268.
Pallens (*Paraphoraspis*), 110.
Pallens (Phlebonotus), 110.
Pallens (*Phoraspis*), 110.
Pallescens (*Apolyta*), 80.
Pallescens (Ellipsidion), 80.
Pallescens (*Necroscia*), 375.
Pallescens (Rhyparobia), 151.
Palliata (*Mantis*), 281.
Pallicornis (Riatia), 68.
Pallicornis (Stenopilema), 186.
Pallida (Anaplecta), 67.
Pallida (*Aphlebia*), 70.
Pallida (*Apolyta*), 79.
Pallida (*Blatta*), 63.
Pallida (Enicophlebia), 228.
Pallida (Heterolampra), 122.
Pallida (Hololampra), 70.
Pallida (*Nauphœta*), 116.
Pallida (Oniscosoma), 110.
Pallida (Phœtalia), 116.
Pallida (*Popa*), 309.
Pallida subsp. Cecconii (*Aphlebia*), 70.
Pallidicollis (Pachnepteryx), 79.
Pallidicollis (*Thyrsocera*), 79.
Pallidicornis (Autolyca), 402.
Pallidicornis (*Forficula*), 52.
Pallidipennis (*Forficula*), 5.
Pallidipennis (Pygidicrana), 5.
Pallidula (Pseudectobia), 65.
Pallidula (*Theganopteryx*), 65.
Pallidum (Ellipsidion), 79.
Pallidus (*Ectobius*), 63.
Pallipalpis (*Kakerlac*), 136.
Pallipalpis (Methana), 136.
Pallipalpis (Periplaneta), 136.
Pallipalpis (*Periplaneta*), 136.
Pallipes (Blatta), 139.
Pallipes (Cirphia), 176.
Pallipes (*Derocalymma*), 188.
Pallipes (*Forficula*), 10, 11.
Pallipes (Gigantophasma), 386.
Pallipes (Homalodemas), 188.
Pallipes (*Kakerlac*), 139.
Pallipes (Labidura), 10.
Pallipes (*Labidura*), 11.
Pallipes (*Periplaneta*), 139.
Pallipes (Phyllodromia), 96.
Palmeri (*Bacillus*), 333.
Palmeri (Parabacillus), 333.
Palmes (Libethra), 345.
PALOPHINÆ, 360.
PALOPHUS, 365.
Palpalis (*Blatta*), 101.
Palpalis (Duryodana), 101.
Palpata (*Phyllodromia*), 101.
Panætius (Necroscia), 375.
Panamensis (Ancistrogaster), 37.
PANCHLORA, 152.
PANCHLORINÆ, 148.
Pandens (*Epilampra*), 121.
Pandens (Heterolampra), 121.
Pandora (*Aschipasma*), 420.
Pandora (Orthomeria), 420.
PANESTHIA, 202.
PANESTHIINÆ, 200.
Panesthoides (Blaptica), 162.
Panesthoides (*Polyzosteria*), 162.
Pannulata (Sibylla), 287.
Panteli (Dicellonotus), 201.
Panteli (*Panesthia*), 201.
Panteli (Temnopteryx), 104.
PANTELICA, 270.
Pantherina (Phoraspis), 112.
Pantherina (Stenovates), 306.
Pantherina (Tarachodes), 215.
PANURGICA, 286.
Panzeri (Ectobia), 62.
Panzeri (*Ectobius*), 62.
Panzeri var Nigripes (*Ectobia*), 63.
Papua (*Blatta*), 93.
Papua (*Epilampra*), 122.
Papua (Heterolampra), 122.
Papua (Labia), 27.
Papua (Phyllodromia), 93.

Papuana (Marmessoidea), 371.
Papuana (*Necroscia*), 371.
Papuasicus (Japyx), 57.
PARABACILLUS, 333.
PARABLEPHARIS, 290.
Parabolica (Blabera), 164.
PARACANTHOPS, 283.
PARACERATINOPTERA, 101.
PARACLITUMNUS, 330.
PARACLONARIA, 225.
PARADANURIA, 307.
Paradoxa (Acanthoclonia), 407.
Paradoxa (*Dystacta*), 227.
Paradoxa (*Mantis*), 295.
Paradoxa (Phyllocrania), 290.
PARADOXOMORPHA, 403.
Paradoxum (Phyllothelys), 289.
Paraensis (*Acontista*), 233.
Paraensis (Pseudovates), 304.
Paraensis (*Vates*), 304.
PARAEPISCOPUS (*recte* PAREPISCOPUS), 261.
Paraguayensis (Oxyops), 298.
PARAHORMETICA, 197.
PARAIRIDOPTERYX, 288.
PARALATINDIA, 169.
Parallela (Blatta), 139.
Parallela (*Forficula*), 30, 54.
Parallela (Ischnoptera), 82.
Parallela (*Mantis*), 304.
Parallela (Monandroptera), 387.
Parallela (Phyllovates), 304.
Parallela (*Psalidophora*), 30.
Parallela (Pseudochelidura), 54.
Parallela (Spongiphora), 30.
Parallela (*Spongophora*), 31.
Parallela (Stenoblatta), 179.
Parallela (*Stylopyga*), 139.
Parallela (*Theoclytes*), 304.
PARALOBOPTERA, 101.
PARALYGDAMIA, 217.
PARAMELES, 230.
PARAMUSONIA, 276.
Parana (*Blatta*), 95.
Parana (Phyllodromia), 95.
PARANAUPHŒTA, 179.
PARAOXYPILUS, 207.
PARAPACHYMORPHA, 342.
PARAPHORASPIS, 111.
PARASPHÆRIA, 195.
PARASPHENDALE, 266.
PARASTAGMATOPTERA, 298.
PARATEMNOPTERYX, 106.
PARATHESPIS, 256.
PARATOXODERA, 285.
PARATROPA, 109.
PARATROPES, 109.
Pardalina (Agathemora), 402.
Pardalina (*Anisomorpha*), 402.
Pardalina (Calolampra), 117.
Pardalina (*Epilampra*), 117.
Pardalina (Heterovates), 302.
Pardalina (*Omomantis*), 235.
PARECTATOSOMA, 398.
Parenthesis (Phyllodromia), 87.
PAREPISCOPUS, 261.
Parilis (*Blatta*), 92.
Parilis (Phyllodromia), 92.
PAROBRIMUS, 344.
Paromelas (Anisomorpha), 401.
PAROXYOPHTHALMUS, 261.
Partita (*Blatta*), 96.
Partita (Phyllodromia), 96.
Parva (Entella), 225.
Parva (*Mantis*), 278.
Parva (Oligonyx), 278.
Parviceps (*Blatta*), 67.
Parviceps (Hierodula), 247.
Parvicollis (Ancistrogaster), 37.
Parvicollis (*Epilampra*), 124.
Parvicollis (*Forficula*), 37.
Parvicollis (Hedaia), 124.
Parvicollis (*Psalidophora*), 37.
Parvicollis (*Spongiphora*), 37.
Parvipennis (Anaplecta), 67.
Parvipennis (Necroscia), 375.
Parvula (Acromantis), 280.
Parvula (Bactromantis), 278.
Parvula (*Blatta*), 92.
Parvula (Chætospania), 22.
Parvula (Ischnoptera), 84.
Parvula (*Mantis*), 278.
Parvula (Paradanuria), 307.
Parvula (Phyllodromia), 92.
Parvula (*Toxodera*), 307.
Parvulum (Echinosoma), 8.
Parvulus (Phyllovates), 304.
Parvulus (*Theoclytes*), 304.
Parvulus (*Vates*), 304.
PARYMENOPUS, 294.
Pascoei (*Apachys*), 3.
Pascoei (Apachyus), 3.
Pasimachus (*Cyphocrania*), 394.
Pasimachus (Onchestus), 394.
Pasithoe (*Bacillus*), 342.
Pasithoe (Pachymorpha), 342.
Passaloides (*Panesthia*), 200.
Passaloides (Salganea), 200.
Passalus (*Necroscia*). 368.
Passalus (Sosibia), 368.
Patagonicus (Demogorgon), 12.
Patagonicus (Japyx), 57.
Patellifer (*Bacillus*), 329.
Patellifera (Hierodula), 245.
Patellifera (*Hierodula*), 245.

Patellifera (*Mantis*), 245.
Patens (Periplaneta), 142.
Patinifera (Homalopteryx), 115.
Patricia (Phyllodromia), 89.
Patula (Allacta), 100.
Patula (*Blatta*), 100.
Patula (Capucina), 159.
Patula (Polyzosteria), 128.
Patula (*Zetobora*), 159.
Paui (Ameles), 230.
Paula (Calolampra), 118,
Paula (*Epilampra*), 118.
Paulinoi (Deropeltis), 146.
Paupera (Gyna), 150.
Pauperata (*Ampusa*), 312.
Pauperata (Empusa), 313.
Pauperata (*Empusa*), 312, 313.
Pauperata (*Mantis*), 311, 313.
Paupercula (*Forficula*), 54.
Paupercula (Pseudochelidura), 54.
Pavonina (Chlinidoptera), 292.
Pavonina (*Mantis*), 292.
Pavonina (*Stagmatoptera*), 292.
Paxillus (Phasma), 417.
Paxillus (*Planudes*), 417.
Paykullii (Calidomantis), 258.
Paykullii (*Miomantis*), 258.
Pectinata (*Chorisoneura*), 73.
Pectinata (Choristima), 73.
Pectinata (Empusa), 311.
Pectinata (*Epilampra*), 115, [122].
Pectinata (*Heterolampra*), [122].
Pectinata (Homalopteryx), 115, [122].
Pectinata (*Mantis*), 311.
Pectinata (Vates), 305.
Pectinicornis (*Empusa*), 312.
Pectinicornis (*Mantis*), 312, 313.
Pectinicornis (*Theoclytes*), 305.
Pectinicornis (Vates), 305.
Pectoralis (Anisolabis), 19.
Pectoralis (Cosmozosteria), 133.
Pectoralis (*Forficula*), 19.
Pectoralis (*Platyzosteria*), 133.
Pectoralis (*Polyzosteria*), 133.
Pectoralis (Rhombodera), 249.
Peculiaris (Loboptera), 102.
Pedestris (*Blabera*), 161.
Pedestris (*Forficula*), 44.
Pedestris (*Monachoda*), 161.
Peeli (Charieis), 210.
Peleus (*Ascephasma*), 419.
Peleus (*Aschipasma*), 419.
Peleus (*Perlamorpha*), 420.
Peleus (*Perlamorphus*), 419.
Peleus (*Phasma*), 419.
Peleus (Presbistus), 419.
Pelewensis (Homalopteryx), 115.
PELLITA, 189.
Pellucens (*Blatta*), 112.
Pellucens (Phoraspis), 112.
Pellucida (Amorphoscelis), 208.
Pellucida (*Apolyta*), 80.
Pellucida (*Blatta*), 72, 95.
Pellucida (Calidomantis), 259.
Pellucida (Chorisoneura), 72.
Pellucida (*Heterogamia*), 172.
Pellucida (*Mantis*), 273.
Pellucida (*Miomantis*), 259.
Pellucida (*Miopteryx*), 259.
Pellucida (Phyllodromia), 95.
Pellucida (Polyphaga), 172.
Pellucidum (Ellipsidion), 80.
PELMATOSILPHA, 142.
Peltata (Phenacisma), 148.
Pelvimetra (Sparatta), 24,
Pelvimetra var. Regina (*Sparatta*), 24.
Peninsularis (Sosibia), 368.
Pennatus (*Gongylus*), 313.
Pennicornis (*Empusa*), 311.
Pennicornis (Empusa), 312.
Pennicornis (*Mantis*), 312.
Pennsylvanica (Ischnoptera), 85.
Pensylvanica (*Blatta*), 85.
Pensylvanica (*Ischnoptera*), 85.
PENTACANTHA, 272.
Penthesilea (*Bacillus*), 329.
Penthesilea (Baculum), 329.
Percheron (*Apterygida*), 48.
Percheron (*Forficula*), 48.
Percheroni (*Forficula*), 48.
Percheroni (Sphingolabis), 48.
Perezii (*Phasma*), 412.
Perezii (Pseudophasma), 412.
Perfecta (Panesthia), 204.
Perfida (*Mantis*), 265.
Perfoliatus (*Acanthoderus*), 354.
Perfoliatus (Ceroys), 354.
Perfoliatus (*Cladomorphus*), 354.
Peridromes (*Bacillus*), 331.
Peridromes (Hyrtacus), 331.
Perillus (Planudes), 417.
Peringueyi (*Derocalymma*), 189.
Peringueyi (Gonolabis), 16.
Peringueyi (Homaloblatta), 194.
Peringueyi (Homalodemas), 189.
Peringueyi (Pœciloblatta), 192.
Periphanes (Anophelepis), 382.
PERIPHETES, 320.
PERIPLANETA, 140.
PERISPHÆRA, 159.

PERISPHÆRIA, 189.
PERISPHÆRINÆ, 179.
PERISPHERUS, 189.
Peristhenes (*Bacillus*), 339.
Peristhenes (Echetlus), 339.
Perla (*Miopteryx*), 227.
PERLAMANTIS, 229.
PERLAMORPHA, 418.
PERLAMORPHUS, 418.
Perloides (*Blatta*), 98.
Perloides (Elæa), 214.
Perloides (*Humbertiella*), 214.
Perloides (*Miopteryx*), 274.
Perloides (Pseudophyllodromia), 98.
Perloides (Tarachodes), 216.
Perlucida (*Blatta*), 73.
Perlucida (Chorisoneura), 73.
Perplexa (Ancistrogaster), 37.
Perplexa (*Epilampra*), 124.
Perplexa (Rhicnoda), 124.
Perplexa (*Sphingolabis*), 37.
Perpulchra (*Angela*), 265.
Perpulchra (Pseudoxyops), 298.
Perpulchra (*Stagmatoptera*), 298.
Perpulchra (Thespis), 265.
Personatus (Hermagoras), 323.
Personatus (*Lonchodes*), 323.
Perspicillare (*Phasma*), 409.
Perspicillaris (*Blatta*), 63.
Perspicillaris (Ectobia), 63.
Perspicillaris (*Ectobius*), 62.
Perspicillaris (*Phasma*), 409.
Perspicillaris (Stratocles), 409.
Perspicua (Acontista), 232.
Perspicua (*Mantis*), 232.
Perspicua (*Zetobora*), 158.
Peruana (*Bacteria*) 353.
Peruana (*Blatta*), 97.
Peruana (Ischnoptera), 83.
Peruana (Oreophœtes), 350.
Peruana (Panchlora), 153.
Peruana (Phortiœca), 158.
Peruana (*Proscratea*), 195.
Peruana (Pseudophyllodromia), 97.
Peruana (*Zetobora*), 158.
Peruviana (Anaplecta), 66.
Peruviana (Anisolabis), 21.
Peruviana (Ceratinoptera), 99.
Peruviana (Chœradodis), 219.
Peruviana (*Megaloblatta*), 108.
Peruviana (Paralatindia), 169.
Peruvianus (Oxycercus), 496.
PETASODES, 161.
Petiti (Eremiaphila), 210.
Petiveriana (*Blatta*), 166.
Petiveriana (*Cassida*), 166.
Petiveriana (Corydia), 166, 167.
Petropolis (Ancistrogaster), 36.
Petropolis (*Forficula*), 36.
Pfeifferæ (*Epilampra*), 124.
Pfeifferæ (Hedaia), 124.
Pfeifferæ (*Lonchodes*), 321.
Pfeifferæ (Myronides), 321.
Phacellus (Prisopus), 406.
PHÆNOPHAROS, 360.
Phaeton (Pseudophasma), 411.
Phætusa (*Necroscia*), 378.
Phalangium (Archiblatta), 148.
Phalangodes (Baculum), 328.
Phalangodes (*Lonchodes*), 328.
PHALCES, 336.
Phalerata (*Blatta*), 88, 104, 110.
Phalerata (*Nyctibora*), 110.
Phalerata (*Paratropa*), 110.
Phalerata (Paratropes), 110.
Phalerata (Temnopteryx), 104.
PHANOCLES, 353.
PHANTASIS, 343.
Phantasma (Cladoxerus), 358.
Phantasma (*Phasma*), 358.
Pharaonis (Calidomantis), 259.
Pharaonis (*Miomantis*) 259.
PHARNACIA, 359.
PHASGANIA, 324.
PHASMA, 390.
PHASMA, 333, 360, 411.
PHASMIDÆ, 317.
Phasmoides (Macrodanuria), 309.
PHASMOMANTIS, 254.
Phelaus (Megacrania), 385.
Phelaus (*Platycrania*), 385.
PHENACISMA, 148.
PHIBALOSOMA, 356.
Philetas (Brachylabis), 16.
Philippa (Necroscia), 375.
Phillipsi (Ischnoptera), 366.
PHILOBORA, 157.
PHITRUS, 310.
PHLEBONOTUS, 110.
Phlegyas (*Phasma*), 412.
Phlegyas (Pseudophasma), 412.
Phluctainoides (*Marmessoidea*), 384.
Phlyctænoides (Arrhidæus), 384.
PHOCYLIDES, 410.
PHŒTALIA, 116.
Pholcus (*Phasma*), 414.
Pholcus (Prexaspes), 414.
Pholidotus (*Necroscia*), 368.
Pholidotus (Sosibia), 368.
PHORASPIS, 112.
Phoraspoides (Phortiœca), 159.
Phoraspoides (*Zetobora*), 159.
PHORTIŒCA, 158.
PHOTINA, 273.
PHOTINA, 257.

PHRAORTES, 319.
Phryganea (*Miopteryx*), 274.
PHRYGANISTRIA, 358.
PHRYGANISTRIA, 359.
PHRYGANISTRIINÆ, 358.
Phryganoides (*Mantis*), 270.
Phryne (*Hierodula*), 249.
Phryne (Rhombodera), 249.
PHTHERSIGENA, 207.
Phthisica (*Mantis*), 263, 412.
Phthisica (Solygia), 263.
Phthisicum (Pseudophasma), 412.
Phthisicus (*Gryllus*), 412.
Phthisicus (*Mantis*), 412.
PHTHOA, 332.
PHYLLIINÆ, 420.
Phyllinus (*Cladomorphus*), 356.
Phyllinus (*Cladoxerus*), 356.
Phyllinus (Phibalosoma), 356.
PHYLLIUM, 422.
Phyllocephala (Abrachia), 352.
Phyllocephalum (*Phibalosoma*), 352.
Phyllocephalus (*Acanthoderus*), 352.
PHYLLOCRANIA, 290.
PHYLLODROMIA, 86.
PHYLLODROMIINÆ, 76.
PHYLLOMANTIS, 284.
Phyllopoda (*Bacteria*), 349.
Phyllopoda (*Bacunculus*), 349.
Phyllopus (*Acanthoderus*), 323.
Phyllopus (Bacunculus), 349.
Phyllopus (*Mantis*), 287.
Phyllopus (*Oxypilus*), 287.
Phyllopus (Pachymantis), 287.
Phyllopus (*Phasma*), 323.
Phyllopus (*Prisomera*), 349.
Phyllopus (Stenobœa), 323.
PHYLLOTHELYS, 289.
PHYLLOVATES, 302.
Physconia (Sermyle), 345.
Pia (Mantis), 251.
Pia (Stagmatoptera), 300.
Pica (Paratropes), 110.
Pica (*Pseudomops*), 78.
Pica (Thyrsocera), 78.
Picea (Blatta), 138.
Picea (Ischnoptera), 80.
Picea (*Periplaneta*), 138.
Picea (*Perisphæria*), 187.
Picina (Psalis), 14.
Picta (*Blatta*), 113.
Picta (Ceratinoptera), 99.
Picta (Forficula), 53.
Picta (*Gynopeltis*), 182.
Picta (*Hierodula*), 244.
Picta (*Mantis*), 265.
Picta (Phoraspis), 113.
Picta (*Platyzosteria*), 132.
Picta (Plectoptera), 178.
Picta (*Polyspilota*), 244.
Picta (Pygidicrana), 5.
Picta var. Luteola (*Phoraspis*), 112.
Picteti (*Ameles*), 230.
Picteti (Parameles), 230.
Picteti (Phyllodromia), 90.
Pictetiana (*Polyzosteria*), 114.
Picticollis (*Blatta*), 91.
Picticollis (Phyllodromia), 91.
Picticornis (*Chelisoches*), 53.
Pictipennis (Creoboter), 291.
Pictipennis (*Harpax*), 293.
Pictipes (*Hestias*), 288.
Pictipes (Hestiasula), 288.
Pictipes (Necroscia), 376.
PILEMA, 185.
Pilicornis (*Forficula*), 26.
Pilicornis (Labia), 26.
Pilifera (Blepharodera), 194.
Pilifera (*Heterogamia*), 194.
Pilifera (*Perisphæria*), 194.
Pilifera (*Trichocoma*), 194.
Piligera (Anisolabis), 19.
Pilipes (*Mantis*), 297.
Pilipes (*Panchlora*), 194.
Pilosa (Culama), 175.
Pilosa (Dyscologamia), 174.
Pilosa (*Zetobora*), 174.
Pilosella (*Heterogamia*), 172.
Pilosella (*Mallatoblatta*), 96.
Pilosella (Polyphaga), 172.
Pilosella (Theganopteryx), 65.
Pilosipes (*Ascephasma*), 419.
Pilosipes (*Aschiphasma*), 419.
Pilosipes (*Phasma*), 419.
Pilosipes (Presbistus), 419.
PINACONOTA, 113.
Pinnapavonis (Pseudempusa), 308.
Pirithous (Aruanoidea), 378.
Pirithous (*Necroscia*), 378.
Placens (*Blatta*), 80.
Placens (Ellipsidion), 80.
Plagiata (*Chelisoches*), 33.
Plagiata (Corydia), 167.
Plagiata (*Forficula*), 32.
Plagiata (Panesthia), 204.
Plagiatus (Chelisoches), 32, 33.
PLANA, 205.
Plana (*Apachys*), 23.
Plana (*Epilampra*), 114.
Plana (*Forficula*), 23.
Plana (Molytria), 114.
Plana (Sparatta), 23.
Plana (*Sparatta*), 24.
Plancyi (Polyphaga), 172.
PLANES, 111.
PLANETICA, 148.
Planiceps (*Mantis*), 223, 227.
Planiceps (Odontomantis), 223.
Planiceps (*Oxypilus*), 223, 227.
Planicollis (Forficula), 53.
Planiuscula (Pseudoglomeris), 190.
PLANUDES, 417.
Planula (*Phantasis*), 343.

Planulum (Hesperophasma), 343.
Planulum (*Phasma*), 343.
PLATAMODES, 80.
Platensis (Japyx), 57.
PLATYCALYMMA, 228.
Platycephala (Mesopteryx), 237.
Platycephala (*Tenodera*), 237.
PLATYCRANA, 385.
PLATYCRANIA, 385.
PLATYLABIA, 21.
Platysoma (*Blatta*), 63.
Platysoma (Ectobia), 63.
Platystetha (*Kakerlac*), 138.
PLATYTELUS, 405.
PLATYZOSTERIA, 130.
Plebeia (*Epilampra*), 121.
Plebeia (Heterolampra), 121.
Plebeja (*Labidura*), 14.
Plebeja (Psalis), 14.
PLECTOPTERA, 177.
PLECTOPTERINÆ, 177.
Plena (*Epilampra*), 122.
Plena (Heterolampra), 122.
Plicipennis (*Blatta*), 68.
Plicipennis (*Kakerlac*), 68.
Ploiaria (Cladoxerus), 358.
Ploiaria (*Phibalosoma*), 358.
Pluvialis (Labidura), 11.
PODACANTHUS, 379.
Podagrica (*Bostra*), 351.
Podagrica (Oncotophasma), 351.
Poduriformis (*Perisphæria*), 186.
Poduroides (*Perisphæria*), 186.
Poduroides (Stenopilema), 186.
Pœcila (Eustegasta), 181.
Pœcila (*Panchlora*), 181.
PŒCILOBLATTA, 192.
PŒCILODERRHIS, 118.
Pœciloptera (Necroscia), 375.
Pœciloptera (*Sipyloidea*), 375.
Poeyi (Agathemera), 402.
Poeyi (*Anophelepis*), 402.
Poeyi (*Blatta*), [99], 178.
Poeyi (Caulonia), 344.
Poeyi (Ceratinoptera), [99].
Poeyi (*Ceratinoptera*), 178.
Poeyi (Creoxylus), [117].
Poeyi (*Creoxylus*), 364.
Poeyi (Haplopus), 364.
Poeyi (*Panchlora*), 152.
Poeyi (Plectoptera), 178.
Polita (*Aphlebia*), 69.
Polita (Elliptoblatta), 183.
Polita (Hololampra), 69.
Polita (Melanozosteria), 129.
Polita (*Periplaneta*), 129.
POLLUSCA, 187.
Polyacantha (Sibylla), 287.
Polygrapha (Allacta), 100.
Polygrapha (*Blatta*), 100.
POLYPHAGA, 171.
POLYPHAGINÆ, 171.
Polyspila (*Epilampra*), 114, 115.
POLYSPILOTA, 239.
Polystictica (*Mantis*), 260.
Polyzona (Cosmozosteria), 133.
Polyzona (*Platyzosteria*), 133.
Polyzona (*Polyzosteria*), 133.
POLYZOSTERIA, 127.
Pomposa (*Gyna*), 150.
Ponderosa (Pharnacia), 359.
POPA, 308.
Popa (Ambivia), 280.
Popa (Extatosoma), 381.
Porcellana (*Blatta*), [99], 178.
Porcellana (*Ceratinoptera*), [99], 178.
Porcellana (*Phoraspis*), 111.
Porcellana (Plectoptera), 178.
Porcellana (Thorax), 111.
Porcellio (*Derocalymma*), 188, 189.
Porcellio (Homalodemas), 188.
Portentosa (Eurycantha), 396.
Portentosa (Gromphadorhina), 199.
Portentosa (*Gromphadorhina*), 199.
Portentosa (*Hormetica*), 199.
Portentosa var. Lævigata (*Gromphadorhina*), 199.
Porus (*Lonchodes*), 317.
Porus (*Lopaphus*), 317.
Porus (Stælonchodes), 317.
Postica (Blabera), 165.
Postrostrata (*Gratidia*), 336.
Postrostrata (Paraclonaria), 336.
Poststriga (*Blatta*), 73.
Poststriga (Chorisoneura), 73.
Præcaria (*Mantis*), 300, 301.
Præcaria (Stagmatoptera), 300.
Præcarius (*Gryllus*), 300.
Præcarius (*Mantis*), 300.
Præcipua (*Epilampra*), 120.
Præcipua (Rhabdoblatta), 120.
Præcontatrix (Theopropus), 293.
Prædicatoria (*Stagmatoptera*), 300.
Præstans (Pelmatosilpha), 142.
Praon (*Lonchodes*), 317, 319.
Praon (Stælonchodes), 317.
Prasina (Calidomantis), 259.
Prasina (Mantis), 251.
Prasina (*Mantis*), 251, 259.
Prasina (*Orthodera*), 218.
Prasina (Panchlora), 152.
Prasina (*Polyspilota*), 240.
Prasinana (*Mantis*), 231.
Prasinum (*Phasma*), 376, 413.
Prasinum (Pseudophasma), 413.
Prasinus (*Acanthoderus*), 340.
Prasinus (Macracantha), 340.

Precaria (*Mantis*), 299, 300.
Precaria (*Stagmatoptera*), 300.
Precarius (*Gryllus*), 300.
Precarius (*Mantis*), 300.
Predicatoria (Stagmatoptera), 300.
PRESBISTUS, 418.
Pretiosa (Sibylla), 286.
Preussi (Calidomantis), 258.
Preussi (*Miomantis*), 258.
PREXASPES, 413.
Prima (Leptozosteria), 131.
PRISOMERA, 323.
PRISOMERA, 322.
PRISOPINÆ, 403.
PRISOPUS, 405.
Procera (*Epilampra*), 124.
Procera (*Forficula*), 14.
Procera (Hedaia), 124.
Procera (Ischnoptera), 81.
Procera (*Psalis*), 14.
Prodigiosa (Clonaria), 338.
Prodigiosa (*Gratidia*), 338.
Producta (Ligaria), 226.
Productus (Paraclitumnus), 330.
Prolata (Clonaria), 338.
Prolata (*Gratidia*), 338.
Prolixa (Donusa), 409.
Prolixa (Phthoa), 332.
Prolixa (Spongiphora), 30.
PROMACHUS, 326.
PRONAONOTA, 184.
Propinqua (*Blatta*), 93.
Propinqua (Phyllodromia), 93.
Propria (*Epilampra*), 118.
Propria (*Polyzosteria*), 118.
PROSCRATEA, 195.
PROSOPLECTA, 177.
Prostasis (Dimorphodes), 387.
Protensa (*Apterygida*), 49.
Protensa (*Forficula*), 49.
Protensa (Sphingolabis), 49.
Proterva (*Blatta*), 192.
Proterva (Hostilia), 192
Proterva (*Phyllodromia*), 192.
Provisionalis (*Periplaneta*), 130.
Provisionalis (Syntomaptera), 130.
Proxima (*Epilampra*), 119.
Proxima (Pœciloderrhis), 119.
Pruinosa (Pachnepteryx), 78.
Pruinosa (*Thyrsocera*), 78.
PSALIDOPHORA, 29.
PSALIS, 13.
PSEUDACANTHOPS, 283.
Pseudatrata (Platyzosteria), 131.
PSEUDECTOBIA, 65.
PSEUDEMPUSA, 308.
PSEUDISCHNOPTERA, 86.
PSEUDOBACTERIA, 346.
PSEUDOCANTHOPS, 283.
Pseudocastanea (Platyzosteria), 131.
PSEUDOCHÆTA, 307.
PSEUDOCHELIDURA, 54.
PSEUDOCREOBOTRA, 293.
PSEUDODEROPELTIS, 147.
PSEUDOGLOMERIS, 190.
PSEUDOHARPAX, 296.
PSEUDOLAMPRA, 132.
PSEUDOMANTIS, 235.
PSEUDOMANTIS, 236.
PSEUDOMIOPTERYX, 275.
PSEUDOMOPS, 74.
PSEUDOPANCHLORA, 189.
PSEUDOPHASMA, 411.
PSEUDOPHASMA, 411.
PSEUDOPHASMINÆ, 408.
PSEUDOPHORASPIS, 119.
PSEUDOPHYLLODROMIA, 97.
Pseudoporus (Baculum), 328.
Pseudoporus (*Clitumnus*), 328.
Pseudoporus (*Lonchodes*), 328.
PSEUDOSERMYLE, 345.
PSEUDOVATES, 304.
PSEUDOXYOPS, 298.
PSEUDOYERSINIA, 231.
PTERINOXYLUS, 362.
Pterodactylus (*Lonchodes*), 321.
PTEROPUS, 422.
PTERYGIDA, 44.
Pubescens (Forficula), 51.
Pubescens (*Forficula*), 51.
Pubescens (Mallatoblatta), 96.
Pubescens (*Perisphæria*), 185.
Pubescens (Polyzosteria), 128.
Pubescens (Thysanoblatta), 185.
Pubescens var. Yersini (*Forficula*), 51.
Pubicornis (Mantellias), 225.
Pudica (*Epilampra*), 121.
Pudica (Heterolampra), 121.
Pugnax (Forcipula), 9.
Pugnax (*Labidura*), 9.
Puiggarii (Pseudomops), 77.
Puiggarii (*Thyrsocera*), 77.
Pulchella (Calhypnorna), 179.
Pulchella (*Chelisoches*), 32.
Pulchella (Compsoblatta), 181.
Pulchella (*Eustegasta*), 181.
Pulchella (*Forficula*), 27.
Pulchella (*Hypnorna*), 179.
Pulchella (Labia), 27.
Pulchella (*Labia*), 27.
Pulchella (Necroscia), 377.
Pulchella (*Panchlora*), 154.
Pulchella (Phyllodromia), 89.
Pulchella (Polyzosteria), 127.

Pulchellum (*Necroscia*), 377.
Pulchellum (*Phasma*), 377.
Pulchellus (Chelisoches), 32.
Pulcherrima (Orthonecroscia), 374.
Pulchra (Antissa), 222.
Pulchra (*Mantis*), 222.
Pulchrifolium (*Phasma*), 421.
Pulchrifolium (*Phyllium*), 421.
Pulchrifolium (Pulchriphyllium), 421.
Pulchripennis (Bisanthe), 267.
Pulchripennis (Chelisoches), 33.
Pulchripennis (*Mantis*), 267.
Pulchripes (Forficula), 53.
PULCHRIPHYLLIUM, 421.
Pulicaria (Plectoptera), 178.
Pulverulentus (*Diapherodes*), 364.
Pulverulentus (Haplopus), 364.
Pumicata (*Blatta*), 96.
Pumicata (Phyllodromia), 96.
Pumilio (Cranidium), 361.
Pumilio (*Diapherodes*), 361.
Pumilio (*Monandroptera*), 361.
Punctata (*Aphlebia*), 69.
Punctata (Aruanoidea), 379.
Punctata (*Blatta*), 69, 151.
Punctata (Brachylabis), 16.
Punctata (*Derocalymma*), 188.
Punctata (*Epilampra*), 120.
Punctata (Gonypeta), 224.
Punctata (Heterolampra), 120.
Punctata (Hololampra), 69.
Punctata (Homalodemas), 188.
Punctata (*Mantis*), 224, 246.
Punctata (*Necroscia*), 376, 379.
Punctata (Notolampra), 111.
Punctata (*Oxypilus*), 224.
Punctata (Parahormetica), 198.
Punctata (*Platycrana*), 379.
Punctata (Platyzosteria), 131.
Punctata (*Polyzosteria*), 131.
Punctata (Pseudolampra), 132.
Punctata (Theganopteryx), 64.
Punctata (*Thorax*), 111.
Punctatum (*Necroscia*), 376, 379.
Punctatum (*Phasma*), 376, 379.
Puncticollis (*Epilampra*), 120, 121, 122.
Puncticollis (Heterolampra), 122.
Puncticollis (Panesthia), 203.
Puncticollis (Phyllodromia), 93.
Punctifera (*Epilampra*), 114.
Punctifrons (Phyllodromia), 89.
Punctigera (Gonypeta), 224.
Punctipectus (*Hierodula*), 245.
Punctipennis (*Epilampra*), 123.
Punctipennis (Heterolampra), 123.
Punctipennis (*Psalidophora*), 31.
Punctipennis (Spongiphora), 31.
Punctipes (Achrioptera), 394.
Punctipes (*Cyphocrana*), 394.
Punctipes (*Cyphocrania*), 394.
Punctipes (Hemipterota), 74.
Punctosa (*Ischnoptera*), 189.
Punctosa (Pseudopanchlora), 189.
Punctulata (*Blatta*), 63, 94.
Punctulata (*Cryptocercus*), 200.
Punctulata (*Dasyposoma*), 200.
Punctulata (Elliptoblatta), 183.
Punctulata (*Epilampra*), 123.
Punctulata (Heterolampra), 123.
Punctulata (*Ischnoptera*), 94.
Punctulata (Phyllodromia), 92, 94.
Punctulata (Pseudectobia), 65.
Punctulata (*Theganopteryx*), 65.
Punctulatus (Chelisoches), 34.
Punctulatus (*Cryptocercus*), 200.
Punctulatus (Oligonyx), 278.
Punctum (Panchlora), 153.
Punctuosa (*Ischnoptera*), 189.
Puppeius (Cladoxerus), 358.
Puppeius (*Phasma*), 358.
Purcelli (Japyx), 56.
Purpuralis (Corydia), 167.
Purpurascens (*Mantis*), 264.
Purpurascens (Pelmatosilpha), 143.
Purpurascens (*Polyzosteria*), 127.
Purpurascens (Thespis), 264.
Purpurea (*Polyzosteria*), 192.
Purpurea (Trichoblatta), 192.
Purpurescens (Hierodula), 247.
Purpureus (*Metallyticus*), 209.
Purpuripennis (*Empusa*), 314.
Purpuripennis (*Graeffea*), 386.
Pusilla (Ameles), 230.
Pusilla (*Gonypeta*), 230.
Pusilla (Latindia), 168.
Pusilla (*Mantis*), 230.
Pustulata (*Epilampra*), 121.
Pustulata (Heterolampra), 121.

Pustulata (*Mantis*), 240.
Pustulata (Polyspilota), 240.
Pustulifera (*Hierodula*), 249.
Pustulifera (Rhombodera), 249.
Pustulosa (Phyllodromia), 88.
Putidum (*Phasma*), 412.
Putidum (Pseudophasma), 412.
PYCNOSCELUS, 151.
Pygidiata (Labia), 26.
Pygidiata (Sparatta), 24.
PYGIDICRANA, 4.
PYGIRHYNCHUS, 408.
Pygmæa (Bantia), 275.
Pygmæa (*Blatta*), 99.
Pygmæa (Ceratinoptera), 99.
Pygmæa (*Forficula*), 21.
Pygmæa (Platylabia), 21.
Pygmæa (*Psalidophora*), 32.
Pygmæa (Spongiphora), 32.
Pygmea (Bolbe), 226.
Pygmea (*Oligonyx*), 275.
PYLÆMENES, 400.
PYRAGRA, 7.
Pyrenaica (Chelidura), 42.
Pyrenaica (*Forficula*), 42.
PYRGOCOTIS, 218.
PYRGOMANTIS, 217.
Pythonius (Hermarchus), 361.
Pythonius (*Phibalosoma*), 360, 361.

Quadrata (Calolampra), 117.
Quadrata (*Epilampra*), 117.
Quadrata (Platylabia), 22.
Quadratipes (Obrimus), 398.
Quadratum (*Phasma*), 415.
Quadratus (Prexaspes), 415.
Quadricornis (Mantis), 295.
Quadrifascia (Cosmozosteria), 133.
Quadrifascia (*Platyzosteria*), 133.
Quadrifascia (*Polyzosteria*), 133.
Quadrifera (*Blabera*), 164.
Quadriglumis (Panesthia), 203.
Quadriguttata (Marmessoidea), 371.
Quadriguttata (*Necroscia*), 371.
Quadriguttatum (*Necroscia*), 371.
Quadriguttatum (*Phasma*), 371.
Quadrilobata (Blatta), 139.
Quadrilobata (*Forficula*), 25.
Quadrilobata (Labia), 25.
Quadrilobata (*Stylopyga*), 139.
Quadrimaculata (*Acontista*), 233.
Quadrimaculata (*Forficula*), 30.
Quadrimaculata (*Mantis*), 233.
Quadrimaculata (*Panesthia*), 202.
Quadrimaculata (*Psalidophora*), 30.
Quadrimaculata (Spongiphora), 30.
Quadrinotata (*Epilampra*), 122.
Quadrinotata (Heterolampra), 122.
Quadrinotata (Ligaria), 226.
Quadriplaga (*Ischnoptera*), 88.
Quadriplagiata (Prosoplecta), 177.
Quadripunctata (*Apolyta*), 79.
Quadripunctata (*Blatta*), 154.
Quadripunctata (Calidomantis), 258.
Quadripunctata (*Miomantis*), 258.
Quadripunctata (Panchlora), 154.
Quadripunctatum (Ellipsidion), 79.
Quadrispinosa (Forcipula), 9.
Quadrispinosa (*Labidura*), 9.
Quadrispinosa Lurida (*Forcipula*), 9.
Quadrisquamata (Eurycotis), 144.
Quindensis (*Acanthoderus*), 344.
Quindensis (*Bacteria*), 344.
Quindensis (Caulonia), 344.
Quinquedens (*Hierodula*), 242.
Quinquedens (*Mantis*), 242.
Quinquedens (Sphodropoda), 242.
Quinquedentata (Panesthia), 202.
Quinquemaculata (*Angela*), 265.
Quinquemaculata (*Mantis*), 265.
Quinquemaculata (Thespis), 265.
Quitense (*Phasma*), 415.
Quitensis (Isagoras), 415.
Quitensis (*Phasma*), 415.

Rachis (*Acanthoderus*), 326.
Rachis (Promachus), 326.
Radiata (*Mantis*), 250.
Radiatum (*Phasma*), 413.
Radiatum (Pseudophasma), 413.
Rafflesii (*Necroscia*), 371.
Rafflesii (*Phasma*), 371.
Rafflesii (*Platycrana*), 371.
Raffrayi (*Diplatys*), 1.
Ramale (Libethra), 345.
Ramifera (Allacta), 99.
Ramifera (*Blatta*), 99.
Ramifera (*Epilampra*), 114.
Ramifera (Molytria), 114.
Ramosa (*Blatta*), 80.
Ramosa (Ischnoptera), 81.
Ramosum (Baculum), 329.
Ramosum (Ellipsidion), 80.
Ramosus (*Bacillus*), 329.
Ramosus (*Baculum*), 329.
RAMULUS, 329.

Ramulus (*Bacunculus*), 354.
Ramulus (Ceroys), 354.
Ramulus (Myronides), 321.
Ranarius (*Acanthoderus*), 399.
Ranarius (Tisamenus), 399.
Rapax (Antemna), 284.
Rapax (Hoplocorypha), 257.
Rapax (Mionyx), 276.
Rapax (*Musonia*), 276.
Raptoria (Hierodula), 245.
Rebus (Cosmiella), 38.
Rebus (*Opisthocosmia*), 38.
Rectangulariter-vittata (Phyllodromia), 91.
Rectivenis(Euthyphleps), 307.
Redtenbacheri (Bacillus), 333.
Reducta (*Blatta*), 89.
Reducta (Phyllodromia), 89.
Reductus (Clitarchus), 339.
Reflexa (*Blabera*), 161.
Reflexa (*Blatta*), 161.
Reflexa (*Derocalymma*), 185.
Reflexa (*Monachoda*), 161.
Reflexa (*Perisphæria*), 185.
Reflexa (Petasodes), 161.
Reflexa (Pilema), 185.
Reflexa (*Polyzosteria*), 128.
Reflexa (Rhicnoda), 124.
Regale (Clemacantha), 389.
Regalis (Panesthia), 203.
Regina (*Blabera*), 109.
Regina (*Epilampra*), 115.
Regina (Homalosilpha), 115.
Regina (Megaloblatta), 109.
Regina (Methana), 136.
Regina (*Panesthia*), 200.
Regina (*Periplaneta*), 136.
Regina (Salganea), 200.
Regulus (*Bacillus*), 328.
Regulus (Baculum), 328.
Reichardi (*Apachya*), 4.
Reichardi (Apachyus), 4.
Reinwardtii (*Cyphocrana*), 391.
Reinwardtii (Phasma), 391.
Religiosa (Mantis), 250.
Religiosa (*Mantis*), 258.
Religiosus (*Gryllus*), 250.
Religiosus (*Mantis*), 250.
Relucens (Phyllodromia), 90.
Remiformis (Bostra), 350.
Remota (*Forficula*), 32.
Remota (Spongiphora), 32.
Remphan (Bacteria), 355.
Rendalli(*Acanthomantis*), 297.
Rendalli (Otomantis), 297.
Repanda (Epilampra), 126.
Repanda (*Periplaneta*), 141.
Replicata (Anaplecta), 67.
Reticularis (*Blatta*), 96.
Reticularis (Phyllodromia), 96.
Reticulata (Anchiale), 393.
Reticulata (*Apolyta*), 80.
Reticulata (*Cardioptera*), 274.
Reticulata (*Cyphocrania*), 393.
Reticulata (Hierodula), 247.
Reticulata (Iridopteryx), 223.
Reticulata (*Mantis*), 223, 237, 270, 273.
Reticulata (*Oxypilus*), 223.
Reticulata (*Phasma*), 393, 415.
Reticulata (Photina), 273.
Reticulata (*Platycrana*), 393.
Reticulatum (Ellipsidion), 80.
Reticulatum (*Phasma*), 412.
Reticulosa (*Blatta*), 98.
Reticulosa (Pseudophyllodromia), 98.
Retowskii (*Aphlebia*), 70.
Retowskii (Hololampra), 70.
Reversa (Ischnoptera), 81.
Reyi (Ischnopoda), 365.
Reyi (*Palophus*), 365.
RHABDOBLATTA, 120.
Rhabdota (Caulonia), 344.
Rhabdota (*Ceroys*), 344.
Rhachis (*Acanthoderus*), 326.
RHAMPHOPHASMA, 331,
RHAPHIDERUS, 382.
RHICNODA, 124.
Rhinoceros (Macropanesthia), 205.
Rhipheus(Acanthomima), 383.
Rhipheus (*Anophelepis*), 383.
Rhodomus (Tropidoderus), 380.
Rhombica (Deroplatys), 281.
Rhombica (*Deroplatys*), 281.
Rhombica (*Mantis*), 281.
Rhombicollis (Chœradodis), 220.
Rhombicollis (*Chœradodis*), 219.
Rhombicollis (*Mantis*), 220.
Rhombifolia (*Blatta*), 135.
Rhombifolia (Dorylæa), 135.
Rhombifolia (*Periplaneta*), 135.
RHOMBODERA, 248.
Rhomboidalis(*Hierodula*), 249.
Rhomboidea (Chœradodis), 220.
Rhomboidea (*Mantis*), 220.
RHYPAROBIA, 150.
RIATIA, 68.
Ridens (Labia), 26,
Ridens var. Cyclolabia (*Labia*), 26.
Ridleyi (Bactricia), 327.
Ridleyi (Diplatys), 2.
Ridleyi (Heterolampra), 122.
Ridleyi (Presbistus), 419.

Riparia (*Forficesila*), 10.
Riparia (Labidura), 10.
Riparia var. Mixta (*Labidura*), 10.
Ritsemæ (Chelisoches), 34.
Robusta (*Brachycola*), 197.
Robusta (Carcinophora), 15.
Robusta (*Chelidura*), 15.
Robusta (*Deropeltis*), 145.
Robusta (*Hierodula*), 245.
Robusta (Mesopteryx), 238.
Robusta (*Plana*), 205.
Robusta (Sphendale), 269.
Robustus (Geoscapheus), 205.
Robustus (Labidurodes), 15.
Rodziankoi (Forficula), 52.
Rogatoria (*Mantis*), 300, 301.
Rogenhoferi (Iris), 260.
Rogenhoferi (Pachymantis), 288.
Rogersi (Sphingolabis), 33.
Rogersi (Spongiphora), 32.
Rollandi (*Heteropteryx*), 397.
Rosaria (*Bacteria*), 326.
Rosarius (*Acanthoderus*), 326.
Rosarius (Promachus), 326.
Rosea (*Mantis*), 371.
Rosea (Marmessoidea), 371.
Rosea (*Necroscia*), 384.
Rosea (*Phasma*), 371, 384.
Roseinervis (*Hierodula*), 241.
Roseipenne (*Diura*), 381.
Roseipenne (*Necroscia*), 376.
Roseipenne (*Phasma*), 376.
Roseipennis (*Acontista*), 234.
Roseipennis (*Acrophylla*), 381.
Roseipennis (*Diura*), 381.
Roseipennis (Necroscia), 376.
Roseipennis (Tithrone), 234.
Rosenbergi (Eurycantha), 396.
Rosenbergi (Haaniella), 397.
Rosenbergi (*Heteropteryx*), 397.
Rosenbergi (Necroscia), 377.
Rosenbergi (Psalis), 14.
Roseni (*Heterogamia*), 172.
Roseni (Polyphaga), 172.
Roseum (*Phasma*), 371.
Rossia (Bacillus), 333, 334.
Rossia (*Mantis*), 333.
Rossia (*Phasma*), 334.
Rossii (*Bacillus*), 334.
Rossium (*Phasma*), 334.
Rossius (*Bacillus*), 334.
Rothei (Pseudolampra), 132.
Rotundata (Blatta), 139.
Rotundata (Labia), 27.
Rotundata (Pelmatosilpha), 142.
Rotundata (*Periplaneta*), 139.
Rotundipennis (Eremiaphila), 210.
Roulinii (*Anisomorpha*), 402.
Roulinii (Autolyca), 402.
Roulinii (*Bacteria*), 402.
Rubescens (*Necroscia*), 372.
Rubescens (Trigonophasma), 372.
Rubicunda (*Mantis*), 297.
Rubicunda (*Necroscia*), 372.
Rubicunda (Oxyops), 297.
Rubicunda (Trigonophasma), 372.
Rubicundum (*Necroscia*), 372.
Rubicundum (*Phasma*), 372.
Rubiginosa (*Hierodula*), 241.
Rubiginosa (Ischnoptera), 85.
Rubiginosa (Tarachomantis), 241.
Rubispinosa (*Bacteria*), 356.
Rubispinosa (Phibalosoma), 356.
Rubriceps (Spongiphora), 30.
Rubricosa (Nauphœta), [156].
Rubricosa (*Nauphœta*), 193.
Rubricosa (Pœciloblatta), 193.
Rubrocoxata (*Mantis*), 218.
Rubromaculata (*Mantis*), 240.
Rubus (*Cladoxerus*), 357.
Rubus (Phibalosoma), 357.
Rudis (*Zetobora*), 158.
Rudolfæ (Sphodromantis), 243.
Rudolfæ (*Sphodropoda*), 243.
Rufa (Blatta), 139.
Rufa (Ischnoptera), 83.
Rufa (*Panesthia*), 200.
Rufa (*Periplaneta*), 139.
Rufa (Prosoplecta), 177.
Rufescens (Anisolabis), 19.
Rufescens (Blabera), 164.
Rufescens (*Blatta*), 82.
Rufescens (*Cylindrogaster*), 2.
Rufescens (Diplatys), 2.
Rufescens (*Forficula*), 14, 29, 45.
Rufescens (Ischnoptera), 82.
Rufescens (Methana), 136.
Rufescens (Psalis), 14.
Ruficeps (*Apterygida*), 29, 45.
Ruficeps (*Forficula*), 29, 45.
Ruficeps (*Ischnoptera*), 176.
Ruficeps (*Nauphœta*), 176.
Ruficeps (Neolobophora), 29.
Ruficeps (Nesogastrella), 36.
Ruficeps (Orthonecroscia), 374.
Ruficeps (Panesthia), 202.
Ruficeps (Phyllodromia), 89.

Ruficollis (Forficula), 51.
Ruficornis (Cosmozosteria), 133.
Ruficornis (Hyposphæria), 193.
Ruficornis (*Lioblatta*), 193.
Ruficornis (*Periplaneta*), 133.
Rufina (Sparatta), 24.
Rufipes (*Megaloblatta*), 109.
Rufipes (Paranauphœta), 180.
Rufipes (Parasphæria), 196.
Rufipes (Rhyparobia), 151.
Rufipes var. Novæ Guineæ (*Paranauphœta*), 180.
Rufitarsis (Chelisoches), 33,
Rufitarsis (*Forficula*), 33.
Rufitarsis (*Lobophora*), 33.
Rufitarsis (*Psalidophora*), 33.
Rufiventris (Hemithyrsocera), 77.
Rufiventris (*Thyrsocera*), 77.
Rufofusca (Platyzosteria), 130.
Rufolineatus (Maransis), 337.
Rufoterminata (*Polyzosteria*), 130.
Rufoterminata (Syntomaptera), 130.
Rufovittata (*Lampyris*), 113.
Rufovittata (*Polyzosteria*), 144.
Rugicolle (Pseudophasma), 413.
Rugicollis (*Catara*), 148.
Rugicollis (*Metriotes*), 413.
Rugicollis (*Platycrana*), 413.
Rugosa (*Heterogamia*), 173.
Rugosa (Pœciloblatta), 193.
Rugosa (Polyphaga), 173.
Rugosa (Rhicnoda), 124.
Rugosa (*Zetobora*), 193.
Rugosicollis (Catara), 148.
Rugosicollis (*Deropeltis*), 148.
Rugulata (Salganea), 200.
Russellii (Baculum), 327.
Russellii (*Lonchodes*), 327.
Rustica (*Mantis*), 274.
Rustica (Miopteryx), 274.
Rusticus (Baculum), 328.
Rusticus (*Clitumnus*), 328.

Sabalianus (*Platyzosteria*), 144.
Sabulosa (Epilampra), 125.
Sabulosa (Eremiaphila), 212.
Sacalava (*Exedra*), 199.
Sacra (Mantis), 250.
Sacrata (*Mantis*), 405.
Sacrata (Prisopus), 405.
SADYATTES, 358.
Sæva (*Mionyx*), 277.
Sævissimus (Acanthoclonia), 407.
Sævissimus (*Ceroys*), 407.
Sævus (Mionyx), 277.
Sagitta (Idolomorpha), 314.
Sahlbergi (Cylindrogaster), 3.
Sakai (*Bacteria*), 350.
Sakai (Dyme), 350.
Sakalava (Elliptoblatta), 183.
Sakalava (Heminauphœta), 156.
Sakalava (*Hierodula*), 241.
Sakalava (Tarachomantis), 241.
Sakalava (Temnopteryx), 104.
Salamandra (Canachus), 396.
Salebrosa (Pachymorpha), 342.
SALGANEA, 200.
Sallei (Pseudomops), 74.
Sallei (*Thyrsocera*), 74.
Salmacis (*Acrophylla*), 329.
Salmacis (Ctenomorpha) 389.
Salmanazar(Aruanoidea), 378.
Salmanazar (*Necroscia*,, 378.
Salpingus (*Phasma*), 413.
Salpingus (Pseudophasma), 413.
Samouellii (*Bacteria*), 349.
Samouellii (Heteronemia), 349.
Samson (*Necroscia*), 369.
Samson (Sosibia), 369.
Sanchezi (Tæniosoma), 361.
Sancta (*Chiropus*), 216.
Sancta (Ischnoptera), 83.
Sancta (Mantis), 250.
Sancta (*Mantis*), 301.
Sancta (*Stagmatoptera*), 301.
Sancta (Tarachodes), 216.
Sanctæ-Helenæ (Euthyrrhapha), 168.
Sangarius (Calvisia), 370.
Sangarius (*Necroscia*), 370.
Sansibara (Gratidia), 330.
Sansibarica (*Apterygida*), 49.
Sansibarica (Gratidia), 330.
Sansibarica (*Gratidia*), 330.
Sansibarica (Sphingolabis), 49.
Santara (Isagoras), 415.
Santara (*Metriotes*), 415.
Santarema (*Blatta*), 95.
Santarema (Phyllodromia), 95.
Saperdiformis (Calhypnorna), 179.
Saperdiformis (*Hypnorma*), 179.
Saperdoides (Calhypnorna), 179.
Saperdoïdes (*Hypnorma*), 179.
Sarawaca (*Bacteria*), 317.
Sarawaca (Deroplatys), 281.
Sarawaca (*Hestias*), 288.
Sarawaca (*Hestiasula*), 288.
Sarawaca (Pachymantis), 288.
Sarawaca(Stælonchodes), 317.

Sardea (*Aphlebia*), 69.
Sardea (*Blatta*), 69.
Sardea (Hololampra), 69.
Sardea var. Adspersa (*Aphlebia*), 69.
Sarmentosa (*Bacteria*), 358.
Sarmentosa (Phryganistria), 358.
Sarmentum (*Bacunculus*), 348.
Sarmentum (Heteronemia), 348.
Sarpedon (Necroscia), 377.
Sartoriana (*Bacteria*), 354.
Sartoriana (Phanocles), 354.
Saturnus (*Diura*), 388.
Saussurei (Ceparia), 201.
Saussurei (Calidomantis), 259.
Saussurei (Carvilia), 267.
Saussurei (Ceratomantis), 287.
Saussurei (Deropeltis), 146.
Saussurei (Diapheromera), 347.
Saussurei (*Fischeria*), 267.
Saussurei (Gonypeta), 224.
Saussurei (Haaniella), 397.
Saussurei (Hesperophasma), 243.
Saussurei (*Heterogamia*), 172.
Saussurei (Heterolampra), 120.
Saussurei (Heteropteryx), 397.
Saussurei (Hierodula), 245.
Saussurei (*Iapyx*), 57.
Saussurei (*Iridopteryx*), 224.
Saussurei (Japyx), 57.
Saussurei (*Miomantis*), 259.
Saussurei (*Oxypilus*), 287.
Saussurei (Panesthia), 202.
Saussurei (*Panesthia*), 201.
Saussurei (*Phantasis*), 343.
Saussurei (Pilema), 185.
Saussurei (Polyphaga), 172.
Saussurei (Polyspilota), 240.
Saussurei (*Pygidicrana*), 7.
Saussurei (*Pyragra*), 7.
Saussurei (Rhombodera), 248.
Saussurei (Sermyle), 345.
Saussurei (Temnopteryx), 103.
Saussurei (*Thermastris*), 7.
Savatieri(*Oxyophthalma*), 261.
Savatieri (Paroxyophthalmus), 261.
Savignyi (Calidomantis), 259.
Savignyi (Eremiaphila), 212.
Savignyi (*Miomantis*), 259.
Savignyi (Periplaneta), 142.
Saxicola (*Blatta*), 185.
Saxicola (Pilema), 185.
Sayi (*Bacteria*), 347.
Sayi (*Diapheromera*), 347.
Scabra (Cacoblatta), 166.
Scabra (Derocalymma), 187.
Scabra (Gymnonyx), 184.
Scabra (*Necroscia*), 369.
Scabra (*Perisphæria*), 187.
Scabra (Platyzosteria), 131.
Scabra (*Polyzosteria*), 131.
Scabra (*Sipyloidea*), 369.
Scabra (Sosibia), 369.
Scabrella (Platyzosteria), 131.
Scabricollis (*Blatta*), 193.
Scabricollis (Calidomantis), 259.
Scabricollis (*Cyrtotria*), 187.
Scabricollis (Derocalymma), 187.
Scabricollis(*Diapherodes*), 364.
Scabricollis (Haplopus), 364.
Scabricollis (*Miomantis*), 259.
Scabriuscula(Allodahlia), 41.
Scabriuscula (*Anechura*), 41.
Scabriuscula (*Forficula*), 41.
Scabriuscula (*Menaka*), 341.
Scabriuscula (*Periplaneta*), 130.
Scabriuscula (Syntomaptera), 130.
Scabriusculus (*Bacillus*), 341.
Scabriusculus (Medaura), 341.
Scabrosa (*Bacteria*), 382.
Scabrosus (*Acanthoderus*), 355, 382.
Scabrosus (*Raphiderus*), 382.
Scabrosus (Rhaphiderus), 382.
Scabrosus (*Rhaphiderus*), 382.
SCAPHEGYNA, 327.
Scarabæoides (Ergaula), 173.
Sceleton (*Phasma*), 324.
Schæfferi (*Blatta*), 69.
Schaumi (Clonaria), 337.
Schaumi (*Gratidia*), 337.
SCHIZOCEPHALA, 262.
SCHIZOPILIA, 159.
Schotti (Sparatta), 24.
Schotti (*Sparatta*), 24.
Schulthessi (*Tarachodes*), 215.
Schulthessi (Temnopteryx), 108.
Schwarzi (Latindia), 168.
Schweinfurthi (Deropeltis), 146.
Scindus (*Chelidura*), 52.
Scita (*Epilampra*), 120.
Scita (Pseudophoraspis), 120.
Scops (*Acanthoderus*), 355.
Scops (Ceroys), 355.
Scorpionides (Eurycantha), 396.
Scorpionides (*Karabidion*), 396.
Scripta (*Panchlora*), 149.
Scrobiculata (*Hormetica*), 197.
Scudderi (*Forficula*), 52.
Scudderi (Oligonyx), 278.
Scudderi (Psalis), 14.
Sculpturata (Deropeltis), 147.
Sculpturata (*Epilampra*), 120.
Sculpturata (Heterolampra), 120.

Scutata (Blabera), 165.
Scutata (Rhombodera), 248.
Scutelligera (Gyna), 149.
Scutelligera (*Panchlora*), 149.
Scutigera (Hemithyrsocera), 77.
Scutigera (Otomantis), 296.
Scutigera (*Pseudoops*), 77.
Scytale (*Bacillus*), 329.
Scytale (Baculum), 329.
Scythe (*Phyllium*), 422.
Scythe (Pulchriphyllium), 422.
Scythrus (*Anophelepis*), 343.
Scythrus (Hesperophasma), 343.
Scythrus (*Phantasis*), 343.
Sechellensis (*Lonchodes*), 318.
Sechellensis (Staelonchodes), 318.
Secunda (Leptozosteria), 131.
Sedilloti (Cutilia), 134.
Sedilloti (*Polyzosteria*), 134.
Sekalavum(Echinosoma), 8.
Semele (*Anisomorpha*), 402.
Semele (Autolyca), 402.
Semiæneus (Metallyticus), 209.
Semialata (*Miomantis*), 259.
Semialata (*Monachoda*), 162.
Semialata (*Monastria*), 162.
Semiarmata (*Acanthodera*), 324.
Semiarmata (*Phasma*), 325.
Semiarmatus (*Acanthoderus*), 325.
Semiarmatus (Menexenus), 325.
Semicincta (Hemithyrsocera), 77.
Semicincta (*Periplaneta*), 134.
Semicincta (*Thyrsocera*), 77.
Semiflava (Spongiphora), 30.
mifulva (Chætospania), 22.
Semifulva (Sparatta), 22.
Semilimbata (Elliptoblatta), 183.
Semiluteus (Chelisoches), 34.
Semipicta (Eurycotis), 144.
Semipicta (*Periplaneta*), 144.
Semirufa (Acontista), 234.
Semirufa (Sparatta), 24.
Semirufula (*Hapalomantis*), 214.
Semirufula (Humbertiella), 214.
Semivitrea (Pseudophyllodromia), 98.
Semivitta (Cutilia), 134.
Semivitta (*Drymoplaneta*), 134.
Semivitta (*Periplaneta*), 134.
Semperi (Lamachus), 368.
Semperi (Tagalina), 4.
Semuncialis (Gonypetyllis), 288.
Senegalensis (*Blatta*), 64.
Senegalensis (Calidomantis), 259.
Senegalensis (*Ectobia*), 64.
Senegalensis (*Forficula*), 52.
Senegalensis (*Miomantis*), 259.
Senegalensis (Oxyothespis), 255.
Senegalensis (Theganopteryx), 64.
Senticosa (Caulonia), 344.
Senticosa (Xerosoma), 416.
Septemguttata (*Cassida*), 167.
Septentrionalis (Stagmatoptera), 300.
Septentrionalis var. Minor (*Stagmatoptera*), 300.
Septentrionum (Humbertiella), 214.
Septentrionum (*Theopompa*), 214.
Sequens (*Blatta*), 93.
Sequens (Phyllodromia), 93.
Sericea (Nyctibora), 107.
Sericea (*Perisphæria*), 191.
Sericea (Trichoblatta), 191.
Seriepunctata (Leptocola), 263.
SERMYLE, 345.
Serpæ (*Derocalymma*), 185.
Serpæ (Pilema), 185.
Serrata (*Forficula*), 49, 53.
Serrata (Panesthia), 203.
Serrata (Sphingolabis), 49.
Serraticornis (*Theoclytes*), 305.
Serraticornis (Vates), 305.
Serratipes (*Cladoxerus*), 359.
Serratipes (Pharnacia), 359.
Serratipes (*Pharnacia*), 359.
Serratipes (*Phibalosoma*), 359.
Serratissima (Panesthia), 203.
Serratodentata(Danuria), 310.
Serratorius (Tisamenus), 399.
Serricauda (*Bacteria*), 350.
Serricauda (Dyme), 350.
Serricollis (*Cranidium*), 361.
Serricollis (*Diapherodes*), 361.
Serricornis (*Mantis*), 298.
Serricornis (Parastagmatoptera), 298.
Servilleana (Orthomeria), 420.
Servilleanum (*Aschipasma*), 420.
Servillei (*Acanthoderus*), 326.
Servillei (*Bacteria*), 326.
Servillei (*Blatta*), 107.
Servillei (Chœradodis), 220.
Servillei (Empusa), 313.
Servillei (*Humbertiella*), 213.
Servillei (*Labidura*), 11.
Servillei (*Mantis*), 213.
Servillei (*Metriotes*), 413, 414.
Servillei (*Phasma*), 414.
Servillei (Prexaspes), 414.
Servillei (Promachus), 326.
Servillei (Theopompa), 213.

Setulosa (*Forficula*), 51.
Setulosa (Sparattina), 24.
Severa (Diplatys), 2.
Severini (Labia), 28.
SEVERINIA, 307.
Sexguttata (Cosmozosteria), 133.
Sexguttata (*Drymaplaneta*), 133.
Sexguttata (*Periplaneta*), 133.
Sexnotata (*Blatta*), 196.
Sexnotata (*Brachycola*), 196.
Sexpustulata (Blatta), 140.
Sexpustulata (*Polyzosteria*), 140.
Shelfordi (Chelisochella), 35.
Shelfordi (Deroplatys), 281.
Shelfordi (Molytria), 114.
Shiva (*Bacteria*), 322.
Shiva (Lonchodes), 322.
Shuckardi (Dinelytron), 408.
Sialidea (Mantillica), 225.
Siamensis (Pygidicrana), 5.
SIBYLLA, 286.
Sicaria (Labia), 27.
Sicca (*Ischnoptera*), 113.
Siccifolia (*Blatta*), 141.
Siccifolia (*Mantis*), 422.
Siccifolia (*Phasma*), 422.
Siccifolium (Deroplatys), 281.
Siccifolium (*Phasma*), 423.
Siccifolium (Phyllium), 422.
Siccifolium (*Phyllium*), 423.
Siccifolius (*Gryllus*), 422.
Siccifolius (*Mantis*), 422.
Siccifolius (*Pteropus*), 422.
Sifia (Eurycantha), 396.
SIGERPES, 289.
Sigillata (*Zetobora*), 155.
Signata (*Blatta*), 135.
Signata (Dorylæa), 155.
Signata (Elliptoblatta), 184.
Signata (Hemithyrsocera), 77.
Signata (Latindia), 168.
Signata (*Mantis*), 240.
Signata (*Polyzosteria*), 184.
Signata (*Thyrsocera*), 77.
Signaticollis (Pachnepteryx), 79.
Signaticollis (*Thyrsocera*), 79.
Signaticollis (Tribonidium), 157.
Signaticollis (*Zetobora*), 157.
Signatura (Calolampra), 117.
Signatura (*Epilampra*), 117.
Signifer (Creoboter), 291.
Signifer (*Harpax*), 291.
Signifera (Achroblatta), 155.
Signifera (*Panchlora*), 155.
Signifrons (*Nauphœta*), 176.
Sikoræ (*Blatta*), 90.
Sikoræ (Phyllodromia), 90.
Silana (Apterygia), 50.
Silana (Forficula), 50.
Silpha (*Diploptera*), 176.
Silpha (*Prosoplecta*), 176.
Silphoides (*Derocalymma*), 189.
Silphoides (*Diploptera*), 176.
Silphoides (Homalodemas), 189.
Silphoides (Polyphaga), 172.
Similis (*Aplopus*), 364.
Similis (*Blabera*), 161.
Similis (*Blatta*), 93.
Similis (Deropeltis), 146.
Similis (Haplopus), 364.
Similis (Hierodula), 247.
Similis (*Ischnoptera*), 146.
Similis (*Mantis*), 247.
Similis (*Monachoda*), 161.
Similis (Monastria), 161.
Similis (Phyllodromia), 93.
Similis (Spongiphora), 31.
Simoni (Nocticola), 106.
Simonyi (Holocompsa), 170.
Simplex (*Bacteria*), 324.
Simplex (*Chelidura*), 42.
Simplex (*Forficula*), 42.
Simplex (Myronides), 321.
Simplex (Opisthocosmia), 39.
Simplex (*Phasma*), 324.
Simpl[illegible] (*E*[illegible]*lochroa*), 308.
Simplicipes (Pachymorpha), 342.
Simplicitarsis (Bacteria), 355.
Simulacrum (*Hierodula*), 245, 247.
Simulacrum (*Mantis*), 243, 246, 299.
Simulacrum (Parastagmatoptera), 299.
Simulans (Chelisoches), 34.
Simulans (*Forficula*), 34.
Simulans (*Lobophora*), 34.
Simulans (Pseudomops), 76.
Simulans (*Thyrsocera*), 76.
Simulatrix (Tivia), 169.
Simyra (*Creoxylus*), 404.
Simyra (Neocles), 404.
Sinensis (*Epilampra*), 120.
Sinensis (*Heterogamia*), 172.
Sinensis (Heterolampra), 120.
Sinensis (*Homœogamia*), 172.
Sinensis (Ischnoptera), 81.
Sinensis (Polyphaga), 172.
Sinensis (*Polyphaga*), 172.
Sinensis (Tenodera), 239.
Singularis(*Pyrgomantis*), 217.
Sinkiebensis (*Bacteria*), 317.
Sinkiebensis (Stælonchodes), 317.
Sinuata (*Acanthops*), 283.
Sinuata (Blatta), 139.
Sinuata (*Chelidura*), 54.
Sinuata (*Forficula*), 54.
Sinuata (*Mantis*), 282.
Sinuata (Panesthia), 203.
Sinuata (Pseudochelidura), 54.
Sinuata (*Stylopyga*), 139.
Sinuata var. Cyclolabia (*Pseudochelidura*), 54.

Sinuata var. Dufourii (Chelidura), 54.
Sinuata var. Meridionalis (Pseudochelidura), 54.
SIPYLOIDEA, 374.
Sipylus (Necroscia), 375.
SISAPONA, 163.
Smaragdina (Panchlora), 154.
Smaragdula (Necroscia), 370.
Smithi (Forficula), 53.
Smithi (Tarachodes), 216.
Smyrnensis (Forficula), 51.
Snelleni (Nanomantis), 255.
Snodgrassi (Temnopteryx), 105.
Sobrina (Archimantis), 235.
Sobrius (Chelisoches), 34.
Socia (Epilampra), 119.
Sodalis (Dixippus), 321.
Sodalis (Epilampra), 126.
Sodalis (Lonchodes), 321.
Sohri (Orobia), 409.
Solida (Perisphæria), 193.
Solifuga (Dicellura), 56.
Solifugus (Iapyx), 55.
Solifugus (Iapyx), 56.
Solifugus (Japyx), 55, 56.
Solifugus var. Humbertii (Japyx), 56.
Solifugus var. Magna (Iapyx), 56.
Solifugus var. Major (Japyx), 56.
Solitaria (Galapagia), 276.
Solitaria (Yersinia), 229.
SOLYGIA, 263.
Somali (Stenopilema), 186.
Somalica (Elæa), 214.
Somalica (Eremiaphila), 211.
Soranus (Decidia), 403.
Soranus (Phasma), 403.
Sordida (Chorisoneura), 73.
Sordida (Necroscia), 377.
Sordida (Phyllodromia), 91.
Sordidula (Zetobora), 192.
Sordidum (Necroscia), 377.
Sordidum (Phasma), 377.
Sordidus (Myronides), 321.
Sordulus (Promachus), 326.
Soror (Cutilia), 134.
Soror (Hemithyrsocera), 77.
Soror (Mantis), 229.
Soror (Methana), 136.
Soror (Periplaneta), 136.
Soror (Polyzosteria), 134.
Soror (Thyrsocera), 77.
SOSIBIA, 368.
Souchongia (Bacillus), 332.
Souchongia (Macella), 332.
Spallanzania (Ameles), 229.
Spallanzania (Mantis), 229.
SPANIONYX, 279.
SPARATTA, 23.
SPARATTINA, 24.
Sparattoides (Platylabia), 22.
Sparaxes (Necroscia), 377.
Sparnius (Candaules), 367.
Spatulata (Bacteria), 349.
Spatulata (Bacunculus), 349.
Spatulatus (Bacunculus), 349.
Speciosum (Ellipsidium), 78.
Spectabilis (Anisolabis), 21.
Spectabilis (Forficula), 21.
Spectabilis (Thyrsocera), 78.
Spectrum (Blatta), 157.
Spectrum (Tribonium), 157.
Speculigera (Forficula), 48.
Speculigera (Sphingolabis), 48.
Speiseri (Deropeltis), 145.
SPELÆOBLATTA, 106.
SPHÆROMANTIS, 226.
SPHENDALE, 269.
Sphingicornis (Mantis), 305.
Sphingicornis (Vates), 305.
Sphingicornis (Vates), 305.
SPHINGOLABIS, 45.
Sphinx (Spongiphora), 30.
SPHODROMANTIS, 243.
SPHODROPODA, 242.
Spiculifera (Apterygida) 47.
Spiculifera (Sphingolabis), 47.
Spinax (Ancistrogaster), 36.
Spiniceps (Agondasoidea), 373.
Spiniceps (Necroscia), 373.
Spiniceps (Phasma), 373.
Spiniceps (Prisopus), 406.
Spinicolle (Ctenomorpha), 393.
Spinicolle (Phasma), 393, 412.
Spinicolle (Prisomera), 3 3.
Spinicolle (Pseudophasma), 412.
Spinicollis (Anchiale), 393.
Spinicollis (Ctenomorpha), 393.
Spinicollis (Phyllovates), 304.
Spinicollis (Prisomera), 323.
Spinicollis (Prisopus), 406.
Spinicollis (Theoclytes), 304.
Spinicornis (Entoria), 328.
Spinifrons (Empusa), 314.
Spinifrons (Idolomorpha), 314.
Spinifrons (Pseudomiopteryx), 275.
Spiniger (Acanthoderus), 340.
Spiniger (Argosarchus), 340.
Spinigera (Bacteria), 353.
Spinigera (Ischnomantis), 266.
Spinigera (Monandroptera), 382.
Spinigera (Rhaphiderus), 382.

Spinipes (Æthalochroa), 308.
Spinipes (*Diapherodes*), 364.
Spinipes (Haplopus), 364.
Spiniventris (*Acanthoderus*), 400.
Spiniventris (Acanthodyta), 383.
Spiniventris (Pylæmenes), 400.
Spinocula (*Harpax*), 295.
Spinosa (*Bacteria*), 351, 353.
Spinosa (*Mantis*), 417.
Spinosa (Parapachymorpha), 342.
Spinosa (*Phasma*), 417.
Spinosa (*Xerosoma*), 417.
Spinosissima (Caulonia), 344.
Spinosissima (Enetia), 394.
Spinosum (*Bacteria*), 339.
Spinosum (*Phasma*), 339, 417.
Spinosus (Acanthoderus), 339.
Spinosus (Candaules), 367.
Spinosus (Creoxylus), 417.
Spinosus (Promachus). 326.
Spinulifera (Blatta), 139.
Spinulosa (Eremiaphila), 211.
Spinulosa (*Paracanthops*), 284.
Spinulosa (Pseudacanthops), 284.
Spinulosa (Rhicnoda), 124.
Spinulosa (Sphæromantis), 226.
Spinulosus (Nisyrus), 407.
Splendens (Eustegasta), 181.
Splendida (*Metalleutica*), 208, 209.
Splendidus (Metallyticus), 208.
Splendidus (*Metallyticus*), 209.
Splendidus var. Purpureus (*Metallyticus*), 209.
Splendidus var. Viridiauratus (*Metallyticus*), 208.
SPONGIPHORA, 29.
SPONGOPHORA, 29.
Spurca (Popa), 308.
Spurcata (Gyna), 149.
Spurcata (*Panchlora*), 149.
Spuria (Eubulides), 395.
Spuria (*Mantis*), 312.
Spuria (Phyllodromia), 93.
Squalida (Pachymorpha), 342.
Squalida (*Pachymorpha*), 342.
Squalidus (*Bacillus*), 342.
Squeleton (*Mantis*), 324.
Squeleton (Phasgania), 324.
Squilla (Chœradodis), 221.
Squilla (*Chœradodis*), 221.
Stabilinus (*Phasma*), 409.
Stabilinus (Stratocles), 409.
Stæli (Anisolabis), 19.
Stæli (*Arrhidæus*), 384.
Stæli (Chœradodis), 220.
Stæli (*Forcinella*), 19.
Stæli (Heterolampra), 121.
Stæli (Medaura), 341.
STÆLONCHODES, 317.
STAGMATOPTERA, 299.
STAGMOMANTIS, 252.
Stanleyana (*Euchomena*), 263.
Staphylinoides (*Olyntha*), 6.
Staphylinoides (Pygidicrana), 6.
STATILIA, 236.
Steira (*Lonchodes*), 317.
Steira (Stælonchodes), 317.
STELEOPYGA, 137.
Stella (Chætospania), 22.
Stella (Spongiphora), 30.
Stellata (Panesthia), 202.
Stellenboschus (*Bacillus*), 332.
Stellenboschus (Phthoa), 332.
STENOBLATTA, 179.
STENOMANTIS, 256.
STENOPHYLLA, 306.
STENOPILEMA, 186.
STENOPYGA, 237.
Stenotarsis (Miopanesthia), 205.
STENOVATES, 306.
Sternosticta (Hierodula), 247.
STHENOBŒA, 323.
Stigma (*Psalidophora*), 31.
Stigma (Spongiphora), 31.
Stigmata (*Hierodula*), 247.
Stigmatica (*Mantis*), 275.
Stigmatica (*Miomantis*), 275.
Stigmatica (Miopteryx), 275.
Stigmatica (*Stagmomantis*), 275.
Stigmosa (*Derocalymma*), 188.
Stigmosa (Epilampra), 127.
Stigmosa (Homalodemas), 188.
STILPNOBLATTA, 191.
Stilpnoides (Baculum), 327.
Stilpnoides (*Clitumnus*), 327.
Stilpnus (Baculum), 327.
Stilpnus (*Lonchodes*), 327.
Stipata (*Epilampra*), 123.
Stipata (Heterolampra), 123.
Stolida (*Periplaneta*), 141.
STOLLIA, 231.
Stollii (Anchiale), 392.
Stollii (Blabera), 164.
Stollii (*Coptopteryx*), 268.
Stollii (*Empusa*), 312.
Stollii (*Mantis*), 303.
Stollii (Metriotes), 415.
Stollii (*Phyllium*), 423.
Stollii (Phyllovates), 303.
Stollii (*Platycrana*), 415.
Stollii (Stagmomantis), 253.

Stomphax (*Lonchodes*), 318.
Stomphax (Stælonchodes), 318.
Strachani (Pseudochæta), 307
Stramineus (*Bacunculus*), 346.
Stramineus (Pseudosermyle), 346.
STRATOCLES, 409.
Striata (*Bacteria*), 348.
Striata (Heteronemia), 348.
Striata (Leucophæa), 151.
Striata (*Mantis*), 240, 250.
Striata (*Polyspilota*), 240.
Striatocollis(Ophicrania), 386.
Stricta (*Mantis*), 262.
Stricta (*Schizocephala*), 262.
Strigata (*Blatta*), 96.
Strigata (*Ischnoptera*), 96.
Strigata (Phyllodromia), 96.
Strigata (Pseudosermyle), 345.
Strigata (*Sermyle*), 345.
Strigiceps (*Diapheromera*), 346.
Strigiceps (Pseudosermyle), 346.
Strigifrons (*Epilampra*), 115.
Strigipennis (Oxypilus), 286.
Strigiventris (*Bacteria*), 345.
Strigiventris (Libethra), 345.
Strigosa (*Blatta*), 80.
Strigosa (*Iris*), 260.
Strigosa (Ischnoptera), 80.
Strigosa (*Mantis*), 260.
Striolatus (Oligonyx), 278.
STRONGYLOPSALIS, 15.
Strumaria (Chœradodis), 219.
Strumaria (*Chœradodis*), 220.
Strumaria (*Mantis*), 219, 220.
Strumarius (*Gryllus*), 219.
Strumarius (*Mantis*), 219.
Strumosa (Hormetica), 197.
Strumosus (Carausius), 320.
Struthioneus (*Lonchodes*), 360.
Struthioneus (Phenopharos), 360.
Stygia (*Nyctibora*), 107.
Stygnus (Arrhidæus), 384.
Stygius (*Necroscia*), 384.
Stylifera (Hyposphæria), 193.
Stylifera (*Lioblatta*), 193.
Stylifera (*Perisphæria*), 193.
Styligera (Necroscia), 377.
STYLOPYGA, 137.
Styxnus (*Necroscia*), 384.
Suava (Compsoblatta), 181.
Suava (*Eustegasta*), 181.
Suavis (*Hierodula*), 235.
Subænea (Ellipsica), 183.
Subalata (Eurycotis), 144.
Subaptera (*Aphlebia*), 70.
Subaptera (*Apterygida*), 45
Subaptera (*Blatta*), 70.
Subaptera (Brunneria), 264.
Subaptera (Hololampra), 70.
Subaptera (*Platyzosteria*), 131.
Subaptera (*Polyzosteria*), 70, 131.
Subaptera (Sphingolabis), 45.
Subarmata (Anisolabis), 19.
Subarmata (*Labia*), 19.
Subbifasciata (Cutilia), 134.
Subbifasciata (*Drymaplaneta*), 134.
Subcincta (Brachycola), 197.
Subcincta (*Periplaneta*), 141.
Subcinctum (*Ellipsidium*), 77.
Subcolorata (*Ischnoptera*), 91.
Subcolorata (Phyllodromia), 91.
Subconspersa (Epilampra), 126.
Subcornuta (Acromantis), 280.
Subfasciata (*Blatta*), 88.
Subfoliata (*Mantis*), 305.
Subfoliata (*Vates*), 305.
Subfoliatus (Pygirhynchus), 408.
Subgenitalis (*Blatta*), 92.
Subgenitalis (Phyllodromia), 92.
Subgenitalis var. Obscurior (*Phyllodromia*), 92.
Subhyalina (*Oligonyx*), 277.
Subhyalina (Thesprotia), 277.
Sublobata (*Cardioptera*), 297.
Sublobata (*Mantis*), 297.
Sublobata (*Zetobora*), 159.
Sublucida (Ectobia), 63.
Submarginata (Allacta), 99.
Submarginata (*Blatta*), 99.
Submarginata (Cutilia), 134.
Submarginata (*Drymaplaneta*), 134.
Submarginata (*Panchlora*), 151.
Subnematodes (*Bacteria*), 328.
Subnematodes (Baculum), 328.
Subnobilis (Polyzosteria), 128.
Subornata (*Polyzosteria*), 142.
Subpectinata (Pseudectobia), 66.
Subpectinata (*Theganopteryx*), 66.
Subreflexa (Polyzosteria), 128.
Subreticulata (*Blatta*), 90.
Subrotundata (Allacta), 99.
Subrotundata (*Blatta*), 99.
Subsericea (*Paratropa*), 109.
Subsericeus (*Paratropes*), 109.
Subserrata (Labia), 26.

Subsparsa (*Epilampra*), 120.
Subsparsa (Heterolampra), 120.
Subsparcata (*Blabera*), 164.
Substrigata (Epilampra), 127.
Subterranea (*Typhlolabia*), 56.
Subterraneus (Japyx), 57.
Subtilis (Phyllodromia), 92.
Subtruncata (*Temnelytra*), 137.
Subtruncata (Zonioploca), 137.
Subverrucosa (*Blatta*), 128.
Subverrucosa (Polyzosteria), 128.
Subzonata (Cosmozosteria), 133.
Subzonata (*Platyzosteria*), 133.
Suffusa (*Blatta*), 93.
Suffusa (Phyllodromia), 93.
Sulcatifrons (Solygia), 263
Sulcatifrons (*Thespis*), 263.
Sulzeri (Blabera), 165.
Sumatrana (Creoboter), 291.
Sumatrana (*Creoboter*), 291.
Sumatrana (*Echinosoma*), 8.
Sumatrana (*Forficula*), 8.
Sumatrana (Gonolabis), 16.
Sumatrana (*Harpax*), 291.
Sumatrana (*Mantis*), 291.
Sumatranum (Echinosoma), 8.
Sumatranum (*Forficula*), 8.
Sumatranum (*Phasma*), 321.
Sumatranus (*Dixippus*), 321.
Sumatranus (Lonchodes), 321.
Sumatrensis (Marmessoidea), 371.
Sumichrasti (*Cardioptera*), 254.
Sumichrasti (*Mantis*), 254.
Sumichrasti (Phasmomantis), 254.
Sumichrasti (Temnopteryx), 105.
Sundaica (Ceratinoptera), 98.
Supellectilium (*Blatta*), 88.
Supellectilium (Phyllodromia), 88.
Superba (Chelisochella), 35.
Superba (*Epilampra*), 124.
Superba (Hagiomantis), 270.
Superba (*Liturgusa*), 270.
Superba (*Lobophora*), 35.
Superbus (*Chelisoches*), 35.
Superciliaris (*Danuria*), 309.
Superciliaris (*Mantis*), 309.
Superstitiosa (*Mantis*), 238.
Superstitiosa (Tenodera), 238.
Superstitiosa (*Tenodera*), 238.
Superstitiosa var. Madagascariensis (*Tenodera*), 238.
Supplicaria (*Mantis*), 299.
Supplicaria (Stagmatoptera), 299.
Surinama(Chorisoneura), 72.
Surinama (Hormetica), 197.
Surinama (*Musonia*), 277.
Surinama (*Thespis*), 277.
Surinamensis (*Blatta*), 151, 165.
Surinamensis (Hagiomantis), 271.
Surinamensis (Leucophæa), 151.
Surinamensis (*Liturgousa*), 271.
Surinamensis (Mionyx), 277.
Surinamensis(*Panchlora*), 151.
Surinamensis(*Theodytes*), 304.
Suspecta (Hemithyrsocera), 78.
Suteri (*Acanthoderus*), 340.
Suteri (Macracantha), 340.
Sutoria (Libethra), 345.
Suturalis (*Apterygida*), 48.
Suturalis (*Forficula*), 11, 48.
Suturalis (Labidura), 11.
Suturalis (Sphingolabis), 48.
Sylvaticus (Argosarchus), 341.
Sylvaticus (*Bacillus*), 341.
Sylvestrii (Gonolabis), 16.
Sylvestris (*Blatta*), 61.
SYNTOMAPTERA, 129.
Syriaca (Fischeria), 268.
Syriaca (*Iris*), 268.
Syriaca (*Polyphaga*), 172.
Systropedon (*Lonchodes*), 341.
Systropedon (Manduria), 341.

Taczanowskii (Ischnoptera), 84.
Tæniata (*Apterygida*), 48.
Tæniata (Chorisoneura), 72.
Tæniata (*Forficula*) 47.
Tæniata (Sphingolabis), 47, 48.
TÆNIOSOMA, 361.
Tagalica (*Epilampra*), 121.
Tagalica (Heterolampra), 121.
Tagalicus (*Lonchodes*), 318.
Tagalicus(Stælonchodes), 318.
TAGALINA, 4.
Tages (Calvisia), 370.
Tages (*Necroscia*), 370.
Talea (Clonaria), 337.
Talea (*Gratidia*), 337.
Talpoides (Hemimerus), 59.
Talpoides (*Hemimerus*), 59.
Tamolana (Anisogamia), 173.
Tamolana (Rhombodera), 249.

Tamul (Neolobophora), 29.
Tamyris (*Cyphocrania*), 369.
Tamyris (Sosibia), 369.
Taprobanæ (*Hierodula*), 248.
Taprobanæ (*Lonchodes*), 323.
Taprobanæ (Rhombodera), 248.
Taprobanæ (Sthenobœa), 323.
Taprobanarum (*Theopompa*), 214.
TARACHODES, 215.
TARACHOMANTIS, 241.
Tarasca (*Blatta*), 105.
Tarasca (Temnopteryx), 105.
Targionii (*Forficula*), 59.
TARRAGA, 163.
Tarsalis (*Perisphæria*), 190.
Tarsalis (Platyzosteria), 130.
Tarsalis (*Polyzosteria*), 130.
Tarsata (Forcipula), 9.
Tarsata (*Forficula*), 9.
Tarsata (*Labidura*), 9.
Tartara (*Aphlebia*), 71.
Tartara (Hololampra), 71.
Tartara (Loboptera), 102.
Tartara (Periplaneta), 141.
Tartarea (Cutilia), 134.
Tartarea (*Lobophora*), 33.
Tasmanica (Anisolabis), 20.
Tasmanica (Chelisoches), 35.
Tasmanica (Ectobia), 64.
Tasmanica (*Forficula*), 35.
Tasmaniensis (Paraoxypilus), 207.
Tatei (Ataxigamia), 174.
Tatei (Calolampra), 118.
Tatei (*Epilampra*), 118.
Taurica (Anisolabis), 18.
Taurica (*Forficula*), 18.
Taurica (Parameles), 231.
Taurina (Thliptoblatta), 194.
Taurus (Toxoderopsis), 285.
Tectiformis (*Hierodula*), 248.
Tectiformis (Rhombodera), 248.
TEDDIA, 264.
Telephoroides (Allacta), 100.
Telephoroides (*Blatta*), 100.
Telephorus (Anophelepis), 382.
TEMNELYTRA, 137.
TEMNOPTERYX, 103.
Templetonii (Homalopteryx), 115.
Tenebrator (Chelisoches), 33.
Tenebrigera (Leucophæa), 151.
Tenebrigera (*Panchlora*), 151.
Tenebrosa (Necroscia), 378.
Tenebrosa (Nyctibora), 108.
Tenebrosa (*Panchlora*), 193.
Tenebrosa (Pœciloblatta), 193.
Tenella (*Blatta*), 89.
Tenella (*Forficula*), 39.
Tenella (Opisthocosmia), 39.
Tenella (Phyllodromia), 89.
Tenera (*Mantis*), 227.
Tenera (Tropidomantis), 227.
TENODERA, 238.
Tenuescens (*Bacunculus*), 348.
Tenuescens (Heteronemia), 348.
Tenuicornis (Labidura), 12.
Tenuidentata (*Hierodula*), 244.
Tenuidentata (Sphodromantis), 244.
Tenuipes (Heterochæta), 305, 307.
Tenuipes (*Heterochæta*), 307.
Tenuipes (*Toxodera*), 306.
Tenuis (*Bacteria*), 349.
Tenuis (*Chæteessa*), 209.
Tenuis (Galepsus), 216.
Tenuis (Heteronemia), 349.
Tenuis (*Hoplophora*), 209.
Tenuis (Mantoida), 209.
Tenuissima (Leptocola), 263.
Tepperi (Calolampra), 118.
Tepperi (Ectobia), 63.
Tepperi (Panesthia), 203.
Tepperi (Syntomaptera), 130.
Terminalis (*Forficesila*), 11.
Terminalis (*Ischnoptera*), 82.
Terminalis (Labidura), 11.
Terminalis (Phyllodromia), 93.
Termitina (Ischnoptera), 82.
Ternatensis (Salganea), 200.
Terranea (*Ischnoptera*), 192.
Terranea (*Perisphæria*), 124.
Terranea (Rhicnoda), 124.
Terranea (Trichoblatta), 192.
Terrestris (Elliptoblatta), 184.
Terrestris (*Nyctobora*), 108.
Terrestris (*Perisphæria*), 184.
TERSOMIA, 352.
Tertiata (*Hierodula*), 247.
Tessellata (*Acanthops*), 283.
Tessellata (*Acrophylla*), 389.
Tessellata (Ctenomorpha), 389.
Tessellata (Decimia), 283.
Tessellata (*Mantis*), 239.
Tessellata (Parastagmatoptera), 299.
Tessellatus (Oligonyx), 278.
Tessellatus (Stratocles), 410.
Tessulata (Anchiale), 393.
Tessulata (*Ctenomorpha*), 389.

Tessulata (*Mantis*), 393.
Tessulata (*Phasma*), 410.
Testacea (*Apolyta*), 79.
Testacea (Epilampra), 126,
Testacea (Nauphoeta), 155.
Testaceicornis (*Forficula*), 17.
Testaceum (Ellipsidion), 79.
Tetra (*Periplaneta*), 139.
Texensis (Chorisoneura), 71.
Texensis (Temnopteryx), 105.
Thalassina (*Mantis*), 254.
Thalassina (Panchlora), 152.
Thalassina (Stagmomantis), 254.
Thalassina (Tropidomantis). 227.
THEGANOPTERYX, 64.
THEOCLYTES, 302, 305.
Theophila (Stagmomantis), 252.
THEOPOMPA, 213.
THEOPROPUS, 253.
Theoriæ (Leptisolabis), 21.
THERAMENES, 399.
THERMASTRIS, 7.
THESPIS, 264.
THESPIS, 263.
THESPROTIA, 277.
Thestylis (*Bacteria*), 344.
Thestylis (Caulonia), 344.
Thisbe (Aruanoidea), 378.
Thisbe (*Necroscia*), 378.
THLIPTOBLATTA, 194.
Thomæ (Pygirhynchus), 408.
Thomsonii (Heteroplana), 205.
Thoon (Vetilia), 393.
Thoracica (*Blabera*), 165.
Thoracica (Chelidura), 43.
Thoracica (Cylindrogaster), 3.
Thoracica (Euchomena), 236.
Thoracica (*Forficesila*), 14.
Thoracica (*Kakerlac*), 143.
Thoracica (*Mantis*), 236.
Thoracica (*Perisphæria*), 185.
Thoracica (Pilema), 185.
Thoracica (Platylabia), 22.
Thoracica (Psalis), 14.
Thoracica (Rhyparobia), 150.
Thoracica (*Thespis*), 236.
THORACOPYGA, 195.
THORAX, 111.
THRASYLLUS, 319.
THRINACONYX, 279.
Thunbergii (*Blabera*), 162.
Thunbergii (*Blatta*), 162.
Thunbergii (Byrsotria), 162.
Thunbergii (Danuria), 309.
Thunbergii (*Monachoda*), 162.
THYRSOCERA, 78.
THYRSOCERA, 74.
THYSANOBLATTA, 185.
THYSANURA, 55.
Tiarata (*Bactrododema*), 366.
Tiaratum (Bactrododema), 366.
Tiaratum (Ectatosoma), 380.
Tiaratum (*Extatosoma*), 380, 381.
Tiaratum (*Phasma*), 380, 381.
Tiaratus (*Palophus*), 366.
Tigrina (Hapalopeza), 221.
TIMEMA, 401.
Timorensis (Hierodula), 245.
Timorensis (*Mantis*), 245.
TIRACHOIDEA, 359.
Tirachus (*Phibalosoma*), 359.
Tirachus (Tirachoidea), 359.
TISAMENUS, 399.
Tisiphone (Acanthoclonia), 407.
Tisiphone (*Acanthoderus*), 407.
Titan (Acrophylla), 388.
Titan (*Cyphocrania*), 388.
Titan (*Diura*), 388.
Titan (*Phasma*), 388.
Titania (*Hierodula*), 249.
Titania (Rhombodera), 249.
Titanus (*Acrophylla*), 388.
Tithonius (*Phasma*), 410.
Tithonus (Olcyphides), 410.
Tithonus (*Phasma*), 410.
Tithonus (*Phocylides*), 410.
TITHRONE, 234.
TIVIA, 169.
Togoensis (Ctenisolabis), 21.
Tolima (*Acanthoderus*), 344.
Tolima (Caulonia), 344.
Tolteca (Anaplecta), 67.
Tolteca (Ancistrogaster), 37.
Tolteca (*Bacteria*), 348.
Tolteca (*Forficula*), 37.
Tolteca (Holocompsa), 170.
Tolteca (Ischnoptera), 84.
Tolteca (Latindia), 168.
Tolteca (*Mantis*), 252.
Tolteca (Panchlora), 154.
Tolteca (Pseudovates), 304.
Tolteca (*Stagmatoptera*), 252.
Tolteca (Stagmomantis), 252.
Tolteca (*Theoclytes*), 304.
Tolteca (*Thyrsocera*), 75.
Tolteca (*Vates*), 304.
Toltecus (*Ancistrogaster*), 37.
Toltecus (Bactromantis), 278.
Toltecus (*Oligonyx*), 278.
Tomentosa (*Blatta*), 108.
Tomentosa (Nyctibora), 108.
Tomis (*Chelidura*), 52.
Tomis (Forficula), 52.
Tomis var. [illegible] (*Chelidura*), 52.
Tonkinensis (*Corydia*), 167.
Tonquinensis (Necroscia), 375.
Torquata (Calvisia), 370.
Torquata (*Necroscia*), 370.
Tortricoides (Enicophlebia), 228.
Tortricoides (*Mantis*), 228.

Testa (Theopompa), 213.
Totonaca (*Blatta*), 95.
Totonaca (Phyllodromia), 95.
Townsendi (Yates), 306.
TOXODERA, 285.
TOXODEROPSIS, 285.
Trachelophylla (*Empusa*), 311.
Trachelophyllus (Gongylus), 311.
Tranquebaricus (Bacillus), 335.
Transcaucasica (*Hierodula*), 244.
Transcaucasica (Sphodromantis), 244.
Transiccada (*Blatta*), 72.
Translucida (*Cardioptera*), 273.
Translucida (Chorisoneura), 72.
Translucida (Ischnoptera), 85.
Translucida (Panchlora), 153.
Transvaaliensis (*Aphlebia*), 103.
Transvaaliensis (Temnopteryx), 103.
Transversa (Panesthia), 203.
Transversa (*Panesthia*), 203, 204.
Transversa (*Zetobora*), 157.
Transversalis (Allacta), 99.
Transversalis (*Blatta*), 99.
Trapezoidea (Blabera), 164.
TRILENOCORYPHA, 287.
Triangulariter - vittata (Phyllodromia), 91.
TRIBONIDIUM, 157.
TRIBONIUM, 157.
TRICHOBLATTA, 191.
TRICHOCOMA, 194.
Trichoderma (*Derocalymma*), 185.
Trichoderma (Thysanoblatta), 185.
TRICHOMERA, 148.
Trichoprocta (*Steleopyga*), 171.
Tricolor (Caloblatta), 86.
Tricolor (Chrastoblatta), 86.
Tricolor (*Gryllus*), 295.
Tricolor (Harpagomantis), 295.
Tricolor (*Harpax*), 295.
Tricolor (*Heterochaeta*), 307.
Tricolor (Heterochætula), 307.
Tricolor (Labia), 28.
Tricolor (Loboptera), 102.
Tricolor (Majanga), 270.
Tricolor (*Mantis*), 233, 295.
Tricolor (*Pantelica*), 270.
Tricolor (Theganopteryx), 64.
Tricornis (*Empusa*), 312.
Tricornis (*Mantis*), 312.
Tridens (*Bacteria*), 346.
Tridens (Pseudosermyle), 346.
Tridens (*Sibylla*), 289.
Tridens (Sigerpes), 289.
Tridentina (Ectobia), 62.
Triedrica (Caulonia), 344.
Trifaria (Prosoplecta), 177.
Trifasciata (Cosmozosteria), 133.
Trifasciata (Gonatista), 270.
Trifasciata (*Mantis*), 270.
Trifasciata (*Platyzosteria*), 133.
Trifasciata (Thespis), 265.
Trigona (*Phasma*), 361.
Trigonalis (Ligaria), 226.
Trigonalis (Phyllodromia), 89.
Trigonodera (Deroplatys), 281.
TRIGONODERUS, 380.
TRIGONOPHASMA, 372.
Trigonus (Hermarchus), 361.
Triimpressa (Pseudoderopeltis). 147.
Trilineata (*Marynia*), 336.
Trilineata (Maransis), 336.
Trilobata (*Epilampra*), 123.
Trilobata (Heterolampra), 123.
Trilobita (*Hormetica*), 197.
Trimacula (*Hierodula*), 243, 244.
Trimacula (Sphodromantis), 244.
Tripartita (*Panchlora*), 155.
Tripolitanum (*Bacillus*), 334.
Tripolitanum (*Phasma*), 334.
Tripolitanus (Bacillus), 334.
Tripunctata (*Mantis*), 254.
Tripunctata (Stagmomantis), 254.
Triramosa (Ischnoptera), 82.
Trispinosa (Forcipula), 9.
Trispinosa (*Labidura*), 9.
Tristicula (Pseudomops), 76.
Tristicula (*Thyrsocera*), 77.
Tristis (*Mantis*), 242.
Tristis (Sphodropoda), 242.
Trivialis (*Epilampra*), 121.
Trivialis (Heterolampra), 121.
Trivittata (*Aphlebia*), 70.
Trivittata (*Blatta*), 70, 102.
Trivittata (Clonaria), 338.
Trivittata (Hololampra), 70.
Trivittata (Loboptera), 102.
Trivittatus (*Bacillus*), 338.
Trollius (*Lonchodes*), 318.
Trollius (Stælonchodes), 318.
Trophinus (*Bacteria*), 327.
Trophinus (Bactricia), 327.
TROPIDODERUS, 380.
TROPIDOMANTIS, 227.

Truncata (Acontista), 233.
Truncata (Blatta), 104.
Truncata (Calolampra), 118.
Truncata (Charadodis), 282.
Truncata (Deroplatys), 282.
Truncata (Epilampra), 118, 122.
Truncata (Heminyctibora), 108.
Truncata (Heterolampra), 122.
Truncata (Labidura), 11.
Truncata (Mantis), 232.
Truncata (Nyctobora), 108.
Truncata (Periplaneta), 142.
Truncata (Platyzosteria), 137.
Truncata (Polyzosteria), 137.
Truncata (Pseudosermyle), 345.
Truncata (Temnopteryx), 104.
Truncata (Zonioploca), 137.
Truncatipennis (Polyspilota), 241.
Tuberculata (Acanthops), 283.
Tuberculata (Blatta), 196.
Tuberculata (Brachycola), 196.
Tuberculata (Hormetica), 196.
Tuberculata (Sthenobœa), 323.
Tuberculatus (Acanthops), 283.
Tuberculatus (Hyrtacus), 331.
Tuberosus (Myrcinus), 228.
Tumidiceps (Compsothespis), 208.
Tumulosa (Parahormetica), 198.
Tunetana (Discothera), 297.
Tunisinus (Japyx), 56.
Turcica (Eremiaphila), 211.
Turcomaniæ (Oxyothespis), 255.
Turgida (Bacteria), 350.
Turgida (Bostra), 350.
TYPHLOLABIA, 55.
Typherus (Diura), 380.
Typhon (Eremiaphila), 210.
Typhon (Eremiaphila), 210.
Typhon (Podacanthus), 379.
Tyrrhæus (Eurycantha), 396.

Uhleri (Oligonyx), 278.
Uhleriana (Ischnoptera), 82.
Ulula (Acanthoderus), 400.
Ulula (Dares), 400.
Umbretta (Necroscia), 411.
Umbretta (Phasma), 414.
Umbretta (Prexaspes), 414.
Undata (Allacta), 100.
Undata (Mantis), 308.
Undata (Popa), 308.
Undata (Popa), 309.
Undata (Theoclytes), 308.
Undata var. Pallida (Popa), 309.
Undulata (Craspedonia), 387.
Undulata (Diapherodes), 387.
Undulata (Epaphrodita), 284.
Undulata (Monandroptera), 387.
Undulata (Phyllocrania), 284.
Undulifera (Ischnoptera), 85.
Undulivitta (Periplaneta), 137.
Unguiculatus (Onychostylus), 96.
Unicolor (Anaplecta), [66].
Unicolor (Anaplecta), 177.
Unicolor (Anisomorpha), 402.
Unicolor (Autolyca), 402.
Unicolor (Hypocrita), 101.
Unicolor (Ischnoptera), 84.
Unicolor (Melanosilpha), 193.
Unicolor (Paralobopotera), 101.
Unicolor (Perisphaeria), 193.
Unicolor (Phasma), 402, 411.
Unicolor (Phoraspis), 112.
Unicolor (Phyllodromia), 92.
Unicolor (Platamodes), 84.
Unicolor (Plectoptera), 177.
Unicolor (Podacanthus), 379.
Unicolor (Pseudophasma), 411.
Unicornis (Empusa), 312.
Unicornis (Empusa), 313.
Unicornis (Gryllus), 312.
Unidentata (Forficula), 28.
Unidentata (Labia), 28.
Unifoliata (Bacteria), 349.
Unifoliatus (Bacunculus), 349.
Uniforme (Lonchodes), 321.
Uniforme (Phasma), 321.
Uniformis (Dixippus), 321.
Uniformis (Elliptoblatta), 183.
Uniformis (Lonchodes), 321.
Unimaculata (Hierodula), 246.
Unimaculata (Mantis), 246.
Unipunctata (Mantis), 298.
Unipunctata (Parastagmatoptera), 298.
Unipunctata (Parastagmatoptera), 299.
Urazi (Phasma), 412.
Urazi (Pseudophasma), 412.
Urbana (Creoboter), 290, 291.
Urbana (Creoboter), 291.
Urbana (Hierodula), 290, 291.
Urbana (Mantis), 290, 291, 301.
Urbanus ([illegible]), 291.

Ursina (*Heterogamia*), 172.
Ursina (Polyphaga), 172.
Usambarana (Leptisolabis), 21.
Ustulata (Homalosilpha), 143.
Ustulata (*Periplaneta*), 143.

Vacillans (*Ischnoptera*), 94.
Vacillans (Phyllodromia), 94.
Valdiviana (*Polyzosteria*), 193.
Valgius (Cladoxerus), 358.
Valgius (*Phasma*), 358.
Valgum (*Phasma*), 374.
Valgus (Hermagoras), 323.
Valgus (*Lonchodes*), 323.
Valida (Chæteesa), 209.
Valida (*Hierodula*), 248.
Valida (*Hoplophora*), 209.
Valida (*Mantis*), 248.
Valida (Periplaneta), 141.
Valida (Pygidicrana), 5.
Valida (Rhombodera), 248.
Validispinus (Dares), 400.
Validissima (Polyspilota), 239.
Valvularia (*Archiblatta*), 148.
Vara (*Chelidura*), 55.
Vara (*Forficula*), 55.
Vara (Pseudochelidura), 55.
Varia (*Epilampra*), 121.
Varia (Heterolampra), 121.
Varia (*Mantis*), 240.
Variana (*Forficula*), 49.
Varians (*Blabera*), 164.
Varicornis (Anisolabis), 19.
Varicornis (*Blatta*), 96.
Varicornis (Phyllodromia), 96.
Variegata (Ancistrogaster), 36.
Variegata (*Anisomorpha*), 402.
Variegata (*Blatta*), 79, 98.
Variegata (*Forficula*), 46.
Variegata (*Mantis*), 239, 240.
Variegata (*Opisthocosmia*), 36.
Variegata (*Phasma*), 410.
Variegata (Phyllodromia), 91.
Variegata (Polyspilota), 239.
Variegata (Pseudophyllodromia), 98.
Variegata (*Sphingolabis*), 46.
Variegata (Temnopteryx), 103.
Variegatum (Ellipsidion), 79.
Variegatum (*Phasma*), 410.
Variegatus (*Ancistrogaster*), 36.
Variicornis (*Forficula*), 37.
Variipennis (*Musonia*), 256.
Variipennis (Nanomantis), 256.
Variolosa (Platyzosteria), 131.
Variolosa (*Polyzosteria*), 131.
Variopictus (Chelisoches), 34.
VASILISSA, 382.
Vasta (*Epilampra*), 115.
Vasta (Homalopteryx), 115.
VATES, 305.
VATES, 302.
VATINÆ, 297.
Veliei (*Diapheromera*), 347.
Velii (Diapheromera), 347.
Vellicans (*Forficula*), 47.
Vellicans (Sphingolabis), 47.
Veneratoria (*Stagmatoptera*), 246.
Venilia (Olcyphides), 411.
Venilia (*Phasma*), 411.
Venosa (*Blatta*), 97.
Venosa (Hierodula), 246.
Venosa (*Mantis*), 246.
Venosa (*Metriotes*), 414.
Venosa (Pseudophyllodromia), 97.
Venosum (*Phasma*), 414.
Venosus (Prexaspes), 414.
Ventrale (*Ellipsidium*), 78.
Ventralis (Hormetica), 197.
Ventralis (Pachnepteryx), 78.
Venusta (Compsoblatta), 180.
Venusta (*Eustegasta*), 180.
Venusta (Hedaia), 123.
Venusta (Stagmomantis), 253.
Venustula (Diapherodes), 362.
Venustula (*Platycrana*), 362.
Venustulum (*Diapherodes*), 362.
Venustulum (*Phasma*), 362.
Vermicularis (*Phasma*), 401.
Verreauxii (Paraoxypilus), 207.
Verrucifer (Lonchodes), 322.
Verrucosa (Hormetica), 197.
Verrucosa (Zetobora), 158.
Verrucosum (*Acanthoderus*), 322.
Verrucosum (*Phasma*), 322.
Verrucosum (*Prisomera*), 322.
Verrucosus (Hermagoras), 322.
Verruculosa (Gratidia), 330.
Versicolor (*Angela*), 265.
Versicolor (*Apterygida*), 48.
Versicolor (*Deroca-lymma*), 185.
Versicolor (*Forficula*), 48.
Versicolor (*Mantis*), 264.
Versicolor (*Perisphæria*), 185.
Versicolor (Sphingolabis), 48.

Versicolor (Thysanoblatta), 185.
Versifasciata (*Cyphocrana*), 391.
Versifasciata (Eurycnema), 391.
Versirubra (*Cyphocrana*), 391.
Versirubra (Eurycnema), 391.
Verticalis (*Deropeltis*), 176.
Verticalis (*Epilampra*), 118.
Verticalis (*Perisphæria*), 145, 176.
Verticalis (Pœciloderrhis), 118.
Vestita (*Apolyta*), 80.
Vestita (*Blatta*), 80.
Vestita (*Paratropa*), 107.
Vestitum (Ellipsidion), 80.
Vestitus (*Paratropes*), 47.
VETILIA, 393.
Vetula (Gyna), 149.
Vexillum (Chlidonoptera), 292.
Vicaria (Forficula), 50.
Vicina (*Forficesila*), 12.
Vicina (Gonypeta), 224.
Vicina (Homalosilpha), 143.
Vicina (Labidura), 12.
Vicina (*Mantis*), 241.
Vicina (Musonia), 276.
Vicina (Paranauphœta), 180.
Vicina (*Periplaneta*), 143.
Vicina (Phyllodromia), 92.
Vicina (Polyspilota), 241.
Vicina (Stagmomantis), 252.
Vicina (*Thespis*), 276.
Victorina (Pseudomantis), 235.
Vidua (Chroicoptera), 227.
Vidua (*Mantis*), 227.
Vidua (Thesprotia), 277.
Vigilans (*Acanthoderus*), 355.
Vigilans (Ceroys), 355.
Vigilans (*Forficula*), 39.
Vigilans (Opisthocosmia), 39.
Vigilax (Oxypilus), 286.
Vilis (Ischnoptera), 85.
Vilis (Phyllodromia), 92.
Villana (Pelmatosilpha), 143.
Vincta (Carvilia), 266, 267.
Vincta (*Mantis*), 266, 267.
Vinosa (*Necroscia*), 372.
Vinosa (Trigonophasma), 372.
Vinosum (*Necroscia*), 372.
Vinosum (*Phasma*), 372.
Vinula (*Blatta*), 89.
Vinula (Phyllodromia), 89.
Violacea (*Metalleutica*), 208.
Violacea (Metallyticus), 208.
Violascens (*Acrophylla*), 381.
Violascens (*Cyphocrania*), 381.
Violascens (*Diura*), 381.
Violescens (Didymuria), 381.
Violescens (*Phasma*), 381.
Vipera (*Necroscia*), 369.
Vipera (Sosibia), 369.
Virbius (*Necroscia*), 370.
Virens (Necroscia), 375.
Virescens (*Blatta*), 73, 152.
Virescens (Chorisoneura), 73.
Virescens (*Derocalymma*), 191.
Virescens (Ellipsica), 183.
Virescens (*Harpax*), 296.
Virescens (Melanoblatta), 191.
Virescens (Panchlora), 152.
Virescens (Pseudolampra), 296.
Virga (Bactromantis), 278.
Virgatus (*Lonchodes*), 318.
Virgatus (Stælonchodes), 318.
Virgea (*Bacteria*), 358.
Virgeus (*Lonchodes*), 358.
Virginea (Didymuria), 381.
Virginea (*Diura*), 381.
Virginea (Temnopteryx), 105.
Virgulata (*Aphlebia*), 70.
Virgulata (Hololampra), 70.
Viridana (*Mantis*), 385.
Viridana (*Platycrana*), 385.
Viridana (Platycrania), 385.
Viridanum (*Cyphocrania*), 385.
Viridanum (*Phasma*), 385.
Viridi-auratus (*Metallyticus*), 208.
Viridilineata (Calvisia), 370.
Viridilineata (*Necroscia*), 370.
Viridimarginatum (*Ascephasma*), 419.
Viridimarginatum(*Aschipasma*), 419.
Viridimarginatum (*Phasma*), 419.
Viridimarginatus (Presbistus), 419.
Viridimargo (*Mantis*), 253
Viridinervis (Arrhidæus), 384.
Viridiroseus (Podacanthus), 379.
Viridis (*Bacteria*), 329, 347.
Viridis (*Blatta*), 153.
Viridis (Lonchodes), 322.
Viridis (*Mantis*), 251, 385.
Viridis (*Necroscia*), 378.
Viridis (*Panchlora*), 152, 153.
Viridis (*Polyspilota*), 240.
Viridis (*Ramulus*), 329.
Viridis (*Tropidoderus*), 378.
Viridissima (Eurycnema), 391.
Viridula (*Blatta*), 154.
Viridula (Panchlora), 154.
Vitellina (*Panchlora*), 150.
Vitellina (Rhyparobia), 150.
Vitrata (*Mantis*), 258.
Vitrea (Acontista), 234.
Vitrea (*Blatta*), 95.
Vitrea (*Cardioptera*), 273.
Vitrea (Hierodula), 246.
Vitrea (*Hierodula*), 246.

Vitrea (*Mantis*), 246, 273.
Vitrea (Photina), 273.
Vitrea (Phyllodromia), 95.
Vitreola (Ardesca), 274.
Vitrifera (*Blatta*), 73.
Vitrifera (Chorisoneura), 73.
Vitripennis (*Cardioptera*), 274.
Vitripennis (*Metallytica*), 208.
Vitripennis (Photina), 274.
Vitreocincta (*Blatta*), 73.
Vitreocincta (Chorisoneura), 73.
Vittata (*Anophelepis*), 343.
Vittata (Hemithyrsocera), 77.
Vittata (Hormetica), 197.
Vittata (Necroscia), 375.
Vittata (*Pharnacia*), 343.
Vittata (*Sipyloidea*), 376.
Vittata (*Thyrsocera*), 77.
Vittatum (Hesperophasma), 343.
Vitticollis (*Forficula*), 4.
Vitticollis (*Pydicrana*), 4.
Vitticollis (Pygidicrana), 4, 5.
Vittifrons (Eurycotis), 144.
Vittigera (*Chelidura*), 54.
Vittipennis (Arrhidæus), 384.
Vittiventris (*Blatta*), 63.
Vittiventris (Ectobia), 63.
V-nigrum (*Forficula*), 6.
V-nigrum (Pygidicrana), 6.
Voeltzkowi (Blatta), 138.
Voeltzkowi (*Stylopyga*), 138.
Voeltzkowiana (*Hierodula*), 244.
Voeltzkowiana (Pseudectobia), 66.
Voeltzkowiana (Sphodromantis), 244.
Voeltzkowiana (*Theganopteryx*), 66.
Volsella (Neolobophora), 29.

Wagneri (*Mantis*), 231.
Wagneri (Pseudoyersinia), 231.
Wagneri (*Yersinia*), 231.
Wahlbergi (Deropeltis), 146.
Wahlbergi (*Deropeltis*), 146.
Wahlbergi (Echinosoma), 8.
Wahlbergi (*Empusa*), 314.
Wahlbergi (*Periplaneta*), 146.
Wahlbergi (Pseudocreobotra), 293.
Wahlbergi (*Vates*), 314.
Walacei (*Panesthia*), 204.
Walkeri (Forcipula), 9.
Walkeri (*Labidura*), 9.
Walkeri (Pseudomops), 75.
Walkeri (Vasilissa), 382.
Wallacei (*Acanthoderus*), 326.
Wallacei (*Forficula*), 45.
Wallacei (Labia), 27.
Wallacei (Panesthia), 204.
Wallacei (Promachus), 326.
Warasaca (Necroscia), 375.
Wayi (Bactrododema), 366.
Welwitschi (Bactrododema), 366.
Westermanni (Calvisia), 370.
Westermanni (Echinosoma), 8.
Westermanni (*Necroscia*), 370.
Westwoodii (Acontista), 233.
Westwoodii (*Bacillus*), 328.
Westwoodii (Baculum), 328.
Westwoodii (Corydia), 167.
Westwoodii (Damasippus), 407.
Westwoodii (Haaniella), 398.
Westwoodii (*Heteropteryx*), 398.
Westwoodii (Hierodula), 247.
Westwoodii (*Lonchodes*), 328.
Westwoodii (Necroscia), 376.
Westwoodii(*Phibalosoma*), 359.
Westwoodii (Phyllium), 423.
Westwoodii (*Phyllocrania*), 289.
Westwoodii (Phyllothelys), 289.
Westwoodii (Theopompa), 213.
Westwoodii(Tirachoidea), 359.
Wheelerii (*Mantis*), 253.
Wheelerii (Stagmomantis), 253.
Whiteheadi (*Lonchodes*), 319.
Whiteheadi (Mithrenes), 319.
Wilkinsoni (Podacanthus), 379.
Willeyi (Eurycantha), 396.
WODONGIA, 119.
Wollastoni (Iapyx), 56.
Woodfordi (Chondrostethus), 319.
Wrayi (Mylacrina), 205.

Xanthomela (*Phasma*), 413.
Xanthomela (Pseudophasma), 413.
Xanthophila (*Blatta*), 78.
Xanthophila (Thyrsocera), 78.
Xanthoptera (*Mantis*), 269.
Xanthoptera(Sphendale), 269.
Xanthopus (Demogorgon), 12.
Xanthopus (*Forficesila*), 12.
Xanthopus (*Forficula*), 12.
Xanthostictus (Damasippoides), 404.
Xenia (Anisolabis), 20.
XENOMACHES, 383.
XERANTHERIX, 403.
XERODERUS, 383.
XEROSOMA, 416.
XEROSOMA, 417.
Xiphias (*Anophelepis*), 388.
Xiphias (Orxines), 388.

XYLICA, 404.
XYLODUS, 357.

Yersini (*Forficula*), 51.
YERSINIA, 229.
YERSINIA, 231.
Yersiniana (*Bacteria*), 346.
Yersiniana (*Epilampra*), 124.
Yersiniana (Hedaia), 124.
Yersiniana (Pseudobacteria), 346.
Yorkense (Echinosoma), 8.

Zabou (*Mantis*), 243.
Zamorensis (Blatta), 139.
Zamorensis (*Stylopyga*), 139.
Zapoteca (*Blatta*), 95.
Zapoteca (Holocompsa), 170.
Zapoteca (Phyllodromia), 95.
Zebra (Cosmozosteria), 133.
Zebra (*Polyzosteria*), 133.
Zebrata (*Mantis*), 235.
Zebrata (Omomantis), 235.
Zebrata (*Pseudomantis*), 235.
Zehntneri (Methana), 136.
Zendala (Panchlora), 154.
ZETOBORA, 158.
ZETOBORA, 159.
Zetterstedtii (Eremiaphila), 212.
Zetterstedtii (*Eremophila*), 211.
Zeuxis (*Necroscia*), 367.
Zeuxis (Orxines), 367.
Zonata (Cosmozosteria), 133.
Zonata (*Periplaneta*), 141.
Zonata (*Polyzosteria*), 133.
ZONIOPLOCA, 137.
ZOOLEA, 302.
Zubovskii (Anechura), 40.
Zymbræus (Damasippus), 407.
Zymbræus (*Dinelytron*), 407.

Printed by TAYLOR and FRANCIS, Red Lion Court, Fleet Street.

LIST OF THE CURRENT

NATURAL HISTORY PUBLICATIONS OF THE TRUSTEES OF THE BRITISH MUSEUM.

The following publications can be purchased through the Agency of *Messrs.* LONGMANS & CO., 39, *Paternoster Row*; *Mr.* QUARITCH, 15, *Piccadilly*; *Messrs.* KEGAN PAUL, TRENCH, TRÜBNER & CO., *Dryden House*, 43, *Gerrard Street*, *Soho*, *W.*; and *Messrs.* DULAU & CO., 37, *Soho Square*; or at the NATURAL HISTORY MUSEUM, *Cromwell Road*, *London*, *S.W.*

Catalogue of the Books, Manuscripts, Maps, and Drawings in the British Museum (Natural History). Compiled by B. B. Woodward, Assistant in charge of the General Library, with some clerical assistance:—

Vol. I. A—D. Pp. viii., 500. 1903, 4to. 20*s.*
Vol. II. E—K. Pp. 501-1038. 1904, 4to. 20*s.*

Catalogue of the Specimens and Drawings of Mammals, Birds, Reptiles, and Fishes of Nepal and Tibet. Presented by B. H. Hodgson, Esq., to the British Museum. 2nd edition. By John Edward Gray. Pp. xii., 90. [With an account of the Collection by Mr. Hodgson.] 1863, 12mo. 2*s.* 3*d.*

Catalogue of the Mammalia and Birds of New Guinea in the Collection of the British Museum. [With list of Species of New Guinea Birds, and those of the neighbouring Localities.] By John Edward Gray, Ph.D., F.R.S., and George Robert Gray, F.L.S., &c. Pp. 63. Woodcuts. 1859, 8vo. 1*s.* 6*d.*

Report on the Zoological Collections made in the Indo-Pacific Ocean during the voyage of H.M.S. "Alert," 1881-2. Pp. xxv., 684. 54 Plates. 1884, 8vo. 1*l.* 10*s.*

Summary of the Voyage	By Dr. R. W Coppinger.
Mammalia	,, O. Thomas.
Aves	,, R. B. Sharpe.
Reptilia, Batrachia, Pisces	,, A. Günther.
Mollusca	,, E. A. Smith.
Echinodermata	,, F. J. Bell.
Crustacea	,, E. J. Miers.
Coleoptera	,, C. O. Waterhouse.
Lepidoptera	,, A. G. Butler.
Alcyonaria and Spongiida	,, S. O. Ridley.

A Monograph of Christmas Island (Indian Ocean): Physical Features and Geology by C. W. Andrews, B.A., B.Sc., F.G.S., with descriptions of the Fauna and Flora by numerous contributors. Pp. xv., 337: 22 plates (7 coloured), a map, and 27 illustrations in text. [With Index.] 1900, 8vo. 20*s*.

Report on the Collections of Natural History made in the Antarctic Regions during the Voyage of the "Southern Cross." Pp. ix., 344. 53 Plates. 1902, Royal 8vo. 2*l*.

Mammalia	By Capt. G. E. H. Barrett-Hamilton.
Notes on Antarctic Seals	,, E. A. Wilson, M.B.
Extracts from the "Diary" of the late Nicolai Hanson.	——
Aves	,, Dr. R. Bowdler Sharpe.
Pisces	,, G. A. Boulenger, F.R.S.
Tunicata	,, Prof. W. A. Herdman, F.R.S.
Mollusca	,, E. A. Smith.
Echinoderma	,, Prof. F. J. Bell.
Insecta	,, G. H. Carpenter and Hon. N. C. Rothschild.
Arachnida	,, Dr. E. L. Trouessart.
Crustacea	,, T. V. Hodgson.
Polychæta	,, Dr. A. Willey.
Gephyrea	,, A. E. Shipley.
Nematoda Cestoda	,, Dr. von Linstow.
Polyzoa Porifera	,, R. Kirkpatrick.
Anthozoa	,, Dr. L. Roule and S. J. Hickson, F.R.S.
Actiniæ	,, J. A. Clubb.
Hydrozoa	,, E. T. Browne
Cryptogamia	,, A. Gepp, V. H. Blackman, and Miss E. S. Barton.
Rock Specimens	,, G. T. Prior.

First Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. [With an Introduction, containing a Classification of Animals from the point of view of Economic Zoology, by Prof. E. Ray Lankester, LL.D., F.R.S.] Pp. xxxiv., 192. 18 Woodcuts. 1903, Roy. 8vo. 6*s*.

Second Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. Pp. x., 197. 29 Illustrations. 1904, Roy. 8vo. 6*s*.

MAMMALS.

Catalogue of the Bones of Mammalia in the Collection of the British Museum. By Edward Gerrard. Pp. iv., 296. 1862, 8vo. 5*s*.

Catalogue of Monkeys, Lemurs, and Fruit-eating Bats in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 137. 21 Woodcuts. 1870, 8vo. 4*s*.

Catalogue of Carnivorous, Pachydermatous, and Edentate Mammalia in the British Museum. By John Edward Gray, F.R.S., &c. Pp. vii., 398. 47 Woodcuts. 1869. 8vo. 6*s.* 6*d.*

Catalogue of Seals and Whales in the British Museum. By John Edward Gray, F.R.S., &c. 2nd Edition. Pp. vii., 402. 101 Woodcuts. 1866, 8vo. 8*s.*

—— Supplement. By John Edward Gray, F.R.S., &c., Pp. vi., 103. 11 Woodcuts. 1871, 8vo. 2*s.* 6*d.*

List of the Specimens of Cetacea in the Zoological Department of the British Museum. By William Henry Flower, LL.D., F.R.S., &c. [With Systematic and Alphabetical Indexes.] Pp. iv., 36. 1885, 8vo. 1*s.* 6*d.*

Catalogue of Ruminant Mammalia (*Pecora*, Linnæus) in the British Museum. By John Edward Gray, F.R.S., &c. Pp. viii., 102. 4 Plates. 1872, 8vo. 3*s.* 6*d.*

Catalogue of the Marsupialia and Monotremata in the Collection of the British Museum. By Oldfield Thomas. Pp. xiii., 401. 4 Coloured and 24 plain Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 8*s.*

BIRDS.

Catalogue of the Birds in the British Museum :—

Vol. VI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part III., containing the first portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xiii., 420. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1881, 8vo. 1*l.*

Vol. VII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part IV., containing the concluding portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xvi., 698. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 1*l.* 6*s.*

Vol. VIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part V., containing the families Paridæ and Laniidæ (Titmice and Shrikes) ; and *Certhiomorphæ* (Creepers and Nuthatches). By Hans Gadow, M.A., Ph.D. Pp. xiii., 386. Woodcuts and 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 17*s.*

Catalogue of the Birds in the British Museum—*continued.*

Vol. IX. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cinnyrimorphæ*, containing the families Nectariniidæ and Meliphagidæ (Sun Birds and Honey-eaters). By Hans Gadow, M.A., Ph.D. Pp. xii., 310. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1884, 8vo. 14*s.*

Vol. X. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part I., containing the families Dicæidæ, Hirundinidæ, Ampelidæ, Mniotiltidæ, and Motacillidæ. By R. Bowdler Sharpe. Pp. xiii., 682. Woodcuts and 12 coloured Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 1*l.* 2*s.*

Vol. XI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part II., containing the families Cœrebidæ, Tanagridæ, and Icteridæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 431. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1886, 8vo. 1*l.*

Vol. XII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part III., containing the family Fringillidæ. By R. Bowdler Sharpe. Pp. xv., 871. Woodcuts and 16 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 8*s.*

Vol. XIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Sturniformes*, containing the families Artamidæ, Sturnidæ, Ploceidæ, and Alaudidæ. Also the families Atrichiidæ and Menuridæ. By R. Bowdler Sharpe. Pp. xvi., 701. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.* 8*s.*

Vol. XIV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Oligomyodæ*, or the families Tyrannidæ, Oxyrhamphidæ, Pipridæ, Cotingidæ, Phytotomidæ, Philepittidæ, Pittidæ, Xenicidæ, and Eurylæmidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xix., 494. Woodcuts and 26 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 4*s.*

Catalogue of the Birds in the British Museum—*continued.*

Vol. XV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Tracheophonæ*, or the families Dendrocolaptidæ, Formicariidæ, Conopophagidæ, and Pteroptochidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 371. Woodcuts and 20 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l*.

Vol. XVI. Catalogue of the Picariæ in the Collection of the British Museum. *Upupæ* and *Trochili*, by Osbert Salvin. *Coraciæ*, of the families Cypselidæ, Caprimulgidæ, Podargidæ, and Steatornithidæ, by Ernst Hartert. Pp. xvi., 703. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l*. 16*s*.

Vol. XVII. Catalogue of the Picariæ in the Collection of the British Museum. *Coraciæ* (contin.) and *Halcyones*, with the families Leptosomatidæ, Coraciidæ, Meropidæ, Alcedinidæ, Momotidæ, Totidæ and Coliidæ, by R. Bowdler Sharpe. *Bucerotes* and *Trogones*, by W. R. Ogilvie Grant. Pp. xi., 522. Woodcuts and 17 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l*. 10*s*.

Vol. XVIII. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores*, containing the family Picidæ. By Edward Hargitt. Pp. xv., 597. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l*. 6*s*.

Vol. XIX. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores* and *Coccyges*: containing the families Rhamphastidæ, Galbulidæ, and Bucconidæ, by P. L. Sclater; and the families Indicatoridæ, Capitonidæ, Cuculidæ, and Musophagidæ, by G. E. Shelley. Pp. xii., 484: 13 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l*. 5*s*.

Vol. XX. Catalogue of the Psittaci, or Parrots, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 658. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l*. 10*s*.

Vol. XXI. Catalogue of the Columbæ, or Pigeons, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 676. 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l*. 10*s*.

Vol. XXII. Catalogue of the Game Birds (*Pterocletes*, *Gallinæ*, *Opisthocomi*, *Hemipodii*) in the Collection of the British Museum. By W. R. Ogilvie Grant. Pp. xvi., 585. 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l*. 6*s*.

Catalogue of the Birds in the British Museum—*continued.*

Vol. XXIII. Catalogue of the Fulicariæ (Rallidæ and Heliornithidæ) and Alectorides (Aramidæ, Eurypygidæ, Mesitidæ, Rhinochetidæ, Gruidæ, Psophiidæ, and Otididæ) in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xiii., 353. 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 20*s.*

Vol. XXIV. Catalogue of the Limicolæ in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xii., 794. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 5*s.*

Vol. XXV. Catalogue of the Gaviæ and Tubinares in the Collection of the British Museum. Gaviæ (Terns, Gulls, and Skuas), by Howard Saunders. Tubinares (Petrels and Albatrosses), by Osbert Salvin. Pp. xv., 475. Woodcuts and 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 1*s.*

Vol. XXVI. Catalogue of the Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ, and Impennes in the Collection of the British Museum. Plataleæ (Ibises and Spoonbills) and Herodiones (Herons and Storks), by R. Bowdler Sharpe. Steganopodes (Cormorants, Gannets, Frigate-birds, Tropic-birds, and Pelicans), Pygopodes (Divers and Grebes), Alcæ (Auks), and Impennes (Penguins), by W. R. Ogilvie-Grant. Pp. xvii., 687. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 1*l.* 5*s.*

Vol. XXVII. Catalogue of the Chenomorphæ (Palamedeæ, Phoenicopteri, Anseres), Crypturi, and Ratitæ in the Collection of the British Museum. By T. Salvadori. Pp. xv., 636. 19 coloured Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 1*l.* 12*s.*

A Hand-list of the Genera and Species of Birds. [Nomenclator Avium tum Fossilium tum Viventium.] By R. Bowdler Sharpe, LL.D. :—

Vol. I. Pp. xxi., 303. [With Systematic Index.] 1899, 8vo. 10*s.*

Vol. II. Pp. xv., 312. [With Systematic Index, and an Alphabetical Index to Vols. I. and II.] 1900, 8vo. 10*s.*

Vol. III. Pp. xii., 367. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 10*s.*

Vol. IV. Pp. xii., 391. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 10*s.*

List of the Specimens of Birds in the Collection of the British Museum. By George Robert Gray :—

Part III., Section I. Ramphastidæ. Pp. 16. [With Index.] 1855, 12mo. 6*d.*

Part III., Section II. Psittacidæ. Pp. 110. [With Index.] 1859, 12mo. 2*s.*

Part III., Sections III. and IV. Capitonidæ and Picidæ. Pp. 137. [With Index.] 1868, 12mo. 1*s.* 6*d.*

Part IV. Columbæ. Pp. 73. [With Index.] 1856, 12mo. 1*s.* 9*d.*

Part V. Gallinæ. Pp. iv., 120. [With an Alphabetical Index.] 1867, 12mo. 1*s.* 6*d.*

Catalogue of the Birds of the Tropical Islands of the Pacific Ocean in the Collection of the British Museum. By George Robert Gray, F.L.S., &c. Pp. 72. [With an Alphabetical Index.] 1859, 8vo. 1*s.* 6*d.*

Catalogue of the Collection of Birds' Eggs in the British Museum (Natural History) :—

Vol. I. Ratitæ. Carinatæ (Tinamiformes—Lariformes). By Eugene W. Oates. Pp. xxiii., 252: 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 30*s.*

Vol. II. Carinatæ (Charadriiformes—Strigiformes). By Eugene W. Oates. Pp. xx., 400. 15 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1902, 8vo. 30*s.*

Vol. III. Carinatæ (Psittaciformes — Passeriformes). By Eugene W. Oates and Capt. Savile G. Reid. Pp. xxiii., 349. 10 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 25*s.*

REPTILES.

Catalogue of the Tortoises, Crocodiles, and Amphisbænians in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 80. [With an Alphabetical Index.] 1844, 12mo. 1*s.*

Catalogue of Shield Reptiles in the Collection of the British Museum. By John Edward Gray, F.R.S., &c.:—

Appendix. Pp. 28. 1872, 4to. 2*s.* 6*d.*

Part II. Emydosaurians, Rhynchocephalia, and Amphisbænians. Pp. vi., 41. 25 Woodcuts. 1872, 4to. 3*s.* 6*d.*

Hand-List of the Specimens of Shield Reptiles in the British Museum. By Dr. J. E. Gray, F.R.S., F.L.S., &c. Pp. iv., 124. [With an Alphabetical Index.] 1873, 8vo. 4*s.*

Catalogue of the Chelonians, Rhynchocephalians, and Crocodiles in the British Museum (Natural History). New Edition. By George Albert Boulenger. Pp. x., 311. 73 Woodcuts and 6 Plates. [With Systematic and Alphabetical Indexes.] 1889, 8vo. 15*s*.

Catalogue of the Lizards in the British Museum (Natural History). Second Edition. By George Albert Boulenger :—

Vol. I. Geckonidæ, Eublepharidæ, Uroplatidæ, Pygopodidæ, Agamidæ. Pp. xii., 436. 32 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20*s*.

Vol. II. Iguanidæ, Xenosauridæ, Zonuridæ, Anguidæ, Aniellidæ, Helodermatidæ, Varanidæ, Xantusiidæ, Teiidæ, Amphisbænidæ. Pp. xiii., 497. 24 Plates. [With Systematic and Alphabetical Indexes.] 1885 8vo. 20*s*.

Vol. III. Lacertidæ, Gerrhosauridæ, Scincidæ, Anelytropidæ, Dibamidæ, Chamæleontidæ. Pp. xii., 575. 40 Plates. [With a Systematic Index and an Alphabetical Index to the three volumes.] 1887, 8vo. 1*l*. 6*s*.

Catalogue of the Snakes in the British Museum (Natural History). By George Albert Boulenger, F.R.S., &c. :—

Vol. I., containing the families Typhlopidæ, Glauconiidæ, Boidæ, Ilysiidæ, Uropeltidæ, Xenopeltidæ, and Colubridæ aglyphæ (part). Pp. xiii., 448 : 26 Woodcuts and 28 Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l*. 1*s*.

Vol. II., containing the conclusion of the Colubridæ aglyphæ. Pp. xi., 382 : 25 Woodcuts and 20 Plates. [With Systematic and Alphabetical Indexes.] 1894. 8vo. 17*s*. 6*d*.

Vol. III., containing the Colubridæ (Opisthoglyphæ and Proteroglyphæ), Amblycephalidæ, and Viperidæ. Pp. xiv., 727 : 37 Woodcuts and 25 Plates. [With Systematic Index, and Alphabetical Index to the 3 volumes.] 1896, 8vo. 1*l*. 6*s*.

Catalogue of Colubrine Snakes in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 281. [With Geographic, Systematic, and Alphabetical Indexes.] 1858, 12mo. 4*s*.

BATRACHIANS.

Catalogue of the Batrachia Salientia in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 160. 12 Plates. [With Systematic, Geographic, and Alphabetical Indexes.] 1858, 8vo. 6*s*.

FISHES.

Catalogue of the Fishes in the British Museum. Second edition. Vol. I. Catalogue of the Perciform Fishes in the British Museum. Vol. I. Containing the Centrarchidæ, Percidæ, and Serranidæ (part). By George Albert Boulenger, F.R.S. Pp. xix., 394. Woodcuts and 15 Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 15*s*.

Catalogue of Fish collected and described by Laurence Theodore Gronow, now in the British Museum. Pp. vii., 196. [With a Systematic Index.] 1854, 12mo. 3*s*. 6*d*.

Catalogue of Lophobranchiate Fish in the Collection of the British Museum. By J. J. Kaup, Ph.D., &c. Pp. iv., 80. 4 Plates. [With an Alphabetical Index.] 1856, 12mo. 2*s*.

MOLLUSCA.

Guide to the Systematic Distribution of Mollusca in the British Museum. Part I. By John Edward Gray, Ph.D., F.R.S., &c. Pp. xii., 230. 121 Woodcuts. 1857, 8vo. 5*s*.

List of the Shells of the Canaries in the Collection of the British Museum, collected by MM. Webb and Berthelot. Described and figured by Prof. Alcide D'Orbigny in the "Histoire Naturelle des Iles Canaries." Pp. 32. 1854, 12mo. 1*s*.

List of the Shells of Cuba in the Collection of the British Museum collected by M. Ramon de la Sagra. Described by Prof. Alcide d'Orbigny in the "Histoire de l'Ille de Cuba." Pp. 48. 1854, 12mo. 1*s*.

List of the Shells of South America in the Collection of the British Museum. Collected and described by M. Alcide D'Orbigny in the "Voyage dans l'Amérique Méridionale." Pp. 89. 1854, 12mo. 2*s*.

Catalogue of the Collection of Mazatlan Shells in the British Museum, collected by Frederick Reigen. Described by Philip P. Carpenter. Pp. xvi., 552. 1857, 12mo. 8*s*.

List of Mollusca and Shells in the Collection of the British Museum, collected and described by MM. Eydoux and Souleyet in the "Voyage autour du Monde, exécuté "pendant les années 1836 et 1837, sur la Corvette 'La "Bonite,'" and in the "Histoire naturelle des Mollusques "Ptéropodes." Par MM. P. C. A. L. Rang et Souleyet. Pp. iv., 27. 1855, 12mo. 8*d*.

Catalogue of the Phaneropneumona, or Terrestrial Operculated Mollusca, in the Collection of the British Museum. By Dr. L. Pfeiffer. Pp. 324. [With an Alphabetical Index.] 1852, 12mo. 5*s.*

Catalogue of Pulmonata, or Air Breathing Mollusca, in the Collection of the British Museum. Part I. By Dr. Louis Pfeiffer. Pp. iv., 192. Woodcuts. 1855, 12mo. 2*s.* 6*d.*

Catalogue of the Auriculidæ, Proserpinidæ, and Truncatellidæ in the Collection of the British Museum. By Dr. Louis Pfeiffer. Pp. iv., 150. Woodcuts. 1857, 12mo. 1*s.* 9*d.*

List of the Mollusca in the Collection of the British Museum. By John Edward Gray, Ph.D., F.R.S., &c.

Part II. Olividæ. Pp. 41. 1865, 12mo. 1*s.*

Catalogue of the Conchifera, or Bivalve Shells, in the Collection of the British Museum. By M. Deshayes :—

Part I. Veneridæ, Cyprinidæ, Glauconomidæ, and Petricoladæ. Pp. iv., 216. 1853, 12mo. 3*s.*

Part II. Petricoladæ (concluded); Corbiculadæ. Pp. 217–292. [With an Alphabetical Index to the two parts.] 1854, 12mo. 6*d.*

BRACHIOPODA.

Catalogue of Brachiopoda Ancylopoda or Lamp Shells in the Collection of the British Museum. [*Issued as* "Catalogue of the Mollusca, Part IV."] Pp. iv., 128. 25 Woodcuts. [With an Alphabetical Index.] 1853, 12mo. 3*s.*

POLYZOA.

Catalogue of Marine Polyzoa in the Collection of the British Museum. Part III. Cyclostomata. By George Busk, F.R.S. Pp. viii., 39. 38 Plates. [With a Systematic Index.] 1875, 8vo. 5*s.*

CRUSTACEA.

Catalogue of the Specimens of Amphipodous Crustacea in the Collection of the British Museum. By C. Spence Bate, F.R.S., &c. Pp. iv., 399. 58 Plates. [With an Alphabetical Index.] 1862, 8vo. 1*l.* 5*s.*

ARACHNIDA.

Descriptive Catalogue of the Spiders of Burma, based upon the Collection made by Eugene W. Oates and preserved in the British Museum. By T. Thorell. Pp. xxxvi., 406. [With Systematic List and Alphabetical Index.] 1895, 8vo. 10*s.* 6*d.*

INSECTS.

Coleopterous Insects.

Nomenclature of Coleopterous Insects in the Collection of the British Museum :—

Part VI. Passalidæ. By Frederick Smith. Pp. iv., 23. 1 Plate. [With Index.] 1852, 12mo. 8*d.*

Part VII. Longicornia, I. By Adam White. Pp. iv., 174. 4 Plates. 1853, 12mo. 2*s.* 6*d.*

Part VIII. Longicornia, II. By Adam White. Pp. 237. 6 Plates. 1855, 12mo. 3*s.* 6*d.*

Part IX. Cassididæ. By Charles H. Boheman, Professor of Natural History, Stockholm. Pp. 225. [With Index.] 1856, 12mo. 3*s.*

Illustrations of Typical Specimens of Coleoptera in the Collection of the British Museum. Part I. Lycidæ. By Charles Owen Waterhouse. Pp. x., 83. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1879, 8vo. 16*s.*

Catalogue of the Coleopterous Insects of Madeira in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xvi., 234 : 1 Plate. [With a Topographical Catalogue and an Alphabetical Index.] 1857, 8vo. 3*s.*

Catalogue of the Coleopterous Insects of the Canaries in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xiii., 648. [With Topographical and Alphabetical Indexes.] 1864, 8vo. 10*s.* 6*d.*

Catalogue of Halticidæ in the Collection of the British Museum. By the Rev. Hamlet Clark, M.A., F.L.S. Physapodes and Œdipodes. Part I. Pp. xii., 301. Frontispiece and 9 Plates. 1860, 8vo. 7*s.*

Catalogue of Hispidæ in the Collection of the British Museum. By Joseph S. Baly, M.E.S., &c. Part I. Pp. x., 172. 9 Plates. [With an Alphabetical Index.] 1858, 8vo. 6*s.*

Hymenopterous Insects.

Catalogue of Hymenopterous Insects in the Collection of the British Museum. By Frederick Smith. 12mo. :—

Part I. Andrenidæ and Apidæ. Pp. 197. 6 Plates. 1853, 2*s.* 6*d.*

Part II. Apidæ. Pp. 199–465. 6 Plates. [With an Alphabetical Index.] 1854. 6*s.*

Catalogue of Hymenopterous Insects in the British Museum—*continued.*

Part III. Mutillidæ and Pompilidæ. Pp. 206. 6 Plates. 1855. 6*s.*

Part IV. Sphegidæ, Larridæ, and Crabronidæ. Pp. 207–497. 6 Plates. [With an Alphabetical Index.] 1856. 6*s.*

Part V. Vespidæ. Pp. 147. 6 Plates. [With an Alphabetical Index.] 1857. 6*s.*

Part VI. Formicidæ. Pp. 216. 14 Plates. [With an Alphabetical Index.] 1858. 6*s.*

Part VII. Dorylidæ and Thynnidæ. Pp. 76. 3 Plates. [With an Alphabetical Index.] 1859. 2*s.*

List of Hymenoptera, with descriptions and figures of the Typical Specimens in the British Museum. Vol. I., Tenthredinidæ and Siricidæ. By W. F. Kirby. Pp. xxviii., 450. 16 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1882, 8vo. 1*l.* 18*s.*

Dipterous Insects.

List of the Specimens of Dipterous Insects in the Collection of the British Museum. By Francis Walker, F.L.S.

Part VII. Supplement III. Asilidæ. Pp. ii., 507–775. 1855, 12mo. 3*s.* 6*d.*

A Monograph of the Culicidæ, or Mosquitoes. Mainly compiled from the Collections received at the British Museum from various parts of the world in connection with the Investigation into the cause of Malaria conducted by the Colonial Office and the Royal Society. By Fred. V. Theobald, M.A., &c. :—

Vols. I., II. (pp. xviii., 424 ; viii., 391 : 318 woodcuts), and Atlas of 37 coloured and 5 collotype plates (pp. viii., with explanations of plates). 1901, 8vo. 3*l.* 3*s.*

Vol. III. Pp. xvii., 359 : 17 plates, 1 diagram, and 193 illustrations in text. 1903, 8vo. 1*l.* 1*s.*

A Monograph of the Tsetse-Flies (Genus Glossina, Westwood), based on the Collection in the British Museum. By Ernest Edward Austen. With a chapter on Mouth-parts by H. J. Hansen, Phil. Doc. Pp. ix., 319 : 9 plates (7 coloured), 16 woodcuts, 1 map. 1903, Roy. 8vo. 15*s.*

Lepidopterous Insects.

Catalogue of the Lepidoptera Phalænæ in the British Museum. By Sir George F. Hampson, Bart. :—

Vol. I. Catalogue of the Syntomidæ in the Collection of the British Museum. Pp. xxi., 559 : 285 Woodcuts. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 15*s.*

——Atlas of 17 Coloured Plates, 8vo. 15*s.*

Vol. II. Catalogue of the Arctiadæ (Nolinæ, Lithosianæ) in the Collection of the British Museum. Pp. xx., 589 : 411 Woodcuts. [With Systematic and Alphabetical Indexes.] 1900, 8vo. 18*s.*

——Atlas of 18 Coloured Plates (xviii.–xxxv.), 8vo. 15*s.*

Vol. III. Catalogue of the Arctiadæ (Arctianæ) and Agaristidæ in the Collection of the British Museum. Pp. xix., 690 : 294 woodcuts. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 15*s.*

——Atlas of 19 Coloured Plates (xxxvi–liv.), 8vo. 16*s.*

Vol. IV. Catalogue of the Noctuidæ. Pp. xx., 689 : 125 woodcuts. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 15*s.*

——Atlas of 23 Coloured Plates (lv.—lxxvii), 8vo. 16*s.*

Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum :—

Part V. By Arthur Gardiner Butler. Pp. xii., 74. 78–100 Coloured Plates. [With a Systematic Index.] 1881, 4to. 2*l.* 10*s.*

Part VI. By Arthur Gardiner Butler. Pp. xv., 89. 101–120 Coloured Plates. [With a Systematic Index.] 1886, 4to. 2*l.* 4*s.*

Part VII. By Arthur Gardiner Butler. Pp. iv., 124. 121–138 Coloured Plates. [With a Systematic List.] 1889, 4to. 2*l.*

Part VIII. The Lepidoptera Heterocera of the Nilgiri District. By George Francis Hampson. Pp. iv., 144. 139–156 Coloured Plates. [With a Systematic List.] 1891, 4to. 2*l.*

Part IX. The Macrolepidoptera Heterocera of Ceylon. By George Francis Hampson. Pp. v., 182. 157–176 Coloured Plates. [With a General Systematic List of Species collected in, or recorded from, Ceylon.] 1893. 4to. 2*l.* 2*s.*

Catalogue of the Collection of Palæarctic Butterflies formed by the late John Henry Leech, and presented to the Trustees of the British Museum by his Mother, Mrs. Eliza Leech. By Richard South, F.E.S. Pp. vi., 228. 2 Coloured Plates. With a Portrait and Biographical Memoir of Mr. Leech. 1902, 4to. 1*l.*

Catalogue of Diurnal Lepidoptera described by Fabricius in the Collection of the British Museum. By Arthur Gardiner Butler, F.L.S., &c. Pp. iv., 303. 3 Plates. 1869, 8vo. 7*s.* 6*d.*

Specimen of a Catalogue of Lycænidæ in the British Museum. By W. C. Hewitson. Pp. 15. 8 Coloured Plates. 1862, 4to. 1*l.* 1*s.*

List of the Specimens of Lepidopterous Insects in the Collection of the British Museum. By Francis Walker. 12mo. :—

Part XXII. Geometrites. Pp. 499–755. 1861, 3*s.* 6*d.*

Part XXIII. ———— Pp. 756–1020. 1861, 3*s.* 6*d.*

Part XXIV. ———— Pp. 1021–1280. 1862, 3*s.* 6*d.*

Part XXV. ———— Pp. 1281–1477. 1862, 3*s.*

Part XXVI. ———— Pp. 1478–1796. [With an Alphabetical Index to Parts XX.–XXVI.] 1862, 4*s.* 6*d.*

Part XXVII. Crambites and Tortricites. Pp. 1–286. 1863, 4*s.*

Part XXVIII. Tortricites and Tineites. Pp. 287–561. 1863, 4*s.*

Part XXIX. Tineites. Pp. 562–835. 1864, 4*s.*

Part XXX. ———— Pp. 836–1096. [With an Alphabetical Index to Parts XXVII.–XXX.] 1864, 4*s.*

Part XXXI. Supplement. Pp. 1–321. 1864, 5*s.*

Part XXXII. ———— Part 2. Pp. 322–706. 1865, 5*s.*

Part XXXIII. ———— Part 3. Pp. 707–1120. 1865, 6*s.*

Part XXXIV. ———— Part 4. Pp. 1121–1533. 1865, 5*s.* 6*d.*

Part XXXV. ———— Part 5. Pp. 1534–2040. [With an Alphabetical Index to Parts XXXI.–XXXV.] 1866, 7*s.*

Neuropterous Insects.

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Francis Walker. 12mo. :—

Part II. Sialidæ—Nemopterides. Pp. ii., 193–476. 1853, 3*s.* 6*d.*

Part III. Termitidæ—Ephemeridæ. Pp. ii., 477–585. 1853, 1*s.* 6*d.*

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Dr. H. Hagen. Part I. Termitina. Pp. 34. 1858, 12mo. 6*d.*

Orthopterous Insects.

Catalogue of Orthopterous Insects in the Collection of the British Museum. Part I. Phasmidæ. By John Obadiah Westwood, F.L.S., &c. Pp. 195. 48 Plates. [With an Alphabetical Index.] 1859, 4to. 3*l*.

Catalogue of the Specimens of Blattariæ in the Collection of the British Museum. By Francis Walker, F.L.S., &c. Pp. 239. [With an Alphabetical Index.] 1868, 8vo. 5*s*. 6*d*.

Catalogue of the Specimens of Dermaptera Saltatoria in the Collection of the British Museum. By Francis Walker, F.L.S., &c. :—

Part II. Locustidæ (continued). Pp. 225–423. [With an Alphabetical Index.] 1869, 8vo. 4*s*. 6*d*.

Part III. Locustidæ (continued).—Acrididæ. Pp. 425–604. [With an Alphabetical Index.] 1870, 8vo. 4*s*.

Part IV. Acrididæ (continued). Pp. 605–809. [With an Alphabetical Index.] 1870, 8vo. 6*s*.

Part V. Tettigidæ.—Supplement to the Catalogue of Blattariæ.—Supplement to the Catalogue of Dermaptera Saltatoria (with remarks on the Geographical Distribution of Dermaptera). Pp. 811–850; 43; 116. [With Alphabetical Indexes.] 1870, 8vo. 6*s*.

Hemipterous Insects.

Catalogue of the Specimens of Heteropterous Hemiptera in the Collection of the British Museum. By Francis Walker, F.L.S., &c. 8vo. :—

Part I. Scutata. Pp. 240. 1867. 5*s*.

Part II. Scutata (continued). Pp. 241–417. 1867. 4*s*.

Part III. Pp. 418–599. [With an Alphabetical Index to Parts I., II., III., and a Summary of Geographical Distribution of the Species mentioned.] 1868. 4*s*. 6*d*.

Part IV. Pp. 211. [With Alphabetical Index.] 1871. 6*s*.

Part V. Pp. 202. [With Alphabetical Index.] 1872. 5*s*.

Part VI. Pp. 210. [With Alphabetical Index.] 1873. 5*s*.

Part VII. Pp. 213. [With Alphabetical Index.] 1873. 6*s*.

Part VIII. Pp. 220. [With Alphabetical Index.] 1873. [6*s*. 6*d*.

VERMES.

Catalogue of the Species of Entozoa, or Intestinal Worms, contained in the Collection of the British Museum. By Dr. Baird. Pp. iv., 132. 2 Plates. [With an Index of the Animals in which the Entozoa mentioned in the Catalogue are found, and an Index of Genera and Species.] 1853, 12mo. 2*s*.

ANTHOZOA.

Catalogue of Sea-pens or Pennatulariidæ in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 40. 2 Woodcuts. 1870, 8vo. 1*s*. 6*d*.

Catalogue of Lithophytes or Stony Corals in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 51. 14 Woodcuts. 1870, 8vo. 3*s*.

Catalogue of the Madreporarian Corals in the British Museum (Natural History) :—

Vol. I. The Genus Madrepora. By George Brook. Pp. xi., 212. 35 Collotype Plates. [With Systematic and Alphabetical Indexes, and Explanation of the Plates.] 1893, 4to. 1*l*. 4*s*.

Vol. II. The Genus Turbinaria ; the Genus Astræopora. By Henry M. Bernard, M.A. Cantab., F.L.S., F.Z.S. Pp. iv., 106. 30 Collotype and 3 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1896, 4to. 18*s*.

Vol. III. The Genus Montipora ; the Genus Anacropora. By Henry M. Bernard, M.A. Pp. vii., 192. 30 Collotype and 4 Lithographic Plates. [With Systematic Index, Index of Generic and Specific Names, and Explanation of the Plates.] 1897, 4to. 1*l*. 4*s*.

Vol. IV. The Family Poritidæ. I.—The Genus Goniopora. By Henry M. Bernard, M.A. Pp. viii., 206. 12 Collotype and 4 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1903, 4to. 1*l*.

BRITISH ANIMALS.

Catalogue of British Birds in the Collection of the British Museum. By George Robert Gray, F.L.S., F.Z.S., &c. Pp. xii., 248. [With a List of Species.] 1863, 8vo. 3*s*. 6*d*.

Catalogue of British Hymenoptera in the Collection of the British Museum. Second edition. Part I. Andrenidæ and Apidæ. By Frederick Smith, M.E.S. New Issue. Pp. xi., 236. 11 Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 6*s*.

Catalogue of British Fossorial Hymenoptera, Formicidæ, and Vespidæ in the Collection of the British Museum. By Frederick Smith, V.P.E.S. Pp. 236. 6 Plates. [With an Alphabetical Index.] 1858, 12mo. 6*s.*

A Catalogue of the British Non-parasitical Worms in the Collection of the British Museum. By George Johnston, M.D., Edin., F.R.C.L., Ed., LL.D., Marischal Coll., Aberdeen, &c. Pp. 365. Woodcuts and 24 Plates. [With an Alphabetical Index.] 1865, 8vo. 7*s.*

Catalogue of the British Echinoderms in the British Museum (Natural History). By F. Jeffrey Bell, M.A. Pp. xvii., 202. Woodcuts and 16 Plates (2 Coloured). [With Table of Contents, Tables of Distribution, Alphabetical Index, Description of the Plates, &c.] 1892, 8vo. 12*s.* 6*d.*

List of the Specimens of British Animals in the Collection of the British Museum: with Synonyma and References to figures. 12mo.:—

Part V. Lepidoptera. By J. F. Stephens. 2nd Edition. Revised by H. T. Stainton and E. Shepherd. Pp. iv., 224. 1856. 1*s.* 9*d.*

Part VI. Hymenoptera. By F. Smith. Pp. 134. 1851. 2*s.*

Part VII. Mollusca, Acephala and Brachiopoda. By Dr. J. E. Gray. Pp. iv., 167. 1851. 3*s.* 6*d.*

Part VIII. Fish. By Adam White. Pp. xxiii., 164. (With Index and List of Donors.) 1851. 3*s.* 6*d.*

Part IX. Eggs of British Birds. By George Robert Gray. Pp. 143. 1852. 2*s.* 6*d.*

Part XI. Anoplura, or Parasitic Insects. By H. Denny. Pp. iv., 51. 1852. 1*s.*

Part XII. Lepidoptera (continued). By James F. Stephens. Pp. iv., 54. 1852. 9*d.*

Part XIII. Nomenclature of Hymenoptera. By Frederick Smith. Pp. iv., 74. 1853. 1*s.* 4*d.*

Part XIV. Nomenclature of Neuroptera. By Adam White. Pp. iv., 16. 1853. 6*d.*

Part XV. Nomenclature of Diptera, I. By Adam White. Pp. iv., 42. 1853. 1*s.*

Part XVI. Lepidoptera (completed). By H. T. Stainton. Pp. 199. [With an Index.] 1854. 3*s.*

Part XVII. Nomenclature of Anoplura, Euplexoptera, and Orthoptera. By Adam White. Pp. iv., 17. 1855. 6*d.*

PLANTS.

Illustrations of the Botany of Captain Cook's Voyage Round the World in H.M.S. "Endeavour" in 1768–71. By the Right Hon. Sir Joseph Banks, Bart., K.B., P.R.S., and Dr. Daniel Solander, F.R.S. With Determinations by James Britten, F.L.S., Senior Assistant, Department of Botany, British Museum :—

Part I.—Australian Plants. 101 Copper-plates [after paintings by F. P. Nodder], with 31 pages of descriptive text. 1900, fol. 25*s.*

Part II.—Australian Plants, Pt. II. 142 Copper-plates (pls. 101–243) [after paintings by F. P. Nodder, James Miller, J. F. Miller, and John Cleveley], with 41 pages of descriptive text (pp. 35–75). 1901, fol. 35*s.*

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853–61 :—

Vol. I. Dicotyledons. By William Philip Hiern, M.A., F.L.S., &c. :—

Part I. [Ranunculaceæ to Rhizophoraceæ.] Pp. xxvi., 336. [With Portrait of Dr. Welwitsch. Introduction, Bibliography, and Index of Genera.] 1896, 8vo. 7*s.* 6*d.*

Part II. Combretaceæ to Rubiaceæ. Pp. 337–510. [With Index of Genera.] 1898, 8vo. 4*s.*

Part III. Dipsaceæ to Scrophulariaceæ. Pp. 511–784. [With Index of Genera.] 1898, 8vo. 5*s.*

Part IV. Lentibulariaceæ to Ceratophylleæ. Pp. 785–1035. [With Index.] 1900, 8vo. 5*s.*

Vol. II. Monocotyledons, Gymnosperms, and Cryptogams :—

Part I. Monocotyledons and Gymnosperms. By Alfred Barton Rendle, M.A., D.Sc. F.L.S., Assistant, Department of Botany. Pp. 260. [With Index of Genera.] 1899, 8vo. 6*s.*

Part II. Cryptogamia. Pp. 261–566. [With Table of Errata, and General Index to the whole work.] 1901, 8vo. 6*s.*

Vascular Cryptogams ...	By	William Carruthers, F.R.S.
Mosses	,,	Antony Gepp, M.A., F.L.S.
Hepatics	,,	F. Stephani.
Marine Algæ	,,	Ethel S. Barton.
Freshwater Algæ	,,	W. West, F.L.S., and G. S. West, B.A.
Diatomaceæ	,,	Thomas Comber, F.L.S.
Lichenes	,,	E. A. Wainio.
Fungi	,,	Annie Lorrain Smith.
Mycetozoa	,,	Arthur Lister, F.R.S.

A Monograph of Lichens found in Britain : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By the Rev. James M Crombie, M.A., F.L.S., F.G.S., &c. Part I. Pp. viii., 519 : 74 Woodcuts. [With Glossary, Synopsis, Tabular Conspectus, and Index.] 1894, 8vo. 16*s.*

A Monograph of the Mycetozoa : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By Arthur Lister, F.L.S. Pp. 224. 78 Plates and 51 Woodcuts. [With Synopsis of Genera and List of Species, and Index.] 1894, 8vo. 15*s.*

List of British Diatomaceæ in the Collection of the British Museum. By the Rev. W. Smith, F.L.S., &c. Pp. iv., 55. 1859, 12mo. 1*s.*

FOSSILS.

Catalogue of the Fossil Mammalia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S. :—

Part I. Containing the Orders Primates, Chiroptera, Insectivora, Carnivora, and Rodentia. Pp. xxx., 268. 33 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 5*s.*

Part II. Containing the Order Ungulata, Suborder Artiodactyla. Pp. xxii., 324. 39 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 6*s.*

Part III. Containing the Order Ungulata, Suborders Perissodactyla, Toxodontia, Condylarthra, and Amblypoda. Pp. xvi., 186. 30 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 4*s.*

Part IV. Containing the Order Ungulata, Suborder Proboscidea. Pp. xxiv., 235. 32 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 5*s.*

Part V. Containing the Group Tillodontia, the Orders Sirenia, Cetacea, Edentata, Marsupialia, Monotremata, and Supplement. Pp. xxxv., 345. 55 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1887, 8vo. 6*s.*

Catalogue of the Fossil Birds in the British Museum (Natural History). By Richard Lydekker, B.A. Pp. xxvii., 368. 75 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891 8vo. 10*s.* 6*d.*

Catalogue of the Fossil Reptilia and Amphibia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S.:—

Part I. Containing the Orders Ornithosauria, Crocodilia, Dinosauria, Squamata, Rhynchocephalia, and Proterosauria. Pp. xxviii., 309. 69 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 7*s.* 6*d.*

Part II. Containing the Orders Ichthyopterygia and Sauropterygia. Pp. xxi., 307. 85 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Part III. Containing the Order Chelonia. Pp. xviii., 239. 53 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Part IV. Containing the Orders Anomodontia, Ecaudata, Caudata, and Labyrinthodontia; and Supplement. Pp. xxiii., 295. 66 Woodcuts. [With Systematic Index, Alphabetical Index of Genera and Species, including Synonyms, and Alphabetical Index of Genera and Species to the entire work.] 1890, 8vo. 7*s.* 6*d.*

Catalogue of the Fossil Fishes in the British Museum (Natural History). By Arthur Smith Woodward, LL.D., F.R.S., F.G.S., &c.:—

Part I. Containing the Elasmobranchii. Pp. xlvii., 474. 13 Woodcuts and 17 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1889, 8vo. 21*s.*

Part II. Containing the Elasmobranchii (Acanthodii), Holocephali, Ichthyodorulites, Ostracodermi, Dipnoi, and Teleostomi (Crossopterygii and Chondrostean Actinopterygii). Pp. xliv., 567. 58 Woodcuts and 16 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1891, 8vo. 21*s.*

Part III. Containing the Actinopterygian Teleostomi of the Orders Chondrostei (concluded), Protospondyli, Aetheospondyli, and Isospondyli (in part). Pp. xlii., 544. 45 Woodcuts and 18 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1895, 8vo. 21*s.*

Part IV. Containing the Actinopterygian Teleostomi of the Suborders Isospondyli (in part), Ostariophysi, Apodes, Percesoces, Hemibranchii, Acanthopterygii, and Anacanthini. Pp. xxxix., 636. 22 Woodcuts and 19 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1901, 8vo. 21*s.*

Systematic List of the Edwards Collection of British Oligocene and Eocene Mollusca in the British Museum (Natural History), with references to the type-specimens from similar horizons contained in other collections belonging to the Geological Department of the Museum. By Richard Bullen Newton, F.G.S. Pp. xxviii., 365. [With table of Families and Genera, Bibliography, Correlation-table, Appendix, and Alphabetical Index.] 1891, 8vo. 6*s*.

Catalogue of Tertiary Mollusca in the Department of Geology, British Museum (Natural History). Part I. The Australasian Tertiary Mollusca. By George F. Harris, F.G.S., &c. Pp. xxvi., 407. 8 Plates. [With Table of Families, Genera, and Sub-Genera, and Index.] 1897, 8vo. 10*s*.

Catalogue of the Fossil Cephalopoda in the British Museum (Natural History) :—

Part I. Containing part of the Suborder Nautiloidea, consisting of the families Orthoceratidæ, Endoceratidæ, Actinoceratidæ, Gomphoceratidæ, Ascoceratidæ, Poterioceratidæ, Cyrtoceratidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxxi., 344. 51 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 10*s*. 6*d*.

Part II. Containing the remainder of the Suborder Nautiloidea, consisting of the families Lituitidæ, Trochoceratidæ, Nautilidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxviii., 407. 86 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 15*s*.

Part III. Containing the Bactritidæ, and part of the Suborder Ammonoidea. By Arthur H. Foord, Ph.D., F.G.S., and George Charles Crick, A.R.S.M., F.G.S. Pp. xxxiii., 303. 146 Woodcuts. [With Systematic Index of Genera and Species, and Alphabetical Index.] 1897, 8vo. 12*s*. 6*d*.

List of the Types and Figured Specimens of Fossil Cephalopoda in the British Museum (Natural History). By G. C. Crick, F.G.S. Pp. 103. [With Index.] 1898, 8vo. 2*s*. 6*d*.

A Catalogue of British Fossil Crustacea, with their Synonyms and the Range in Time of each Genus and Order. By Henry Woodward, F.R.S. Pp. xii., 155. [With an Alphabetical Index.] 1877, 8vo. 5*s*.

Catalogue of the Fossil Bryozoa in the Department of Geology, British Museum (Natural History):—

The Jurassic Bryozoa. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. [viii.,] 239 : 22 Woodcuts and 11 Plates. [With List of Species and Distribution, Bibliography, Index, and Explanation of Plates.] 1896, 8vo. 10*s*.

The Cretaceous Bryozoa. Vol. I. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. xiv., 457 : 64 Woodcuts and 17 Plates. [With Index and Explanation of Plates.] 1899, 8vo. 16*s*.

Catalogue of the Blastoidea in the Geological Department of the British Museum (Natural History), with an account of the morphology and systematic position of the group, and a revision of the genera and species. By Robert Etheridge, jun., of the Department of Geology, British Museum (Natural History), and P. Herbert Carpenter, D.Sc., F.R.S., F.L.S. (of Eton College). Pp. xv., 322. 20 Plates. [With Preface by Dr. H. Woodward, Table of Contents, General Index, Explanations of the Plates, &c.] 1886, 4to. 25*s*.

The Genera and Species of Blastoidea, with a List of the Specimens in the British Museum (Natural History). By F. A. Bather, M.A., F.G.S., of the Geological Department. Pp. x., 70. 1 Woodcut. 1899, 8vo. 3*s*.

Catalogue of the Palæozoic Plants in the Department of Geology and Palæontology, British Museum (Natural History). By Robert Kidston, F.G.S. Pp. viii., 288. [With a list of works quoted, and an Index.] 1886, 8vo. 5*s*.

Catalogue of the Mesozoic Plants in the Department of Geology, British Museum (Natural History). By A. C. Seward, M.A., F.R.S., F.G.S., University Lecturer in Botany and Fellow of Emanuel College, Cambridge :—

Part I. The Wealden Flora. Part I. Thallophyta—Pteridophyta. Pp. xxxviii., 179. 17 Woodcuts and 11 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1894, 8vo. 10*s*.

Part II. The Wealden Flora. Part II. Gymnospermæ. Pp. viii., 259. 9 Woodcuts and 20 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1895, 8vo. 15*s*.

Part III. The Jurassic Flora. Part I. The Yorkshire Coast. Pp. xii., 341. 53 Woodcuts and 21 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1900, 8vo. 20*s*.

Part IV. The Jurassic Flora. Part II. Liassic and Oolitic Floras of England (excluding the Inferior Oolite Plants of the Yorkshire Coast). Pp. xv., 192. 20 Woodcuts and 13 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1904, 8vo. 10*s*.

GUIDE-BOOKS, Etc.

A General Guide to the British Museum (Natural History), Cromwell Road, London, S.W. With 58 Woodcuts, 2 Plans, 2 views of the building, and an illustrated cover. Pp. 119. 1903, 8vo. 3*d*.

Guide to the Galleries of Mammalia in the Department of Zoology of the British Museum (Natural History). 7th Edition. Pp. 126. 65 Woodcuts and 4 Plans. Index. 1902, 8vo. 6*d*.

Guide to the Galleries of Reptiles and Fishes in the Department of Zoology of the British Museum (Natural History). 4th Edition. Pp. iv., 119. 101 Woodcuts. Index. 1898. 8vo. 6*d*. (*Out of print.*)

Guide to the Shell and Starfish Galleries (Mollusca, Polyzoa, Brachiopoda, Tunicata, Echinoderma, and Worms), Department of Zoology, British Museum (Natural History). New Edition. Pp. iv., 130. 125 Woodcuts, Plan and Indexes. 1901, 8vo. 6*d*.

Guide to the Coral Gallery (Protozoa, Porifera or Sponges, Hydrozoa, and Anthozoa) in the Department of Zoology, British Museum (Natural History). Pp. [iv.,] 73. 82 Illustrations, Plan, and Index. 1902, 8vo. 1*s*.

A Guide to the Fossil Mammals and Birds in the Department of Geology and Palæontology in the British Museum (Natural History). 7th Edition. [By Henry Woodward.] Pp. xii., 103. 116 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1896, 8vo. 6*d*. (*Out of print.*)

A Guide to the Fossil Reptiles and Fishes in the Department of Geology and Palæontology in the British Museum (Natural History). [By Henry Woodward.] Pp. xiv., 129: 165 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1896, 8vo. 6*d*.

A Guide to the Fossil Invertebrates and Plants in the Department of Geology and Palæontology in the British Museum (Natural History). [By Henry Woodward.] Pp. xvi., 158. 182 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, Introduction, and Index.] 1897, 8vo. 1*s*.

The same, in two parts :—

Part I. Mollusca to Bryozoa. Pp. xii., 64. 107 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Introduction.] 1897, 8vo. 6*d*.

Part II. Insecta to Plants, &c. Pp. ix., 64*–158. Woodcuts 108–182. [With List of Illustrations and Index to the two parts.] 1897, 8vo. 6*d*.

Guide to Sowerby's Models of British Fungi in the Department of Botany, British Museum (Natural History). By Worthington G. Smith, F.L.S. Pp. 82. 93 Woodcuts. With Table of Diagnostic Characters, and Index. [Second Edition.] 1898, 8vo. 4*d.*

Guide to the British Mycetozoa exhibited in the Department of Botany, British Museum (Natural History). By Arthur Lister, F.L.S. [Second Edition.] Pp. 42. 44 Woodcuts. Index. 1903, 8vo. 3*d.*

A Guide to the Mineral Gallery of the British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 32. Plan. 1903, 8vo. 1*d.*

The Student's Index to the Collection of Minerals, British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 32. With a Plan of the Mineral Gallery. 1903, 8vo. 2*d.*

An Introduction to the Study of Minerals, with a Guide to the Mineral Gallery of the British Museum (Natural History). By L. Fletcher, M.A., F.R.S. Pp. 123. 41 Woodcuts. With Plan of the Mineral Gallery and Index. 1903, 8vo. 6*d.*

An Introduction to the Study of Rocks. By L. Fletcher, M.A., F.R.S. Pp. 118. [With plan of the Mineral Gallery, Table of Contents, and Index.] 1898, 8vo. 6*d.*

An Introduction to the Study of Meteorites, with a List of the Meteorites represented in the Collection on January 1st, 1904. By L Fletcher, M.A., F.R.S., &c. Pp 109. [With a Plan of the Mineral Gallery, and an Index to the Meteorites represented in the Collection.] 1904, 8vo. 6*d.*

Handbook of Instructions for Collectors, issued by the British Museum (Natural History). With Illustrations. Second Edition. Pp. 138. Index. 1904, 8vo. 1*s.* 6*d.*

Hints on Removing and Preparing Skins of Mammals. Pp. 11. Text illust. [2nd Edition.] 1903, 8vo. 4*d.*

Instructions for the Preservation of Birds. Pp. 10. 5 figures in text. [3rd Edition.] 1904, 8vo. 3*d.*

Instructions for Collecting Reptiles, Batrachians, and Fishes. Pp. 12. [2nd Edition.] 1903, 8vo. 4*d.*

Instructions for Collecting Insects. Pp. 10. Text illust. [3rd Edition.] 1903, 8vo. 4*d.*

How to Collect Diptera (Two-winged Flies), with Notes on the Habits of the Perfect Insects and Larvæ. Pp. 16. Text illust. [2nd Edition.] 1903, 8vo. 4*d.*

How to Collect Mosquitoes (Culicidæ). Pp. 8. 1 Plate, 1 figure in text. [3rd Edition.] 1904, 8vo. 3*d.*

Instructions for Collecting Arachnida, Myriopoda, and Peripatus. Pp. 3. 1900, 8vo. 4*d.*

Methods of Collecting and Preserving various Soft-bodied Invertebrate Animals; with Hints for Collecting and Preserving Shells of Molluscs. Pp. 15. [2nd Edition.] 1902, 8vo. 4*d.*

Directions for Collecting and Preserving Plants. Pp. 8. 2 figures in text. [3rd Edition.] 1903, 8vo. 4*d.*

Suggestions as to Collecting and Preserving Fossils and Minerals. Pp. 9. [2nd Edition.] 1903, 8vo. 4*d.*

E. RAY LANKESTER,
Director.

British Museum
(Natural History),
Cromwell Road,
London, S.W.

May 1st, 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1901.

BINDING SECT. AUG 13 1981

19

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

QL British Museum (Natural History)
506 Dept. of Zoology
B85 A synonymic catalogue of
v.1 Orthoptera

BioMed